## **LEGAL DESCRIPTION**

LOTS 1 AND 2, SPACE VILLAGE FILING NO. 4 EL PASO COUNTY, COLORADO

## BASIS OF BEARINGS

BEARINGS ARE BASED ON A PORTION OF THE NORTHERLY LINE OF THE NORTHWEST 1/4 OF SECTION 17, TOWHNSHIP 14 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPLE MERIDIAN, PER THE PLAT OF COWPERWOOD SAIC RECORDED AUGUST 9, 2005 AT RECEPTION NO. 205122346 IN THE OFFICE OF THE CLERK AND RECORDER FOR THE COUNTY OF EL PASO, STATE OF COLORADO, WHICH BEARS SOUTH 89°53'54" EAST BETWEEN THE MONUMENTS SHOWN AND DESCRIBED HEREON.

## **BENCHMARK**

NGS BENCH MARK "R 76"

LOCATED 0.2 MILE EAST ALONG HIGHWAY 94 FROM PETERSON ROAD, 22 FEET SOUTH-SOUTHEAST OF THE SOUTHEAST CORNER OF AN ADDITION TO THE BUILDING (SANDY'S RESTAURANT), 48 FEET NORTH OF THE CENTERLINE OF THE HIGHWAY, 3.5 FEET SOUTH OF A POWER POLE AND 3 FEET SOUTH OF A FIBERGLASS WITNESS POST.

ELEVATION = 6289.86 FEET (NAVD 1988)

## DEVELOPER

HAMPTON YARDS 201 FILLMORE ST, SUITE 201 DENVER, CO 80206 (303) 694-1085 CONTACT: TUCKER ROBINSON

## CONTRACTOR

COMMERCIAL BUILDING SERVICES 7561 S. GRANT ST, SUITE A-4 LITTLETON, C0 80122 (303) 730-3001

CONTACT: DAVID SPRATLEN, AIA

## **CIVIL ENGINEER**

STERLING DESIGN ASSOCIATES. LLC 2009 W. LITTLETON BLVD, SUITE 300 LITTLETON, CO 80120 (303) 794-4727 CONTACT: JAY NEWELL, PE

## LANDSCAPE ARCHITECT

(719) 668-8161

(719) 597-5080

STERLING DESIGN ASSOCIATES, LLC 2009 W. LITTLETON BLVD, SUITE 300 LITTLETON, CO 80120 (303) 794-4727

CONTACT: JON SPENCER, PLA

## AGENCY REFERRALS

PLANNING & COMMUNITY DEVELOPMENT 2880 INTERNATIONAL CIRCLE, SUITE 110 COLORADO SPRINGS, CO 80910 (719) 520-6442 CONTACT: MATTHEW FITZSIMMONS

PIKES PEAK REGIONAL BUILDING DEPARTMENT

2880 INTERNATIONAL CIRCLE COLORADO SPRINGS, CO 80910 CONTACT: -(719) 327-2880

PLANNING & COMMUNITY DEVELOPMENT 2880 INTERNATIONAL CIRCLE, SUITE 110 COLORADO SPRINGS, CO 80910 CONTACT: DANIEL TORRES, ENGINEER III (719) 520-6305

COLORADO SPRINGS UTILITIES 1521 S HANCOCK EXPY., MC 1812 COLORADO SPRINGS, CO 80903 CONTACT: BLANCHE LUDIKER

**SURVEYOR** 

(303) 921-9537

CENTENNIAL, CO 80111

ALTURA LAND CONSULTANTS

CONTACT: MARTIN BRAUNS, PLS

6551 SOUTH REVERE PARKWAY, SUITE 165


CIMARRON HILLS FIRE DEPARTMENT 1835 TUSKEGEE PLACE COLORADO SPRINGS, CO 80915 CONTACT: CHIEF JOHN (J.T.) McLEOD

(719) 591-0960 CHEROKEE METROPOLITAN DISTRICT 6250 PALMER PARK BLVD. COLORADO SPRINGS, CO 80915 CONTACT: KEVIN BROWN

# SPACE VILLAGE FILING NO. 4

A PORTION OF THE NW 1/4 OF SEC. 17, T14S, R65W, OF THE 6th P.M., EL PASO COUNTY, COLORADO DEVELOPMENT PLAN

## **VICINITY MAP**



## SHEET INDEX

- **COVER SHEET**
- SITE PLAN
- PRELIMINARY GRADING/UTILITY PLAN
- LANDSCAPE PLAN
- LANDSCAPE NOTES AND DETAILS
- PHOTOMETRIC PLAN

## **SUBMITTALS**

NOVEMBER 21, 2022

REVISED: -

REVISED: -



PREPARED UNDER THE DIRECT SUPERVISION OF JONATHAN SPENCER, PLA COLORADO REGISTRATION # 111 FOR & ON BEHALF OF STERLING DESIGN ASSOCIATES, LLC

STERLING DESIGN ASSOCIATES, LLC

NO.: 1	DATE:	BY:
DESCRIPT	TION:	
NO.: 2	DATE: -	BY: -
DESCRIPT	TION: -	
NO.: 3	DATE: -	BY: -
DESCRIPT	TION: -	
NO.: 4	DATE: -	BY: -
DESCRIPT	TION: -	
NO.: 5	DATE: -	BY: -
DESCRIPT	TION: -	
NO.: 6	DATE: -	BY: -

DATE:	SCALE: NTS
PROJECT MANAGER:  JDS	PROJECT NO.:
DRAWN BY: JDS	DRAWING FILE:

## **SPACE VILLAGE FILING NO. 4 EL PASO COUNTY, CO**

COMMERCIAL BUILDING SERVICES 7561 S. GRANT STR., SUITE A-4 LITTLETON, COLORADO 80122


TEL: (303) 730-3001

SHEET TITLE: **COVER SHEET** 

SHEET NUMBER:


1 OF 6

#### SPACE VILLAGE FILING NO. 4 A PORTION OF THE NW 1/4 OF SEC. 17, T14S, R65W, OF THE 6th P.M., EL PASO COUNTY, COLORADO DEVELOPMENT PLAN **DEVELOPER** HAMPTON YARDS UNPLATTED UNPLATTED UNPLATTED HILLCREST ACRES 201 FILLMORE ST, SUITE 201 SPECIAL WARRANTY DEED PERSONAL REPRESENTATIVE'S DEED (REC. NO. 153860) DENVER, CO 80206 (303) 694-1085 tucker@hamptonpartners.net CONTACT: TUCKER ROBINSON LANDSCAPE ARCHITECT SPACE VILLAGE AVENUE (100' R.O.W.) EDGE OF ASPHALT-2009 W. LITTLETON BLVD, SUITE 300 LITTLETON, CO 80120 EDGE OF ASPHALT EXISTING CULVERTS -EX. STREET SIGN (303) 794-4727 20.0' L'ANDSCAPE SETBACK LANDSCAPE (LS) jon@sterlingdesignassociates.com CONCRETE ACCESS LANDSCAPE (LS) S89°53'54"E(M&R (MINOR ARTERIAL) CONTACT: JON SPENCER, PLA EX. POWER POLE **CONTRACTOR** EX. POWER POLE (S) EX. POWER POLE YEX. POWER POLE COMMERCIAL BUILDING SERVICES 7561 S. GRANT ST, SUITE A-4 L<sub>6'</sub> TALL WOOD. LITTLETON, C0 80122 PRIVACY FENCE SEWER MANHOLE (303) 730-3001 david@cbsconstruction.com CONTACT: DAVID SPRATLEN PROPOSED 15.0' 30.0' Cherokee Metropolitan District PROP'OSED ACCESS EASEMENT EX: WATER -LIGHT POLE,-Civil Engineers | Landscape Architects 2009 W. Littleton Blvd. #300 Littleton, CO 80120 303.794.4727 | www.SterlingDesignAssociates.com COURSE GRAVEL OR ASPHALT ✓ MILLINGS OVER COMPACTED PREPARED UNDER THE DIRECT SUPERVISION OF JONATHAN SPENCER, PLA COLORADO REGISTRATION # 111 FOR & ON BEHALF OF STERLING DESIGN ASSOCIATES, LLC Utility Easement— Rec. No. 205122346 PRIVACY FENCE . 6' TALL WOOD-PRIVACY FENCE DIVERSION CHANNEL - . . . STERLING DESIGN ASSOCIATES, LLC COWPERWOOD SAIC (REC. NO. 205122346) ISSUES & REVISIONS OWNER: COLORADO MILITARY ACADEMY BLDG CORP. DESCRIPTION: 2639.73' DESCRIPTION: -DESCRIPTION: DESCRIPTION: -NO.: 5 DATE: DESCRIPTION: -COLORADO SPRINGS DESCRIPTION: -AIRPORT FILING NO. 1B Drainage Pond (REC. NO. 218714079) Easement Rec. No. 205122346 × OWNER: CITY OF COLORADO **OCTOBER 5, 2022** 1" = 60' SPRINGS PROJECT MANAGER: PROJECT NO.: **JDS** 30.0' Cherokee Metropolitan District Temporary EAST POND WEST POND Construction Easement, Rec. No. 201095053 DRAWN BY: DRAWING FILE: 665.99' 624.20' 1290.19'(M) 1289.94'(R) S89°56'31"W(M&R) 15.0' Cherokee Metropolitan District Utility Easement, Rec. No. 201095053 EXISTING CHAIN LINK OWNER: UNITED STATES OF LEXISTING CHAIN LINK OWNER: UNITED STATES OF FENCE TO REMAIN FENCE TO REMAIN **AMERICA SPACE VILLAGE FILING NO. 4 LEGEND** FENCING NOTE **EL PASO COUNTY, CO** 6' TALL WOOD PRIVACY FENCING IS PROPOSED ALONG THE NORTH, WEST, 0 30 60 PROPERTY LINE AND EAST PROPERTY LINES HOWEVER THE EXISTING CHAIN LINK FENCING ADJACENT PROPERTY LINE ALONG THE SOUTHERN BORDER WILL REMAIN FOR SECURITY REASONS. NORTH SCALE: 1"= 60' THIS BASED ON THE OUTCOME OF A MEETING BETWEEN THE DEVELOPER EASEMENT LINE AND THE PETERSON SPACE FORCE BASE COMMUNITY PLANNER AND BASE — 6275 — EXIST. MAJOR CONTOUR ENGINEERING PERSONNEL ON JULY 11, 2022. EXIST. MINOR CONTOUR COMMERCIAL BUILDING SERVICES PROP. CONTOUR 7561 S. GRANT STR., SUITE A-4 EXIST. FENCE LITTLETON, COLORADO 80122 EXIST. EDGE OF ASPHALT EXIST. CURB AND GUTTER TEL: (303) 730-3001 PROP. CONCRETE EXIST. OVERHEAD ELECTRIC SHEET TITLE: EXIST. SANITARY SEWER EXIST. WATERLINE SITE PLAN EXIST. GAS LINE EXIST. ELECTRIC EXIST. TELEPHONE EXIST. FIBER OPTIC SHEET NUMBER: 2 OF 6




# SPACE VILLAGE FILING NO. 4

A PORTION OF THE NW 1/4 OF SEC. 17, T14S, R65W, OF THE 6th P.M., EL PASO COUNTY, COLORADO DEVELOPMENT PLAN




# SPACE VILLAGE FILING NO. 4

## A PORTION OF THE NW 1/4 OF SEC. 17, T14S, R65W, OF THE 6th P.M., EL PASO COUNTY, COLORADO DEVELOPMENT PLAN









## LANDSCAPE NOTES

#### COORDINATION:

THIS LANDSCAPE ARCHITECTURAL SITE PLAN IS TO BE USED IN CONJUNCTION WITH THE CIVIL ARCHITECTURAL, MECHANICAL, ELECTRICAL, STRUCTURAL AND IRRIGATION PLANS AND SPECIFICATIONS TO FORM COMPLETE INFORMATION REGARDING THIS SITE.

#### COMPLIANCE:

CONSTRUCTION SHALL CONFORM TO ALL APPLICABLE STATE AND LOCAL CODES.

## 3. GUARANTEE:

ALL MATERIALS AND WORKMANSHIP SHALL BE GUARANTEED FOR ONE YEAR, FROM DATE OF FINAL ACCEPTANCE, AT NO ADDITIONAL COST TO THE OWNER.

#### 4. COMPLETION AND MAINTENANCE:

- A. FINAL ACCEPTANCE: WITHIN TEN DAYS OF CONTRACTOR'S NOTICE THAT THE ENTIRE PROJECT IS COMPLETE. THE L.A. SHALL REVIEW INSTALLATION, IF FINAL ACCEPTANCE IS NOT GIVEN, THE L.A. SHALL PREPARE A PUNCH LIST OF PENDING ITEMS. THE PUNCH LIST ITEMS SHALL BE COMPLETED BY THE CONTRACTOR WITHIN TEN CALENDAR DAYS FROM DATE ISSUED. SUBSEQUENT REVIEW AND APPROVAL SHALL SIGNIFY ACCEPTANCE.
- B. MAINTENANCE: ALL LANDSCAPING SHALL BE MAINTAINED FROM INSTALLATION TO FINAL ACCEPTANCE. MAINTENANCE SHALL INCLUDE WATERING, FERTILIZING, WEEDING, MOWING, TRIMMING, ROLLING. REGRADING, REPLANTING, DISEASE AND INSECT PROTECTION.

## 5. SITE CONDITIONS:

LANDSCAPE CONTRACTOR SHALL EXAMINE THE SITE CONDITIONS UNDER WHICH THE WORK IS TO BE PERFORMED AND NOTIFY THE GENERAL CONTRACTOR IN WRITING OF UNSATISFACTORY CONDITIONS. DO NOT PROCEED UNTIL CONDITIONS ARE CORRECTED. LANDSCAPE CONTRACTOR SHALL BE RESPONSIBLE FOR FINISHED GRADES AND POSITIVE DRAINAGE IN LANDSCAPE AREAS.

### 6. DAMAGE AND CLEANING:

- A. CONTRACTOR SHALL REPAIR OR REPLACE ALL ITEMS DAMAGED DUE TO THIS WORK AT NO ADDITIONAL COST TO THE OWNER.
- B. CONTRACTOR SHALL CLEAN ALL AREAS DUE TO THIS WORK AND PROPERLY REMOVE ALL UNUSED MATERIALS FROM SITE.

### 7. RIGHT OF REJECTION:

OWNER/LANDSCAPE ARCHITECT RESERVES THE RIGHT TO REJECT ANY MATERIALS AT ANY TIME. ALL PLANT MATERIALS SHALL MEET THE MINIMUM CURRENT "AMERICAN STANDARDS FOR NURSERY STOCK" BY THE AMERICAN ASSOCIATION OF NURSERYMEN. CONTRACTOR SHALL PROVIDE SAMPLES, SPECS., AND OR TAGS FOR ALL MATERIALS.

COMMON NAME

BLUESTEM, BIG

GRAMA, BLUE

SWITCHGRASS

BLUESTEM, LITTLE

GRAMA, SIDEOATS

SANDSEED, PRAIRIE

INDIAN GRASS, YELLOW

WHEATGRASS, WESTERN

**SEEDING NOTES** 

SOD, NATIVE SEED, AND SHRUB BED AREAS SHALL RECEIVE SIX INCHES OF APPROVED TOPSOIL. PER CSU'S SOIL ANALYSIS PREPARED 4/29/22. DO NOT APPLY ANY SOIL AMENDMENTS SUCH AS MANURE AND COMPOST. APPLY 1.3 LB. N PER 1,000 SQ. FT. THREE TIMES DURING THE GROWING SEASON (MID-MARCH-APRIL, MAY-MID-JUNE AND LATE SEPTEMBER-EARLY OCTOBER). APPLY 2.7 LB P205, 0.2 LB ZN, 0.04 LB FE2SO4 (IRON

GROWTH SEASON / FORM % OF MIX POUNDS PLS

SEED RATE (LBS PLS/ACRE)

20

10

10

2.18

0.67

0.25

0.91

1.02

3.20

0.40

0.64

WARM, BUNCH

WARM, BUNCH

WARM, BUNCH/SOD

WARM, SOD

WARM, SOD

COOL, SOD

WARM, SOD

WARM, SOD

USDA NATURAL RESOURCES CONSERVATION SERVICE (NRCS) NATIVE SEED MIX

SCHIZACHYRIUM SCOPARIUM 'PASTURA'

BOUTELOUA CURTIPENDULA 'VAUGHN'

SORGHASTRUM NUTANS 'CHEYENNE'

ANDROPOGON GERARDII 'KAW'

PASCOPYRUM SMITHII 'ARRIBA'

PANICUM VIRGATUM 'BLACKWELL'

CALIMOVILFA LONGIFOLIA 'GOSHEN'

BOUTELOUA GRACILIS 'HACHITA'

SCIENTIFIC NAME

SULFATE), 0.02 LB MN, 0.1 LB CU, AND 0.01 LB B PER 1,000 SQ. FT. AT PLANTING OR BEGINNING OF GROWING SEASON. SEVERAL APPLICATIONS MAY BE REQUIRED DURING THE FIRST GROWING SEASON. ROTOTILL FERTILIZER AND TOPSOIL TO INCORPORATE AMENDMENTS AND COUNTER ANY COMPACTION OR SOIL CONSOLIDATION IN ALL LANDSCAPE PLANTING AREAS. VERIFY SOIL PREP SPECIFICATIONS WITH WATER PROVIDER STANDARDS. PROVIDE EVIDENCE OF APPLICATION AS REQUIRED. TEST SOIL IN EXISTING ASPHALT AREAS FOR STERILANT USE. IF STERILANTS ARE FOUND PRESENT, REMOVE ALL CONTAMINATED SOIL AND REPLACE WITH NEW TOPSOIL.

#### PLANTING:

TREES AND SHRUBS SHALL BE PLANTED PER DETAILS. STAKE AND GUY TREES PER DETAILS. TREE AND SHRUB BED LOCATIONS SHALL BE APPROVED PRIOR TO PLANTING. BACKFILL WITH 1/3 SOIL AMENDMENT AND 2/3 SITE SOIL, THOROUGHLY MIXED. FERTILIZE AS RECOMMENDED WITH AGRIFORM TABLETS.

SOD SHALL BE CANADIAN BLUE FESCUE GRASS BY TURF MASTERS (970) 493-8311 OR APPROVED EQUAL. SOIL PREP., INSTALL AND WATER ACCORDING TO GROWER GUIDLINES.

INSTALL 4" ROLL-TOP RYERSON STEEL EDGING (14 GAUGE WITH GREEN FINISH) OR EQUAL. INSTALL WITH STAKES AND SPLICERS PER MANUFACTURER'S RECOMMENDATIONS. INSTALL BETWEEN ALL SOD OR SEEDED AREAS AND MULCHED AREAS.

#### 12. MULCH:

INSTALL A MINIMUM 4" THICK MINIMUM LAYER OF MULCH AS SPECIFIED IN THE LEGEND. INSTALL A 3" THICK RING OF DOUBLE SHREDDED CEDAR BARK MULCH AROUND ALL PLANT MATERIAL IN ROCK MULCH BEDS WHERE LANDSCAPING IS SHOWN ON THE PLANS. WOOD MULCH RING SIZE SHALL BE THE SIZE OF THE OF SHRUB, PERENNIAL, AND ORNAMENTAL GRASS'S CONTAINER/ROOTBALL. INSTALL WEED BARRIER FABRIC UNDER ALL ROCK AND WOOD MULCH SHRUB BEDS SPECIFIED ON THE PLANS ONLY. PULL WEED BARRIER AWAY FROM THE BASE OF SHRUBS AND TREES IN WOOD MULCH AREAS. NO PLASTIC WEED BARRIERS SHALL BE SPECIFIED. NO WEED BARRIER SHALL BE USED IN AREAS OF PERENNIAL FLOWER AND GROUND COVER PLANTINGS. (SUBMIT SAMPLES)

### 13. MAINTENANCE:

SEEDING SPECS.

NECESSARY.

HEALTHY AND WEED FREE STAND OF GRASS.

SEED BED AND COMPLETE FINISH GRADING.

AREAS WHERE DRILL SEEDING CANNOT BE ACCOMPLISHED.

MULCH: CRIMP STRAW INTO THE SOIL AT 3,000 LBS. PER ACRE.

THE PROPERTY OWNER OF RECORD, THE OWNER'S AGENT OR TENANT SHALL KEEP ALL LANDSCAPING IN A WELL MAINTAINED AND HEALTHY GROWING CONDITION.

## 14. IRRIGATION:

ALL LANDSCAPE AREAS SHALL BE WATERED BY AN AUTOMATIC IRRIGATION SYSTEM TO INCLUDE IRRIGATION TO ALL PROPOSED PLANT MATERIAL. TURF AREAS LESS THAN 25' IN WIDTH SHALL BE IRRIGATED WITH A POP-UP SPRAY SYSTEM AND ALL TURF AREAS GREATER THAN 25' SHALL HAVE A ROTARY POP-UP HEAD SYSTEM PROVIDING HEAD TO HEAD COVERAGE, ALL SHRUB BEDS SHALL BE IRRIGATED USING A DRIP IRRIGATION SYSTEM, ZONED SEPARATE FROM TURF AREAS.

SUBMIT ALL SEEDING, MULCHING, AND WATER SCHEDULE SPECIFICATIONS TO

REQUIREMENTS. THE CONTRACTOR SHALL BE RESPONSIBLE TO ESTABLISH A

LANDSCAPE ARCHITECT FOR FINAL APPROVAL IN ACCORDANCE OF EL PASO COUNTY

SOIL PREP: APPLY STOCKPILED TOPSOIL AND 100 LBS. OF DIAMMONIUM PHOSPHATE

PER ACRE TO AN APPROVED SUBGRADE. USE A DISK OR HARROW TO PREPARE THE

SEEDING: USE A GRASS DRILL WITH A SEED AGITATOR TO ENSURE THAT THE SEED IS

DRILLED EVENLY TO A 1/2" DEPTH. HAND BROADCAST SEED AT TWICE THE RATE IN

WATER: CONTRACTOR SHALL APPLY 1/2" OF WATER TO SEED AREAS, TWICE PER

RESEED AND MULCH BARE OR ERODED AREAS AT ONE (1) MONTH INTERVALS AS

WEEK, FOR THREE WEEKS. CONTRACTOR TO SUPPLY ALL EQUIPMENT AND LABOR.

# Civil Engineers | Landscape Architects 2009 W. Littleton Blvd. #300 Littleton, CO 80120 303.794.4727 | www.SterlingDesignAssociates.com

PREPARED UNDER THE DIRECT SUPERVISION OF JONATHAN SPENCER, PLA COLORADO REGISTRATION # 111 FOR & ON BEHALF OF STERLING DESIGN ASSOCIATES, LLC

STERLING DESIGN ASSOCIATES, LLC

## ISSUES & REVISIONS DESCRIPTION: NO.: 2 DATE: DESCRIPTION: NO.: 3 DATE: DESCRIPTION: NO.: 4 DATE: DESCRIPTION: NO.: 5 DATE: DESCRIPTION: NO.: 6 DATE: DESCRIPTION:

DATE:	SCALE:
	•
PROJECT MANAGER: JDS	PROJECT NO.:
DRAWN BY:	DRAWING FILE:
JDS	

## **SPACE VILLAGE FILING NO. 4 EL PASO COUNTY, CO**

COMMERCIAL BUILDING SERVICES 7561 S. GRANT STR., SUITE A-4 LITTLETON, COLORADO 80122


TEL: (303) 730-3001

SHEET TITLE:

LANDSCAPE NOTES & DETAILS

SHEET NUMBER:

5 OF 6 L102



## PHOTOMETRIC EVALUATION NOT FOR CONSTRUCTION

Based on the information provided, all dimensions and luminaire locations shown represent recommended positions. The engineer and/or architect must determine the applicability of the layout to existing or future field conditions.

This lighting plan represents illumination levels calculated from laboratory data taken under controlled conditions in accordance with The Illuminating Engineering Society (IES) approved methods. Actual performance of any manufacturer's luminaires may vary due to changes in electrical voltage, tolerance in lamps/LED's and other variable field conditions. Calculations do not include obstructions such as buildings, curbs, landscaping, or any other architectural elements unless noted. Fixture nomenclature noted does not include mounting hardware or poles. This drawing is for photometric evaluation purposes only and should not be used as a construction document or as a final document for ordering product.

Calculation Summary								
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min	
ALL CALCS @ GRADE 20' X 20' GRID	Illuminance	Fc	1.24	15.7	0.0	N.A.	N.A.	

Luminaire Schedule									
Symbol	Qty	Label	Arrangement	Description	LLD	LDD	LLF	Arr. Lum. Lumens	Arr. Watts
-	6	А	SINGLE	MRL-LED-78L-SIL-FT-50-70CRI-SINGLE-37.5′ MH	1,000	1.000	1.000	79676	648
4 P	7	В	D180°	MRL-LED-78L-SIL-FT-50-70CRI-D180-37.5′ MH	1.000	1.000	1.000	159352	1296

PHOTOMETRIC PLAN

6 OF 6



LIGHTING PROPOSAL LO-156536-1

HAMPTON YARDS
PETERSON BLVD & SPACE VILLAGE AVE
COLORADO SPRINGS, CO

BY:RNK(MWE) DATE:8/29/22 REV:11/16/22 SHEET
OF 1

SCALE: 1"=50' 0

Total Project Watts\_1

<u>Total Watts = 12960</u>