


LEGEND

- LIMIT OF WORK
- 5' NO PLANT ZONE
- METAL EDGER (SEE DETAIL ON L3)
- EXISTING ORNAMENTAL TREE
- DECIDUOUS CANOPY TREE
- ORNAMENTAL TREE
- EVERGREEN TREE
- DECIDUOUS SHRUBS
- EVERGREEN SHRUBS
- UPRIGHT EVERGREEN SHRUBS
- ORNAMENTAL GRASSES
- PERENNIALS
- NATIVE SEED
- 3/4" - 1 1/2" CRUSHED ROCK MULCH


LANDSCAPE PLANT SCHEDULE

- | SYM. | COMMON NAME |
|---------------------------------|----------------------------------|
| DECIDUOUS TREES | |
| BOA | BUR OAK |
| CAL | WESTERN CATALPA |
| ORNAMENTAL TREES | |
| LTC | IVORY SILK JAPANESE TREE LILAC |
| RHT | RUSSIAN HAWTHORN |
| SPR | SPRING SNOW CRABAPPLE |
| EVERGREEN TREES | |
| BSP | BACHERI BLUE SPRUCE |
| RMJ | ROCKY MOUNTAIN JUNIPER |
| DECIDUOUS SHRUBS | |
| CAM | CAMPFIRE ROSE |
| FEN | CLIFF FENDLER BUSH |
| FRS | FRINGED SAGE |
| GFS | GOLDFLAME SPIREA |
| KND | RED DOUBLE KNOCK OUT ROSE |
| LBL | BLOOMERANG LILAC |
| LED | LEADPLANT |
| NGC | CENTER GLOW NINEBARK |
| NLD | LITTLE DEVIL NINEBARK |
| PBS | PAWNEE BUTTES SAND CHERRY |
| PPY | PYGMY PEASHRUB |
| ROK | ROCK SPIREA |
| RSD | DWARF RUSSIAN SAGE |
| VBM | BLUE MUFFIN ARROWWOOD VIBURNUM |
| YRE | RED YUCCA |
| UPRIGHT EVERGREEN SHRUBS | |
| MEJ | MEDORA JUNIPER |
| EVERGREEN SHRUBS | |
| MPA | PANCHITO MANZANITA |
| ORNAMENTAL GRASSES | |
| AVG | SAPPHIRE BLUE OAT GRASS |
| BLO | BLONDE AMBITION BLUE GRAMA GRASS |
| GUR | UNDAUNTED RUBY MUHLY GRASS |
| KFR | KOREAN FEATHER REED GRASS |
| KRO | PINK ORIENTAL FOUNTAIN GRASS |
| PDG | PRAIRIE DROPSSEED GRASS |
| RSG | SHENANDOAH SWITCH GRASS |
| PERENNIALS | |
| BES | BLACK-EYED SUSAN |
| CMW | WALKER'S LOW CATMINT |
| REV | JUPITER'S BEARD (RED VALERIAN) |
| SMN | MAY NIGHT SALIVA |
| SSU | SNOW-IN-SUMMER |
| YAM | MOONSHINE YARROW |



LANDSCAPE AREA CHART		
PROJECT REQUIREMENTS	ACRES	SQ. FT.
ENTIRE SITE AREA	0.86	37,462
BUILDING AREA		4,334
INTERNAL LANDSCAPE AREA REQUIREMENTS		
REQUIRED	PERCENTAGE	SQ. FT.
REQUIRED	5%	1,873
PROVIDED	28%	10,522

LANDSCAPE COMPONENTS						
LANDSCAPE AREA	REQUIREMENT	AREA (SF) / LENGTH (LF)	CALCULATION	TOTAL REQUIRED	TOTAL PROVIDED	NOTES
STREET TREES - RIGHT OF WAYS						
NORTH MERIDIAN RD.	1 TREE / 20 LF	185 LF	185 LF / 20 LF	9 TREES	6 EXISTING	EXISTING TREES TO REMAIN AND MATCH ADJACENT PROPERTY
SOUTH WEST ACCESS	1 TREE / 30 LF	245 LF	245 LF / 30 LF	8 TREES	3 TREES / 11 SHRUBS	SHRUBS SUBSTITUTED WHERE UTILITIES CAUSE CONFLICT OF TREE PLACEMENT.
SOUTH EAST ACCESS	1 TREE / 30 LF	115 LF	115 LF / 30 LF	4 TREES	3 TREES	SIGHT DISTANCE TRIANGLES CAUSE CONFLICT FOR ADDITIONAL TREE.
INTERNAL LANDSCAPE						
SITE TREES	1 TREE / 500 SF	1,873	1,873 SF / 500 SF	4 TREES	3 ORNAMENTAL / 4 EVERGREEN	
PARKING LOT AND PARKING ISLAND LANDSCAPE STANDARDS						
PARKING LOT TREES	1 TREE / PER ISLAND	6 ISLANDS	1 TREE X 6 ISLANDS	6 TREES	9 ORNAMENTAL TREES	
PARKING LOT ISLAND SHRUBS	RECOMMENDED	6 ISLANDS	10 SHRUBS RECOMMENDED	0 SHRUBS	49 SHRUBS	



N:\c035036CS - WGM Falcon\Drawings\Planning Documents\SDP\35036 LANDSCAPE PLAN.dwg, 3/8/2022 10:46:46 AM, Luke Seeber

LANDSCAPE NOTES

GENERAL

- ALL LANDSCAPING SHALL BE INSTALLED PRIOR TO ISSUANCE OF CERTIFICATE OF OCCUPANCY, UNLESS EXCEPTION HAS BEEN GRANTED BY THE MUNICIPALITY OR COUNTY OFFICIALS.
- THE LANDSCAPE PLANS AND SPECIFICATIONS SHOULD BE FOLLOWED AS CLOSELY AS POSSIBLE. THE OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT SHOULD BE NOTIFIED IF ANY SUBSTITUTIONS OR ALTERATIONS ARE NEEDED.
- THE CONTRACTOR SHALL COORDINATE INSPECTION AND APPROVAL OF ALL MATERIALS AND PRODUCTS PRIOR TO INSTALLATION.
- THE CONTRACTOR IS EXPECTED TO KNOW AND UNDERSTAND ANY LOCAL MUNICIPAL AND COUNTY CODES AND SPECIFICATIONS FOR LANDSCAPE AND IRRIGATION. IN CASES OF DISCREPANCIES THE HIGHER OF THE TWO STANDARDS SHALL HAVE PRECEDENCE.
- THE LANDSCAPE CONTRACTOR SHALL ENSURE POSITIVE DRAINAGE EXISTS IN ALL LANDSCAPE AREAS. ALL LANDSCAPE AREAS SHALL MAINTAIN SLOPE AWAY FROM FOUNDATIONS PER GEOTECHNICAL REPORT RECOMMENDATIONS. SURFACE DRAINAGE SHALL NOT FLOW TOWARD STRUCTURES AND FOUNDATIONS. NO DAMMING OF WATER SHOULD OCCUR AGAINST SIDEWALKS, CURBS, TURF THATCH, OR OTHER LANDSCAPE MATERIALS. MINIMUM SLOPES ON LANDSCAPE AREAS SHALL BE 2%; MAXIMUM SLOPE SHALL BE 25% UNLESS SPECIFICALLY IDENTIFIED ON THE PLANS OR APPROVED BY THE OWNER'S REPRESENTATIVE.
- INSTALLATION, MAINTENANCE, AND REPLACEMENT OF ALL IMPROVEMENTS SHOWN ON THE APPROVED LANDSCAPE PLAN IN THE PLANNING DEPARTMENT SHALL BE THE RESPONSIBILITY OF THE DEVELOPER, HIS SUCCESSORS AND DELEGATES.
- LANDSCAPING SHALL NOT INTERFERE WITH TRAFFIC VISIBILITY AND THE GENERAL FUNCTION AND SAFETY OF ANY GAS, ELECTRIC, WATER, SEWER, TELEPHONE, CABLE, OR OTHER UTILITY EASEMENT.

WARRANTY

- UNLESS SPECIFIED IN THE CONTRACT DOCUMENTS OR SPECIFICATIONS, THE CONTRACTOR SHALL WARRANT ALL CONTRACTED WORK AND MATERIALS FOR A PERIOD OF ONE (1) YEAR AFTER SUBSTANTIAL COMPLETION HAS BEEN ISSUED FOR THE PROJECT BY THE OWNER'S REPRESENTATIVE.
- CONTRACTOR SHALL PROVIDE LANDSCAPE PROTECTION, MAINTENANCE, AND IRRIGATION INCLUDING SUPPLEMENTAL WATERING PER SPECIFICATIONS UNTIL SUBSTANTIAL COMPLETION HAS BEEN ISSUED UNLESS OTHERWISE INSTRUCTED PER OWNER'S REPRESENTATIVE.

PLANTS

- THE PLANT SCHEDULE IS FOR CONTRACTOR'S CONVENIENCE ONLY. PLANT QUANTITIES SHOULD BE VERIFIED BY THE CONTRACTOR. GRAPHIC QUANTITIES TAKE PRECEDENCE OVER WRITTEN QUANTITIES. OVERALL PLANT QUANTITY AND QUALITY SHALL BE CONSISTENT WITH THE PLANS.
- THE OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT RETAIN THE RIGHT TO INSPECT AND TAG ALL PLANT MATERIAL PRIOR TO SHIPPING TO THE SITE. THE OWNER'S REPRESENTATIVE AND LANDSCAPE ARCHITECT MAY REJECT PLANT MATERIAL IF IT IS DAMAGED, DISEASED, OR DECLINING IN HEALTH. PLANT MATERIAL SHALL BE HEALTHY, WELL-BRANCHED, AND WELL PROPORTIONED, FREE FROM DISEASE, INJURY, INSECTS, AND WEED ROOTS.
- ALL PLANT MATERIAL SHALL MEET OR EXCEED CURRENT AMERICAN STANDARD FOR NURSERY STOCK ISSUED BY THE AMERICAN ASSOCIATION OF NURSERYMEN, INC. (ANSI Z60.1-1990) AND THE COLORADO NURSERY ACT AND ACCOMPANYING RULES AND REGULATIONS. PLANT MATERIAL GROWN IN USDA HARDINESS ZONES 1, 2, 3, 4, AND 5 IS PREFERRED.
- THE CONTRACTOR SHALL VERIFY PLANT MATERIAL SIZES WITH OWNER'S REPRESENTATIVE PRIOR TO PURCHASING, SHIPPING OR STOCKING OF PLANT MATERIALS. PLANTS SHALL EQUAL OR EXCEED THE MEASUREMENTS SPECIFIED IN THE PLANT LIST, WHICH ARE MINIMUM ACCEPTABLE SIZES.
- THE OWNER'S REPRESENTATIVE MAY OPT TO DOWN OR UPSIZE THE PLANT MATERIAL AT THEIR DISCRETION BASED ON SELECTION, AVAILABILITY, OR ENHANCEMENTS TO THE PROJECT. ALL CHANGES, INCLUDING RE-STOCKING CHARGES, SHALL BE APPROVED IN WRITING PRIOR TO INSTALLATION THROUGH A CHANGE ORDER REQUEST TO OWNER'S REPRESENTATIVE FOR APPROVAL.

IRRIGATION

- ALL PROPOSED LANDSCAPE AREAS SHALL BE IRRIGATED BY AN AUTOMATIC UNDERGROUND IRRIGATION SYSTEM. REFER TO IRRIGATION PLANS FOR TYPES AND LIMITS OF IRRIGATION. THE SYSTEM SHALL BE PROPERLY ZONED TO SEPARATE PLANT REQUIREMENTS, TURF ZONES, AND NATIVE SEED AREAS.
- CONTRACTOR SHALL REVIEW AND COMPLY WITH ALL GEOTECHNICAL REPORT STIPULATIONS KEEPING ALL IRRIGATION LINES, HEADS, AND EMITTERS OUTSIDE THE MINIMUM DISTANCES SPECIFIED. IN NO CASE SHALL IRRIGATION BE EMITTED WITHIN THE MINIMUM DISTANCES OF BUILDING OR WALL FOUNDATIONS.
- CONTRACTOR SHALL COORDINATE ALL INSTALLATION OF IRRIGATION EQUIPMENT AND LINES SO THAT IT DOES NOT INTERFERE WITH PLANTING LOCATIONS. LANDSCAPE MATERIAL LOCATIONS SHALL HAVE PRECEDENCE OVER IRRIGATION LINES AND EQUIPMENT. IF INSTALLED IN LOCATIONS OBSTRUCTING THE INTENDED USE, THE IRRIGATION EQUIPMENT SHALL BE RELOCATED.
- IRRIGATION ADJACENT TO EXISTING TREES AND LANDSCAPE TO REMAIN SHALL BE HAND DUG.
- EVERGREEN TREES SHALL BE LOCATED A MINIMUM OF FIFTEEN FEET (15') AWAY FROM IRRIGATION ROTOR HEADS.

SOIL PREPARATION

- BEFORE COMMENCING WORK, THE LANDSCAPE CONTRACTOR SHALL ENSURE THAT ALL SEWER, WATER, IRRIGATION, GAS, ELECTRIC, CABLE, PHONE AND OTHER PIPELINES OR CONDUITS AND EQUIPMENT ARE LOCATED ON SITE.
- SURFACE GRADING TO INCLUDE REMOVAL OF EXISTING VEGETATION, WEEDS, DEBRIS, CLODS AND ROCKS LARGER THAN 1/2" FROM THE SITE. DISPOSE OF ACCUMULATED DEBRIS AS DIRECTED BY THE OWNER OR OWNER'S REPRESENTATIVE.
- THE CONTRACTOR SHALL TAKE MEASURES AND ASSUME MAINTENANCE AND MANAGEMENT OF EROSION CONTROL, SURFACE RUNOFF, AND SOIL EROSION AND SEDIMENT FROM THE SITE PER STORM WATER MANAGEMENT PLANS / PROGRAMS IN PLACE.
- THE CONTRACTOR SHALL INSPECT ALL CONDITIONS FOR RETENTION OF WATER IN PLANTING AREAS TO MAKE SURE THERE IS ADEQUATE DRAINAGE IN ALL LANDSCAPE AREAS.
- THE SITE SHOULD BE PROVIDED TO THE CONTRACTOR WITHIN +/- 0.1 FOOT OF FINISH GRADE. CONTRACTOR SHALL VERIFY THE ROUGH GRADING AND SITE CONDITIONS.
- ALL GRADES SHALL BE WITHIN +/- 1/8" OF FINISHED GRADES AS SHOWN ON THE PLANS.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR CREATING SUITABLE SOIL MEDIUM THAT ENSURES HEALTHY PLANT GROWTH. SOIL SAMPLES ARE RECOMMENDED FOR

- ANALYSIS OF ORGANIC MATTER RECOMMENDATIONS REQUIRED FOR THE SOIL FOR HEALTHY PLANT GROWTH.
- BEFORE PLANTS ARE INSTALLED, ALL LANDSCAPE AREAS SHALL BE THOROUGHLY LOOSENED TO A DEPTH OF 6"-12" AND AMENDED PER SPECIFICATIONS AND MUNICIPAL REQUIREMENTS.
 - ALL LANDSCAPE AREAS SHALL RECEIVE ORGANIC SOIL PREPARATION AT 5 cu.yrds/1,000sf OR AS NOTED IN THE SOIL SAMPLE ANALYSIS.

TREES

- TREES SHALL NOT BE LOCATED IN DRAINAGE SWALES, DRAINAGE AREAS, OR UTILITY EASEMENTS. CONTACT OWNER'S REPRESENTATIVE FOR RELOCATION OF PLANTS IN QUESTIONABLE AREAS PRIOR TO INSTALLATION.
- THE FOLLOWING LANDSCAPE AND PUBLIC UTILITY SEPARATIONS MUST BE ADHERED TO:
 - WATER, WASTEWATER AND STORMWATER LINES - TEN FEET (10') FOR TREES, FIVE FEET (5') FOR SHRUBS
 - HYDRANTS - NO PLANTS WHICH MATURE TO A HEIGHT OF SIX INCHES (6") OR MORE SHALL BE PLACED WITHIN THREE FEET (3') OF A HYDRANT.
 - POWER LINES - PLANTINGS SHALL NOT CREATE A CONFLICT WITH OVERHEAD OR UNDERGROUND POWER LINES. FOR OVERHEAD LINES, THE PLANT SPECIES MUST BE CAREFULLY SELECTED WITH A MATURE HEIGHT THAT WOULD NOT EXTEND INTO THE POWER LINE. FOR UNDERGROUND POWER LINES, TREES SHALL NOT BE PLANTED DIRECTLY ON TOP OF THE UNDERGROUND LINE.
 - TREE CENTERS SHALL NOT BE PLACED CLOSER THAN EIGHT FEET (8') FOR EVERGREEN TREES AND SIX FEET (6') FOR ORNAMENTAL TREES FROM A SIDEWALK, PARKING, STREET OR DRIVE LANE. NOTIFY OWNER'S REPRESENTATIVE IF TREE LOCATIONS CONFLICT WITH THESE STANDARDS.
 - ALL TREES ARE TO BE STAKED AND GUYED FOR A PERIOD OF ONE (1) YEAR. THE CONTRACTOR SHALL BE RESPONSIBLE FOR REMOVING STAKES AT THE END OF ONE (1) YEAR FROM ACCEPTANCE OF LANDSCAPE INSTALLATION PER APPROVAL BY OWNER'S REPRESENTATIVE.
 - ALL TREES IN SEED OR TURF AREAS SHALL RECEIVE MULCH RINGS. ALL TREE RINGS AND PERENNIAL BEDS SHALL BE MULCHED WITH A 4" DEPTH OF GORILLA HAIR CEDAR MULCH.

MULCH & EDGING

- PRIOR TO THE PLACEMENT OF MULCH AND WEED FABRIC, A GRANULAR, PRE-EMERGENT, WEED CONTROL AGENT SHALL BE ADDED TO ALL PLANTING BEDS IN ACCORDANCE WITH THE MANUFACTURER'S INSTRUCTION, EXCEPT AROUND ORNAMENTAL GRASSES.
- SHRUB, GROUNDCOVER AND PERENNIAL BEDS ARE TO BE CONTAINED BY 1/8" x 4" x 14 GAUGE GALVANIZED, BLACK, ROLL TOP, INTERLOCKING TYPE EDGER, SURE-LOC OR APPROVED EQUAL. EDGER IS NOT REQUIRED WHEN ADJACENT TO CURBS, WALLS, WALKS OR SOLID FENCES WITHIN 3" OF PRE-MULCHED FINAL GRADE. EDGER SHALL NOT BE REQUIRED TO SEPARATE MULCH TYPES UNLESS SPECIFIED ON THE PLANS. PERFORATED EDGER IS ONLY USED BETWEEN SOD/NATIVE GRASS AND MULCH AREAS WHERE PONDING OF WATER OCCURS. EDGER SHALL NOT RESTRICT THE FREE FLOW OF DRAINAGE OR DAM WATER IN ANY CASE.
- ALL SHRUB BEDS ARE TO BE MULCHED WITH MIN. FOUR INCH (4") DEPTH, 1 1/2" ROUNDED RIVER ROCK OVER SPECIFIED GEOTEXTILE WEED CONTROL FABRIC (RE: PLANS).
- ALL 5" NON-IRRIGATED CLEAR BOUNDARY ZONES SHOULD BE MULCHED WITH A 4" DEPTH OF 1 1/2" LOCAL RIVER ROCK MULCH WITH WEED CONTROL FABRIC.

LANDSCAPE PLANT SCHEDULE

SYM.	QTY.	COMMON NAME	BOTANICAL NAME	SIZE	HEIGHT	SPREAD	WATER USE
DECIDUOUS TREES							
BOA	3	BUR OAK	QUERCUS MACROCARPA	2" CAL. B&B	50-60'	35'-45'	VERY LOW
CAL	3	WESTERN CATALPA	CATALPA SPECIOSA	2" CAL. B&B	50-60'	30-40'	LOW
ORNAMENTAL TREES							
LTC	5	IVORY SILK JAPANESE TREE LILAC	SYRINGA RETICULATA 'IVORY SILK'	6' CLUMP, B&B	20-25'	15-20'	LOW
RHT	3	RUSSIAN HAWTHORN	CRATAEGUS AMBIGUA	6' CLUMP, B&B	15-25'	20-25'	VERY LOW
SPR	4	SPRING SNOW CRABAPPLE	MALUS X 'SPRING SNOW' (PP 2,667)	1 1/2" CAL. B&B	20-25'	15-20'	LOW
EVERGREEN TREES							
BSP	3	BACHERI BLUE SPRUCE	PICEA PUNGENS 'BACHERI'	6' HT. MIN. B&B	20-25'	10-12'	VERY LOW
RMJ	1	ROCKY MOUNTAIN JUNIPER	JUNIPERUS SCOPULORUM	6' HT. MIN. / 15 GAL. CONT.	16-20'	12-15'	VERY LOW
DECIDUOUS SHRUBS							
CAM	18	CAMPFIRE ROSE	ROSA 'CAMPFIRE	5 GAL. CONT.	2-3'	2-3'	LOW
FEN	5	CLIFF FENDLER BUSH	FENDLERIA RUPICOLA	5 GAL. CONT.	3-5'	4-5'	VERY LOW, NATIVE
FRS	14	FRINGED SAGE	ARTEMISIA FRIGIDA	5 GAL. CONT.	6-18"	2-3'	VERY LOW, NATIVE
GFS	5	GOLDFLAME SPIREA	SPIRAEA X BUMALDA 'GOLDFLAME'	5 GAL. CONT.	2-3'	2-3'	LOW-MOD
KND	14	RED DOUBLE KNOCK OUT ROSE	ROSA X 'RADTKO' (PP 16,202)	5 GAL. CONT.	3-4'	3-4'	LOW
LBL	10	BLOOMERANG LILAC	SYRINGA X 'PENDA' (PP 20,575)	5 GAL. CONT.	4-5'	4-5'	LOW
LED	3	LEADPLANT	AMORPHA CANESCENS	5 GAL. CONT.	2-4'	2-4'	VERY LOW, NATIVE
NCG	3	CENTER GLOW NINEBARK	PHYSOCARPUS OPULIFOLIUS 'CENTER GLOW'	5 GAL. CONT.	8-10'	7-9'	MOD.
NLD	3	LITTLE DEVIL NINEBARK	PHYSOCARPUS OPULIFOLIUS 'DONNA MAY'	5 GAL. CONT.	3-4'	3-4'	MOD.
PBS	6	PAWNEE BUTTES SAND CHERRY	PRUNUS BESSEYI 'P00115'	5 GAL. CONT.	12-24"	6-8'	VERY LOW, NATIVE
PPY	7	PYGMY PEASHRUB	CARAGANA PYGMAEA	5 GAL. CONT.	3-4'	3-6'	VERY LOW
ROK	4	ROCK SPIREA	HOLODISCUS DUMOSUS	5 GAL. CONT.	3-4'	3-4'	VERY LOW, NATIVE
RSD	23	DWARF RUSSIAN SAGE	PEROVSKIA ARTRIPPLICIFOLIA 'LITTLE SPIRE'	5 GAL. CONT.	1.5-2'	1.5-2'	VERY LOW
VBM	3	BLUE MUFFIN ARROWWOOD VIBURNUM	VIBURNUM DENTATUM 'CHRISTOM'	5 GAL. CONT.	5-7'	4-6'	LOW
YRE	10	RED YUCCA	HESPERALOE PARVIFLORA	5 GAL. CONT.	3-4'	2-3'	LOW
UPRIGHT EVERGREEN SHRUBS							
MEJ	9	MEDORA JUNIPER	JUNIPERUS SCOPULORUM 'MEDORA'	5 GAL. CONT.	16-20'	4-5'	LOW
EVERGREEN SHRUBS							
MPA	15	PANCHITO MANZANITA	ARCTOSTAPHYLOS X COLORADOENSIS	5 GAL. CONT.	1-2'	3-5'	LOW
ORNAMENTAL GRASSES							
AVG	3	SAPPHIRE BLUE OAT GRASS	HELIOTRICHON SEMPEVIRENS 'SAPHIRSRUDEL'	1 GAL. CONT.	2-3'	2-3'	LOW
BLO	12	BLONDE AMBITION BLUE GRAMA GRASS	BOUTELOUA GRACILIS 'BLONDE AMBITION'	1 GAL. CONT.	2-3'	1-2'	VERY LOW
GUR	9	UNDAUNTED RUBY MUHLY GRASS	MUHLENBERGIA REVERCHONII 'PUNDD01S'	1 GAL. CONT.	1.5-2'	1.5-2'	LOW
KFR	15	KOREAN FEATHER REED GRASS	CALAMAGROSTIS BRACHYTRICA	1 GAL. CONT.	4-5'	2-3'	LOW-MOD
KRO	15	PINK ORIENTAL FOUNTAIN GRASS	PENNISSETUM ORIENTALE 'KARLEY ROSE'	1 GAL. CONT.	3-4'	2-3'	LOW
PDG	8	PRAIRIE DROPSEED GRASS	SPOROBOLUS HETEROLEPIS	1 GAL. CONT.	1.5-2'	1.5-2'	VERY LOW, NATIVE
RSG	7	SHENANDOAH SWITCH GRASS	PANICUM VIRGATUM 'SHENANDOAH'	1 GAL. CONT.	3-4'	1-1.5'	LOW
PERENNIALS							
BES	7	BLACK-EYED SUSAN	RUDBECKIA FULGIDA SULLIVANTII 'GOLDSTURM'	1 GAL. CONT.	1.5-2'	1.5-2'	LOW
CMW	19	WALKER'S LOW CATMINT	NEPETA FAASSENII 'WALKER'S LOW'	1 GAL. CONT.	1.5-2'	2-3'	LOW
REV	10	JUPITER'S BEARD (RED VALERIAN)	CENTRANTHUS RUBER	1 GAL. CONT.	2-3'	1.5-2'	LOW
SMN	6	MAY NIGHT SALIVA	SALVIA X SYLVESTRIS 'MAY NIGHT'	1 GAL. CONT.	1.5-2'	1-1.5'	LOW
SSU	6	SNOW-IN-SUMMER	CERASTIUM TOMENTOSUM	1 GAL. CONT.	6-12"	1-1.5'	LOW
YAM	5	MOONSHINE YARROW	ACHILLEA 'MOONSHINE'	1 GAL. CONT.	1.5-2'	1.5-2'	LOW

NATIVE SEED

 NATIVE SEED SHALL BE "FOOTHILLS MIX" ARKANSAS VALLEY SEED (OR APPROVED EQUAL)
12,665 SF

MATERIAL SCHEDULE

SHREDDED WOOD CEDAR MULCH (AROUND BASE OF ALL TREES AND SHRUBS PER NOTES)

 3/4" - 1 1/2" CRUSHED ROCK MULCH
7,870 SF


DESIGNED BY KLH
DRAWN BY KLH
CHECKED BY SRA

DATE
PREPARED BY

REVISION DESCRIPTION

WVG FALCON
EL PASO COUNTY
LOT 2, MERIDIAN CROSSING FILING 1
7725 N. MERIDIAN ROAD
PLANT & MATERIAL SCHEDULE

PREPARED UNDER THE DIRECT SUPERVISION OF



FOR AND ON BEHALF OF BASELINE CORPORATION

INITIAL SUBMITTAL 8/25/2021


DRAWING SIZE 24" X 36"

SURVEY FIRM SURVEY DATE
BEC 4/08/2021

JOB NO. C035036

DRAWING NAME
3036 LANDSCAPE PLAN.dwg


SHEET 2 OF 4



- 1 SPECIFIED MULCH
 - 2 AMENDED SOIL IN PLANTING BED PER SPECIFICATIONS. TILL SOIL TO A DEPTH OF EIGHT INCHES.
 - 3 FINISH GRADE (TOP OF MULCH)
 - 4 AMENDED TOPSOIL
 - 5 EXISTING SUBGRADE
- NOTE:
1. BROKEN OR CRUMBLING ROOT-BALLS WILL BE REJECTED
 2. CARE SHOULD BE TAKEN NOT TO DAMAGE THE SHRUB OR ROOT-BALL WHEN REMOVING IT FROM ITS CONTAINER
 3. ALL JUNIPERS SHOULD BE PLANTED SO THE TOP OF THE ROOT-BALL OCCURS ABOVE THE FINISH GRADE OF THE MULCH LAYER
 4. DIG PLANT PIT TWICE AS WIDE AND HIGH AS THE CONTAINER

1 SHRUB PLANTING


SCALE: 1-1/2" = 1'-0"



- PRUNING NOTES:
1. ALL PRUNING SHALL COMPLY WITH ANSI A300 STANDARDS.
 2. DO NOT HEAVILY PRUNE THE TREE AT PLANTING. PRUNE ONLY CROSSEVER LIMBS, CO-DOMINANT LEADERS AND BROKEN BRANCHES. SOME INTERIOR TWIGS AND LATERAL BRANCHES MAY BE PRUNED. HOWEVER, DO NOT REMOVE THE TERMINAL BUDS OF BRANCHES THAT EXTEND TO THE EDGE OF THE CROWN.
- STAKING NOTES:
1. STAKE TREES PER FOLLOWING SCHEDULE, THEN REMOVE AT END OF FIRST GROWING SEASON.
 - 1.1 1-1/2" CALIPER SIZE - MIN. 1 STAKE ON SIDE OF PREVAILING WIND (GENERALLY N.W. SIDE)
 - 1.2 1-1/2" - 3" CALIPER SIZE - MIN. 2 STAKES - ONE ON N.W. SIDE, ONE ON S.W. SIDE (OR PREVAILING WIND SIDE AND 180° FROM THAT SIDE)
 - 1.3 3" CALIPER SIZE AND LARGER - 3 STAKES PER DIAGRAM
 2. WIRE OR CABLE SHALL BE MIN. 12 GAUGE, TIGHTEN WIRE OR CABLE ONLY ENOUGH TO KEEP FROM SLIPPING. ALLOW FOR SOME TRUNK MOVEMENT. NYLON STRAPS SHALL BE LONG ENOUGH TO ACCOMMODATE 1-1/2" OF GROWTH AND BUFFER ALL BRANCHES FROM WIRE.


2 TREE PLANTING DETAIL

SCALE: 3/16" = 1'-0"



3 PERENNIAL / ORNAMENTAL GRASS LAYOUT

SCALE: 1" = 1'-0"



4 METAL EDGER

SCALE: 1" = 1'-0"

- 1 PLACE MIN. 1/4" PVC PIPE AROUND EACH WIRE. EXPOSED WIRE SHALL BE MAX. 2" EACH SIDE
- 2 6 FT. UNTREATED WOOD POST (MIN. 1.5" DIAMETER). ALL SHALL BE DRIVEN OUTSIDE ROOTBALL AND IN UNDISTURBED SOIL.
- 3 TREE WRAP TO BE INSTALLED ONLY FROM OCTOBER 1 THROUGH APRIL 30. (DECIDUOUS ONLY)
- 4 PLANT TREE SO THAT FIRST ORDER MAJOR ROOT IS 1'-2" ABOVE FINAL GRADE.
- 5 3" DEEP WOOD MULCH RING PLACED A MINIMUM OF 4 FT. IN DIAMETER. DO NOT PLACE MULCH IN CONTACT WITH TREE TRUNK (FINISHED GRADE REFERENCES TOP OF MULCH).
- 6 1:1 SLOPE ON SIDES OF PLANTING HOLE.
- 7 REMOVE ALL TWINE, ROPE, BURLAP AND WIRE FROM ENTIRE ROOT BALL AND TRUNK
- 8 GROMMETED NYLON STRAPS
- 9 GALVANIZED WIRE, MIN. 12 GAUGE CABLE - TWIST WIRE ONLY TO KEEP FROM SLIPPING.
- 10 4-6" HIGH WATER SAUCER IN NON-TURF AREAS.
- 11 BACKFILL WITH BLEND OF EXISTING SOIL AND A MAXIMUM 20% (BY VOLUME) ORGANIC MATERIAL. WATER THOROUGHLY WHEN BACKFILLING
- 12 2 FT. STEEL T-POST. ALL SHALL BE DRIVEN BELOW GRADE AND OUTSIDE ROOTBALL IN UNDISTURBED SOIL.
- 13 PLACE SOIL AROUND ROOT BALL FIRMLY, DO NOT COMPACT OR TAMP. SETTLE SOIL WITH WATER TO FILL ALL AIR POCKETS.
- 14 PLACE ROOT BALL ON UNDISTURBED SOIL TO PREVENT SETTLEMENT.

REVISION	DESCRIPTION	DATE	PREPARED BY

WGM FALCON
EL PASO COUNTY
LOT 2, MERIDIAN CROSSING FILING 1
7225 N. MERIDIAN ROAD
LANDSCAPE DETAILS

PREPARED UNDER THE DIRECT SUPERVISION OF



FOR AND ON BEHALF OF
BASELINE CORPORATION

INITIAL SUBMITTAL	8/25/2021
DRAWING SIZE	24" X 36"
SURVEY FIRM	BEC
SURVEY DATE	4/08/2021
JOB NO.	C035036
DRAWING NAME	3036 LANDSCAPE PLAN.dwg
SHEET	3 OF 4