

KEYED NOTES


- EXISTING CONCRETE FILLED PIPE BOLLARDS AT FIRE HYDRANT AND ELECTRICAL EQUIPMENT. REMOVE EXISTING FIXED BOLLARDS AT EXISTING FIRE HYDRANT. EXISTING BOLLARDS AT ELECTRICAL EQUIPMENT TO REMAIN UNDISTURBED.
- OWNER WILL MAKE ARRANGEMENTS FOR CONTRACTOR'S ACCESS DURING DESIGNATED WORKING HOURS
- NEW HOT MIX ASPHALT (HMA) TO LIMITS SHOWN SHALL BE CONSTRUCTED WITH NATIVE SUB-GRADE PREPARATION AS SPECIFIED AND TWO 3-INCH LIFTS OF SPECIFIED HMA. ALL NEW HMA WILL BE SHOULDERED WITH 3-FOOT WIDE STRIP OF RECLAIMED CONCRETE AGGREGATE BASE COURSE, 6-INCH COMPACTED THICKNESS
- CONTRACTOR TOOL & EQUIPMENT STAGING AREA
- REFER TO SITE GRADING & DRAINAGE PLAN, SHEET 4
- SIGN A: (12'x 18')
- SIGN B: (18'x 6'-FEET)
- NEW FIXED BOLLARDS AT EDGE OF EACH NEW OVERHEAD ROLLER DOOR. SALVAGED BOLLARDS FROM EXISTING FIRE HYDRANT LOCATION MAY BE REUSED PER DETAIL THIS SHEET.
- REMOVABLE BOLLARDS AT RELOCATED FIRE HYDRANT.





IMAGE: PHOTO OR DIGITAL REPRODUCTION OR SHEET VINYL WITH ADHESIVE BACKING
BACKBOARD: 1/8 INCH THICK 3034 ALUMINUM

4140 LINCOLN PLAZA DRIVE



IMAGE: SELF ADHESIVE VINYL
BACKBOARD: 1/8 INCH THICK 3034 ALUMINUM




1 REMOVABLE BOLLARD DETAIL



2 FIXED BOLLARD DETAIL



3 FIRE HYDRANT RELOCATION DETAIL



SCALE VERIFICATION

BAR IS ONE INCH ON ORIGINAL DRAWING
IF NOT ONE INCH ON THIS SHEET ADJUST SCALES ACCORDINGLY

THIS DRAWING IS THE PROPERTY OF GMS, INC. AND IS NOT TO BE REPRODUCED, MODIFIED OR USED FOR ANY OTHER PROJECT OR EXTENSION OF THIS PROJECT EXCEPT BY AGREEMENT WITH THIS COMPANY.
© 2024 GMS, INC.

REVISIONS

NO.	DATE	DESCRIPTION

BUILDING SITE PLAN
WATER TREATMENT PLANT BUILDING ADDITION
SECURITY WATER DISTRICT

GMS, INC.
CONSULTING ENGINEERS
611 N. WEBER, SUITE 300
COLORADO SPRINGS, COLORADO 80903

SKC	SLW	RJS
DRAWN	DESIGNED	CHECKED

PROJECT NO.	2023-053.130
GMS FILE NO.	3800

SHEET
3
OF
7