

# Planning and Community Development Department 2880 International Circle Colorado Springs, Colorado 80910

DEVIATION REQUEST AND DECISION FORM

Colorado P.E. Number: CE-36355

Updated: 6/26/2019

Phone: 719.520.6300 Fax: 719.520.6695

Website www.elpasoco.com

PROJECT INFORMAT	ΓΙΟN	
------------------	------	--

Project Name: The Shire at Old Ranch

Schedule No.(s):

Legal Description: S2S2SW4 Sec 23-12-66

#### **APPLICANT INFORMATION**

Company: Kess Properties, LLC

Name: Mark Phelan

Mailing Address: 4955 Austin Bluffs Parkway

Colorado Springs, CO 80918

Phone Number: (719) 574-8058

FAX Number: N/A

Email Address: mark@phelangardens.com

#### **ENGINEER INFORMATION**

Company: Kimley-Horn and Associates, Inc

Name: Curtis D. Rowe, P.E., PTOE

Mailing Address: 4582 South Ulster Street

Denver, CO 80237

Phone Number: (303) 228-2304

FAX Number: N/A

Email Address: curtis.rowe@kimley-horn.com

#### OWNER, APPLICANT, AND ENGINEER DECLARATION

To the best of my knowledge, the information on this application and all additional or supplemental documentation is true, factual and complete. I am fully aware that any misrepresentation of any information on this application may be grounds for denial. I have familiarized myself with the rules, regulations and procedures with respect to preparing and filing this application. I also understand that an incorrect submittal will be cause to have the project removed from the agenda of the Planning Commission, Board of County Commissioners and/or Board of Adjustment or delay review until corrections are made, and that any approval of this application is based on the representations made in the application and may be revoked on any breach of representation or condition(s) of approval.

Signature of owner (or authorized representative)

Date

Engineer's Seal, Signature And Date of Signature

03/26/2020



**DEV191** 

Page **1** of **6** 

PCD File No.

DEVIATION REQUEST (Attach diagrams, figures, and other documents) A deviation from the standards of or in Section 2 of the Engineering Criteria Manual (ECM) is requested. Identify the specific ECM standard which a deviation is requested: 2.3.2 Design Standards by Functional Classification Table 2-5: Access Permitted along Major Collectors Replace with: "No full movement access is permitted where the local roadways can be expected to provide access." State the reason for the requested deviation: Full movement access requested along Howells Road. Lessens project impact on adjacent residential neighborhood and local Ridgeway Lane roadway by not forcing all project traffic to use that roadway. Proposed access condition meets sight distance requirements, spacing, auxiliary turn lanes, acceptable operations, lower vehicle queues, less vehicle miles traveled, lower vehicle emissions, maintains Local Road ADT under threshold for Ridgeway Lane (not true otherwise), improves air quality, and no degradation of traffic progression. Explain the proposed alternative and compare to the ECM standards (May provide applicable regional or national standards used ECM Standard would require access only from Ridgeway Lane Local Roadway. Request is for access from Howells Road (full movement) instead to lessen project impact on adjacent residences. ECM 2.3.2, Table 2-5 used as basis. Revise to explain proposed alternative. (i.e. the conclusions/recommendation on the traffic study)

LIMITS OF CONSIDERATION (At least one of the conditions listed below must be met for this deviation request to be considered.)
<ul> <li>☑ The ECM standard is inapplicable to the particular situation.</li> <li>☐ Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.</li> <li>☐ A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.</li> </ul>
Provide justification:  Loading of all vehicles on local residential street has significant impact on local residents and character of existing roadway.
CRITERIA FOR APPROVAL  Per ECM section 5.8.7 the request for a deviation may be considered if the request is not based exclusively on financial considerations. The deviation must not be detrimental to public safety or surrounding property. The applicant must include supporting information demonstrating compliance with all of the following criteria:  The deviation will achieve the intended result with a comparable or superior design and quality of improvement.
No, it is not based on financial reasons. It is proposed to lessen the traffic impact on local residents and character of local street. Also, reduces vehicle miles traveled, vehicle emissions, and vehicle queues. It maintains the local character roadway of Ridgeway Lane by maintaining the ADT under the traffic_volume threshold for local roadways.
The deviation will not adversely affect safety or operations.
Intersection operations of the access as proposed with the deviation works well and access will meet spacing ECM spacing requirements.
Update justification to state whether or not sight distance criteria of the proposed location is met.

The deviation will not adversely affect maintenance and its associated cost.					
Roadway maintenance costs reduced with less vehicle miles traveled.					
The before the form	Control of the Contro				
The deviation will not adversely aff	ect aesthetic appearance.				
Aesthetic appearance not impacted	1.				
F.V.	Join how coethotic				
	plain how aesthetic				
app	pearance is not				
	pacted				
	ent and purpose of the ECM standards.				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac					
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for ac	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D,				
See attached deviation letter for acting sight distances (ECM Table 2-22,	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D, Table 2-36), roadway average daily traffic volumes, vehicle miles traveled				
See attached deviation letter for acting sight distances (ECM Table 2-22, Table 2-22, Table 2-22).  The deviation meets the control me	cross intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D, Table 2-36), roadway average daily traffic volumes, vehicle miles traveled  easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
See attached deviation letter for acting sight distances (ECM Table 2-22, Table 2-22, Table 2-22).  The deviation meets the control me	ccess intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D, Table 2-36), roadway average daily traffic volumes, vehicle miles traveled				
See attached deviation letter for acting sight distances (ECM Table 2-22, Table 2-22, Table 2-22).  The deviation meets the control me	cross intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D, Table 2-36), roadway average daily traffic volumes, vehicle miles traveled  easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
See attached deviation letter for acting sight distances (ECM Table 2-22, Table 2-22, Table 2-22).  The deviation meets the control me	cross intersection operations and vehicle queuing, intersection access spacings (ECM 2.2.5.D, Table 2-36), roadway average daily traffic volumes, vehicle miles traveled  easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.				
See attached deviation letter for acting sight distances (ECM Table 2-22, Tabl	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Discoss and additional site civil or drainage details can be provided upon request.				
The deviation meets the control me Deviation is for traffic related purpo	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Does and additional site civil or drainage details can be provided upon request.  Tort for the site development				
The deviation is for traffic related purpor plan will address r	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Discoss and additional site civil or drainage details can be provided upon request.				
The deviation meets the control me Deviation is for traffic related purpo	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Does and additional site civil or drainage details can be provided upon request.  Tort for the site development				
The deviation is for traffic related purpor plan will address r	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Does and additional site civil or drainage details can be provided upon request.  Tort for the site development				
The deviation is for traffic related purpor plan will address r	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Does and additional site civil or drainage details can be provided upon request.  Tort for the site development				
The deviation is for traffic related purpor plan will address r	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Does and additional site civil or drainage details can be provided upon request.  Tort for the site development				
The deviation is for traffic related purpor plan will address r	easure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.  Does and additional site civil or drainage details can be provided upon request.  Tort for the site development				

# **REVIEW AND RECOMMENDATION:**

Approved by the ECM Administrator This request has been determined to have met the criteria for approval. hereby granted based on the justification provided.	A deviation from Section	$_{ m }$ of the ECM is
Γ	٦	
L	L	
<b>Denied by the ECM Administrator</b> This request has been determined not to have met criteria for approval. hereby denied.	A deviation from Section	of the ECM is
Γ	٦	
L	Т	
ECM ADMINISTRATOR COMMENTS/CONDITIONS:		

## 1.1. PURPOSE

The purpose of this resource is to provide a form for documenting the findings and decision by the ECM Administrator concerning a deviation request. The form is used to document the review and decision concerning a requested deviation. The request and decision concerning each deviation from a specific section of the ECM shall be recorded on a separate form.

## 1.2. BACKGROUND

A deviation is a critical aspect of the review process and needs to be documented to ensure that the deviations granted are applied to a specific development application in conformance with the criteria for approval and that the action is documented as such requests can point to potential needed revisions to the ECM.

## 1.3. APPLICABLE STATUTES AND REGULATIONS

Section 5.8 of the ECM establishes a mechanism whereby an engineering design standard can be modified when if strictly adhered to, would cause unnecessary hardship or unsafe design because of topographical or other conditions particular to the site, and that a departure may be made without destroying the intent of such provision.

## 1.4. APPLICABILITY

All provisions of the ECM are subject to deviation by the ECM Administrator provided that one of the following conditions is met:

- The ECM standard is inapplicable to a particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship
  on the applicant, and an equivalent alternative that can accomplish the same design objective is
  available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not
  modified, the standard will impose an undue hardship on the applicant with little or no material benefit to
  the public.

## 1.5. TECHNICAL GUIDANCE

The review shall ensure all criteria for approval are adequately considered and that justification for the deviation is properly documented.

# 1.6. LIMITS OF APPROVAL

Whether a request for deviation is approved as proposed or with conditions, the approval is for project-specific use and shall not constitute a precedent or general deviation from these Standards.

## 1.7. REVIEW FEES

A Deviation Review Fee shall be paid in full at the time of submission of a request for deviation. The fee for Deviation Review shall be as determined by resolution of the BoCC.

Pa	ge	6	Ωf	6