## SUBDIVISION IMPROVEMENTS AGREEMENT

THIS AGREEMENT, made between **Land First, Inc.**, a Colorado Corporation, hereinafter called the "Subdivider," and El Paso County by and through the Board of County Commissioners of El Paso County, Colorado, hereinafter called the "County," shall become effective the date of approval of the Final Plat by the Board of County Commissioners.

## WITNESSETH:

WHEREAS, The Subdivider, as a condition of approval of the final plat for **Bent Grass East Commercial Filing No. 3** ("Subdivision") wishes to enter into a Subdivision Improvements Agreement, as provided for by Section 30-28-137 (C.R.S.), Chapter 5 of the El Paso County Engineering Criteria Manual and Chapter 8 of the El Paso County Land Development Code incorporated herein; and

WHEREAS, pursuant to the same authority, the Subdivider is obligated to provide security or collateral sufficient in the judgment of the Board of County Commissioners to make reasonable provision for completion of certain public improvements set forth on Exhibit A, attached hereto and incorporated herein; and

WHEREAS, the Subdivider wishes to provide collateral to guarantee performance of this Agreement including construction of the above-referenced improvements by means of a subdivision bond.

NOW, THEREFORE, in consideration of the following mutual covenants and agreements, the Subdivider and the County agree as follows:

- 1. The Subdivider agrees to construct and install, at his sole expense, all of those improvements as set forth on Exhibit A, attached hereto. To secure and guarantee performance of its obligations as set forth herein, the Subdivider agrees to provide collateral to remain in effect at all times until the improvements are completed and accepted in accordance with Chapter 5 of the ECM. Security and collateral guaranteeing construction of the public and common improvements set forth in Exhibit A shall be posted in the form of a subdivision bond issued by Philadelphia Indemnity Insurance Company in the amount of \$ 503,882.51
- 2. Subdivider is responsible for providing any renewals of collateral to ensure that there is never a lapse in security coverage. Subdivider shall procure renewal/extension/replacement collateral at least fifteen (15) days prior to the expiration of the original or renewal/extension/replacement collateral then in effect. Failure to procure renewal/extension/replacement collateral within this time limit shall be a default under this Agreement and shall allow the County to execute on the collateral. In addition, if Subdivider allows collateral to lapse at any time, no lots in the Subdivision may be sold, conveyed or transferred, whether by Deed or Contract, after the expiration date of such collateral until the improvements identified on Exhibit A have been completed and final acceptance is received from the County. If replacement collateral is used for renewal, approval by Board of County Commissioners is required.
- 3. No lots in the Subdivision shall be sold, conveyed or transferred, whether by Deed or by Contract, nor shall building permits be issued until and unless the required improvements for the Subdivision have been constructed and completed in accordance with the approved construction plans and preliminary acceptance is received from the County. In the alternative, lots within the Subdivision may be sold, conveyed or transferred and/or have building permits issued upon receipt of collateral acceptable to the County, pursuant to this Agreement, which is sufficient to guarantee construction of the improvements, identified by phase if applicable, in the attached Exhibit A.

- 4. The Subdivider agrees that all of those certain public improvements to be completed as identified on Exhibit A shall be constructed in compliance with the following:
  - a. All laws, resolutions and regulations of the United States, State of Colorado, El Paso County and its various agencies, affected special districts and/or servicing authorities.
  - b. Such other designs, drawings, maps, specifications, sketches and other matter submitted to and approved by any of the above-stated governmental entities.
- 5. All improvements shall be completed by the Subdivider, meeting all applicable standards for preliminary acceptance, within twenty-four (24) months from the date of notice to proceed in the Construction Permit for the Subdivision. If the Subdivider determines that the completion date needs to be extended, the Subdivider shall submit a written request for a change in the completion date to the ECM Administrator at least ninety (90) days in advance of the required completion date. The request shall include the reasons for the requested change in completion date, the proposed new completion date, and prove collateral is in place to cover the extension time requested. The completion date for the Subdivision may be extended one time, for a period no longer than 6 months at the discretion of the ECM Administrator. Any additional requests for extension of the completion date will be scheduled for hearing by the Board of County Commissioners. The ECM Administrator or the Board of County Commissioners may require an adjustment in the amount of collateral to take into account any increase in cost due to the delay including inflation.
- 6. It is mutually agreed pursuant to the provisions of Section 30-28-137 (3) C.R.S. that the County or any purchaser of any lot, lots, tract or tracts of land subject to a plat restriction which is the security portion of a Subdivision Improvements Agreement shall have the authority to bring an action in any District Court to compel the enforcement of any Subdivision Improvements Agreement on the sale, conveyance, or transfer of any such lot, lots, tract or tracts of land or of any other provision of this article. Such authority shall include the right to compel rescission of any sale, conveyance, or transfer of any lot, lots, tract or tracts of land contrary to the provisions of any such restrictions set forth on the plat or in any separate recorded instrument, but any such action shall be commenced prior to the issuance of a building permit by the County where so required or otherwise prior to commencement of construction on any such lot, lots, tract or tracts of land.
- 7. It is further mutually agreed that, pursuant to the provisions of Section 30-28-137 (2) C.R.S., and Chapter 5 of the County's Engineering Criteria Manual, as improvements are completed, the Subdivider may apply to the Board of County Commissioners for a release of part or all of the collateral deposited with said Board. Upon inspection and approval, the Board shall release said collateral. The County agrees to respond to an inspection request in a reasonable time upon receipt of the request. If the Board determines that any of such improvements are not constructed in substantial compliance with specifications it shall furnish the Subdivider a list of specific deficiencies and shall be entitled to withhold collateral sufficient to ensure such substantial compliance. If the Board of County Commissioners determines that the Subdivider will not construct any or all of the improvements in accordance with all of the specifications, the Board of County Commissioners may withdraw and employ from the deposit of collateral such funds as may be necessary to construct the improvements in accordance with the specifications.
- 8. The Subdivider agrees, and both parties acknowledge that the construction of the improvements identified and guaranteed through this Subdivision Improvements Agreement shall follow the inspection, collateral, and acceptance process that is identified in Chapter 5 of the County's Engineering Criteria Manual. This is to include among other things, a Preliminary Acceptance process, replacement of performance collateral with appropriate Warranty collateral at that time, and a two (2) year warranty period prior to final acceptance. Where any inconsistency exists

between Chapter 5 of the Engineering Criteria Manual and the Land Development Code with respect to these inspections, collateral and acceptance processes, the Engineering Criteria Manual is the controlling document.

- 9. The Subdivider(s) agrees to provide the County with a title insurance commitment at time of final platting evidencing that fee simple title of all lands in the Subdivision are vested with the Subdivider(s).
- 10. The County agrees to approval of the Final Plat of Bent Grass East Commercial Filing No. 3 Subdivision subject to the terms and conditions of this Agreement.
- Parties hereto mutually agree that this Agreement may be amended from time to time provided that such amendment be in writing and signed by all parties hereto.
- 12. This Agreement shall take effect on the date of approval of the Final Plat of the Subdivision by the Board of County Commissioners.
- 13. The Subdivider(s) agrees for itself and its successors and assigns that Subdivider and/or its said successors and assigns shall be required to pay traffic impact fees in accordance with the El Paso County Road Impact Fee Program, at or prior to the time of building permit submittals.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year below written.

BOARD OF COUNTY COMMISSIONERS OF

	EL PASO COUNTY, COLORADO	
(Date Final Plat Approved)	By:	
(Date Pinai Piat Approved)	Stan VanderWerf, Chair	
ATTEST:		
County Cloub and December		
County Clerk and Recorder		

County Attorney's Office

APPROVED AS TO FORM

LAND FIRST, INC.  By: A Waldthasusen, President
Subscribed, sworn to and acknowledged before me this 25th day of 4pril , 2022 by the parties above named.  My commission expires: 10/13/22
Notary Public THOMAS J. BARKER  NOTARY PUBLIC  STATE OF COLORADO  NOTARY ID 19984028504  MY COMMISSION EXPIRES OGTOBER 13, 2022

## 2021 Financial Assurance Estimate Form

(with pre-plat construction)

(with pre-plat construction)				Updated: 12/22/2020
	PROJECT INFORMATION			
BENT GRASS EAST COMMERCIAL FILING NO. 3	4/4/2022			
Project Name	Date	PCI	D File No.	SF-2147

			Un					,	e-Piat C	Construction)
escription	Quantity	Units	Cos				Total	% Complete		Remaining
CTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Perma	nent BMP	Ps)						
* Earthwork			1.							
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min	6,000	CY	\$	5.00	=	\$	30,000.00		\$	30,000.0
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
* Permanent Seeding (inc. noxious weed mgmnt.)		AC	\$ 8	328.00	=	\$	-		\$	-
* Mulching		AC	\$ 7	777.00	=	\$	-		\$	-
* Permanent Erosion Control Blanket	140	SY	\$	6.00	=	\$	840.00		\$	840.0
* Permanent Pond/BMP Construction		CY	\$	21.00	=	\$	-		\$	-
* Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
· · · · ·		EA			=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-
Vehicle Tracking Control	2	EA		153.00	=	\$	4,906.00		\$	4,906.
Silt Fence	700	LF	\$	2.60	=	\$	1,820.00		\$	1,820.
Temporary Seeding	4	AC		350.00	=	\$	2,470.00		\$	2,470.
Temporary Mulch	4	AC		777.00		\$	2,952.60		\$	2,470.
Erosion Bales	6	EA		26.00		\$	156.00		\$	156.
	0	LF	\$	5.00	=		130.00		\$	150.
Erosion Logs/Straw Waddle Rock Check Dams			-			\$	-		<u> </u>	
	2	EA		518.00	=	\$			\$	
Inlet Protection	2	EA		173.00	=	\$	346.00		\$	346.
Sediment Basin		EA		324.00	=	\$	-		\$	-
Concrete Washout Basin	1	EA	\$ 9	932.00	=	\$	932.00		\$	932.
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
MA	INTENANCE (35%	% of Consti	ruction BI	MPs)	=	\$	4,753.91		\$	4,753.
Subject to defect warranty financial assurance. A minimum of 20% shall									١.	
		Socti	on 1 Sub	htotal	_		10 176 F1			
retained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  ECTION 2 - PUBLIC IMPROVEMENTS *		Section	on 1 Sub	btotal	=	\$	49,176.51		\$	49,176.5
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS		Section	on 1 Sub	btotal	=	\$	49,176.51		<b>\$</b>	49,176.5
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CCTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control				29.00			· · ·			•
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)	65	LS	\$		=	\$	· · ·		\$	
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CCTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)	65	LS Tons	\$ :	29.00	=	\$			\$ \$	3,380
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)	65	LS Tons CY	\$ :	29.00 52.00	=	\$ \$ \$ \$	- - - 3,380.00		\$ \$ \$	3,380
stained until final acceptance (MAXIMUM OF 80% COMPLETE DOWED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)		LS Tons CY SY SY	\$ ::	29.00 52.00 14.50 20.00	=	\$ \$ \$ \$ \$	- - 3,380.00 -		\$ \$ \$ \$	3,380
stained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.	65	LS Tons CY SY SY SY	\$ :: \$ :: \$ ::	29.00 52.00 14.50 20.00 30.00	= =	\$ \$ \$ \$ \$	- - - 3,380.00		\$ \$ \$ \$ \$	3,380
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CCTION 2 - PUBLIC IMPROVEMENTS *  ADMAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick		LS Tons CY SY SY SY Tons	\$ :: \$ :: \$ :: \$ ::	29.00 52.00 14.50 20.00 30.00 91.00	= =	\$ \$ \$ \$ \$ \$	- - 3,380.00 -		\$ \$ \$ \$ \$ \$	3,380
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  ICTION 2 - PUBLIC IMPROVEMENTS *  IADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (14T lbs/cf)" thick  Raised Median, Paved		LS Tons CY SY SY SY Tons SF	\$ : : : : : : : : : : : : : : : : : : :	29.00 52.00 14.50 20.00 30.00 91.00 8.30	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - - 3,900.00		\$ \$ \$ \$ \$ \$	3,380
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  (CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - - 3,900.00 - -		\$ \$ \$ \$ \$ \$ \$	3,380
atained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (14T lbs/cf)" thick  Regulatory Sign/Advisory Sign  Guide/Street Name Sign	130	LS Tons CY SY SY SY Tons SF EA EA	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - -		\$ \$ \$ \$ \$ \$ \$	3,380
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  (CTION 2 - PUBLIC IMPROVEMENTS *  (ADWAY IMPROVEMENTS)  Construction Traffic Control  (Aggregate Base Course (135 lbs/cf)  (Asgregate Base Course (135 lbs/cf)  (Asphalt Pavement (3" thick)  (Asphalt Pavement (4" thick)  (Asphalt Pavement (6" thick) Merdian Park Dr.  (Asphalt Pavement (147 lbs/cf)" thick  (Regulatory Sign/Advisory Sign  (Guide/Street Name Sign  Epoxy Pavement Marking (Bent Grass Meadows Dr.)	130	LS Tons CY SY SY SY Tons SF EA EA SF	\$ : : : : : : : : : : : : : : : : : : :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - - - - 12,040.00		\$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  (CTION 2 - PUBLIC IMPROVEMENTS *  (ADWAY IMPROVEMENTS)  Construction Traffic Control  (Aggregate Base Course (135 lbs/cf)  (Asgregate Base Course (135 lbs/cf)  (Asphalt Pavement (3" thick)  (Asphalt Pavement (4" thick)  (Asphalt Pavement (6" thick) Merdian Park Dr.  (Asphalt Pavement (6" thick) Merdian Park Dr.  (Asphalt Pavement (6" thick) Merdian Park Dr.  (Asphalt Pavement (147 lbs/cf)" thick  (Raised Median, Paved  (Regulatory Sign/Advisory Sign  (Guide/Street Name Sign  (Epoxy Pavement Marking (Bent Grass Meadows)	130	LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$	3,380
atained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows) Barricade - Type 3	130	LS Tons CY SY SY Tons SF EA EA SF SF EA	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00 207.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - - - - 12,040.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking (Bent Grass Meadows)  Darricade - Type 3  Delineator - Type I	130 860 110	LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 8.30 311.00 14.00 24.00 25.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - - - 12,040.00 2,640.00		\$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640
construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Expoxy Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.	130	LS Tons CY SY SY Tons SF EA EA EA LF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 8.30 311.00 14.00 24.00 25.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - - - - 12,040.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640
construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median)	130 860 110	LS Tons CY SY SY Tons SF EA EA EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00 207.00 25.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380.00 - - 3,900.00 - - - 12,040.00 2,640.00 - - 3,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  =poxy Pavement Marking (Bent Grass Meadows Dr.)  Thermoplastic Pavement Marking (Bent Grass Meadows)  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.  Curb and Gutter, Type B (Median)  Curb and Gutter, Type B (Median)	860 110	LS Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00	= = = = = = = = = = = = = = = = = = = =	* * * * * * * * * * * * * * * * * * * *	3,380.00 - - 3,900.00 - - - - 12,040.00 2,640.00 - - 3,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  =poxy Pavement Marking (Bent Grass Meadows Dr.)  Thermoplastic Pavement Marking (Bent Grass Meadows)  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.  Curb and Gutter, Type B (Median)  Curb and Gutter, Type B (Median)	130 860 110	LS Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 227.00 25.00 31.00 31.00 50.00	= = = = = = = = = = = = = = = = = = = =	* * * * * * * * * * * * * * * * * * * *	3,380.00 - - 3,900.00 - - - 12,040.00 2,640.00 - - 3,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  It Sidewalk (common areas only) Perimeter Sidewalk	860 110	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00	= = = = = = = = = = = = = = = = = = = =	* * * * * * * * * * * * * * * * * * * *	3,380.00 - - 3,900.00 - - - - 12,040.00 2,640.00 - - 3,720.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTTON 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) It Sidewalk (common areas only) Perimeter Sidewalk Str Sidewalk	860 110	LS Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 227.00 25.00 31.00 31.00 50.00	= = = = = = = = = = = = = = = = = = = =	* * * * * * * * * * * * * * * * * * * *	3,380.00 - 3,900.00 - - 3,900.00 - - 12,040.00 2,640.00 - 3,720.00 - 20,500.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTTON 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) It Sidewalk (common areas only) Perimeter Sidewalk Str Sidewalk	860 110	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 - 3,900.00 - - - - 12,040.00 2,640.00 - - 3,720.00 - - 20,500.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Eupoxy Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  I" Sidewalk (common areas only) Perimeter Sidewalk S" Sidewalk S" Sidewalk	860 110	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 - 3,900.00 - - - 12,040.00 2,640.00 - 3,720.00 - 20,500.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Buide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Durb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  "Sidewalk (common areas only) Perimeter Sidewalk "Sidewalk Pedestrian Ramp	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 35.00 62.00 75.00 99.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 20,500.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500
catained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Regulatory Sign/Advisory Sign Buide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  It Sidewalk (common areas only) Perimeter Sidewalk Str Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY EA	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 20,500.00 5,950.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  "Sidewalk (common areas only) Perimeter Sidewalk S" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY SY	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00 190.00 63.00		* * * * * * * * * * * * * * * * * * * *	3,380.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
pteined until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  L' Sidewalk (common areas only) Perimeter Sidewalk S' Sidewalk S' Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00 63.00 95.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 20,500.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows Dr.) Thermoplastic Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  "Sidewalk (common areas only) Perimeter Sidewalk S"Sidewalk	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SY LF EA LF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00 199.00 63.00 95.00 532.00 51.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 20,500.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CTION 2 - PUBLIC IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Europay Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median)  L' Sidewalk (common areas only) Perimeter Sidewalk S' Sidewalk S' Sidewalk S' Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 63.00 95.00 532.00 51.00 75.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
pteined until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CTION 2 - PUBLIC IMPROVEMENTS  Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (6" thick) Merdian Park Dr. Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking (Bent Grass Meadows) Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Meridian Park Dr. Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)  "" Sidewalk S" Sidewalk S" Sidewalk S" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 63.00 95.00 53.22.00 51.00 75.00 75.00		* * * * * * * * * * * * * * * * * * * *	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  CTION 2 - PUBLIC IMPROVEMENTS *  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking (Bent Grass Meadows Dr.)  Thermoplastic Pavement Marking (Bent Grass Meadows)  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.  Curb and Gutter, Type C (Ramp)  Tur's Sidewalk (common areas only) Perimeter Sidewalk  S' Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)  Guardrail Type 7 (Concrete)  Guardrail Type 7 (Concrete)  Guardrail Type 7 (Concrete)  Guardrail Impact Attenuator	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 25.00 31.00 31.00 31.00 31.00 31.00 31.00 62.00 75.00 99.00 63.00 95.00 5532.00 575.00 172.00 399.00		* * * * * * * * * * * * * * * * * * * *	3,380.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
ptained until final acceptance (MAXIMUM OF 80% COMPLETE OWNED)  CTION 2 - PUBLIC IMPROVEMENTS  ADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking (Bent Grass Meadows Dr.)  Thermoplastic Pavement Marking (Bent Grass Meadows)  Barricade - Type 3  Delineator - Type 1  Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  It "Sidewalk (common areas only) Perimeter Sidewalk  S" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)  Curb Chase  Guardrail Type 3 (W-Beam)  Guardrail Type 7 (Concrete)  Guardrail Type 7 (Concrete)  Guardrail Impact Attenuator  Sound Barrier Fence (CMU block, 6' high)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF LF SY SY SY SY LF LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 63.20 50.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 63.00 95.00 63.00 95.00 63.00 63.00 63.00 95.00 63.00		***********	3,380.00 3,900.00 3,900.00 12,040.00 2,640.00 20,500.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670
etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  COTION 2 - PUBLIC IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking (Bent Grass Meadows Dr.)  Thermoplastic Pavement Marking (Bent Grass Meadows)  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only) Perimeter Sidewalk  5" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Curb Chase  Guardrail Type 3 (W-Beam)  Guardrail Type 7 (Concrete)  Guardrail Type 7 (Concrete)  Guardrail Impact Attenuator  Sound Barrier Fence (CMU block, 6' high)  Sound Barrier Fence (panels, 6' high)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 14.00 24.00 25.00 31.00 31.00 50.00 62.00 75.00 99.00 63.00 95.00 532.00 51.00 75.00 190.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 83.00		***********	3,380.00 3,900.00 12,040.00 2,640.00 3,720.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950
retained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)  ECTION 2 - PUBLIC IMPROVEMENTS *  DADWAY IMPROVEMENTS  Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (6" thick) Merdian Park Dr.  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking (Bent Grass Meadows Dr.)  Thermoplastic Pavement Marking (Bent Grass Meadows)  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical) Meridian Park Dr.  Curb and Gutter, Type B (Median)	130 860 110 120 410	LS Tons CY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF LF SY SY SY SY LF LF LF EA LF	\$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ : \$ :	29.00 52.00 14.50 20.00 30.00 91.00 8.30 311.00 24.00 207.00 25.00 31.00 31.00 31.00 50.00 62.00 75.00 99.00 63.20 50.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 95.00 63.00 63.00 95.00 63.00 95.00 63.00 63.00 63.00 95.00 63.00		***********	3,380.00 3,900.00 3,900.00 12,040.00 2,640.00 20,500.00 5,950.00 5,670.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	3,380 3,900 12,040 2,640 3,720 20,500 5,950 5,670

PROJECT INFORMATION								
BENT GRASS EAST COMMERCIAL FILING NO. 3	4/4/2022							
Project Name	Date	PCD File No. SF-2147						

Description	Quantity	Units	Unit Cost		Tot	al	(with Pro % Complete	e-Plat Construction) Remaining	_
				=	\$	-		\$	-
[insert items not listed but part of construction plans]				=	\$	-		\$	-
TORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size ( W x H )		LF		=	\$	-		\$	-
18" Reinforced Concrete Pipe		LF	\$ 67.00	=	\$	-		\$	-
24" Reinforced Concrete Pipe		LF	\$ 81.00	=	\$	-		\$	-
30" Reinforced Concrete Pipe		LF	\$ 100.00	=	\$	-		\$	-
36" Reinforced Concrete Pipe		LF	\$ 124.00	=	\$	-		\$	-
42" Reinforced Concrete Pipe		LF	\$ 166.00	=	\$	-		\$	-
48" Reinforced Concrete Pipe		LF	\$ 202.00	=	\$	-		\$	-
54" Reinforced Concrete Pipe		LF	\$ 254.00	=	\$	-		\$	-
60" Reinforced Concrete Pipe		LF	\$ 298.00	=	\$	-		\$	-
66" Reinforced Concrete Pipe		LF	\$ 344.00	=	\$	-		\$	-
72" Reinforced Concrete Pipe		LF	\$ 393.00	=	\$	_		\$	-
18" Corrugated Steel Pipe		LF	\$ 87.00	=	\$	_		\$	_
24" Corrugated Steel Pipe		LF	\$ 99.00	=	\$			\$	_
30" Corrugated Steel Pipe		LF	\$ 126.00	_	\$			\$	_
36" Corrugated Steel Pipe		LF	\$ 152.00	=	\$	-		\$	_
42" Corrugated Steel Pipe		LF	\$ 174.00		\$	-		\$	-
48" Corrugated Steel Pipe		LF	\$ 174.00		\$			\$	-
54" Corrugated Steel Pipe		LF	\$ 269.00		\$			\$	-
60" Corrugated Steel Pipe		LF	\$ 290.00	=	\$			\$	-
66" Corrugated Steel Pipe		LF	\$ 352.00	=	\$	-		\$	_
72" Corrugated Steel Pipe		LF	\$ 414.00	=	\$	-		\$	_
78" Corrugated Steel Pipe		LF	\$ 476.00	=	\$	-		\$	-
84" Corrugated Steel Pipe Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		LF	\$ 569.00	=	\$	-		\$	-
Flared End Section (FES) CSP Size =		EA							
(unit cost = 6x pipe unit cost)		EA		=	\$	-		\$	-
End Treatment- Headwall		EA		=	\$	-		\$	-
End Treatment- Wingwall		EA		=	\$	-		\$	-
End Treatment - Cutoff Wall		EA		=	\$	-		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,736.00	=	\$	-		\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,440.00	=	\$	-		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 8,637.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,894.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,136.00	=	\$	-		\$	_
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,185.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,265.00	=	\$	_		\$	_
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,005.00	_	\$			\$	
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,034.00	=	\$	_		\$	_
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 10,940.00	=	\$			\$	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 12,075.00	=	\$			\$	
Grated Inlet (Type C), Depth < 5'		EA	\$ 4,802.00	=	\$			\$	
Grated Inlet (Type D), Depth < 5'		EA	\$ 5,932.00	=	\$			\$	-
Storm Sewer Manhole, Box Base		EA			\$				
Storm Sewer Manhole, Box base Storm Sewer Manhole, Slab Base		EA		=	-	-		\$	
,				=	\$	-		\$	_
Geotextile (Erosion Control)		SY	\$ 6.20	=	<b>\$</b>	-		4	
Rip Rap, d50 size from 6" to 24"		Tons	\$ 83.00	=	\$			\$	
Rip Rap, Grouted		Tons	\$ 98.00	=	\$	-		\$	-
Drainage Channel Construction, Size ( W x H )		LF		=	\$	-		\$	-
Drainage Channel Lining, Concrete		CY	\$ 590.00	=	\$	-		\$	-
Drainage Channel Lining, Rip Rap		CY	\$ 116.00	=	\$	-		\$	-
Drainage Channel Lining, Grass		AC	\$ 1,520.00	=	\$	-		\$	-
Drainage Channel Lining, Other Stabilization				=	\$	-		\$	-
Enough Home and listed but not of a surface and a				=	\$	-		\$	-
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% shall				=	\$	-		\$	-
e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	on 2 Subtotal	=	\$ 57	,800.00		\$ 57,800	) (

PROJECT INFORMATION								
BENT GRASS EAST COMMERCIAL FILING NO. 3	4/4/2022							
Project Name	Date	PCD File No. SF-2147						

				Unit				(with Pre-Plat Construction)		
Description	Quantity	Units		Cost			Total	% Complete		Remaining
<b>SECTION 3 - COMMON DEVELOPMENT IMPROV</b>	VEMENTS (Priv	ate or Di	stric	t and NO	T Mainta	ined b	y EPC)**			
ROADWAY IMPROVEMENTS (Bent Grass Market View)										
Construction Traffic Control	1	LS	\$	8,000.00	=	\$	8,000.00		\$	8,000.00
Aggregate Base Course (135 lbs/cf) Bent Grass Market	800	CY	\$	52.00		\$	41,600.00		\$	41,600.00
Asphalt Pavement (6" thick) Bent Grass Market View	2,200	SY	\$	30.00		\$	66,000.00		\$	66,000.00
Regulatory Sign/Advisory Sign	4	EA	\$	311.00	=	\$	1,244.00		\$	1,244.00
Guide/Street Name Sign	2	EA	\$	300.00	=	\$	600.00		\$	600.00
Epoxy Pavement Marking (Bent Grass Market View)	200	SF	\$	14.00	=	\$	2,800.00		\$	2,800.00
Curb and Gutter, Type A (6" Vertical) Bent Grass Market	1,350	LF	\$	31.00	=	\$	41,850.00		\$	41,850.00
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Except	ion: Permanent Pon	d/BMP shall	be ite	emized unde	r Section 1	)				
24" Reinforced Concrete Pipe	325	LF	\$	81.00	=	\$	26,325.00		\$	26,325.00
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'	2	EA	\$	7,440.00	=	\$	14,880.00		\$	14,880.00
Storm Sewer Manhole, Slab Base	1	EA	\$	6,619.00	=	\$	6,619.00		\$	6,619.00
Rip Rap, d50 size from 6" to 24"	10	Tons	\$	83.00	=	\$	830.00		\$	830.00
End Treatment- Concrete Forebay	1	EA	\$	15,000.00	=	\$	15,000.00		\$	15,000.00
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"	770	LF	\$	66.00	=	\$	50,820.00		\$	50,820.00
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	78.00	=	\$	-		\$	-
Gate Valves, 8"	3	EA	\$	1,923.00	=	\$	5,769.00		\$	5,769.00
Fire Hydrant Assembly, w/ all valves	1	EA	\$	6,828.00	=	\$	6,828.00		\$	6,828.00
Water Service Line Installation, inc. tap and valves	6	EA	\$	1,370.00	=	\$	8,220.00		\$	8,220.00
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"	665	LF	\$	66.00	=	\$	43,890.00		\$	43,890.00
Sanitary Sewer Manhole, Depth < 15 feet	4	EA	\$	4,540.00	=	\$	18,160.00		\$	18,160.00
Sanitary Service Line Installation, complete	6	EA	\$	1,451.00	=	\$	8,706.00		\$	8,706.00
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	cific condition	on of a	approval, or	PUD)					
1.5" Cal Deciduous Tree	27	EA	\$	365.00	=	\$	9,855.00		\$	9,855.00
6' Evergreen	32	EA	\$	505.00	=	\$	16,160.00		\$	16,160.00
Shrubs (five gallon)	50	EA	\$	55.00	=	\$	2,750.00		\$	2,750.00
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Secti	on 3	Subtotal	=	\$	396,906.00		\$	396,906.00

	PROJECT INFORMATION	
BENT GRASS EAST COMMERCIAL FILING NO. 3	4/4/2022	
Project Name	Date	PCD File No. SF-2147

			Unit				(with Pre-P	lat Construction)
Description	Quantity	Units	Cost			Total	% Complete	Remaining
AS-BUILT PLANS (Public Improvement	ts inc. Permanent WQCV BMPs)	LS		=	\$		S	-
POND/BMP CERTIFICATION (inc. eleva	ations and volume calculations)	LS		-	\$		\$	
				Tota	al Const	ruction Financia	al Assurance \$	503,882.51
			(Sum of all se	ection subto	tals plus	as-builts and pond/B	MP certification)	

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \_\_\$

503,882.51 (Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

> Total Defect Warranty Financial Assurance \_ \$ 17,728.00

(20% of all items identified as (\*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an acquired and complete dispinate on coast of the same and the same to see for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

4/20/2022

Approved by El Paso County Engineer / ECM Administrator

**APPROVED** 

**Engineering Department** 

04/21/2022 9:04:07 AM

dsdnijkamp

EPC Planning & Community
Development Department