2021 Financial Assurance Estimate Form

(with pre-plat construction)

(with pre-plat construction)		Updated: 12/22/2020
	PROJECT INFORMATION	
Midtown Collection at Hannha Ridge Filing No. 3 (EG)	4/20/2022	EGP-20-007
Project Name	Date	PCD File No.

			Unit			,	-Plat C	Plat Construction)	
Description	Quantity	Units	Cost		Total	% Complete		Remaining	
SECTION 1 - GRADING AND EROSION CONTR	ROL (Construction	n and Perm	anent BMPs)						
* Earthwork			T .		T .	1			
less than 1,000; \$5,300 min		CY	\$ 8.00	=	\$ -		\$	-	
1,000-5,000; \$8,000 min		CY	\$ 6.00	=	\$ -		\$	-	
5,001-20,000; \$30,000 min		CY	\$ 5.00	=	\$ -		\$	-	
20,001-50,000; \$100,000 min	25,000	CY	\$ 3.50	=	\$ 100,000.00		\$	100,000.00	
50,001-200,000; \$175,000 min		CY	\$ 2.50	=	\$ -		\$	-	
greater than 200,000; \$500,000 min		CY	\$ 2.00	=	\$ -		\$	-	
* Permanent Seeding (inc. noxious weed mgmnt.)		AC	\$ 828.00	=	\$ -		\$	-	
* Mulching		AC	\$ 777.00	=	\$ -		\$	-	
* Permanent Erosion Control Blanket		SY	\$ 6.00	=	\$ -		\$	-	
* Permanent Pond/BMP Construction		CY	\$ 21.00	=	\$ -		\$	_	
* Permanent Pond/BMP (Spillway)	1	EA	\$ 4,000.00	=	\$ 4,000.00		\$	4,000.0	
* Permanent Pond/BMP (Outlet)	1	EA	\$ 17,000.00	=	\$ 17,000.00		\$	17,000.0	
Safety Fence	1	LF	\$ 17,000.00	=			\$	17,000.0	
•	1 000	SY			\$ -			- -	
Temporary Erosion Control Blanket	1,900		-	=	\$ 5,700.00		\$	5,700.0	
Vehicle Tracking Control	1	EA	\$ 2,453.00	=	\$ 2,453.00		\$	2,453.0	
Silt Fence	3,400	LF	\$ 2.60	=	\$ 8,840.00		\$	8,840.0	
Temporary Seeding	7.444	AC	\$ 650.00	=	\$ 4,838.60		\$	4,838.6	
Temporary Mulch	7.444	AC	\$ 777.00	=	\$ 5,783.99		\$	5,783.9	
Erosion Bales	16	EA	\$ 26.00	=	\$ 416.00		\$	416.0	
Erosion Logs/Straw Waddle		LF	\$ 5.00	=	\$ -		\$	-	
Rock Check Dams	4	EA	\$ 518.00	=	\$ 2,072.00		\$	2,072.0	
Inlet Protection	4	EA	\$ 173.00	=	\$ 692.00		\$	692.0	
Sediment Basin	3	EA	\$ 1,824.00	=	\$ 5,472.00		\$	5,472.0	
Concrete Washout Basin	1	EA	\$ 932.00	=	\$ 932.00		\$	932.0	
Consider Washout Basin	1		Ψ 002.00	=	\$ -		\$	552.0	
fingert items not listed but part of construction plans?					\$ -		\$		
[insert items not listed but part of construction plans]	INTENANCE (250	of Complex	ration DMDs\						
MA	INTENANCE (35%	o or Constri	iction BMPS)	=	\$ 13,019.86		\$	13,019.8	
- Subject to defect warranty financial assurance. A minimum of 20% shall a retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS *		Sectio	n 1 Subtotal	=	\$ 171,219.44		\$	171,219.44	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS		Sectio	n 1 Subtotal	=			\$	171,219.44	
- Subject to defect warranty financial assurance. A minimum of 20% shall e retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS *			n 1 Subtotal		\$ -		\$		
- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS		=	\$ -			-	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		LS Tons CY	\$ 29.00 \$ 52.00	=	\$ - \$ - \$		\$ \$ \$	- -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		LS Tons CY SY	\$ 29.00 \$ 52.00 \$ 14.50	=	\$ - \$ - \$ -		\$ \$ \$	- - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLCOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00	=	\$ - \$ - \$ - \$ -		\$ \$ \$ \$	- - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00	= =	\$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$	- - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY Tons	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00	= =	\$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$	- - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		LS Tons CY SY SY SY Tons SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30	= = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$	- - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (1" thick) Raised Median, Paved Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00	= = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$	- - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		LS Tons CY SY SY SY Tons SF EA EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00	= = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$	- - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		LS Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00 \$ 207.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		LS Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00 \$ 207.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 14.00 \$ 24.00 \$ 207.00 \$ 25.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) INCOMEDIA - PUBLIC IMPROVEMENTS CONSTRUCTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		LS Tons CY SY SY SY Tons SF EA EA EA LF LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
- Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 62.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) EXAMPLE AND		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY SF SY SF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 50.00 \$ 99.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY SY SY	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 99.00 \$ 1,190.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 99.00 \$ 1,190.00 \$ 63.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 62.00 \$ 75.00 \$ 99.00 \$ 63.00 \$ 95.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 62.00 \$ 75.00 \$ 99.00 \$ 1,190.00 \$ 95.00 \$ 1,532.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Clase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 1,190.00 \$ 63.00 \$ 95.00 \$ 1,532.00 \$ 51.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Curb ase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 1,190.00 \$ 62.00 \$ 99.00 \$ 1,190.00 \$ 95.00 \$ 1,532.00 \$ 51.00 \$ 51.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Curb ase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 1,190.00 \$ 63.00 \$ 95.00 \$ 1,532.00 \$ 51.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
- Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 1,190.00 \$ 62.00 \$ 99.00 \$ 1,190.00 \$ 95.00 \$ 1,532.00 \$ 51.00 \$ 51.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 1,100 \$ 50.00 \$ 99.00 \$ 1,190.00 \$ 1,532.00 \$ 1,532.00 \$ 75.00 \$ 2,172.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shalls retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		LS Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 31.00 \$ 50.00 \$ 62.00 \$ 75.00 \$ 99.00 \$ 1,190.00 \$ 1,532.00 \$ 2,172.00 \$ 3,899.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
- Subject to defect warranty financial assurance. A minimum of 20% shall e retained until final acceptance (MAXIMUM OF 80% COMPLETE LLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (7" thick) Asphalt Pavement (8" thick) Asphalt Pavement (8" thick) Asphalt Pavement (8" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF	\$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 24.00 \$ 207.00 \$ 25.00 \$ 31.00 \$ 31.00 \$ 62.00 \$ 62.00 \$ 75.00 \$ 1,190.00 \$ 63.00 \$ 1,532.00 \$ 75.00 \$ 2,172.00 \$ 3,899.00 \$ 3,899.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		

	PROJECT INFORMATION	
Midtown Collection at Hannha Ridge Filing No. 3 (EG)	4/20/2022	EGP-20-007
Project Name	Date	PCD File No.

Description	Quantity	Units	Unit Cost			Total	(with Pro	e-Plat Construction) Remaining
				=	\$	-		\$ -
[insert items not listed but part of construction plans]				=	\$	-		\$ -
TORM DRAIN IMPROVEMENTS								
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$	-		\$ -
18" Reinforced Concrete Pipe		LF	\$ 67.00	=	\$	-		\$ -
24" Reinforced Concrete Pipe		LF	\$ 81.00	=	\$	-		\$ -
30" Reinforced Concrete Pipe		LF	\$ 100.00	=	\$	-		\$ -
36" Reinforced Concrete Pipe		LF	\$ 124.00	=	\$	-		\$ -
42" Reinforced Concrete Pipe		LF	\$ 166.00	=	\$	-		\$ -
48" Reinforced Concrete Pipe		LF	\$ 202.00	=	\$	-		\$ -
54" Reinforced Concrete Pipe		LF	\$ 254.00	=	\$	-		\$ -
60" Reinforced Concrete Pipe		LF	\$ 298.00	=	\$	-		\$ -
66" Reinforced Concrete Pipe		LF	\$ 344.00	=	\$	-		\$ -
72" Reinforced Concrete Pipe		LF	\$ 393.00	=	\$	-		\$ -
18" Corrugated Steel Pipe		LF	\$ 87.00	=	\$	-		\$ -
24" Corrugated Steel Pipe		LF	\$ 99.00	=	\$	-		\$ -
30" Corrugated Steel Pipe		LF	\$ 126.00	=	\$	-		\$ -
36" Corrugated Steel Pipe		LF	\$ 152.00	=	\$	-		\$ -
42" Corrugated Steel Pipe		LF	\$ 174.00	=	\$	-		\$ -
48" Corrugated Steel Pipe		LF	\$ 184.00	=	\$	-		\$ -
54" Corrugated Steel Pipe		LF	\$ 269.00	=	\$	-		\$ -
60" Corrugated Steel Pipe		LF	\$ 290.00	=	\$	-		\$ -
66" Corrugated Steel Pipe		LF	\$ 352.00	=	\$	-		\$ -
72" Corrugated Steel Pipe		LF	\$ 414.00	=	\$	-		\$ -
78" Corrugated Steel Pipe		LF	\$ 476.00	=	\$	-		\$ -
84" Corrugated Steel Pipe		LF	\$ 569.00	=	\$	-		\$ -
Flared End Section (FES) RCP Size =			,		-			
(unit cost = 6x pipe unit cost)		EA		=	\$	-		\$ -
Flared End Section (FES) CSP Size =				=	\$	_		\$ -
(unit cost = 6x pipe unit cost)		EA						
End Treatment- Headwall		EA		=	\$	-		\$ -
End Treatment- Wingwall		EA		=	\$	-		\$ -
End Treatment - Cutoff Wall		EA		=	\$	-		\$ -
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,736.00	=	\$	-		\$ -
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,440.00	=	\$	-		\$ -
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 8,637.00	=	\$	-		\$ -
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,894.00	=	\$	-		\$ -
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,136.00	=	\$	-		\$ -
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,185.00	=	\$	-		\$ -
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,265.00	=	\$	-		\$ -
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,005.00	=	\$	-		\$ -
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,034.00	=	\$	-		\$ -
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 10,940.00	=	\$	-		\$ -
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 12,075.00	=	\$	-		\$ -
Grated Inlet (Type C), Depth < 5'		EA	\$ 4,802.00	=	\$	-		\$ -
Grated Inlet (Type D), Depth < 5'		EA	\$ 5,932.00	=	\$	-		\$ -
Storm Sewer Manhole, Box Base		EA	\$ 12,034.00	=	\$	-		\$
Storm Sewer Manhole, Slab Base		EA	\$ 6,619.00	=	\$	-		\$ -
Geotextile (Erosion Control)		SY	\$ 6.20	=	\$	-		\$
Rip Rap, d50 size from 6" to 24"		Tons	\$ 83.00	=	\$	-		\$ -
Rip Rap, Grouted		Tons	\$ 98.00	=	\$	-		\$.
Drainage Channel Construction, Size (W x H)		LF		=	\$	-		\$ -
Drainage Channel Lining, Concrete		CY	\$ 590.00	=	\$	-		\$ -
Drainage Channel Lining, Rip Rap		CY	\$ 116.00	=	\$	-		\$ -
Drainage Channel Lining, Grass		AC	\$ 1,520.00	=	\$	-		\$.
Drainage Channel Lining, Other Stabilization		,-	, ,==:::0	=	\$	-		\$.
G 2				_	\$	-		\$.
[insert items not listed but part of construction plans]					\$	-		\$.
Subject to defect warranty financial assurance. A minimum of 20% sha	all				Ψ			7
e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Contin	n 2 Subtotal	=	\$			\$ -

	PROJECT INFORMATION	
Midtown Collection at Hannha Ridge Filing No. 3 (EG)	4/20/2022	EGP-20-007
Project Name	Date	PCD File No.

				Unit				(with Pre	-Plat Construction)
Description	Quantity	Units		Cost			Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (PI	rivate or D	istr	ict and N	IOT Main	tained b	v EPC)**		
ROADWAY IMPROVEMENTS									
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
STORM DRAIN IMPROVEMENTS (Except	tion: Permanent Por	nd/BMP shall I	be ite	emized unde	er Section 1)			
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
WATER SYSTEM IMPROVEMENTS									
Water Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$	-		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	78.00	=	\$	-		\$ -
Gate Valves, 8"		EA	\$	1,923.00	=	\$	-		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	6,828.00	=	\$	-		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,370.00	=	\$	-		\$ -
Fire Cistern Installation, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
SANITARY SEWER IMPROVEMENTS									
Sewer Main Pipe (PVC), Size 8"		LF	\$	66.00	=	\$	-		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,540.00	=	\$	-		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,451.00	=	\$	-		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
LANDSCAPING IMPROVEMENTS	(For subdivision spe		n of a	approval, or	PUD)				
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
** - Section 3 is not subject to defect warranty requirements		Sectio	n 3	Subtotal	=	\$	-		\$ -

PROJECT INFORMATION								
Midtown Collection at Hannha Ridge Filing No. 3 (EG)	4/20/2022	EGP-20-007						
Project Name	Date	PCD File No.						

Description			Unit			(with Pre	-Plat (Construction)
	Quantity	Units	Cost		Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements	inc. Permanent WQCV BMPs)	LS		=	\$ 		\$	-
POND/BMP CERTIFICATION (inc. elevations and v	ons and volume calculations)	LS		=	\$ -		\$	-
			(Sum of all section		uction Financia -builts and pond/B		\$	171,219.44
					with Pre-Plat C		\$	171,219.44
			T s identified as (*).		rranty Financia		\$	24,200.00

Approved by El Paso County Engineer / ECM Administrator

I hereby certify that this is an accurate and compare of cost of the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

O4/21/2022

Engineer (P.E. Seal Required)

Approved by El Paso County Engineer / ECM Administrator

Date