# HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2

A REPLAT OF LOTS 70-73, HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, A PORTION OF THE SW1/4 OF THE SW1/4 OF

BE IT KNOWN BY THESE PRESENTS: THE E1/2 OF SECTION 28 AND THE NE1/4 OF SECTION 33, ALL IN TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN THAT SR LAND, LLC, ELITE PROPERTIES OF AMERICA, INC., ARTESIA LOT HOLDINGS, LLC, AND VANTAGE **COUNTY OF EL PASO, STATE OF COLORADO** 

HOMES CORP.. BEING THE OWNERS OF THE FOLLOWING DESCRIBED TRACT OF LAND TO WIT:

#### LEGAL DESCRIPTION:

A PARCEL OF LAND LOCATED IN THE SOUTHWEST 1/4 OF THE SOUTHWEST 1/4 OF SECTION 27, THE EAST 1/2 OF SECTION 28, AND THE NORTHEAST 1/4 OF SECTION 33, ALL IN TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN, COUNTY OF EL PASO, STATE OF COLORADO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BASIS OF BEARINGS: THE SOUTH LINE OF THE SOUTHWEST QUARTER OF SECTION 34, TOWNSHIP 12 SOUTH RANGE 65 WEST OF THE 6TH P.M. AS MONUMENTED AT THE SOUTHWEST CORNER OF SAID SOUTHWEST QUARTER BY A 2-1/2" ALUMINUM CAP STAMPED "LS 11624" AND AT THE SOUTHEAST CORNER OF SAID SOUTHWEST QUARTER BY A 2-1/2" ALUMINUM CAP STAMPED "LS 11624", SAID LINE BEARS N89"14'14"E A DISTANCE OF 2,722.69 FEET.

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 34. TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN:

THENCE N11°20'29"W A DISTANCE OF 5,356.78 FEET, TO THE NORTHEASTERLY CORNER OF TRACT F, HOMESTEAD NORTH AT STERLING RANCH FILING NO 1 RECORDED UNDER RECEPTION NO. 223715150 IN THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER, SAID POINT BEING THE POINT OF BEGINNING;

THENCE ON THE NORTHERLY LINE OF SAID HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, N50°26'12"W A DISTANCE OF 110.61 FEET. TO THE NORTHEASTERLY CORNER OF LOT 70. HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1;

THENCE ON THE EASTERLY AND SOUTHERLY LINES OF SAID LOT 70, THE FOLLOWING TWO (2) COURSES:

- 1. S39°32'55"W A DISTANCE OF 106.89 FEET;
- N84°35'06"W A DISTANCE OF 58.25 FEET, TO A POINT IN THE NORTHERLY RIGHT-OF-WAY LINE OF TOM KETCHUM ROAD, AS SHOWN ON THE PLAT OF SAID HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1 AND A POINT OF NON-TANGENT CURVE;

THENCE ON SAID NORTHERLY RIGHT-OF-WAY LINE, THE FOLLOWING FOUR (4) COURSES:

- 1. ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N66°42'22"W, HAVING A RADIUS OF 55.00 FEET, A CENTRAL ANGLE OF 117°04'20" AND AN ARC LENGTH OF 112.38 FEET, TO A POINT OF
- ON THE ARC OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 55.00 FEET, A CENTRAL ANGLE OF 43°20'30" AND AN ARC LENGTH OF 41.61 FEET, TO A POINT TANGENT;
- N50°26'12"W A DISTANCE OF 52.50 FEET;
- 4. N05°26'12"W A DISTANCE OF 15.56 FEET;

THENCE DEPARTING SAID NORTHERLY RIGHT-OF-WAY LINE, ON THE EASTERLY LINE OF TRACT H, HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, N39°33'48"E A DISTANCE OF 119.00 FEET, TO A POINT ON THE NORTHERLY LINE OF SAID HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1;

THENCE ON THE NORTHERLY LINE OF SAID HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, THE FOLLOWING EIGHT (8) COURSES:


- N50°26'12"W A DISTANCE OF 15.00 FEET;
- N39°33'48"E A DISTANCE OF 33.69 FEET, TO A POINT OF CURVE;
- ON THE ARC OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 755.00 FEET, A CENTRAL ANGLE OF 19°32'10" AND AN ARC LENGTH OF 257.43 FEET, TO A POINT OF REVERSE CURVE;
- ON THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 1043.00 FEET, CENTRAL ANGLE OF 05°38'09" AND AN ARC LENGTH OF 102.59 TO A POINT OF NON-TANGENT;
- 5. N36°32'11"W A DISTANCE OF 65.00 FEET;
- 6. N50°26'12"W A DISTANCE OF 574.81 FEET;
- 7. S39°31'51"W A DISTANCE OF 20.92 FEET:
- 8. N50°28'09"W A DISTANCE OF 220.07 FEET, TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF

THENCE ON SAID EASTERLY RIGHT-OF-WAY LINE, THE FOLLOWING THREE (3) COURSES:

- 1. N39°33'48"E A DISTANCE OF 142.53 FEET, TO A POINT OF NON-TANGENT CURVE:
- ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N51°22'27"W, HAVING A RADIUS OF 830.00 FEET, A CENTRAL ANGLE OF 14°21'26" AND AN ARC LENGTH OF 207.98 FEET, TO A POINT OF
- ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N65°15'37"W, HAVING A RADIUS OF 774.82 FEET, A CENTRAL ANGLE OF 12°31'54" AND AN ARC LENGTH OF 169.47 FEET, TO A POINT OF

THENCE DEPARTING SAID EASTERLY RIGHT-OF-WAY LINE, THE FOLLOWING SIXTEEN (16) COURSES: 1. S76°20'29"E A DISTANCE OF 275.24 FEET;

- 2. S11°07'11"W A DISTANCE OF 3.91 FEET;
- 3. S20°05'15"E A DISTANCE OF 68.42 FEET;
- 4. S51°17'41"E A DISTANCE OF 52.77 FEET;
- 5. N38°42'19"E A DISTANCE OF 130.03 FEET;
- 6. S51°16'53"E A DISTANCE OF 128.03 FEET;
- 7. S51°17'40"E A DISTANCE OF 80.48 FEET;
- 8. S51°18'16"E A DISTANCE OF 124.15 FEET;
- 9. S63°15'15"E A DISTANCE OF 10.26 FEET;
- 10. N39°48'59"E A DISTANCE OF 110.92 FEET;
- 11. N48°27'49"E A DISTANCE OF 87.13 FEET; 12. N55°58'31"E A DISTANCE OF 87.13 FEET:
- 13. N63°35'09"E A DISTANCE OF 87.13 FEET;
- 14. N71°09'48"E A DISTANCE OF 87.13 FEET;
- 15. N78°01'26"E A DISTANCE OF 79.85 FEET;
- 16. N79°18'16"E A DISTANCE OF 441.05 FEET, TO A POINT ON THE WEST LINE OF THE SOUTHWEST QUARTER NOTARY PUBLIC: \_\_\_\_\_ OF SAID SECTION 27;



## **VICINITY MAP**

THENCE ON SAID WEST LINE, S00°53'15"E A DISTANCE OF 220.84 FEET;

THENCE DEPARTING SAID WEST LINE THE FOLLOWING TWENTY TWO (22) COURSES:

- N87°34'53"E A DISTANCE OF 73.60 FEET;
- S04°00'08"W A DISTANCE OF 38.86 FEET;
- S23°30'33"W A DISTANCE OF 96.02 FEET;
- S17°58'09"W A DISTANCE OF 105.84 FEET:
- S07°20'33"W A DISTANCE OF 248.45 FEET:
- S27°44'47"W A DISTANCE OF 82.16 FEET;
- 7. S51°16'10"W A DISTANCE OF 361.44 FEET;
- 8. S29°35'35"W A DISTANCE OF 198.68 FEET;
- 9. S56°06'51"W A DISTANCE OF 68.55 FEET;
- 10. S51°10'06"W A DISTANCE OF 86.23 FEET;
- 11. S82°29'37"W A DISTANCE OF 85.63 FEET;
- 12. N82°52'49"W A DISTANCE OF 82.74 FEET;
- 13. N63°10'02"W A DISTANCE OF 59.72 FEET, TO A POINT OF NON-TANGENT CURVE;
- 14. ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS S52°33'19"W, HAVING A RADIUS OF 43.53 FEET, A CENTRAL ANGLE OF 66°07'59" AND AN ARC LENGTH OF 50.25 FEET, TO A POINT
- 15. ON THE ARC OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 208.41 FEET, A CENTRAL ANGLE OF 21°27'48" AND AN ARC LENGTH OF 78.07 TO A POINT OF REVERSE CURVE:
- 16. ON THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 85.46 FEET, A CENTRAL ANGLE OF 85°24'40" AND AN ARC LENGTH OF 127.39 TO A POINT OF TANGENT;
- 17. S12°28'27"W A DISTANCE OF 90.70 FEET;
- 18. S87°04'53"W A DISTANCE OF 91.55 FEET;
- 19. S01°04'54"W A DISTANCE OF 49.42 FEET;
- 20. S27°12'58"W A DISTANCE OF 75.48 FEET;
- 21. S12°38'34"W A DISTANCE OF 55.41 FEET;
- 22. S19°42'21"W A DISTANCE OF 4.79 FEET, TO THE POINT OF BEGINNING.
- CONTAINING A CALCULATED AREA OF 1,610,041 SQUARE FEET OR 36.9615 ACRES.

## ACCEPTANCE CERTIFICATE FOR TRACTS:

THE DEDICATION OF TRACTS A-H ARE FOR LANDSCAPE PURPOSES, TRAILS, UTILITIES, AND DRAINAGE AND ARE HEREBY ACCEPTED FOR OWNERSHIP AND MAINTENANCE BY STERLING RANCH METROPOLITAN DISTRICT NO. 2.

BY:	
AS:	OF STERLING RANCH METROPOLITAN DISTRICT NO. 2
STATE OF COLORADO ) ) SS	
COUNTY OF EL PASO )	
ACKNOWLEDGED BEFORE ME THIS	DAY OF, 202, A.D.
BY:	
AS:	OF STERLING RANCH METROPOLITAN DISTRICT NO. 2
WITNESS MY HAND AND OFFICIAL SEAL:	
MY COMMISSION EXPIRES:	

#### **EASEMENTS:**

ALL EASEMENTS THAT ARE DEDICATED HEREON FOR PUBLIC UTILITY PURPOSES RELATED TO GAS AND ELECTRIC SHALL BE SUBJECT TO THOSE TERMS AND CONDITIONS AS SPECIFIED IN THE INSTRUMENT RECORDED AT RECEPTION NUMBER 212112548 OF THE RECORDS OF EL PASO COUNTY, COLORADO. ALL OTHER EASEMENTS OR INTERESTS OF RECORD AFFECTING ANY OF THE PLATTED PROPERTY DEPICTED HEREON SHALL NOT BE AFFECTED AND SHALL REMAIN IN FULL FORCE AND EFFECT.

## OWNERS CERTIFICATE/ DEDICATION STATEMENT:

THE ABOVE OWNER HAVE CAUSED SAID TRACT OF LAND TO BE SURVEYED AND PLATTED INTO TRACTS, LOTS, STREETS, AND EASEMENTS AS SHOWN ON THE ACCOMPANYING PLAT, WHICH PLAT IS DRAWN TO A FIXED SCALES AS INDICATED THEREON AND ACCURATELY SETS FORTH THE BOUNDARIES AND DIMENSIONS OF SAID TRACT AND LOCATIONS OF SAID EASEMENTS. AND WHICH TRACT SO PLATTED SHALL BE KNOWN AS HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2. EL

ALL STREETS HEREBY PLATTED ARE HEREBY DEDICATED TO PUBLIC USE AND SAID OWNER DOES HEREBY PERSONALLY COVENANT AND AGREE THAT ALL PLATTED STREETS WILL BE CONSTRUCTED TO EL PASO COUNTY STANDARDS. AND THAT PROPER DRAINAGE FOR SAME WILL BE PROVIDED AT HIS OWN EXPENSE, ALL TO THE SATISFACTION OF THE BOARD OF COUNTY COMMISSIONERS OF EL PASO COUNTY, COLORADO, AND UPON ACCEPTANCE BY RESOLUTION, ALL STREETS SO DEDICATED WILL BECOME MATTERS OF MAINTENANCE BY EL PASO COUNTY, COLORADO.

THE AFOREMENTIONED, SR LAND, LLC HAS EXECUTED THIS INSTRUMENT THIS DAY OF		)22, A.D.
BY:		
PRINTED NAME:		
AS: OF	SR LAND, LLC	
STATE OF COLORADO ) ) SS		
COUNTY OF EL PASO )		
THE FORGOING INSTRUMENT WAS ACKNOWLEDGED BEFOR, 2022, A.D. BY:	'	DAY OF
AS: OF SR L/	AND, LLC	
WITNESS MY HAND AND OFFICIAL SEAL:		
MY COMMISSION EXPIRES:NOTARY PUBLIC		
THE AFOREMENTIONED, ELITE PROPERTIES OF AMERICA, EXECUTED THIS INSTRUMENT THIS DAY OF	INC., A COLORADO CORP, 20	ORATION HAS 022, A.D.
BY:		
PRINTED NAME:		
AS: OF	ELITE PROPERTIES OF AM	MERICA, INC.
STATE OF COLORADO ) ) SS		
COUNTY OF EL PASO )		
THE FORGOING INSTRUMENT WAS ACKNOWLEDGED BEFOR, 2022, A.D. BY:		DAY OF
AS: OF ELITE		A, INC.
WITNESS MY HAND AND OFFICIAL SEAL:		
MY COMMISSION EXPIRES:NOTARY PUBLIC		
SEE SHEET 2 FOR ADDITIONAL SIGNATURE	BLOCKS	

## ACCEPTANCE CERTIFICATE FOR TRACTS:

MY COMMISSION EXPIRES:

NOTARY PUBLIC: \_\_\_\_\_

THE DEDICATION OF TRACT I ARE FOR TRAILS AND DRAINAGE AND ARE HEREBY ACCEPTED FOR OWNERSHIP AND MAINTENANCE BY EL PASO COUNTY.

BY:	<del>_</del>
AS:	_ OF EL PASO COUNTY
STATE OF COLORADO ) ) SS COUNTY OF EL PASO )	
COUNTY OF EL PASO )	
ACKNOWLEDGED BEFORE ME THIS	_ DAY OF, 202, A.D.
BY:	_
AS:	_ OF EL PASO COUNTY

#### SURVEYOR'S CERTIFICATE:

THE UNDERSIGNED REGISTERED PROFESSIONAL LAND SURVEYOR LICENSED IN THE STATE OF COLORADO, HEREBY STATES AND DECLARES THAT THE ACCOMPANYING PLAT WAS SURVEYED AND DRAWN UNDER HIS RESPONSIBLE CHARGE AND ACCURATELY SHOWS THE DESCRIBED TRACT OF LAND, AND SUBDIVISION THEREOF, AND THAT THE REQUIREMENTS OF TITLE 38 OF THE COLORADO REVISED STATUTES, 1973, AS AMENDED, HAVE BEEN MET TO THE BEST OF HIS KNOWLEDGE AND BELIEF.

JARROD ADAMS, PROFESSIONAL LAND SURVEYOR COLORADO NO. 38252 FOR AND ON BEHALF OF JR ENGINEERING, LLC

#### NOTICE:

ACCORDING TO COLORADO LAW, YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT, MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE OF THE CERTIFICATION SHOWN

### PCD DIRECTOR CERTIFICATE:

THIS PLAT FOR "HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2" WAS APPROVED FOR FILING BY THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT DIRECTOR ON THIS \_\_\_\_\_ DAY OF \_\_\_\_ TO ANY NOTES OR CONDITIONS SPECIFIED HEREON.

CHAIR, PLANNING AND COMMUNITY DATE DEVELOPMENT DEPARTMENT

## **CLERK AND RECORDER**

STATE OF COLORADO COUNTY OF EL PASO

I HEREBY CERTIFY THAT THIS INSTRUMENT WAS FILED FOR RECORD IN MY OFFICE

AT \_\_\_\_\_\_ O'CLOCK \_\_\_\_.M., THIS \_\_\_\_\_ DAY OF \_\_\_\_\_\_, 20\_\_\_\_, A.D. AND IS DULY RECORDED AT RECEPTION NO. OF EL PASO COUNTY, COLORADO. STEVE SCHLEIKER, RECORDER

DEPUTY

SUMMARY:

78 LOTS 16.2976 ACRES 44.10% 9 TRACTS 14.5712 ACRES 39.42% 6.0927 ACRES RIGHTS-OF-WAY

TOTAL 36.9615 ACRES

## FEES:

DRAINAGE FEE: \$310,413.22 (OFFSET WITH FILING 1 PRE-CREDITS) BRIDGE FEE: \$126,974.29 (OFFSET BY CDR-21-13 PRE-CREDITS) SCHOOL FEE: D-20 CREDITS FOR LAND DEDICATION

URBAN AREA \$21,460 CREDITS PER PARK LAND AGREEMENT REC. NO. 223052167

REGIONAL AREA \$34,040

JOB NO. 25188.10 AUGUST 2, 2023

SHEET 1 OF 5



100.00%

SF-22-018

Centennial 303-740-9393 • Colorado Springs 719-593-2593 Fort Collins 970-491-9888 • www.jrengineering.com

# HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2

A REPLAT OF LOTS 70-73, HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, A PORTION OF THE SW1/4 OF THE SW1/4 OF SECTION 27, THE E1/2 OF SECTION 28 AND THE NE1/4 OF SECTION 33, ALL IN TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN COUNTY OF EL PASO, STATE OF COLORADO

#### **PLAT NOTES:**

- 1. BASIS OF BEARINGS:
  BEARINGS ARE BASED ON THE SOUTH LINE OF THE SOUTHWEST QUARTER OF
  SECTION 34, TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH P.M. AS
  MONUMENTED AT THE SOUTHWEST CORNER OF SAID SOUTHWEST QUARTER BY A
  2-1/2" ALUMINUM CAP STAMPED "LS 11624" AND AT THE SOUTHEAST CORNER OF
  SAID SOUTHWEST QUARTER BY A 2-1/2" ALUMINUM CAP STAMPED "LS 11624',
  SAID LINE BEARS N89°14'14"E, A DISTANCE OF 2,722.56 FEET.
- 2. WATER SERVICE SHALL BE SUPPLIED BY FALCON AREA WATER AND WASTEWATER AUTHORITY (FAWWA).
- 3. SEWER SERVICE SHALL BE SUPPLIED BY FALCON AREA WATER AND WASTEWATER AUTHORITY (FAWWA).
- 4. ELECTRIC SERVICES SHALL BE PROVIDED BY MOUNTAIN VIEW ELECTRIC ASSOCIATION.
- 5. NATURAL GAS SERVICES SHALL BE PROVIDED BY BLACK HILLS ENERGY.
- 6. FIRE PROTECTION BY THE BLACK FOREST FIRE PROTECTION DISTRICT.
- 7. ALL STRUCTURAL FOUNDATIONS SHALL BE LOCATED AND DESIGNED BY A PROFESSIONAL ENGINEER, CURRENTLY LICENSED IN THE STATE OF COLORADO.
- 8. THE FOLLOWING REPORTS HAVE BEEN SUBMITTED IN ASSOCIATION WITH THE PRELIMINARY PLAN SP 20-08 OR FINAL PLAT FOR THIS SUBDIVISION AND ARE ON FILE AT THE COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT: TRANSPORTATION IMPACT STUDY; DRAINAGE REPORT; WATER RESOURCES REPORT; WASTEWATER DISPOSAL REPORT; NATURAL HAZARDS REPORT; GEOLOGY AND SOILS REPORT; WETLAND STUDY/ 404 PERMIT.
- 9. ALL PROPERTY OWNERS ARE RESPONSIBLE FOR MAINTAINING PROPER STORM WATER DRAINAGE IN AND THROUGH THEIR PROPERTY. PUBLIC DRAINAGE EASEMENTS AS SPECIFICALLY NOTED ON THE PLAT SHALL BE MAINTAINED BY THE INDIVIDUAL LOT OWNERS UNLESS OTHERWISE INDICATED. STRUCTURES, FENCES, MATERIALS OR LANDSCAPING THAT COULD IMPEDE THE FLOW OF RUNOFF SHALL NOT BE PLACED IN DRAINAGE EASEMENTS.
- 10. UNLESS OTHERWISE INDICATED, ALL SIDE LOT LINES ARE HEREBY PLATTED ON EITHER SIDE WITH A 5 FOOT PUBLIC UTILITY AND DRAINAGE EASEMENT, EXCEPT WHEN THE SIDE YARD IS ADJACENT TO A PUBLIC STREET AND THEREFORE A 10 FOOT PUBLIC IMPROVEMENT, PUBLIC UTILITY AND DRAINAGE EASEMENT. ALL FRONT LOT LINES ARE HEREBY PLATTED WITH A 10 FOOT PUBLIC IMPROVEMENT, PUBLIC UTILITY AND DRAINAGE EASEMENT, AND ALL REAR LOT LINES ARE HEREBY PLATTED WITH A 10 FOOT PUBLIC UTILITY AND DRAINAGE EASEMENT. ALL EXTERIOR SUBDIVISION BOUNDARIES ARE HEREBY PLATTED WITH A 7 FOOT PUBLIC UTILITY AND DRAINAGE EASEMENT. THE SOLE RESPONSIBILITY FOR THE SURFACE MAINTENANCE OF EASEMENTS IS HEREBY VESTED WITH THE INDIVIDUAL PROPERTY OWNERS
- 11. DEVELOPER SHALL COMPLY WITH FEDERAL AND STATE LAWS, REGULATIONS, ORDINANCES, REVIEW AND PERMIT REQUIREMENTS, AND OTHER AGENCY REQUIREMENTS, IF ANY, OF APPLICABLE AGENCIES INCLUDING, BUT NOT LIMITED TO, THE COLORADO PARKS AND WILDLIFE, COLORADO DEPARTMENT OF TRANSPORTATION, U.S. ARMY CORP OF ENGINEERS AND THE U.S. FISH AND WILDLIFE SERVICE REGARDING THE ENDANGERED SPECIES ACT, PARTICULARLY AS IT RELATES TO THE LISTED SPECIES.
- 12. THE ADDRESS EXHIBITED ON THIS PLAT ARE FOR INFORMATIONAL PURPOSES ONLY. THEY ARE NOT THE LEGAL DESCRIPTION AND ARE SUBJECT TO CHANGE.
- 13. NO DRIVEWAY SHALL BE ESTABLISHED UNLESS AN ACCESS PERMIT HAS BEEN GRANTED BY EL PASO COUNTY.
- 14. NO LOT OR INTEREST THEREIN, SHALL BE SOLD, CONVEYED, OR TRANSFERRED WHETHER BY DEED OR BY CONTRACT, NOR SHALL BUILDING PERMITS BE ISSUED, UNTIL AND UNLESS EITHER THE REQUIRED PUBLIC AND COMMON DEVELOPMENT IMPROVEMENTS HAVE BEEN CONSTRUCTED AND COMPLETED AND PRELIMINARILY ACCEPTED IN ACCORDANCE WITH THE SUBDIVISION IMPROVEMENTS AGREEMENT BETWEEN THE APPLICANT/ OWNER AND EL PASO COUNTY AS RECORDED UNDER \_ IN THE OFFICE OF THE CLERK AND RECORDER OF EL PASO COUNTY, COLORADO OR, IN THE ALTERNATIVE, OTHER COLLATERAL IS PROVIDED TO MAKE PROVISION FOR THE COMPLETION OF SAID IMPROVEMENTS IN ACCORDANCE WITH THE EL PASO COUNTY LAND DEVELOPMENT CODE AND ENGINEERING CRITERIA MANUAL. ANY SUCH ALTERNATIVE COLLATERAL MUST BE APPROVED BY THE BOARD OF COUNTY COMMISSIONERS OR, IF PERMITTED BY THE SUBDIVISION IMPROVEMENTS AGREEMENT, BY THE PLANNING AND COMMUNITY DEVELOPMENT CHAIR AND MEET THE POLICY AND PROCEDURE REQUIREMENTS OF EL PASO COUNTY PRIOR TO THE RELEASE BY THE COUNTY OF ANY LOTS FOR SALE, CONVEYANCE OR TRANSFER.
- THIS PLAT RESTRICTION MAY BE REMOVED OR RESCINDED BY THE BOARD OF COUNTY COMMISSIONERS OR, IF PERMITTED BY THE SUBDIVISION IMPROVEMENTS AGREEMENT, BY THE PLANNING AND COMMUNITY DEVELOPMENT CHAIR UPON EITHER APPROVAL OF AN ALTERNATIVE FORM OF COLLATERAL OR COMPLETION AND PRELIMINARY ACCEPTANCE BY THE EL PASO BOARD OF COUNTY COMMISSIONERS OF ALL IMPROVEMENTS REQUIRED TO BE CONSTRUCTED AND COMPLETED IN ACCORDANCE WITH SAID SUBDIVISION IMPROVEMENTS AGREEMENT. THE PARTIAL RELEASE OF LOTS FOR SALE, CONVEYANCE OR TRANSFER MAY ONLY BE GRANTED IN ACCORDANCE WITH ANY PLANNED PARTIAL RELEASE OF LOTS AUTHORIZED BY THE SUBDIVISION IMPROVEMENTS AGREEMENT.

16.2976

36.9615

TOTAL LOT AREA

TOTAL AREA

709,922

1,610,041

## TRACT SUMMARY CHART

PRELIM PLAN TRACT	HNF2 TRACT	AREA (SF)	AREA (AC)	USE	OWNERSHIP/MAINTENANCE
L	А	41,739	0.9582	LANDSCAPE, TRAILS, UTILITIES	STERLING RANCH METRO DISTRICT
J	В	15,523	0.3564	LANDSCAPE, TRAILS, UTILITIES	STERLING RANCH METRO DISTRICT
K	С	1,676	0.0385	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
I	D	1,680	0.0386	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
Н	Е	6,921	0.1589	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
E	F	1,581	0.0363	LANDSCAPE, UTILITIES	STERLING RANCH METRO DISTRICT
G	G	1,937	0.0445	LANDSCAPE, TRAILS, UTILITIES	STERLING RANCH METRO DISTRICT
F	Н	124,248	2.8523	LANDSCAPE, STORMWATER, TRAILS, UTILITIES	STERLING RANCH METRO DISTRICT
	I	439,416	10.0876	TRAILS, DRAINAGE	EL PASO COUNTY
	TOTAL TRACT AREA	634,721	14.5712		
	TOTAL ROW AREA	265,398	6.0927		

#### PLAT NOTES:


- 15. NO STRUCTURES OR FENCES ARE PERMITTED WITHIN DESIGNATED "FLOODPLAIN"
- 16. A PORTION OF THIS SITE IS LOCATED WITHIN A DESIGNATED FEMA FLOODPLAIN AS DETERMINED BY THE FLOOD INSURANCE RATE MAP, COMMUNITY MAP NUMBER 08041C0535G, EFFECTIVE DATE DECEMBER 7, 2018.
- 17. NOTICE: THIS PROPERTY MAY BE ADVERSELY IMPACTED BY NOISE, DUST, FUMES, AND LIGHT POLLUTION CAUSED BY ADJACENT INDUSTRIAL PROPERTIES AND ACTIVITIES. THE BUYERS SHOULD RESEARCH AND BE AWARE OF THIS POTENTIALITY AND THE RAMIFICATIONS THEREOF.
- 18. ANY PERSON WHO KNOWINGLY REMOVES, ALTERS OR DEFACES ANY PUBLIC LAND SURVEY MONUMENT OR LAND BOUNDARY MONUMENT OR ACCESSORY, COMMITS A CLASS TWO (2) MISDEMEANOR PURSUANT TO CRS 18-4-508.
- 19. ALL PROPERTY WITHIN THIS SUBDIVISION IS INCLUDED IN STERLING RANCH METROPOLITAN DISTRICT NO. 2.
- 20. THE STERLING RANCH METROPOLITAN DISTRICT NO. 3 WILL BE RESPONSIBLE FOR MAINTENANCE OF THE ROADS AND DRAINAGE FACILITIES UNTIL PRELIMINARY ACCEPTANCE OF THE PUBLIC IMPROVEMENTS IN ACCORDANCE WITH THE REQUIREMENTS OF THE LAND DEVELOPMENT CODE, THE ENGINEERING CRITERIA MANUAL, AND THE SUBDIVISION IMPROVEMENTS AGREEMENT.
- 21. ALL PROPERTY WITHIN THIS SUBDIVISION IS SUBJECT TO A DECLARATION OF COVENANT AS RECORDED AT RECEPTION NUMBER 219003168 OF THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER.
- 22. SPECIAL DISTRICT DISCLOSURE:
  A TITLE 32 SPECIAL DISTRICT ANNUAL REPORT AND DISCLOSURE FOR SATISFACTORY TO THE PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT SHALL BE RECORDED WITH EACH PLAT.
- 23. MAILBOXES SHALL BE INSTALLED IN ACCORDANCE WITH ALL EL PASO COUNTY AND UNITED STATES POSTAL SERVICE REGULATION.
- 24. THE SUBDIVIDER(S) AGREES ON BEHALF OF HIM/HERSELF AND ANY DEVELOPER OR BUILDER SUCCESSORS AND ASSIGNEES THAT SUBDIVIDER AND/OR SAID SUCCESSORS AND ASSIGNS SHALL BE REQUIRED TO PAY TRAFFIC IMPACT FEES IN ACCORDANCE WITH THE EL PASO COUNTY ROAD IMPACT FEE PROGRAM RESOLUTION (RESOLUTION NO. 19-471), OR ANY AMENDMENTS THERETO, AT OR PRIOR TO THE TIME OF BUILDING PERMIT SUBMITTALS. THE FEE OBLIGATION, IF NOT PAID AT FINAL PLAT RECORDING, SHALL BE DOCUMENTED ON ALL SALES DOCUMENTS AND ON PLAT NOTES TO ENSURE THAT A TITLE SEARCH WOULD FIND THE FEE OBLIGATION BEFORE SALE OF THE PROPERTY. TRANSPORTATION IMPACT FEES ARE TO BE PAID AT BUILDING PERMIT.
- PURSUANT TO RESOLUTION 22-348, APPROVED BY THE BOARD OF DIRECTORS, EL PASO COUNTY PUBLIC IMPROVEMENT DISTRICT 2 AND RECORDED IN THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER AT RECEPTION NUMBER 222127553, THE PARCELS WITHIN THE PLATTED BOUNDARIES OF HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2 ARE INCLUDED WITHIN THE BOUNDARIES OF THE EL PASO COUNTY PUBLIC IMPROVEMENT DISTRICT 2, AND AS SUCH IS SUBJECT TO APPLICABLE ROAD IMPACT FEES AND MILL LEVY.
- 25. THERE SHALL BE NO DIRECT RESIDENTIAL LOT ACCESS TO VOLLMER ROAD.
- 26. ALL TRAILS TO BE NON-MOTORIZED TRAILS.
- 27. NOISE WALLS TO BE INSTALLED BY STERLING RANCH METROPOLITAN DISTRICT NO. 3 AND MAINTAINED BY STERLING RANCH METROPOLITAN DISTRICT NO. 3.
- 28. TRAILS LABELED AS "COUNTY REGIONAL TRAIL" WILL BE MAINTAINED BY EL PASO COUNTY PARKS DEPARTMENT.
- 29. INDIVIDUAL LOT SIDE YARD SWALES TO BE CONSTRUCTED DURING INDIVIDUAL LOT CONSTRUCTION/LANDSCAPING TO PROVIDE ADEQUATE DRAINAGE TO BE MAINTAINED BY INDIVIDUAL LOT OWNERS.
- 30. THIS PROPERTY IS SUBJECT TO THE PRIVATE DETENTION BASIN/BMP MAINTENANCE AGREEMENT AND EASEMENT RECORDED UNDER RECEPTION NO. 220183294 IN THE RECORDS OF EL PASO COUNTY, COLORADO.
- 31. THE FOLLOWING LOTS HAVE BEEN FOUND TO BE IMPACTED BY GEOLOGIC HAZARDS. MITIGATION MEASURES AND A MAP OF THE HAZARD AREA CAN BE FOUND IN THE GEOHAZARD EVALUATION REPORT BY ENTECH ENGINEERING INC., DATED JULY 22, 2020 IN FILE SP-20-008 AVAILABLE AT THE EL PASO COUNTY PLANNING AND COMMUNITY DEVELOPMENT DEPARTMENT:
- POTENTIALLY UNSTABLE SLOPES: DRAINAGE ALONG EAST PORTION OF SITE
   POTENTIALLY EXPANSIVE SOURCE STORAGE
- POTENTIALLY EXPANSIVE SOILS: SPORADIC
   FLOODING: DRAINAGE ALONG EAST PORTION OF SITE
- POTENTIALLY SEASONALLY HIGH GROUNDWATER: LOTS 25–26, 31–33, 37–38, 44–49, 50–60, 66–67, 72–74

POTENTIALLY UNSTABLE SLOPES WILL BE MITIGATED WITH REGRADING TO SLOPES NO GREATER THAN 4:1 AND USE OF RETAINING WALLS PER THE RECOMMENDATION OF THE SOILS REPORT. THIS WILL BE ADDRESSED WITH FINAL DESIGN. IN AREAS OF EXPANSIVE SOILS: INCORPORATE SPECIAL FOUNDATION DESIGN IN AREAS OF HIGH GROUNDWATER: DUE TO HIGH GROUNDWATER IN THE AREA, ALL FOUNDATIONS SHALL INCORPORATE AN UNDERGROUND DRAINAGE SYSTEM. UNDER DRAINS TO BE MAINTAINED BY DISTRICT.

- 32. TRACT H OF THIS PROPERTY IS SUBJECT TO A PRIVATE STORMWATER MAINTENANCE AGREEMENT AND EASEMENT AS RECORDED AT RECEPTION NO. \_\_\_\_\_\_ OF THE RECORDS OF EL PASO COUNTY. THE STERLING RANCH METROPOLITAN DISTRICT NO. 3 IS RESPONSIBLE FOR MAINTENANCE OF THE SUBJECT DRAINAGE FACILITIES.
- 33. ROAD ORDERS IN ROAD BOOK A, PAGE 78 AND BOOK 571, PAGE 55 AFFECTING THIS PARCEL ARE HEREBY VACATED UPON RECORDATION OF THIS PLAT.

### OWNERS CERTIFICATE/ DEDICATION STATEMENT (CONTINUED):

THE AFOREMENTIONED, ARTESIA LOT HOLDINGS, LLC, A TEXAS LIMITED LIABILIT COMPANY HAS EXECUTED THIS INSTRUMENT THIS DAY OF	
BY:	BY:
PRINTED NAME:	PRINTED NAME:
AS: OF ARTESIA LOT HOLDINGS LLC  STATE OF COLORADO )	STATE OF COLORADO ) ) SS COUNTY OF EL PASO )  THE FORGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS DAY OF, 2022, A.D. BY:
AS: OF ARTESIA LOT HOLDINGS, LLC WITNESS MY HAND AND OFFICIAL SEAL:	AS:OF VANTAGE HOMES CORP.  WITNESS MY HAND AND OFFICIAL SEAL:  MY COMMISSION EXPIRES:  NOTARY PUBLIC
MY COMMISSION EXPIRES:NOTARY PUBLIC	NOTART FUBLIC



—··—··—··— EXISTING PROPERTY LINE

---- EXISTING CENTERLINE

-----------------EXISTING RIGHT-OF-WAY LINE



JOB NO. 25188.10 AUGUST 2, 2023 SHEET 2 OF 5



SF-22-018

Centennial 303-740-9393 • Colorado Springs 719-593-2593 Fort Collins 970-491-9888 • www.jrengineering.com

#### HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2 A REPLAT OF LOTS 70-73, HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, A PORTION OF THE SW1/4 OF THE SW1/4 OF SECTION 27, THE E1/2 OF SECTION 28 AND THE NE1/4 OF SECTION 33, ALL IN TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN **COUNTY OF EL PASO, STATE OF COLORADO** 0.2364 AC *∆=49°17′46* " N51°17'41"W 463.02' FLOOD ZONE AE MAP NO. 08041C0535G 9,696 SF 0.2226 AC **30** 13,011 SF 0.2987 AC <sup>2</sup> 31 <sup>2</sup> 9,871 SF 80.2266 AC 38 1 1 39 1 1 7,042 35 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 2 1 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 4 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 5 6 </ \ 0.2468 AC 14,520 SF 0.3333 AC **42** 13,722 SF 0.3150 AC 12,132 SF 0.2785 AC Δ=12°31'54" R=774.82'-∟ −N52**°**50'30"W 129.98'<sup>∆</sup> N50°52'15"W 251.56' S50°52'15"E 257.77 N57°36'32"W 245.96' SAM BASS DR. C19 \_S56°06'51"W $-\sqrt{1651537}$ $\overline{W}(R)$ N50°52'15"W 508.48' **28** 12,573 SF TRACT A 41,739 SF S.D.E. — 0.9582 AC N50°26'12"W 721.99' L=11.41' miss, 25 10,145 SF 0.2329 AC S47°06'44"W \$\frac{\pi}{20}\$ \quad \frac{\pi}{20}\$ \quad \quad \frac{\pi}{20}\$ \quad \quad \frac{\pi}{20}\$ \quad \quad \quad \frac{\pi}{20}\$ \quad \quad \quad \quad \frac{\pi}{20}\$ \quad \qquad \quad \quad \quad \quad \quad \quad \quad \quad \quad — N50°28'02"W 146.86'- — — — S33°30'20"W Δ=14°21'26" R=830.00'-439,416 SF 9,163 SF 0.2104 AC (8234) (8242) (8250) (8250) (8260) (8260) (8260) (8260) (8260) (8260) (8260) L=207.98 \_S82**°**29'37"W WILLEY PICKET DR. N50°26'12"W 490.25' DEDICATED BY THIS PLAT 50' PUBLIC ROW 7,438 SF (URBAN LOCAL) N51°22'27"W(R) 0.1708 AC ₩N82°52'49"W 0.1879 AC | 0.1377 AC 0.1700 AC \_\_N63°10'02"W \_\_59.72' 7,803 SF <sup>-</sup>74.84' — – 0.1791 AC S50°26'12"E 574.81' — 130.07' — — — — -S50°28'09"E 220.07' \_N39**°**31'51"E Δ=21°27'48" L=50.25' \_ 20.92' □R=208.41' L=78.07' GRANT OF RIGHT-OF-WAY REC. NO. 220194548 Δ=5\*38'09" R=1043.00'-FILING NO.1 ORIGINAL SCALE 1" = 60' L=102.59' UNPLATTED HARVEY LOGAN DR. 25' TRAIL EASEMENT -\_S87°04'53"W TRACT H 124,248 SF 2.8523 AC S01°04'54"W Δ=19\*32'10" **LEGEND** R=755.00'— L=257.43' RECOVERED 1-1/4" YELLOW PLASTIC CAP STAMPED "LS 10376" AT GRADE SET 18" #5 REBAR W/ 1-1/2" ALUMINUM CAP C98— STAMPED "JR ENG LS 38252" AT GRADE 10' PUBLIC UTILITY AND . DRAINAGE EASEMENT RECOVERED #5 REBAR W/1-1/2" ALUMINUM CAP 55.41' STAMPED "JR ENG LS 38252" \_S19'42'21"W S39'33'48"W S.F. SQUARE FEET POINT OF 33.69 (R) RB RADIAL BEARING S50°26'12"E NOT A PART OF THIS SUBDIVISION JOB NO. 25188.10 PROPOSED SUBDIVISION BOUNDARY HOMESTEAD NORTH AT! AUGUST 2, 2023 STERLING RANCH FILING NO. 1 REC. NO. 223715150 8,758 SF | 8,680 SF SHEET 3 OF 5 0.2010 AC | 0.1993 AC PROPOSED RIGHT-OF-WAY LINE EXISTING PROPERTY LINE J·R ENGINEERING \_S84**°**35'06**"**E Δ=43°20'30" A Westrian Company <sup>\_</sup>R=55.00' · — · — · — · — · — EXISTING CENTERLINE S.D.E. SIGHT DISTANCE EASEMENT TOM KETCHUM DR. SF-22-018 Centennial 303-740-9393 • Colorado Springs 719-593-2593 └R=55.00' L=112.38' Fort Collins 970-491-9888 • www.jrengineering.com AS-REPLATTED

## HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2 A REPLAT OF LOTS 70-73, HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, A PORTION OF THE SW1/4 OF THE SW1/4 OF THE E1/2 OF SECTION 28 AND THE NE1/4 OF SECTION 33, ALL IN TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN **COUNTY OF EL PASO, STATE OF COLORADO** STAMPED "100 W.C. LS 10376" NW COR., SW1/4, SW1/4, SEC. 27 T.12S, R.65W, 6TH P.M. **LEGEND** RECOVERED 1-1/4" YELLOW PLASTIC CAP STAMPED "LS 10376" AT GRADE N87\*34'53"E / SET 18" #5 REBAR W/ 1-1/2" ALUMINUM CAP STAMPED "JR ENG LS 38252" AT GRADE W/1-1/2" ALUMINUM CAP STAMPED "JR ENG LS 38252" SQUARE FEET **59** 8,783 SF RADIAL BEARING NOT A PART OF THIS SUBDIVISION PROPOSED SUBDIVISION BOUNDARY SW 1/4, SW 1/4, SEC. 27, T.12S, R.65W, 6TH P.M. PROPOSED LOT LINE \*UNPLATTED EXISTING CENTERLINE SIGHT DISTANCE EASEMENT **54** 10,504 SF 0.2411 AC 0,917 SF 0.2047 AC 10,516 SF 0.2414 AC \_\_N78**°**19'10"E 69.97' **65** 11,381 SF 0.2613 AC EASEMENT \*UNPLATTED \_\_\_ \_N16**°**27**'**52"W TRACT I 439,416 SF 10.0876 AC 52 10,524 SF 0.2416 AC S27°44'47"W 82.16' SE 1/4, SEC. 28, T.12S, R.65W, 6TH P.M. 9 66 N 11,358 SF 0.2607 AC 10,532 SF 0.2418 AC 68 13,610 SF 0.3124 AC <u> – — N45°21'29"W</u> 135.80'\_\_ \_J 69 10,793 SF 0.2478 AC S63°15'15"E S5117'40"E\_ **50** 12,001 SF 0.2755 AC 0.2697 AC (8304) -----80.48' 10.26' .S58°29'29"W TRACT C— 1,676 SF 0.0385 AC -TRACT D \$56.08.38"E 233.56" ROBERT ALLISON CIR. 50" PUBLIC ROW (URBAN LOCAL) **70** 10,793 SF 0.2478 AC 1,680 SF 0.0386 AC *──R=37.50*′ , ohn 2146 S51°16'53"E 128.03' S51°18'16"E 124.15' L=11.30' **73** 11,126 SF 0.2554 AC 7,801 SF 0.1791 AC 0.1852 AC \_S20°05'15"E 68.42' 10,968 SF 0.2518 AC 8,489 SF 7,801 SF 9 8,134 SF 7,801 SF 9 0.1867 AC 8 0.3125 AC 72 11,793 SF 0.2707 AC N51°17'41"W 180.44' 60 30 0 10,296 SF 0.2364 AC -N58°20'06"W 136.44'--PERRY OWENS DR. 231.62' 50' PUBLIC ROW (URBAN LOCAL) N51"17'41"W 180.81' ORIGINAL SCALE: 1" = 60*∆=49°17′46* " N51°17'41"W 463.02' -R=67.00° FLOOD ZONE AE MAP NO. 08041C0535G -60.00' (8183) (8199) JOB NO. 25188.10 AUGUST 2, 2023 13,011 SF 0.2987 AC SHEET 4 OF 5 31 9,871 SF 1,20.2266 AC 32 10,749 SF 0.2468 AC 7,135 SF 1, 7,906 SF 1, 7,932 SF 1, 8,027 SF 1, 7,932 SF 1, 0.1638 AC 3, 0.1815 AC 3, 0.1821 AC 3, 0.1843 AC **33** 14,520 SF 0.3333 AC **42** 13,722 SF 0.3150 AC J·R ENGINEERING TRACT G 29 12,132 SF 0.2785 AC ዾ፟፟፟፟፟፟፟፟፟፟፟፟፟፟ 0.0445 AC (8306) A Westrian Company L=74.32' └─ ─N52**°**50'30"W 129.98'<sup>\</sup> Centennial 303-740-9393 • Colorado Springs 719-593-2593 SF-22-018 Fort Collins 970-491-9888 • www.jrengineering.com SEE SHEET 3

# HOMESTEAD NORTH AT STERLING RANCH FILING NO. 2

A REPLAT OF LOTS 70-73, HOMESTEAD NORTH AT STERLING RANCH FILING NO. 1, A PORTION OF THE SW1/4 OF THE SW1/4 OF SECTION 27, THE E1/2 OF SECTION 28 AND THE NE1/4 OF SECTION 33, ALL IN TOWNSHIP 12 SOUTH, RANGE 65 WEST OF THE 6TH PRINCIPAL MERIDIAN COUNTY OF EL PASO, STATE OF COLORADO

LINE TABLE			LINE	
LINE	BEARING	DISTANCE	LINE	BEA
L1	N50°26'12"W	25.00'	L23	S13°3
L2	N50°26'12"W	25.00'	L24	S13°3
L3	N39°31'51"E	77.84	L25	S13°3
L4	S01°44'12"E	34.25	L26	N75°4
L5	N01°44'12"W	14.39'	L27	N75°4
L6	S01°44'12"E	19.85'	L28	N75°4
L7	S36°32'11"E	15.00'	L29	N57°36
L8	N36°32'11"W	25.00'	L30	N50*5
L9	N36°32'11"W	25.00'	L31	S05°5
L10	N45°09'22"W	23.81'	L32	S05°5
L11	S86°03'55"W	37.75	L33	N84°0
L12	S86°03'55"W	16.14'	L34	S84°08
L13	S86°03'55"W	21.60'	L35	N63°0
L14	S12°00'09"E	35.68'	L36	N31°1
L15	N78°26'10"E	21.72'	L37	N35°4
L16	N78°26'10"E	15.78'	L38	N39°0
L17	N78°26'10"E	37.51'	L39	S85°0
L18	N57°36'32"W	80.01	L40	N76°20
L19	N57°36'32"W	22.92'	L41	S76°2
L20	N57°36'32"W	22.92'	L42	N11°0
L21	N57°36'32"W	80.01	L43	S57°3
L22	N57°36'32"W	57.09'	L44	N06°0
	1107 00 02 W	07.03	_ ' '	1100 0

	LINE TAB	LE		LINE TAB	LE
LINE	BEARING	DISTANCE	LINE	BEARING	DISTANCE
L23	S13°39'14"E	15.78'	L45	N06°04'58"W	36.63'
L24	S13°39'14"E	21.72'	L46	S83°55'02"W	16.03'
L25	S13°39'14"E	37.50'	L47	S83°55'02"W	36.91'
L26	N75*45'21"E	36.32'	L48	S83°55'02"W	20.88
L27	N75*45'21"E	15.70'	L49	S39°07'45"W	3.65'
L28	N75°45'21"E	20.62'	L50	S06°04'58"E	21.61'
L29	N57*36'32"W	11.00'	L51	S06°04'58"E	36.63'
L30	N50*52'15"W	31.08'	L52	N06°04'58"W	15.02'
L31	S05*52'15"E	20.92'	L53	S83°55'02"W	22.44'
L32	S05*52'15"E	36.77	L54	S83°55'02"W	36.91
L33	N84°07'45"E	36.77	L55	S83°55'02"W	14.46'
L34	S84°08'04"W	25.03'	L56	N51°17'41"W	15.09'
L35	N63°04'00"W	51.21'	L57	N70°15'19"W	25.94'
L36	N31°12'27"E	85.88'	L58	S24°22'01"E	36.15
L37	N35°44'27"E	60.13'	L59	N70°15'19"W	77.72'
L38	N39°09'24"E	60.00'	L60	S19°44'41"W	7.03'
L39	S85°05'41"E	39.80'	L61	N19*44'41"E	1.98'
L40	N76°20'28"W	25.05'	L62	N58°20'06"W	15.17'
L41	S76°20'29"E	25.02'	L63	S19°44'41"W	9.01'
L42	N11°07'11"E	23.81'	L64	S66°13'27"W	39.14'
L43	S57°36'32"E	48.12'	L65	S39°07'45"W	4.02'
L44	N06°04'58"W	20.00'	L66	N70°15'19"W	26.15

LINE	BEARING	DISTANCE
L67	S51°17'40"E	15.09'
L68	S44°56'48"W	38.80'
L69	S44*56'48"W	40.44'
L70	S44*56'48"W	43.17'
L71	S44°56'48"W	45.91'
L72	S44°56'48"W	47.55'
L73	S51°17'40"E	15.09'
L74	N76°49'56"E	34.18'
L75	N08°35'01"W	33.96'
L76	S08°15'24"W	23.86'
L77	N06°04'58"W	16.64'
L78	S51°17'40"E	25.15'
L79	S51°17'40"E	25.15'
L80	N11°45'42"E	29.36'
L81	N79°18'16"E	63.74
L82	N71°01'31"E	26.17'
L83	N39°32'55"E	17.00'
L84	N39°33'48"E	17.00'
L85	N26°11'26"E	67.77
L86	S50°26'12"E	8.36'

LINE TABLE

LINE TABLE					
LINE	BEARING	DISTANCE			
L87	N50°26'12"W	30.84			
L88	N47°06'44"E	42.04'			
L89	N65°16'17"E	68.61'			
L90	N01°15'45"W	72.88'			
L91	N37°40'20"E	20.53			
L92	N58*29'29"E	21.31'			
L93	N79°18'16"E	25.72'			
L94	S26°11'26"W	67.77			
L95	S02*34'56"E	4.49'			

	CURVE TABLE						
CURVE	DELTA	RADIUS	LENGTH				
C99	18°09'34"	61.00'	19.33'				
C100	66°32'02"	39.00'	45.29'				
C101	49°17'46"	92.00'	79.16'				
C102	10°21'41"	37.50'	6.78'				
C103	20*49'08"	62.50'	22.71'				
C104	5*09'04"	62.50'	5.62'				
C105	12 <b>°</b> 29'31"	55.00'	11.99'				
C106	28*46'22"	37.50'	18.83'				

	CURVE	TABLE				CURVE	TABLE	
JRVE	DELTA	RADIUS	LENGTH		CURVE	DELTA	RADIUS	LENGTH
C1	17°23'27"	60.00'	18.21'		C34	7°24'16"	1058.00'	136.73
C2	121°45'17"	60.00'	127.50'		C35	1°45'47"	605.00'	18.62'
С3	3°17'02"	60.00'	3.44'		C36	5°55'05"	605.00'	62.49
C4	32 <b>°</b> 57'56"	60.00'	34.52'		C37	12 <b>°</b> 11'45"	605.00'	128.78
C5	30°59'45"	60.00'	32.46'		C38	12 <b>°</b> 11'45"	590.00'	125.59
C6	33°53'58"	60.00'	35.50'		C39	12°11'45"	565.00'	120.26
C7	90°01'56"	68.00'	106.85		C40	12°11'45"	540.00'	114.94
C8	20°36'36"	60.00'	21.58'		C41	4°30'53"	605.00'	47.67
С9	14 <b>°</b> 19'54"	60.00'	15.01'		C42	10°52'10"	870.00'	165.05
C10	5°16'50"	350.00'	32.26'		C43	5°45'30"	762.61	76.64
C11	0°27'42"	325.00'	2.62'		C44	10°24'16"	814.82	147.97
C12	5 <b>°</b> 45 <b>'</b> 19"	993.00'	99.74'		C45	13*07'37"	762.61'	174.72
C13	6 <b>°</b> 30'41"	978.00'	111.15'		C46	7°22'07"	762.61'	98.08'
C14	1°05'01"	375.00'	7.09'		C47	19 <b>°</b> 30'16"	60.00'	20.42'
C15	6 <b>°</b> 30'29"	993.00'	112.79		C48	7°55'22"	60.00'	8.30'
C16	6°23'22"	977.54	109.01		C49	117*16'09"	60.00'	122.80'
C17	48 <b>°</b> 11'23"	35.00'	29.44'		C50	46 <b>°</b> 25'00"	60.00'	48.61'
C18	6 <b>°</b> 26'02"	590.00'	66.25'		C51	32°08'23"	60.00'	33.66'
C19	6 <b>°</b> 44 <b>'</b> 17"	565.00'	66.45'		C52	38 <b>°</b> 42'46"	60.00'	40.54
C20	6 <b>°</b> 24 <b>'</b> 12"	540.00'	60.35'		C53	62 <b>°</b> 24'52"	60.00'	65.36
C21	6°44'17"	525.00'	61.74'		C54	7°36'07"	605.00'	80.27
C22	7°01'29"	1058.00'	129.72		C55	5°49'03"	590.00'	59.90'
023	15 <b>°</b> 08'02"	55.00'	14.53'		C56	19 <b>°</b> 08'45"	175.00'	58.48'
C24	65°18'45"	55.00'	62.70'		C57	18 <b>°</b> 57'38"	200.00'	66.19'
C25	52*58'34"	55.00'	50.85		C58	19 <b>°</b> 07'27"	225.00'	75.10'
C26	52°04'00"	55.00'	49.98'		C59	11°30'45"	225.00'	45.21
C27	64°01'27"	55.00'	61.46'		C60	7*36'41"	225.00'	29.89'
C28	26°51'58"	55.00'	25.79'		C61	3*10'20"	1043.00'	57.74
C29	48°11'23"	35.00'	29.44'		C62	1°09'14"	475.00'	9.57'
230	27*25'38"	60.00'	28.72'		C63	8°33'11"	475.00'	70.91
C31	7°08'45"	993.00'	123.85'		C64	7°23'57"	475.00'	61.34'
C32	6°40'21"	1043.00'	121.46		C65	20°42'37"	60.00'	21.69'
233	9*50'40"	1043.00'	179.21		C66	48 <b>°</b> 11'23"	35.00'	29.44'
		•		, ,		•		

01.15.15	CURVE	TABLE	
CURVE	DELTA	RADIUS	LENGTH
C67	63°25'14"	55.00'	60.88
C68	48*07'42"	55.00'	46.20'
C69	48*07'42"	55.00'	46.20'
C70	48*07'42"	55.00'	46.20'
C71	68 <b>°</b> 34'24"	55.00'	65.83'
C72	48 <b>°</b> 11'23"	35.00'	29.44'
C73	49 <b>°</b> 40'47"	30.00'	26.01'
C74	0°27'28"	55.00'	0.44
C75	68 <b>°</b> 52'58"	55.00'	66.12'
C76	10*06'01"	475.00'	83.73
C77	7*33'23"	525.00'	69.24
C78	7°26'12"	525.00'	68.14
C79	11°55'04"	525.00'	109.20
C80	7*52'43"	525.00'	72.19'
C81	5*49'03"	540.00'	54.83
C82	5*49'03"	565.00'	57.37
C83	7*33'37"	525.00'	69.28
C84	7*33'30"	525.00'	69.26
C85	7*33'46"	525.00'	69.30'
C86	4°30'18"	525.00'	41.28'
C87	11°47'48"	475.00'	97.80'
C88	11°48'09"	475.00'	97.85
C89	5"12'50"	475.00'	43.23'
C90	70°47'49"	55.00'	67.96
C91	49°40'47"	30.00'	26.01
C92	24°00'21"	30.00'	12.57'
C93	25 <b>°</b> 40'26"	30.00'	13.44'
C94	23°08'13"	55.00'	22.21
C95	50°00'51"	55.00'	48.01
C96	43°55'16"	55.00'	42.16'
C97	13°45'01"	62.50'	15.00'
C98	12 <b>°</b> 29'31"	30.00'	6.54



JOB NO. 25188.10 AUGUST 2, 2023 SHEET 5 OF 5

