

Consultants in Natural Resources and the Environment

# Natural Features Report Settlers View Property El Paso County, Colorado

# Prepared for—

Mr. Jerome W. Hannigan Jerome W. Hannigan and Associates, Inc. 19360 Spring Valley Road Monument, Colorado 80132

### Prepared by—

ERO Resources Corporation 1842 Clarkson Street Denver, Colorado 80218 (303) 830-1188

March 16, 2017

### **Contents**

Executive Summary	ii
Introduction	1
Project Area Description	1
Wetlands and Waters of the U.S	4
Background	4
Project Area Conditions	4
Threatened, Endangered, and Candidate Species	4
State Threatened, Endangered, and Species of Special Concern	
Black-Tailed Prairie Dog	
Swift Fox	8
Ferruginous Hawk	8
Western Burrowing Owl	
Migratory Birds	
Big Game	
Other Wildlife	
References	11
Tables	
Table 1. Federally threatened, endangered, and candidate species potentially found in El  Paso County or potentially affected by projects in El Paso County	5
Table 2. State threatened, endangered, and species of concern potentially found in El Paso County or potentially affected by projects in El Paso County	6
Figures	_
Figure 1. Vicinity Map	
Figure 2. Existing Conditions	3

# **Photos**

Photo Log

# **Executive Summary**

Jerome W. Hannigan and Associates, Inc. (Hannigan) retained ERO Resources Corporation (ERO) to provide a natural features report for the Settlers Ranch subdivision in El Paso County, Colorado (project area; Figure 1). ERO assessed the project area for potential wetlands and waters of the U.S., federally listed threatened and endangered species, state-listed species, migratory birds, and other wildlife. Following is a summary of the features found at the project area and recommendations or future actions necessary based on the current site conditions and regulations.

The natural features and associated regulations described in this report are valid as of the date of this report and may be relied upon for the specific use for which it was prepared by ERO under contract to Hannigan. Because of their dynamic natures, site conditions and regulations should be reconfirmed by a qualified consultant before relying on this report for a use other than that for which ERO was contracted.

**Wetlands and Other Waters of the U.S.**—One erosional feature occurs in the project area. ERO reccomends consultation with the U.S. Army Corps of Engineers for a jurisdictional determination prior to work being conducted in the project area.

**Federally Threatened and Endangered Species**—The project area contains no habitat for any species on the federal threatened and endangered species list.

**State Threatened and Endangered Species**—The project area contains potential habitat for black-tailed prairie dog, swift fox, western burrowing owl, and ferruginous hawk. No individuals or habitat was observed for any of the four listed species during the 2017 site visit.

**Migratory Birds**—During the 2017 site visit, ERO observed no raptor or songbird nests in the project area. However, the grasslands in the project area potentially provide nesting habitat for many species of groundnesting migratory birds.

Both the Denver Field Office of the U.S. Fish and Wildlife Service (2009) and Colorado Department of Transportation (2011) have identified the primary nesting season for migratory birds in eastern Colorado as occurring between April 1 and mid to late August. However, some birds, such as bald eagles, red-tailed hawks, and great horned owls, can occupy nests as early as December. Because of variability in breeding seasons of various bird species, ERO recommends, at a minimum, a nest survey be conducted one week prior to construction to determine if any active nests are present in the project area so they can be avoided. If active nests are found, any work that would destroy the nests cannot be conducted until the birds have vacated the nests.


# Introduction


Jerome W. Hannigan and Associates, Inc. (Hannigan) retained ERO Resources Corporation (ERO) to provide a natural features report for the proposed Settlers View subdivision development in El Paso County, Colorado (project area; Figure 1). On February 28, 2017, Matthew Boyer with ERO visited the project area to review potential natural features (2017 site visit). During this assessment, activities included a review of potential wetlands and waters of the U.S., federally listed threatened and endangered species, state-listed species, migratory birds, and other wildlife, and identification of other natural features that might affect development of the property. This report provides information on existing site conditions and resources, as well as current regulatory requirements related to those resources. ERO assumes the landowner or project proponent is responsible for obtaining all federal, state, and local permits for construction of the project.

# **Project Area Description**

The project area is in Section 23, Township 11 South, Range 66 West of the 6th Principal Meridian in El Paso County, Colorado. The UTM coordinates of the approximate center of the project area are 522233mE and 4325779mN, Zone 13N. The latitude/longitude of the project area is 104.742952°N/39.080836 °W. The approximate elevation of the project is 7,625 feet above sea level. The proposed project area is located approximately ½ mile east of the Colorado 83 and Hodgen Road intersection west of Steppler Road.

The project area is approximately 40 acres, which consists primarily of introduced rangeland grasses and is used as an active cattle pasture (Figure 2). The project area is bounded by residential properties to the north and undeveloped land to the east, west, and south. The uplands in the project area are dominated by slender wheatgrass (*Elymus trachycaulus*), smooth brome (*Bromus inermis*), blue grama (*Boutelous gracilis*), Woods' rose (*Rosa woodsii*), sand dropseed (*Sporobolis cryptandrus*), and cheatgrass (*Bromus tectorum*) (Photos 1 and 2). The tree strata are dominated by ponderosa pine (*Pinus ponderosa*). One wetland was observed directly west of the project area and the dominant vegetation is Kentucky bluegrass (*Poa pratensis*), Baltic rush (*Juncus arcticus*), and clustered field sedge (*Carex praegracilis*) (Photo 3). The project area is generally within the Rangeland Grass and Conifer Forest vegetation zones (mapped by the Natural Diversity Information Source (NDIS)) associated with the Palmer Divide of Northern El Paso and Southern Douglas Counties. The project area primarily supports shortgrass prairie vegetation and wildlife communities.





# Wetlands and Waters of the U.S.

# **Background**

The Clean Water Act (CWA) protects the physical, biological, and chemical quality of waters of the U.S. The U.S. Army Corps of Engineers' (Corps) Regulatory Program administers and enforces Section 404 of the CWA. Under Section 404, a Corps permit is required for the discharge of dredged or fill material into wetlands and other waters of the U.S. The Corps defines waters of the U.S. as all navigable waters and their tributaries, all interstate waters and their tributaries, all wetlands adjacent to these waters, and all impoundments of these waters.

On May 31, 2016, the U.S. Supreme Court concluded that approved jurisdictional determinations are judicially reviewable under the Administrative Procedure Act and, therefore, can be appealed in court. The Corps has recommended that requests for both approved and preliminary jurisdictional determinations be done using guidance outlined in Regulatory Guidance Letter (RGL) 16-01 and that the form in Appendix 1 of the RGL be completed (Corps 2016). The Corps has indicated that jurisdictional determinations associated with a Section 404 CWA Permit request will preside over stand-alone jurisdictional determination requests. While ERO may provide its opinion on the likely jurisdictional status of wetlands and waters, the Corps makes the final determination.

# **Project Area Conditions**

ERO assessed the project area for potential isolated wetlands, jurisdictional wetlands, and other waters of the U.S. The wetlands were assessed based on vegetation characteristics and observable hydrological conditions. No formal wetland delineation was completed.

One erosional feature was observed in the project area and one wetland was observed just outside of the project area along the western border. No drainages or wetlands are shown on the U.S. Geological Survey Black Forest, Colorado topographic quadrangle or National Hydrography Dataset as occurring within the project area. The erosional feature is located near the center of the project area (Photo 4). A defined bed and bank were present in the approximately 3- to 8-foot-wide drainage. The drainage was dry during the 2017 site visit and appears to be isolated with the banks vegetated with upland plant species. Although the erosional feature lacks some of the typical criteria to be considered jurisdictional, ERO recommends consultation with the Corps for a jurisdictional determination prior to work occurring within the erosional feature. Any consultation with the Corps will be with the Tri-Lakes projects office in Littleton, Colorado.

# Threatened, Endangered, and Candidate Species

During the 2017 site visit, ERO assessed the project area for potential habitat for threatened, endangered, and candidate species under the Endangered Species Act (ESA). Federally threatened and endangered species are protected under the ESA. Adverse effects on a federally listed species or its habitat require consultation with the U.S. Fish and Wildlife Service (Service) under Section 7 or 10 of the

ESA. The Service lists several threatened and endangered species with potential habitat in El Paso County, or that would be potentially affected by projects in El Paso County (Table 1).

Table 1. Federally threatened, endangered, and candidate species potentially found in El Paso County

or potentially affected by projects in El Paso County.

Common Name	Scientific Name	Status*	Habitat	Suitable Habitat Present
	•	Mammals	•	
Canada lynx	Lynx canadensis	Т	Boreal and subalpine montane forests	No habitat
Preble's meadow jumping mouse (Preble's)	Zapus hudsonius preblei	Т	Shrub riparian/wet meadows	No habitat
		Birds		
Interior least tern**	Sterna antillarum athalassos	E	Sandy/pebble beaches on lakes, reservoirs, and rivers	No habitat, no depletions anticipated
Mexican spotted owl	Strix occidentalis	Т	Closed-canopy forests in steep canyons	No habitat
Piping plover**	Charadrius melodus	Т	Sandy lakeshore beaches and river sandbars	No habitat, no depletions anticipated
Whooping crane**	Grus americana	E	Mudflats around reservoirs and in agricultural areas	No habitat, no depletions anticipated
		Fish		
Greenback cutthroat trout	Onocorhymchus clarki stomias	Т	Flowing cold water stream systems with cobble and rock substrates	No habitat
Pallid sturgeon**	Scaphirhynchus albus	E	Large, turbid, free-flowing rivers with a strong current and gravel or sandy substrate	No habitat, no depletions anticipated
		Plants		
Ute ladies'-tresses orchid (ULTO)	Spiranthes diluvialis	Т	Moist to wet alluvial meadows, floodplains of perennial streams, and around springs and lakes below 6,500 feet in elevation	No habitat
Western prairie fringed orchid (WPFO)**	Platanthera praeclara	Т	Mesic and wet prairies, sedge meadows	No habitat, no depletions anticipated

<sup>\*</sup>T = Federally Threatened Species; E = Federally Endangered Species.

Source: Service 2017.

The project area does not contain suitable forested habitat for the Canada lynx and Mexican spotted owl. The proposed project would have no effect on the interior least tern, piping plover, whooping crane, greenback cutthroat trout, or pallid sturgeon because of the lack of potential habitat in the project area. Additionally, the project area lacks adequate riparian or wetland habitat for Preble's, ULTO, or WPFO.

The interior least tern, piping plover, whooping crane, pallid sturgeon, and WPFO are species that are potentially affected by water depletions from the Platte River system (including the South Platte River).

<sup>\*\*</sup>Water depletions in the South Platte River may affect the species and/or critical habitat in downstream reaches in other counties or states.

Projects that include activities that result in water depletions from the Platte River system, such as diverting water from a stream for domestic use, could affect these species and typically require consultation with the Service. At the present time, no depletions in the project area are anticipated.

# State Threatened, Endangered, and Species of Special Concern

ERO assessed the project area for potential habitat for threatened, endangered, and species of special concern protected under State Statute 33. Although State Statute 33 prohibits the take, possession, and sale of a state-listed species, it does not include protection of their habitat. The state lists several threatened, endangered, and species of special concern that are known to occur or have the potential to occur in El Paso County and are presented in Table 2.

Table 2. State threatened, endangered, and species of concern potentially found in El Paso County or

potentially affected by projects in El Paso County.

Common Name	Scientific Name	Status*	General Colorado Range	Suitable Habitat Present		
Mammals						
Black-tailed prairie dog	Cynomys Iudovicianus	SC	Eastern plains/urban	Yes		
Swift fox	Vulpes velox	SC	Eastern Colorado	Yes		
			Birds			
American peregrine falcon	Falco peregrinus anatum	SC	Open spaces associated with high cliffs and bluffs overlooking rivers and coasts	No		
Bald eagle	Haliaeetus leucocephalus	SC	Open water and rivers; large trees for nesting and roosting	No		
Ferruginous hawk	Buteo regalis	SC	Northwestern and eastern Colorado; open grasslands and shrub steppe communities	Yes		
Greater sandhill crane	Grus canadensis tabida	SC	Eastern Colorado; Grand Valley	No		
Long-billed curlew	Numenius americanus	SC	Southeastern Colorado	No		
Mountain plover	Charadrius montanus	SC	Shortgrass in eastern plains and mountain valleys	No		
Western burrowing owl	Athene cunicularia	ST	Grasslands, shrublands, and deserts with ground squirrels	Yes		
Western snowy plover	Charadrius alexandrinus	SC	Southeastern Colorado; South Park	No		
Fish						
Brassy minnow	Hybognathus hankinsoni	ST	Cool, clear water with abundant aquatic vegetation and a gravel substrate overlaid by organic sediment	No		
Common shiner	Luxilus cornutus	ST	Moderate gradient streams with cool, clear, gravel- bottomed water with overhanging shade	No		
Iowa darter	Etheostoma exile	SC	Cool, clear water over a sand or organic matter substrate; Poudre River; ponds	No		

Common Name	Scientific Name	Status*	General Colorado Range	Suitable Habitat Present	
Plains minnow	Hybognathus placitus	SE	Mainstream channels of eastern plains rivers	No	
Stonecat	Noturus flavus	SC	Fast water riffles and runs of streams; hide under rocks and woody debris; St. Vrain River	No	
Suckermouth minnow	Phenacobius mirabilis	SE	Deeper habitats in river and tributary streams with low to moderate currents, preferably with gravel bottoms; South Platte River east of Fort Morgan	No	
Amphibians and Reptiles					
Common garter snake	Thamnophis sirtalis	SC	Eastern base of the Front Range in wetlands and ponds	No	
Northern leopard frog	Rana pipiens	SC	Eastern Colorado wetlands	No	

<sup>\*</sup>ST = Colorado Threatened Species, SE = Colorado Endangered Species, SC = Colorado Species of Special Concern. *Source:* Colorado Parks and Wildlife (CPW) 2017.

Of the species listed in Table 2, the black-tailed prairie dog, swift fox, ferruginous hawk, and western burrowing owl have potential to occur in the project area. The American peregrine falcon, bald eagle, greater sandhill crane, long-billed curlew, mountain plover, and western snowy plover would not be affected by the proposed project because the project area is outside of the known range, habitat is not present, or potential habitat would not be impacted by the project and, therefore, these species are not discussed in the following sections. Because there is no wetland or aquatic habitat in the project area, there is no suitable habitat for the brassy minnow, common shiner, lowa darter, plains minnow, stonecat, suckermouth minnow, common garter snake, or northern leopard frog.

# **Black-Tailed Prairie Dog**

### **Species Background**

The black-tailed prairie dog is a Colorado species of concern (CPW 2017). Black-tailed prairie dogs are important components of the short and mesic grasslands systems. Threats to this species include habitat loss and degradation, habitat fragmentation, disease (sylvatic plague), and lethal control activities. Typically, areas occupied by prairie dogs have greater cover and abundance of perennial grasses and annual forbs compared with nonoccupied sites (Whicker and Detling 1988; Witmer et al. 2002).

Black-tailed prairie dogs are commonly considered a "keystone" species because their activities (burrowing and intense grazing) provide food and shelter for many other grassland species and have a large effect on community structure and ecosystem function (Power et al. 1996). Prairie dogs can contribute to overall landscape heterogeneity, affect nutrient cycling, and provide nest sites and shelter for wildlife (Whicker and Detling 1988). Species such as black-footed ferret, burrowing owl, prairie rattlesnake, and mountain plover are closely linked to prairie dog burrow systems for food and/or cover. Prairie dogs also provide an important prey resource for numerous predators including American badger, coyote, red fox, bald eagle, golden eagle, ferruginous hawk, and other raptors. Prairie dogs also

can denude the surface by clipping aboveground vegetation and contributing to exposed bare ground by digging up roots (Kuford 1958).

#### Potential Habitat and Possible Effects

Although habitat is present, no black-tailed prairie dog activity was observed during the 2017 site visit.

#### Recommendations

No further action or consultation is necessary.

### **Swift Fox**

### **Species Background**

The swift fox is a Colorado species of concern (CPW 2017). The distribution of swift fox includes the grasslands of the Great Plains including eastern Colorado (Fitzgerald et al. 1994). Den sites are usually located on sites dominated by native shortgrass prairie species such as blue grama and buffalo grass. Foxes are sometimes associated with prairie dog towns, although they generally excavate their own dens (Fitzgerald et al. 1994).

#### Potential Habitat and Possible Effects

No swift foxes or den sites were observed during the 2017 site visit. The project area is within the overall range of the swift fox (NDIS 2017a); however, due to past disturbance and agricultural activity, the project area generally lacks the habitat components necessary to support the swift fox.

#### Recommendations

No further action or consultation is necessary.

# **Ferruginous Hawk**

### **Species Background**

The ferruginous hawk is the largest hawk in North America and is a Colorado species of concern (CPW 2017). This species inhabits open prairie and desert habitats and is strongly associated with primary prey species such as ground squirrels and jackrabbits. Ferruginous hawks are relatively common winter residents in eastern Colorado, particularly in association with the black-tailed prairie dog (Preston and Beane 1996). This species has been known to breed in scattered locations in eastern Colorado, but not near the project area (Kingery 1998).

#### **Potential Habitat and Possible Effects**

No raptor or raptor nests were observed in the project area during the 2017 site visit.

#### Recommendations

No further action or consultation is necessary.

# **Western Burrowing Owl**

# **Species Background**

The western burrowing owl (burrowing owl) is a small migrant owl listed by the State of Colorado as a threatened species (CPW 2017) and is federally protected under the Migratory Bird Treaty Act (MBTA). Primary threats to the burrowing owl include habitat loss and fragmentation, anthropogenic sources of mortality (e.g., vehicular collisions), and loss of wintering grounds, largely in Mexico.

In general, burrowing owls are found in grasslands with vegetation less than 4 inches high and a relatively large proportion of bare ground. In Colorado, burrowing owls are usually associated with black-tailed prairie dog colonies (Jones 2016; Andrews and Righter 1992). More than 70 percent of sightings reported by Colorado Breeding Bird Atlasers were in prairie dog colonies (Jones 2016).

Burrowing owls usually arrive on their breeding grounds about mid-March to early April and remain until September. Burrowing owls are present in Colorado between March 15 and October 31, with breeding from mid-April to early/mid-August (Andrews and Righter 1992; Jones 2016). CPW suggests conducting burrowing owl clearance surveys in prairie dog towns that are subject to poisoning or construction projects during the period from March 15 through October 31 (Colorado Division of Wildlife (CDOW) 2008).

#### **Potential Habitat and Possible Effects**

No burrowing owls or prairie dog burrows were observed in the project area during the 2017 site visit.

#### Recommendations

No further action or consultation is necessary.

## **Migratory Birds**

### **Background**

Migratory birds, as well as their eggs and nests, are protected under the MBTA. While destruction of a nest by itself is not prohibited under the MBTA, nest destruction that results in the unpermitted take of migratory birds or their eggs is illegal (Service 2003). The regulatory definition of a take means to pursue, hunt, shoot, wound, kill, trap, capture, or collect; or attempt to pursue, hunt, shoot, wound, kill, trap, capture, or collect (50 CFR 10.12).

Under the MBTA, the Service may issue nest depredation permits, which allow a permittee to remove an active nest. The Service, however, issues few permits and only under specific circumstances, usually related to human health and safety. Obtaining a nest depredation permit is unlikely and involves a process that may take a significant amount of time. In addition, CPW has recommended buffers for nesting raptors, depending on the species (generally ½ or ¼ mile) (CDOW 2008). The best way to comply with the MBTA is to remove vegetation outside of the active breeding season, which typically falls between March and August, depending on the species. Public awareness of the MBTA has grown in

recent years, and most MBTA enforcement actions are the result of a concerned member of the community reporting noncompliance.

#### **Potential Habitat and Possible Effects**

During the 2017 site visit, field sparrow (*Spizella pusilla*), black capped chickadee (*Poecile atricapillus*), and eastern meadowlark (*Sturnella magna*) were observed in the project area. No raptor or songbird nests were observed in the tree or shrub layers in the project area. The breeding season for most birds in Colorado is March through August, with the exception of a few species that begin breeding in February, such as great horned owls and red-tailed hawks.

#### Recommendations

ERO recommends vegetation removal outside of the breeding season (typically September through February). Both the Denver Field Office of the Service (2009) and the Colorado Department of Transportation (2011) have identified the primary nesting season for migratory birds in eastern Colorado as occurring between April 1 and mid to late August. However, a few species such as the bald eagle, great horned owl, and red-tailed hawk can nest as early as December (eagle) or late February (owl and red-tailed hawk). Because of variability in the breeding seasons of various bird species, ERO recommends that a nest survey be conducted at least one week prior to construction to determine if any active nests are present in the project area so they can be avoided. Additional nest surveys during the nesting season may be warranted to identify active nesting species that may present additional development timing restrictions (e.g., eagles or red-tailed hawks).

Nest removal may occur during the nonbreeding season to discourage future nesting and avoid violations of the MBTA. No permit or approval is necessary for removing nests during the nonbreeding season; however, nests must be destroyed and may not be collected under MBTA regulations. If the construction schedule does not allow vegetation removal outside of the breeding season, a nest survey should be conducted within one week prior to vegetation removal to determine if the nest is active and by which species. If active nests are found, any work that would destroy the nests could not be conducted until the birds have vacated the nests.

### **Big Game**

The project area is shown to be within the mule deer, pronghorn, and white-tailed deer overall ranges (NDIS 2017b). The proposed project would not likely decrease the overall movement of these species within the project area and would not adversely affect these species. No action is necessary regarding big game species.

### Other Wildlife

As with any human development, wildlife species sensitive to human disturbance are likely to decline in abundance or abandon the area, while other wildlife species adapted to development are likely to increase in abundance. Species likely to decline include some raptors and possibly coyotes. Species likely to increase include red fox, raccoon, and house mouse. Overall, surrounding and continuing

development contributes to a decline in the number and diversity of wildlife species nearby and to a change in species composition to favor species that adapt better to human disturbance.

### References

- Andrews, R.A. and R. Righter. 1992. Colorado Birds. Denver Museum of Natural History, Denver, CO.
- Colorado Department of Transportation. 2011. Work Sheet: 240pmbcdotb dated 02-03-11. https://www.codot.gov/programs/environmental/wildlife/guidelines/Birdspeccontractorsbio.pdf/vie w. Last accessed December 16, 2016.
- Colorado Division of Wildlife (CDOW). 2008. Recommended buffer zones and seasonal restrictions for Colorado Raptor Nests. February.
- Colorado Parks and Wildlife (CPW). 2017. Colorado listing of endangered, threatened and wildlife species of special concern. http://cpw.state.co.us/learn/Pages/SOC-ThreatenedEndangeredList.aspx. Last accessed January 16, 2017.
- Fitzgerald, J.P., C.A. Meaney, and D.M. Armstrong. 1994. Mammals of Colorado. University Press of Colorado and Denver Museum of Natural History.
- Jones, S.R. 2016. Colorado Breeding Bird Atlas. Colorado Breeding Bird Atlas Partnership and Colorado Parks and Wildlife.
- Kingery, H.E. (ed.). 1998. Colorado Breeding Bird Atlas. Colorado Bird Atlas Partnership and Colorado Division of Wildlife, Denver.
- Kuford, C.C. 1958. Prairie dogs, whitefaces, and blue grama. Wildlife Monograph 1-78.
- Natural Diversity Information Source (NDIS). 2017a. 2017 Swift Fox.kmz. http://ndis.nrel.colostate.edu. February 28.
- Natural Diversity Information Source (NDIS). 2017b. 2017 mule deer range.kmz, pronghorn range.kmz, and white-tailed deer range.kmz. http://ndis.nrel.colostate.edu. February 28.
- Power, M.E., D. Tilman, J.A. Estes, B.A. Menge, W.T. Bond, L.S. Mills, G. Daily, J.C. Castilla, J. Lutchonco, and R.T. Paine. 1996. Challenges in the Quest for Keystone Species. *BioScience* 46:609–620.
- Preston, C.R. and R.D. Beane. 1996. Occurrence and distribution of diurnal raptors in relation to human activity, and other factors at Rocky Mountain Arsenal, Colorado. D.M. Bird, D.F. Varland, and J.J. Negro. Raptors in Human Landscapes: adaptations to built and cultivated environments. Pp. 365-374.
- U.S. Army Corps of Engineers (Corps). 2016. Regulatory Guidance Letter 16-01. http://www.usace.army.mil/Portals/2/docs/civilworks/RGLS/rgl\_6-01\_app1-2.pdf?ver=2016-11-01-091706-840. Last accessed December 21, 2016.
- U.S. Fish and Wildlife Service (Service). 2003. Migratory Bird Permit Memorandum. April 15.
- U.S. Fish and Wildlife Service (Service). 2009. Personal communication between Pete Plage (U.S. Fish and Wildlife Service) and ERO Resources Corporation.
- U.S. Fish and Wildlife Service (Service). 2017. Information for Planning and Conservation (IPaC). https://ecos.fws.gov/ipac/. Last accessed December 16, 2016.

- Whicker, A.D. and J.K. Detling. 1988. Ecological consequences of prairie dog disturbances. *BioScience* 38:778–785.
- Witmer, G.W., K.C. VerCauteren, K.M. Manci, and D.M. Dees. 2002. Urban-suburban prairie dog management opportunities and challenges. Proceedings of 19th Vertebrate Pest Conference. 19:439–444.



**Photo 1 -** Overview of uplands in the project area. View to the southwest.



**Photo 2 -** Overview of uplands in the project area. View to the northwest.



**Photo 3** - The wetland near the western border of the project area. View to the west.



**Photo 4 -** Overview of erosional feature. View to the southwest.