## 2024 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 10/2023

PROJECT INFORMATION				
OWL MARKETPLACE	9/14/2024	VR2321		
Project Name	Date	PCD File No.		

				Unit					-Plat C	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTRO	L (Construction a	nd Perman	ent BMP	Ps)						
Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanket		SY	\$	9.00	=	\$	-		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching		AC	\$	2,018.00	=	\$	-		\$	-
Permanent Pond/BMP (provide engineer's estimate)		EA	\$	-	=	\$	-		\$	-
Concrete Washout Basin		EA	\$	1,172.00	=	\$	-		\$	-
Inlet Protection	3.	EA	\$	217.00	=	\$	651.00		\$	651.00
Rock Check Dam		EA	\$	651.00	=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Sediment Basin	3.	EA	\$	2,294.00	=	\$	6,882.00		\$	6,882.00
Sediment Trap		EA	\$	538.00	=	\$	-		\$	-
Silt Fence		LF	\$	3.00	=	\$	-		\$	-
Slope Drain		LF	\$	43.00		\$	_		\$	-
Straw Bale		EA	\$	33.00	=	\$	_		\$	_
Straw Wattle/Rock Sock		LF	\$	8.00	=	\$	_		\$	_
Surface Roughening		AC	\$	269.00		\$	_		\$	_
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$			\$	
Temporary Seeding and Mulching		AC	\$	1,793.00		\$			\$	
Vehicle Tracking Control		EA	\$	3,085.00		\$			\$	
Vehicle Tracking Control		EA	Ş	3,065.00					\$	
[insert items not listed but part of construction plans]					=	\$			\$	-
[insert items not listed but part of construction plans]	MATNITENIANCE	(250/ -50-		DMD-\	=	\$	2,636.55			2,636.55
Cubicatta defeat usanatuficacial accuracy. A minimum of 000/ shall be	MAINTENANCE	(35%) 01 CC	onstructi	on bmPs)	=	\$	2,030.33		\$	2,030.33
<ul> <li>Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)</li> </ul>		Se	ection 1	Subtotal	=	\$	10,169.55		\$	10,169.55
, , , , , , , , , , , , , , , , , , , ,						Ψ	10/105.55		Ψ	10/105.55
SECTION 2 - PUBLIC IMPROVEMENTS *										
COADWAY IMPROVEMENTS										
COADWAY IMPROVEMENTS  Construction Traffic Control	1.	LS	\$	10,000.00	=	\$	10,000.00		\$	10,000.00
	1.	LS Tons	\$	10,000.00	= =	\$	10,000.00		\$	10,000.00
Construction Traffic Control	1.						10,000.00			10,000.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf)	1.	Tons	\$	37.00		\$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)	1.	Tons CY	\$	37.00 66.00		\$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	1. 5968.	Tons CY SY	\$ \$ \$	37.00 66.00 18.00		\$ \$ \$	- -		\$ \$ \$	- -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		Tons CY SY SY	\$ \$ \$ \$	37.00 66.00 18.00 25.00		\$ \$ \$ \$	- - -		\$ \$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick	5968.	Tons CY SY SY SY Tons	\$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$	- - - - 226,784.00		\$ \$ \$ \$	226,784.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved	5968. 200.	Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$ \$	- - - - 226,784.00 - 2,200.00		\$ \$ \$ \$ \$	226,784.00 - 2,200.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign	5968. 200. 8.	Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00	= = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - 226,784.00		\$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign	5968. 200. 8. 3.	Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = =	\$ \$ \$ \$ \$ \$ \$	- - 226,784.00 - 2,200.00 3,136.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking	5968. 200. 8. 3. 789.	Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00		\$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking	5968. 200. 8. 3.	Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 2,200.00 3,136.00 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Agpregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf)  Calied Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3	5968. 200. 8. 3. 789.	Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I	5968. 200. 8. 3. 789. 247.	Tons CY SY SY SY Tons SF EA SF SF EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)	5968. 200. 8. 3. 789.	Tons CY SY SY SY Tons SF EA EA SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)	5968. 200. 8. 3. 789. 247.	Tons CY SY SY SY Tons SF EA EA SF SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - 102,942.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)	5968. 200. 8. 3. 789. 247.	Tons CY SY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)	5968. 200. 8. 3. 789. 247.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 2,200.00 3,136.00 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf)  Curb and Gutter, Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk	5968. 200. 8. 3. 789. 247.	Tons CY SY SY SY Tons SF EA EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - 137,060.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 2,200.00 3,136.00 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk	5968. 200. 8. 3. 789. 247.	Tons CY SY SY Tons SF EA EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 62.00 77.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 2,200.00 3,136.00 13,413.00 7,410.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00 94.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - 102,942.00 - - 137,060.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - 137,060.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  8" Sidewalk  Pedestrian Ramp	5968. 200. 8. 3. 789. 247. 2709.	Tons	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - - 102,942.00 - - 137,060.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - 102,942.00 - 137,060.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return)	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 79.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - 137,060.00 - 137,060.00 - 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - 102,942.00 - 137,060.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk  6" Sidewalk  8" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY Tons SF EA EA EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 102,942.00 137,060.00 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - 102,942.00 - 137,060.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 79.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - 137,060.00 - 137,060.00 - 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - - 102,942.00 - 137,060.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type 1  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk  6" Sidewalk  8" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY Tons SF EA EA EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 102,942.00 137,060.00 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.0( - 2,200.0( 3,136.0( - 13,413.0( 7,410.0( - 102,942.0( - 137,060.0( - 19,448.0( 6,320.0(
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement (147 lbs/cf	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,996.00 1,926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - 137,060.00 - 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.0( - 2,200.0( 3,136.0( - 13,413.0( 7,410.0( - - 102,942.0( - 137,060.0( - 19,448.0( 6,320.0(
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)  Curb Opening with Drainage Chase  Guardrail Type 3 (W-Beam)	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 137,060.00 - 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - - 2,200.00 3,136.00 - - 13,413.00 7,410.00 - - 102,942.00 - - 137,060.00 - - 19,448.00 6,320.00
Construction Traffic Control  Aggregate Base Course (135 lbs/cf)  Aggregate Base Course (135 lbs/cf)  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)  Asphalt Pavement Marking  Baricade - Type 3  Delineator - Type 1  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)  Curb Opening with Drainage Chase  Guardrail Type 3 (W-Beam)  Guardrail Type 7 (Concrete)	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA LF LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 1,926.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 102,942.00 137,060.00 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - - 137,060.00 - 19,448.00 6,320.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,966.00 65.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 102,942.00 137,060.00 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 137,060.00 19,448.00 6,320.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Marking Baricade - Type 3 Delineator - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 9" Sidewalk 9 Sidewalk	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY Tons SF EA EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1,496.00 79.00 119.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 137,060.00 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 - - 137,060.00 6,320.00 6,320.00
Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	5968. 200. 8. 3. 789. 247. 2709.	Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	37.00 66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1,496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- 226,784.00 - 2,200.00 3,136.00 - 13,413.00 7,410.00 - 102,942.00 137,060.00 19,448.00 6,320.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	226,784.00

PROJECT INFORMATION				
OWL MARKETPLACE	9/14/2024	VR2321		
Project Name	Date	PCD File No.		

			Unit					Construction)	
scription	Quantity	Units		Cost		Total	% Complete	Remaining	
					=	\$ -		\$	
[insert items not listed but part of construction plans]					=	\$ -		\$	
ORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size ( W x H )		LF	\$	800.00	=	\$ -		\$	
18" Reinforced Concrete Pipe		LF	\$	82.00	=	\$ -		\$	
24" Reinforced Concrete Pipe		LF	\$	98.00	=	\$ -		\$	
30" Reinforced Concrete Pipe		LF	\$	123.00	=	\$ -		\$	
36" Reinforced Concrete Pipe		LF	\$	151.00	=	\$ -		\$	
42" Reinforced Concrete Pipe		LF	\$	201.00	=	\$ -		\$	
48" Reinforced Concrete Pipe		LF	\$	245.00	=	\$ -		\$	
54" Reinforced Concrete Pipe		LF	\$	320.00	=	\$ -		\$	
60" Reinforced Concrete Pipe		LF	\$	374.00	=	\$ -		\$	
66" Reinforced Concrete Pipe		LF	\$	433.00	=	\$ -		\$	
72" Reinforced Concrete Pipe		LF	\$	495.00	=	\$ -		\$	
18" Corrugated Steel Pipe		LF	\$	105.00	=	\$ -		\$	
24" Corrugated Steel Pipe		LF	\$	121.00	=	\$ -		\$	
30" Corrugated Steel Pipe		LF	\$	154.00	=	\$ -		\$	
36" Corrugated Steel Pipe		LF	\$	184.00	=	\$ -		\$	
42" Corrugated Steel Pipe		LF	\$	212.00	=	\$ -		\$	
48" Corrugated Steel Pipe		LF	\$	223.00	=	\$ -		\$	
54" Corrugated Steel Pipe		LF	\$	327.00	=	\$ -		\$	
60" Corrugated Steel Pipe		LF	\$	353.00	=	\$ -		\$	
66" Corrugated Steel Pipe		LF	\$	427.00	=	\$ -		\$	
72" Corrugated Steel Pipe		LF	\$	502.00	=	\$ -		\$	
78" Corrugated Steel Pipe		LF	\$	578.00	=	\$ -		\$	
34" Corrugated Steel Pipe		LF	\$	691.00	=	\$ -		\$	
Flared End Section (FES) RCP Size = unit cost = 6x pipe unit cost)		EA			=	\$ -		\$	
rlared End Section (FES) CSP Size = unit cost = 6x pipe unit cost)		EA			=	\$ -		\$	
End Treatment- Headwall		EA			=	\$ -		\$	
End Treatment- Wingwall		EA			=	\$ -		\$	
End Treatment - Cutoff Wall		EA			=	\$ -		\$	
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$	7,212.00	=	\$ -		\$	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$	9,377.00	=	\$ -		\$	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$	10,859.00	=	\$ -		\$	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$	9,925.00	=	\$ -		\$	
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$	10,230.00	=	\$ -		\$	
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$	12,805.00	=	\$ -		\$	
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$	12,907.00	=	\$ -		\$	
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$	13,835.00	=	\$ -		\$	
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$	15,130.00	=	\$ -		\$	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$	13,755.00	=	\$ -		\$	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$	15,181.00	=	\$ -		\$	
Grated Inlet (Type C), Depth < 5'		EA	\$	6,037.00	=	\$ -		\$	
Grated Inlet (Type D), Depth < 5'		EA	\$	7,458.00	=	\$ -		\$	
Storm Sewer Manhole, Box Base		EA	\$	15,130.00	=	\$ -		\$	
Storm Sewer Manhole, Slab Base		EA	\$	8,322.00	=	\$ -		\$	
Geotextile (Erosion Control)		SY	\$	9.00	=	\$ -		\$	
Rip Rap, d50 size from 6" to 24"		Tons	\$	104.00	=	\$ -		\$	
Rip Rap, Grouted		Tons	\$	124.00	=	\$ -		\$	
Orainage Channel Construction, Size ( W x H )		LF			=	\$ -		\$	
Orainage Channel Lining, Concrete		CY	\$	741.00	=	\$ -		\$	
Orainage Channel Lining, Rip Rap		CY	\$	145.00	=	\$ -		\$	
Orainage Channel Lining, Grass		AC	\$	1,911.00	=	\$ -		\$	
Prainage Channel Lining, Other Stabilization					=	\$ -		\$	
0'X6' BEND WITH ACCESS		EA	\$	12,500.00	=	\$ -		\$	
0'X6' BEND		EA	\$	8,500.00		\$ -		\$	
HEADWALL WITH HANDRAIL		LS	\$	10,000.00		\$ -		\$	
TYPE VI STILLING BASIN		EA	\$	15,000.00		\$ -		\$	
REMOVE & REPLACE RIPRAP		LS	\$	10,000.00		\$ -		\$	
TRICKLE CHANNEL EXTENSION		LF	\$	35.00		\$ -		\$	
insert items not listed but part of construction plans]					=	\$ -		\$	
	oe								

	PROJECT INFORMATION	
OWL MARKETPLACE	9/14/2024	VR2321
Project Name	Date	PCD File No.

				Unit				(with Pr	e-Plat 0	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	VEMENTS (Priv	ate or Dis	trict	and NOT Ma	aintaine	d by EP	C)**			
ROADWAY IMPROVEMENTS										
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Exce	ption: Permanent Por	nd/BMP shall	be iten	nized under Sed	ction 1)					
18" Reinforced Concrete Pipe	161.	LF	\$	82.00	=	\$	13,202.00		\$	13,202.0
24" Reinforced Concrete Pipe	423.	LF	\$	98.00	=	\$	41,454.00		\$	41,454.0
30" Reinforced Concrete Pipe		LF	\$	123.00	=	\$	-		\$	-
30" Flared End Section		EA	\$	1,200.00	=	\$	-		\$	-
10' Curb Inlet (Type R)	2.	EA	\$	9,925.00	=	\$	19,850.00		\$	19,850.0
Storm Sewer Manhole (Slab Base)	3.	EA	\$	8,332.00	=	\$	24,996.00		\$	24,996.0
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	2,418.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$	8,584.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$	1,723.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
PRV and Vault		EA	\$	12,500.00	=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,708.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$	1,825.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
ANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific conditio	n of ap	proval, or PUD	)					
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
* - Section 3 is not subject to defect warranty requirements		Se	ction	3 Subtotal	=	\$	99,502.00		\$	99,502.00

	PROJECT INFORMATION	
OWL MARKETPLACE	9/14/2024	VR2321
Project Name	Date	PCD File No.

			Unit			(with Pre-P	lat Construction)
Description	Quantity	Units	Cost		Total	% Complete	Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent WC	QCV BMPs)	LS		=		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume cal	lculations)	LS		=	\$ -	\$	-
(Sum of all section subtotals plus as-builts and pond/BMP certification)  Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \$ 638,384.							
	(Su			Total De	lete plus as-builts and pond/ efect Warranty Financ ollateralized at time of prelim	ial Assurance	105,742.60

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown  ADO LICE  STATES  Engineer (P.E. Seal Required)	on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Byrde	9/14/2024
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date