Permit

Back to Project

Print this page

EL PASO COUNTY
Department of Planning
& Community Development

ACCESS PERMIT (DRIVEWAY) PERMIT

FILE NO. AP25668 **YEAR 2025**

The undersigned applicant agrees to perform all work in accordance with the El Paso County Subdivision Criteria Manual, El Paso Land Development Code, recorded plat (if applicable), requirements specified below, and any permit attachments. Should the preceeding conditions not be satisfied, this permit shall be considered NULL and VOID.

Applicant: M.V.E., Inc.
(719) 635-5736

Address: 1903 Lelaray Street, Suite 200
Colorado Springs, CO 80909

Approved: 7/2/2025

Complete work by: 9/30/2025

Address: 10650 BLACK FOREST RD
COLORADO SPRINGS, CO 80908

Parcel: 5219000101

Type of Driveway Access: Open-Ditch Primary Driveway Access

Remarks:
The Access requirements of this property have been determined by the APPROVED PLANS AND SPECIFICATIONS for this subdivision or site as part of an overall design. See Comments for specifics. Single Access, maximum width 24 feet.

View Driveway Detail and Specification Sheet Open Ditch at Planning and Development Forms (https://planningdevelopment.elpasoco.com/planning-development-forms/)

REQUIREMENTS:

1. STATE LAW REQUIRES that utilities be located prior to construction. At least two days advance notice must be given. Phone 1-800-922-1987
2. All work sites must be signed and protected in accordance with the current issue of the MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES and any permit attachments.
3. Should it become necessary for El Paso County to sign, light and barricade hazardous areas or restore the Right-of-Way to its original condition, all costs of said work shall be borne by the applicant.
4. All backfill shall be compacted to 90% of AASHTO T-180 unless otherwise specified.
5. ALL ACCESSES ARE SUBJECT TO RECONSIDERATION UPON LAND USE OR TRAFFIC CHANGES. All permits issued are for a SINGLE ACCESS point to a specific roadway.
6. Road closure will not be permitted.
7. This permit is not good for access to planned arterial roadways.
8. Permit is VOID if construction is not completed within 90 days.
9. Applicant should contact local Fire Protection District for any additional requirements.
10. Monuments within the ROW are not included with this permit; an EPC DOT Encroachment Permit may be required. Please call (719)520-6460 for information.

© 2026 - EPC EDARP

Dave Gorman
M.V.E., Inc.
1903 Lelaray Street, Suite 200
Colorado Springs, CO 80909
(719) 635-5736

From: Dave Hostetler <dhostetler@ldc-inc.com>
Sent: Tuesday, October 20, 2026 12:05 PM
To: Taher Nabulsi <tnabulsi@hotmail.com>; David Gorman <daveg@mvecivil.com>
Subject: Re: Request for a call
Importance: High

To all: I can be available at 9:00 am Thursday ... David G. - Did you have a chance to submit a driveway permit for this project? Looks like it still might be outstanding in EDARP. DVH

David V. Hostetler, PLS
Director of Surveying
LAND DEVELOPMENT CONSULTANTS, INC.