COLORADO
Division of Water Resources
Department of Natural Resources
dwr.colorado.gov P 303.866.3581

NON-JURISDICTIONAL WATER IMPOUNDMENT STRUCTURE[1]

This notice is required per Section 37-87-125, C.R.S. (1998) and
must be submitted to the Division Engineer's Office a minimum of 45 days prior to construction.

OWNER INFORMATION

Name: Steve Kang Telephone/E-Mail: (970) 404-2298 / stevekang7777@outlook.com

Address: _____
Street / P.O. Box/ Rural Route City State Zip Code

Responsible Person: (same as above) Telephone/E-Mail: (___) _____ / _____

Address: _____
Street / P.O. Box/ Rural Route City State Zip Code

Contractor: Hammers Construction Telephone/E-Mail: (719) 570-1599 / JLatham@hammersconstruction.com

STRUCTURE INFORMATION

Name of Dam: Kang Storage - 11401 Highway 24 - Detention Pond A1 Water Division: _____ Water District: _____

Location: *(Provide Section, Township, Range, **and** GPS Point taken at crest of dam above streamline/outlet)*

- Section: 13, Township: 13S, Range: 65W, 6th P.M.

- Northing Lat 38-deg,55'28" meters, Easting Long 104-deg,37'05" meters (*Datum should be UTM, NAD 83)*

Dam Dimensions:

- Vertical Height[2]: 3.0 ft., Length: 520 ft., Crest Width: 15 ft., Slopes: U/S: 3:1 (H:1V), D/S 4:1 (H:1V)

Reservoir:

- Surface Area[1]: 1.5 acres, Capacity[1]: 1.8 acre-feet, Drainage Area*: 12.4 acres
(If drainage area is unknown leave blank and a spillway size will be assigned):

Emergency Spillway: *(See Table 1, Spillway Sizing Guidelines)*

- Bottom Width: 11 ft., Side Slopes: 4:1 H:1V, Freeboard[3]: 2 ft

Outlet Conduit Type: HDPE Storm Pipe, Size: 18 inches, Location: SW Side of Pond

Stream Name or Water Source[4]: Sand Creek Proposed Water Use: Stormwater Detention

Water Court Case **or** WDID : _____
(Water District Identification Number)

John P Schwab 11/20/26
Signature of Owner Date
John P. Schwab, P.E. (Engineer / Owner Rep.)

Office Use Only

DIVISION ENGINEER'S REQUIREMENTS: _____

_____

_____

_____

Dam I.D. _____ Signature of Division Engineer Date

[1] A "Non-Jurisdictional Structure" is a dam creating a reservoir with a capacity of 100 acre-feet or less *and* a surface area of 20 acres or less *and* a vertical height (footnote 2) of 10 feet or less. Non-jurisdictional size dams are regulated and subject to the authority of the State Engineer consistent with sections 37-87-102 and 37-87-105 C.R.S.

[2] "Vertical Height" is measured from the elevation of the lowest point of the natural surface of the ground or the invert of the outlet conduit (whichever is lower) where that point occurs along the longitudinal centerline of the dam up to the crest of the emergency spillway of the dam.

[3] "Freeboard" is the vertical distance from the bottom of spillway to the crest of the dam. Minimum Freeboard is 3 feet.

[4] If construction in reservoir intercepts groundwater, a well permit is required. (Well permit applications can be found at dwr.colorado.gov)

Wilson Veneros

From:	John Schwab <john@jpsengr.com>
Sent:	Friday, November 20, 2026 10:34 AM
To:	DWRPermitsOnline@state.co.us
Cc:	Lisa Peterson; Jason Latham; Wilson Veneros
Subject:	NOI to Construct Non-Jurisdictional Impoundment - Kang Storage Detention Pond A1
Attachments:	NOI to Construct a Non-Jurisdictional Water Impoundment Structure-Kang-1126+GEC-Plans.pdf

Please accept the attached Notice to Construct a Non-Jurisdictional Impoundment Structure for the proposed Kang Storage - 11401 Highway 24 - Detention Pond A1.

Please let me know if you have any questions or need any additional information.

Thanks,
John

John P. Schwab, P.E.
JPS Engineering, Inc.
19 E. Willamette Ave., Colorado Springs, CO 80903
(719)-477-9429 ofc; (719)-321-5801 cell
www.jpsengr.com