
V1_1041 Documents Related to 2.303 (Items 1-23).pdf Markup Summary


dsdparsons (12)



Subject: Planner
Page Label: 1
Author: dsdparsons
Date: 11/10/2026 7:19:18 AM
Status:
Color:
Layer:
Space:

Please send notice of administrative decision to be made upon re-submittal I anticipate decision to be made 10 days after resubmittal

---




Subject: Planner
Page Label: 11
Author: dsdparsons
Date: 11/10/2026 7:34:59 AM
Status:
Color:
Layer:
Space:

remove




Subject: Planner
Page Label: 11
Author: dsdparsons
Date: 11/10/2026 7:35:18 AM
Status:
Color:
Layer:
Space:

site development plan



Subject: Planner
Page Label: 12
Author: dsdparsons
Date: 11/10/2026 7:35:49 AM
Status:
Color:
Layer:
Space:

and / construction drawings



Subject: Planner
Page Label: 12
Author: dsdparsons
Date: 11/10/2026 7:36:32 AM
Status:
Color:
Layer:
Space:

this may be removed- they will be a referral agency



Subject: Planner
Page Label: 12
Author: dsdparsons
Date: 11/10/2026 7:37:53 AM
Status:
Color:
Layer:
Space:


PPRBD permit issuance for treatment faciltiy



Subject: Pen
Page Label: 12
Author: dsdparsons
Date: 11/10/2026 7:37:41 AM
Status:
Color:
Layer:
Space:




Subject: Pen
Page Label: 12
Author: dsdparsons
Date: 11/10/2026 7:37:43 AM
Status:
Color:
Layer:
Space:




Subject: Planner
Page Label: 12
Author: dsdparsons
Date: 11/10/2026 7:38:45 AM
Status:
Color:
Layer:
Space:

Did this go through PPACG already or is it exempt?




Subject: Planner
Page Label: 15
Author: dsdparsons
Date: 11/10/2026 7:41:50 AM
Status:
Color:
Layer:
Space:

PPACG?



Subject: Planner
Page Label: 15
Author: dsdparsons
Date: 11/10/2026 7:44:03 AM
Status:
Color:
Layer:
Space:

County Water Master Plan- add a brief discussion
https://planningdevelopment.elpasoco.com/#15156
13078151-9a697e85-b1a7



Subject: Planner
Page Label: 27
Author: dsdparsons
Date: 11/10/2026 7:48:01 AM
Status:
Color:
Layer:
Space:

Please remove the pages after this - they should be exhibits - each has a line item in EDRAP.