2023 Financial Assurance Estimate Form

(with pre-plat construction)

PROJECT INFORMATION						
Solace Apartments Filing No. 2	4/12/2023	SF2232/PPR2252				
Project Name	Date	PCD File No.				

Updated: 12/8/2022

	Quantity	Units	Unit Cost		Total	(with Pre-Plat Construction) % Complete Remaining
Description SECTION 1 - GRADING AND EROSION CONTRO					IUIAI	70 Complete Remaining
Earthwork	DE (CONSTRUCTIO	ii and Peni	iarierit bivies)			
less than 1,000; \$5,300 min		CY	\$ 8.00	=	\$ -	\$
1,000-5,000; \$8,000 min		CY	\$ 6.00	=	\$ -	\$
5,001-20,000; \$30,000 min		CY	\$ 5.00	=	\$ -	\$
20,001-50,000; \$100,000 min		CY	\$ 3.50	=	\$ -	\$
50,001-200,000; \$175,000 min		CY	\$ 2.50	=	\$ -	\$
greater than 200,000; \$500,000 min		CY	\$ 2.00	=	\$ -	\$
Permanent Erosion Control Blanket		SY	\$ 8.00	=	\$ -	\$
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching		AC	\$ 1,875.00	=	\$ -	\$
Permanent Pond/BMP (provide engineer's estimate)		EA		=	\$ -	\$
Concrete Washout Basin		EA	\$ 1,089.00	=	\$ -	\$
Inlet Protection		EA	\$ 202.00	=	\$ -	\$
Rock Check Dam		EA	\$ 605.00	=	\$ -	\$
Safety Fence		LF	\$ 3.00	=	\$ -	\$
Sediment Basin		EA	\$ 2,132.00	=	\$ -	\$
Sediment Trap		EA	\$ 500.00	=	\$ -	\$
Silt Fence		LF LF	\$ 3.00 \$ 40.00	=	\$ -	\$
Strow Pole		EA	-		\$ - \$ -	\$.
Straw Bale Straw Wattle/Rock Sock		LF	\$ 31.00 \$ 7.00	=	\$ - \$ -	\$.
Straw Wattle/Rock Sock Surface Roughening		AC	\$ 7.00	=	\$ -	\$
Temporary Erosion Control Blanket		SY	\$ 250.00	=	\$ -	\$
Temporary Seeding and Mulching		AC	\$ 1,666.00		\$ -	\$
Vehicle Tracking Control		EA	\$ 2,867.00		\$ -	\$
James Harming College			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	=	\$ -	\$
[insert items not listed but part of construction plans]				=	\$ -	\$
	ITENANCE (35%	of Constru	uction BMPs)	=	\$ -	\$.
Subject to defect warranty financial assurance. A minimum of 20% shall						
e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Sectio	n 1 Subtotal	=	-	\$
LOWED) ECTION 2 - PUBLIC IMPROVEMENTS *						
OADWAY IMPROVEMENTS						
Construction Traffic Control		LS		=	\$ -	\$
Aggregate Base Course (135 lbs/cf)		Tons	\$ 34.00		\$ -	\$
Aggregate Base Course (135 lbs/cf)		CY	\$ 61.00		\$ -	\$
Asphalt Pavement (3" thick)		SY	\$ 17.00		\$ -	\$
Asphalt Pavement (4" thick)						
		SY	\$ 23.00		\$ -	\$
		SY SY			\$ - \$ -	
Asphalt Pavement (6" thick)			\$ 23.00	=	· ·	\$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		SY	\$ 23.00 \$ 35.00	= =	\$ -	\$.
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		SY Tons	\$ 23.00 \$ 35.00 \$ 106.00		\$ -	\$ \$ \$
Asphalt Pavement (6" thick)		SY Tons SF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00	=	\$ - \$ - \$	\$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		SY Tons SF EA	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00	=	\$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		SY Tons SF EA EA SF SF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 16.00 \$ 28.00	= = =	\$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		SY Tons SF EA SF SF SF EA	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 16.00 \$ 28.00 \$ 241.00	= = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		SY Tons SF EA EA SF SF EA EA SF EA	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00	= = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		SY Tons SF EA EA SF SF EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00	= = = = = =	\$ - \$ - \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		SY Tons SF EA EA SF SF EA LF LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00	= = = = = = =	\$ - \$ - \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		SY Tons SF EA EA SF SF EA LF LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00	= = = = = = = = = =	\$ - \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ - \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ - \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		SY Tons SF EA EA SF SF EA LF LF LF SY	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 58.00	= = = = = = = = = = = = = = = = = = = =	\$ - S - S - S - S - S - S - S - S - S -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		SY Tons SF EA EA SF EA LF LF SY SY	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	S S S S S S S S S S S S S S S S S S S
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		SY Tons SF EA EA SF EA LF LF LF SY SY	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 58.00 \$ 72.00 \$ 87.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	S S S S S S S S S S S S S S S S S S S
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk		SY Tons SF EA EA SF EA LF LF LF SY SY SY	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 3	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		SY Tons SF EA EA SF EA LF LF LF SY SY SY SY EA	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 77.00 \$ 116.00 \$ 1,390.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		SY Tons SF EA EA SF EA LF LF LF SY SY SY SY EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 116.00 \$ 1,390.00 \$ 73.00	= = = = = = = = = = = = = = = = = = = =	\$ - \$ - \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$ \$ - \$	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		SY Tons SF EA EA SF EA LF LF LF SY SY SY SY LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 72.00 \$ 116.00 \$ 1,390.00 \$ 73.00 \$ 111.00		\$ - S - S - S - S - S - S - S - S - S -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk 9" Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase		SY Tons SF EA EA SF EA LF LF LF SY SY SY SY LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 116.00 \$ 1,390.00 \$ 1,390.00 \$ 1,790.00		\$ - S - S - S - S - S - S - S - S - S -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		SY Tons SF EA EA SF EA LF LF LF SY SY SY LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 116.00 \$ 1,390.00 \$ 73.00 \$ 1,790.00 \$ 1,790.00 \$ 60.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		SY Tons SF EA EA SF EA LF LF LF SY SY SY LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 116.00 \$ 1,390.00 \$ 73.00 \$ 111.00 \$ 1,790.00 \$ 60.00 \$ 87.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6" wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		SY Tons SF EA EA SF EA EA LF LF LF SY SY SY LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 16.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 116.00 \$ 1,390.00 \$ 111.00 \$ 11790.00 \$ 1790.00 \$ 87.00 \$ 11790.00 \$ 2,538.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	S S S S S S S S S S S S S S S S S S S
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator		SY Tons SF EA EA SF EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 16.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 116.00 \$ 1,390.00 \$ 1,790.00 \$ 1,790.00 \$ 1,790.00 \$ 87.00 \$ 1,790.00 \$ 1,790.00 \$ 4,556.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		SY Tons SF EA EA SF EA EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 72.00 \$ 116.00 \$ 11,390.00 \$ 1,790.00 \$ 1,790.00 \$ 4,556.00 \$ 4,556.00 \$ 95.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)		SY Tons SF EA EA SF EA LF LF LF SY SY SY LF LF LF LF LF LF LF EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 87.00 \$ 116.00 \$ 11,390.00 \$ 1,390.00 \$ 1,790.00 \$ 2,538.00 \$ 2,538.00 \$ 2,538.00 \$ 95.00 \$ 95.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high) Electrical Conduit, Size =	10	SY Tons SF EA EA SF EA LF LF SY SY SY EA LF LF EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 116.00 \$ 11790.00 \$ 1,390.00 \$ 1,790.00 \$ 1,790.00 \$ 4,556.00 \$ 4,556.00 \$ 95.00 \$ 97.00 \$ 97.00 \$ 97.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)	1.0	SY Tons SF EA EA SF EA LF LF LF SY SY SY LF LF LF LF LF LF LF EA LF	\$ 23.00 \$ 35.00 \$ 106.00 \$ 10.00 \$ 364.00 \$ 28.00 \$ 241.00 \$ 29.00 \$ 35.00 \$ 35.00 \$ 35.00 \$ 72.00 \$ 87.00 \$ 116.00 \$ 11,390.00 \$ 1,390.00 \$ 1,790.00 \$ 2,538.00 \$ 2,538.00 \$ 2,538.00 \$ 95.00 \$ 95.00		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

	PROJECT INFORMATION	
Solace Apartments Filing No. 2	4/12/2023	SF2232/PPR2252
Project Name	Date	PCD File No.

			Unit				(with Pre	-Plat C	onstruction)
Description	Quantity	Units	Cost			Total	% Complete		Remaining
STORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$	-		\$	-
18" Reinforced Concrete Pipe		LF	\$ 76.00	=	\$	-		\$	-
24" Reinforced Concrete Pipe		LF	\$ 91.00	=	\$	-		\$	-
30" Reinforced Concrete Pipe		LF	\$ 114.00	=	\$	-		\$	-
36" Reinforced Concrete Pipe		LF	\$ 140.00	=	\$	-		\$	-
42" Reinforced Concrete Pipe		LF	\$ 187.00	=	\$	-		\$	-
48" Reinforced Concrete Pipe		LF	\$ 228.00	=	\$	-		\$	-
54" Reinforced Concrete Pipe		LF	\$ 297.00	=	\$	-		\$	-
60" Reinforced Concrete Pipe		LF	\$ 348.00	=	\$	-		\$	-
66" Reinforced Concrete Pipe		LF	\$ 402.00	=	\$	-		\$	-
72" Reinforced Concrete Pipe		LF	\$ 460.00	=	\$	-		\$	-
18" Corrugated Steel Pipe		LF	\$ 98.00	=	\$	-		\$	-
24" Corrugated Steel Pipe		LF	\$ 112.00	=	\$	-		\$	-
30" Corrugated Steel Pipe		LF	\$ 143.00	=	\$	-		\$	-
36" Corrugated Steel Pipe		LF	\$ 171.00	=	\$	-		\$	-
42" Corrugated Steel Pipe		LF	\$ 197.00	=	\$	-		\$	-
48" Corrugated Steel Pipe		LF	\$ 207.00	=	\$	-		\$	-
54" Corrugated Steel Pipe		LF	\$ 304.00	=	\$	-		\$	-
60" Corrugated Steel Pipe		LF	\$ 328.00	=	\$	-		\$	-
66" Corrugated Steel Pipe		LF	\$ 397.00	=	\$	-		\$	-
72" Corrugated Steel Pipe		LF	\$ 467.00	=	\$	-		\$	-
78" Corrugated Steel Pipe		LF	\$ 537.00	=	\$	-		\$	-
84" Corrugated Steel Pipe		LF	\$ 642.00	=	\$	-		\$	-
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)				=	\$	_		\$	-
Flared End Section (FES) CSP Size =		EA							
(unit cost = 6x pipe unit cost)		EA		=	\$	-		\$	-
End Treatment- Headwall		EA		=	\$	-		\$	
End Treatment- Wingwall		EA		=	\$	-		\$	-
End Treatment - Cutoff Wall		EA		=	\$	-		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,703.00	=	\$	-		\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 8,715.00	=	\$	-		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 10,092.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 9,224.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 9,507.00	=	\$	-		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 11,901.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 11,995.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 12,858.00	=	\$	-		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 14,061.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 12,783.00	=	\$	-		\$	-
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 14,109.00	=	\$	-		\$	-
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,611.00	=	\$	-		\$	-
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,931.00	=	\$	-		\$	-
Storm Sewer Manhole, Box Base		EA	\$ 14,061.00	=	\$	-		\$	-
Storm Sewer Manhole, Slab Base		EA	\$ 7,734.00	=	\$	-		\$	-
Geotextile (Erosion Control)		SY	\$ 8.00	=	\$	-		\$	-
Rip Rap, d50 size from 6" to 24"		Tons	\$ 97.00	=	\$	-		\$	-
Rip Rap, Grouted		Tons	\$ 115.00	=	\$	-		\$	-
Drainage Channel Construction, Size (W x H)		LF	\$ -	=	\$	-		\$	-
Drainage Channel Lining, Concrete		CY	\$ 689.00	=	\$	-		\$	-
Drainage Channel Lining, Rip Rap		CY	\$ 135.00	=	\$	-		\$	-
Drainage Channel Lining, Grass		AC	\$ 1,776.00	=	\$	-		\$	-
Drainage Channel Lining, Other Stabilization				=	\$	-		\$	-
				=	\$	-		\$	-
[insert items not listed but part of construction plans]				=	\$	-		\$	-
* - Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE		Saction	n 2 Subtotal	_	¢	433 OE3 OO		\$	433 OE3 OO
ALLOWED)		360110	ıı z Subibidi	=	\$	432,053.00		Φ	432,053.00

PROJECT INFORMATION						
Solace Apartments Filing No. 2	4/12/2023	SF2232/PPR2252				
Project Name	Date	PCD File No.				

				Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	OVEMENTS (Pr	ivate or D	istr	rict and N	IOT Mair	ntaine	d by EPC)**			
ROADWAY IMPROVEMENTS	•						•			
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Exception	on: Permanent Pon	d/BMP shall l	e ite	emized unde	er Section 1)				
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS	'									
Water Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	91.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	2,247.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$	7,978.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$	1,601.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
•					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS	'									
Sewer Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,305.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$	1,696.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	For subdivision spe	cific condition	of a	approval, or	PUD)					
Sod Areas	3,612	SF	\$	1.50	=	\$	5,418.00		\$	5,418.00
Evergreen Tree	86	EA	\$	700.00	=	\$	60,200.00		\$	60,200.00
Ornamental Tree	45	EA	\$	450.00		\$	20,250.00		\$	20,250.00
Canopy Tree	62	EA	\$	600.00	=	\$	37,200.00		\$	37,200.00
Shrub	1,068	EA	\$	60.00	=	\$	64,080.00		\$	64,080.00
Perennial	422	EA	\$	17.00		\$	7,174.00		\$	7,174.00
Ornamental Grass	101	EA	\$	17.00	=	\$	1,717.00		\$	1,717.00
1.5" Rock Mulch	65,211	SF	\$	1.50	=	\$	97,816.50		\$	97,816.50
4" Rock Mulch	6,458	SF	\$	5.00	=	\$	32,290.00		\$	32,290.00
Native Seed	109,913	SF	\$	0.80	=	\$	87,930.40		\$	87,930.40
Bark Mulch	1,974	CY	\$	55.00	=	\$	108,570.00		\$	108,570.00
Sand	512	SF	\$	0.69	=	\$	353.28		\$	353.28
Crusher Fines / Breeze	4,858	SF	\$	3.00	=	\$	14,574.00		\$	14,574.00
Stamped Concrete	3,042	SF	\$	16.25	=	\$	49,432.50		\$	49,432.50
** - Section 3 is not subject to defect warranty requirements		Section	n 3	Subtotal	=	\$	587,005.68		\$	587,005.68

Solace Apartments Filing No. 2			4/12/2023			SF22	32/PPR2252		
Project Name			Date			PCD File No.	ile No.		
			Unit			(with Pre-	Plat Construction)		
Description	Quantity	Units	Cost		Total	% Complete	Remaining		
AS-BUILT PLANS (Public Improvements inc. Permanent WQCV BMPs)		LS		=	\$	<u> </u>	\$ -		
POND/BMP CERTIFICATION (inc. elevations and volume of	calculations)	LS		=	\$	<u> </u>	\$ -		
				Total	Construction Fi	nancial Assurance	\$ 1,019,058.68		
			(Sum of all se	ction subtot	als plus as-builts and	pond/BMP certification)			
	Total Damain	Camatu		! . !		Diet Cometmusticm)	+		
	Total Remain	ing Constr	uction Finar	ıcıaı Assı	irance (with Pre-	Plat Construction)	\$ 1,019,058.68		
	(Sum of all	section totals	less credit for it	tems comple	ete plus as-builts and	pond/BMP certification)			
				T-1-LD-					
					-	nancial Assurance	\$ 86,410.60		
	(2)	0% of all items	s identified as (*). To be col	lateralized at time of p	oreliminary acceptance)			
Approvals									
I hereby certify that this is an accurate and complete estimat	e of costs for the v	work as shown	on the Gradin	g and Frosi	on Control Plan and C	onstruction Drawings ass	ociated with the Project.		
		25 5110111		.g 2.00m					

PROJECT INFORMATION

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown	on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date