Add "SP233"

2023 Financial Assurance Estimate Form (with pre-plat construction)

Updated: 12/8/2022

	PROJECT INFORMATION	
Eastwood Village	4/24/2023	
Project Name	Date	PCD File No.

SECTION 1 - GRADING AND EROSION CONTROL Earthwork less than 1,000; \$5,300 min 1,000-5,000; \$8,000 min 5,001-20,000; \$30,000 min 20,001-50,000; \$100,000 min 50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	15,265 3,988.0 1 14 4 1 1,219	Units n and Perm CY CY CY CY CY CY CY AC EA EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	8.00 6.00 5.00 3.50 2.50 2.00 8.00 1,875.00	= = = = = = = =	\$ \$ \$ \$ \$ \$	76,325.00 	% Complete	\$ \$ \$ \$	76,325.00
Earthwork less than 1,000; \$5,300 min 1,000-5,000; \$8,000 min 5,001-20,000; \$3,000 min 20,001-50,000; \$100,000 min 50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	15,265 3,988.0 1 14 4	CY CY CY CY CY CY CY CY EA EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$	8.00 6.00 5.00 3.50 2.50 2.00 8.00 1,875.00	= = = = = = =	\$ \$ \$ \$ \$	- 76,325.00 - - -		\$ \$ \$ \$	- 76,325.00 -
less than 1,000; \$5,300 min 1,000-5,000; \$8,000 min 5,001-20,000; \$30,000 min 20,001-50,000; \$100,000 min 50,001-200,000; \$1500,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	3,988.0 1 14 4	CY CY CY CY CY SY AC EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	6.00 5.00 3.50 2.50 2.00 8.00 1,875.00	= = = = = = =	\$ \$ \$ \$ \$	- 76,325.00 - - -		\$ \$ \$ \$	- 76,325.00 -
1,000-5,000; \$8,000 min 5,001-20,000; \$30,000 min 20,001-50,000; \$100,000 min 50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	3,988.0 1 14 4	CY CY CY CY CY SY AC EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	6.00 5.00 3.50 2.50 2.00 8.00 1,875.00	= = = = = = =	\$ \$ \$ \$ \$	- 76,325.00 - - -		\$ \$ \$ \$	- 76,325.00 -
5,001-20,000; \$30,000 min 20,001-20,000; \$100,000 min 50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	3,988.0 1 14 4	CY CY CY CY SY AC EA EA EA	\$ \$ \$ \$ \$ \$	5.00 3.50 2.50 2.00 8.00 1,875.00	= = = = =	\$ \$ \$ \$	- -		\$ \$ \$	-
20,001-50,000; \$100,000 min 50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	3,988.0 1 14 4	CY CY CY SY AC EA EA EA	\$ \$ \$ \$ \$	3.50 2.50 2.00 8.00 1,875.00	= = = = =	\$ \$ \$	- -		\$ \$	-
50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1 14 4	CY CY SY AC EA EA EA	\$ \$ \$ \$ \$	2.50 2.00 8.00 1,875.00	= = = =	\$ \$ \$	-		\$	-
greater than 200,000; \$500,000 min Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1 14 4	CY SY AC EA EA EA	\$ \$ \$ \$	2.00 8.00 1,875.00	= = =	\$	-			
Permanent Erosion Control Blanket Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1 14 4	SY AC EA EA EA	\$ \$ \$ \$	8.00 1,875.00	= =	\$				
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1 14 4	AC EA EA EA	\$ \$	1,875.00	=	-	31,904.00		\$	-
Permanent Pond/BMP (provide engineer's estimate) Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	14 4 1	EA EA EA	\$			\$			\$	31,904.0
Concrete Washout Basin Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	14 4 1	EA EA EA	\$	1 089 00		Ψ	-		\$	-
Inlet Protection Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	14 4 1	EA EA	\$	1 089 00	=	\$	-		\$	-
Rock Check Dam Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1	EA		.,000.00	=	\$	1,089.00		\$	1,089.0
Safety Fence Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1		•	202.00	=	\$	2,828.00		\$	2,828.0
Sediment Basin Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening		LF	Φ	605.00	=	\$	2,420.00		\$	2,420.0
Sediment Trap Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening			\$	3.00	=	\$	-		\$	-
Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1,219	EA	\$:	2,132.00	=	\$	2,132.00		\$	2,132.0
Silt Fence Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening	1,219	EA	\$	500.00	=	\$	-		\$	
Slope Drain Straw Bale Straw Wattle/Rock Sock Surface Roughening		LF	\$	3.00	=	\$	3,657.00		\$	3,657.0
Straw Bale Straw Wattle/Rock Sock Surface Roughening		LF	\$	40.00		\$			\$	
Straw Wattle/Rock Sock Surface Roughening		EA	\$	31.00	=	\$			\$	-
Surface Roughening		LF	\$	7.00		\$			\$	
		AC	\$	250.00	_	\$			\$	
Lemporan/ Erocion L'ontrol Biankot		SY	\$	3.00	=	-				
Temporary Scoding and Mulching			-			\$	-		\$	-
Temporary Seeding and Mulching		AC		1,666.00	=	\$			\$	
Vehicle Tracking Control	1	EA	\$:	2,867.00	=	\$	2,867.00		\$	2,867.0
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
MAINTE	ENANCE (35%	of Constru	uction	n BMPs)	=	\$	4,866.40		\$	4,866.4
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE LOWED)		Sectio	n 1 S	Subtotal	=	\$	128,088.40		\$	128,088.40
ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS										
Construction Traffic Control		LS			=	\$			\$	
Aggregate Base Course (135 lbs/cf)		Tons	\$	34.00		\$			\$	
Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		CY	\$	61.00		\$			\$	
		SY	\$	17.00		\$				
Asphalt Payament (4" thick)		SY	\$			-			\$	
Asphalt Pavement (4" thick)				23.00		\$	-		\$	-
Asphalt Pavement (6" thick)		SY	\$	35.00		\$	-		\$	-
Asphalt Pavement (147 lbs/cf)" thick		Tons	\$	106.00	=	\$	-		\$	-
Raised Median, Paved		SF	\$	10.00	=	\$	-		\$	-
Regulatory Sign/Advisory Sign		EA	\$	364.00	=	\$	-		\$	-
Guide/Street Name Sign		EA			=	\$	-		\$	-
Epoxy Pavement Marking		SF	\$	16.00	=	\$	-		\$	-
Thermoplastic Pavement Marking		SF	\$	28.00	=	\$	-		\$	-
Barricade - Type 3		EA	\$	241.00	=	\$	-		\$	-
Delineator - Type I		EA	\$	29.00	=	\$	-		\$	-
Curb and Gutter, Type A (6" Vertical)		LF	\$	35.00	=	\$	-		\$	-
Curb and Gutter, Type B (Median)		LF	\$	35.00	=	\$	-		\$	_
Curb and Gutter, Type C (Ramp)		LF	\$	35.00		\$	_		\$	
4" Sidewalk (common areas only)		SY	\$	58.00	=	\$			\$	
5" Sidewalk		SY	\$	72.00		\$	_		\$	
6" Sidewalk		SY	\$	87.00		-				
			_		=	\$			\$	
8" Sidewalk		SY	\$	116.00		\$	-		\$	-
Pedestrian Ramp		EA	_	1,390.00	=	\$	-		\$	-
Cross Pan, local (8" thick, 6' wide to include return)		LF	\$	73.00	=	\$	-		\$	-
Cross Pan, collector (9" thick, 8' wide to include return)		LF	\$	111.00		\$	-		\$	-
Curb Opening with Drainage Chase		EA	_	1,790.00	=	\$	-		\$	-
Guardrail Type 3 (W-Beam)		LF	\$	60.00	=	\$	-		\$	-
Guardrail Type 7 (Concrete)		LF	\$	87.00	=	\$	-		\$	-
Guardrail End Anchorage		EA		2,538.00	=	\$	-		\$	-
Guardrail Impact Attenuator		EA	_	4,556.00	=	\$	_		\$	_
Sound Barrier Fence (CMU block, 6' high)		LF	\$	95.00		\$			\$	_
, ,		LF	\$	97.00	=	\$			\$	
Sound Barrier Fence (panels 6' high)						-			\$	
Sound Barrier Fence (panels, 6' high) Electrical Conduit, Size =		LF EA	\$	20.00	=	\$	_		75	-

PROJECT INFORMATION						
Eastwood Village	4/24/2023					
Project Name	Date	PCD File No.				

[insert items not listed but part of construction plans] TORM DRAIN IMPROVEMENTS Concrete Box Culvert (M Standard), Size (W x H) 18" Reinforced Concrete Pipe 24" Reinforced Concrete Pipe	Quantity	Units	Cost		Total	% Complete	Remaining
TORM DRAIN IMPROVEMENTS Concrete Box Culvert (M Standard), Size (W x H) 18" Reinforced Concrete Pipe 24" Reinforced Concrete Pipe				=	\$ -		
TORM DRAIN IMPROVEMENTS Concrete Box Culvert (M Standard), Size (W x H) 18" Reinforced Concrete Pipe 24" Reinforced Concrete Pipe							\$ -
Concrete Box Culvert (M Standard), Size (W x H) 18" Reinforced Concrete Pipe 24" Reinforced Concrete Pipe				=	\$ -		\$ -
18" Reinforced Concrete Pipe 24" Reinforced Concrete Pipe							
24" Reinforced Concrete Pipe		LF		=	\$ -		\$ -
•		LF	\$ 76.00	=	\$ -		\$ -
		LF	\$ 91.00	=	\$ -		\$ -
30" Reinforced Concrete Pipe		LF	\$ 114.00	=	\$ -		\$ -
36" Reinforced Concrete Pipe		LF	\$ 140.00	=	\$ -		\$ -
42" Reinforced Concrete Pipe		LF	\$ 187.00	=	\$ -		\$ -
48" Reinforced Concrete Pipe		LF	\$ 228.00	=	\$ -		\$ -
54" Reinforced Concrete Pipe		LF	\$ 297.00	=	\$ -		\$ -
60" Reinforced Concrete Pipe		LF	\$ 348.00	=	\$ -		\$ -
66" Reinforced Concrete Pipe		LF	\$ 402.00		\$ -		\$ -
72" Reinforced Concrete Pipe		LF	\$ 460.00		\$ -		\$ -
18" Corrugated Steel Pipe		LF	\$ 98.00		+ ·		
·		LF		=	Ψ		ļ Y
24" Corrugated Steel Pipe			\$ 112.00	=	\$ -		Ψ
30" Corrugated Steel Pipe		LF	\$ 143.00	=	\$ -		\$ -
36" Corrugated Steel Pipe		LF	\$ 171.00	=	\$ -		\$ -
42" Corrugated Steel Pipe		LF	\$ 197.00	=	\$ -		\$ -
48" Corrugated Steel Pipe		LF	\$ 207.00	=	\$ -		\$ -
54" Corrugated Steel Pipe		LF	\$ 304.00	=	\$ -		\$ -
60" Corrugated Steel Pipe		LF	\$ 328.00	=	\$ -		\$ -
66" Corrugated Steel Pipe		LF	\$ 397.00	=	\$ -		\$ -
72" Corrugated Steel Pipe		LF	\$ 467.00	=	\$ -		\$ -
78" Corrugated Steel Pipe		LF	\$ 537.00	=	\$ -		\$ -
84" Corrugated Steel Pipe		LF	\$ 642.00	=	\$ -		\$ -
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -
Flared End Section (FES) CSP Size =				=	\$ -		\$ -
(unit cost = 6x pipe unit cost)		EA			· ·		
End Treatment- Headwall		EA		=	\$ -		\$ -
End Treatment- Wingwall		EA		=	\$ -		\$ -
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,703.00	=	\$ -		\$ -
Curb Inlet (Type R) L=5', 5'≤ Depth < 10'		EA	\$ 8,715.00	=	\$ -		\$ -
Curb Inlet (Type R) L =5', 10'≤ Depth < 15'		EA	\$ 10,092.00	=	\$ -		\$ -
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 9,224.00	=	\$ -		\$ -
Curb Inlet (Type R) L =10', 5'≤ Depth < 10'		EA	\$ 9,507.00	=	\$ -		\$ -
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 11,901.00	=	\$ -		\$ -
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 11,995.00	=	\$ -		\$ -
Curb Inlet (Type R) L =15', 5'≤ Depth < 10'		EA	\$ 12,858.00	=	\$ -		\$ -
Curb Inlet (Type R) L =15', 10'≤ Depth < 15'		EA	\$ 14,061.00	=	\$ -		\$ -
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 12,783.00	=	\$ -		\$ -
Curb Inlet (Type R) L =20', 5'≤ Depth < 10'		EA	\$ 14,109.00	=	\$ -		\$ -
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,611.00		\$ -		\$ -
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,931.00		\$ -		\$ -
Storm Sewer Manhole, Box Base		EA	\$ 14,061.00		\$ -		\$ -
Storm Sewer Manhole, Slab Base		EA	\$ 7,734.00		\$ -		\$ -
Geotextile (Erosion Control)		SY	\$ 7,734.00		·		
,					Ψ		Ψ
Rip Rap, d50 size from 6" to 24"		Tons	\$ 97.00	=	Ψ		\$ -
Rip Rap, Grouted		Tons	\$ 115.00	=	\$ -		\$ -
Drainage Channel Construction, Size (W x H)		LF	\$ -	=	\$ -		\$ -
Drainage Channel Lining, Concrete		CY	\$ 689.00	=	\$ -		\$ -
Drainage Channel Lining, Rip Rap		CY	\$ 135.00	=	\$ -		\$ -
Drainage Channel Lining, Grass		AC	\$ 1,776.00	=	\$ -		\$ -
Drainage Channel Lining, Other Stabilization				=	\$ -		\$ -
				=	\$ -		\$ -
[insert items not listed but part of construction plans] Subject to defect warranty financial assurance. A minimum of 20% sha				=	\$ -		\$ -
· Subject to defect warranty financial assurance. A minimum of 20% sha e retained until final acceptance (MAXIMUM OF 80% COMPLETE _LOWED)	an	Sectio	n 2 Subtotal	=	\$ -		\$ -

PROJECT INFORMATION						
Eastwood Village	4/24/2023					
Project Name	Date	PCD File No.				

			U	Init				(with Pre	-Plat	Construction)
Description	Quantity	Units		ost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO					NOT Main	tained		70 Complete		Remaining
ROADWAY IMPROVEMENTS	VALIFICATIO (FI	IVALE OI L	/ISUICU	t and i	101 Maiii	tairieu	by LPC)			
NOADWAT IIII NOVEMENTO					=	\$			\$	
					_	\$			\$	
					_	\$			\$	
					_	\$			\$	
					_	\$			\$	
					_	\$			\$	
STORM DRAIN IMPROVEMENTS (Exception	i on: Permanent Por	d/RMD shall	he itemi:	izad und					P	
STORM DRAIN IMPROVEMENTS (Exception	in. Fermanent For	IU/DIVIF SHAII	De iterniz	izeu unu	=	\$			\$	
						\$			\$	
						\$			\$	
						\$			\$	
						\$			\$	
						\$			\$	
WATER SYSTEM IMPROVEMENTS					_	۱ ۳			Ψ	
Water Main Pipe (PVC), Size 8"	2,439	LF	\$	78.00	=	\$	190,242.00		\$	190,242.00
Water Main Pipe (Ductile Iron), Size 8"	2,133	LF	Ś	91.00	_	\$	150,212.00		\$	130,212.00
Gate Valves, 8"	17	EA		,247.00	=	\$	38,199.00		\$	38,199.00
Fire Hydrant Assembly, w/ all valves	6	EA		,978.00	_	\$	47,868.00		\$	47,868.00
Water Service Line Installation, inc. tap and valves	107	EA	, ,	,601.00	_	\$	171,307.00		\$	171,307.00
Fire Cistern Installation, complete	107	EA	Ψ -).	,002.00	=	\$	-		\$	-
Gate Valves, 12"	2		\$ 30	000.00		\$	6,000.00		\$	6,000.00
Tee, 12"x12"x8"	2		-	900.00		\$	1,800.00		\$	1,800.00
Tee, 8"x8"x8"	3			725.00		\$	2,175.00		\$	2,175.00
Tee, 8"x8"x6"	6			875.00		\$	5,250.00		\$	5,250.00
Bend, 11.25°	7		-	725.00		\$	5,075.00		\$	5,075.00
Bend, 22.5°	2			750.00		\$	1,500.00		\$	1,500.00
Bend, 45°	6			700.00		\$	4,200.00		\$	4,200.00
High Deflection Coupling	4			750.00		\$	3,000.00		\$	3,000.00
			7		=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS						1 7				
Sewer Main Pipe (PVC), Size 8"	2,580	LF	\$	78.00	=	\$	201,240.00		\$	201,240.00
Sanitary Sewer Manhole, Depth < 15 feet	13	EA	\$ 5,3	305.00	=	\$	68,965.00		\$	68,965.00
Sanitary Service Line Installation, complete (4" PVC)	32	EA		696.00	=	\$	54,272.00		\$	54,272.00
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
Two-Way Cleanout	32	EA	\$ 2,3	300.00		\$	73,600.00		\$	73,600.00
·					=	\$			\$	· -
[insert items not listed but part of construction plans]					=	\$	-		\$	-
	For subdivision spe	ecific conditio	n of appi	roval, or	r PUD)					
,		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
R		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Sectio	n 3 Su	btotal	=	\$	874,693.00		\$	874,693.00

Fill this section out

PROJECT INFORMATION							
Eastwood Village	4/24/2023						
Project Name	Date	PCD File No.					

			Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units	Cost		T	otal	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent Wo	OCV RMPs)	LS		_	¢	_		Ф	
POND/BMP CERTIFICATION (inc. elevations and volume ca	•	LS		=	\$	-		\$	-
				Total	Construction	on Financia	l Assurance	\$	1,002,781.40
			(Sum of all se	ction subtot	als plus as-buil	ts and pond/Bl	MP certification)		
1	Total Remain	ing Constr	uction Finar	icial Ass	urance (with	Pre-Plat Co	onstruction)	\$	1,002,781.40
	(Sum of all	section totals	less credit for i	tems compl	ete plus as-buil	ts and pond/B i	MP certification)		
				Total De	efect Warran	ty Financia	l Assurance	\$	21,645.80
	(2	0% of all item	s identified as (*) To be co	llateralized at ti	me of prelimin	ary acceptance)		

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as show	n on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Lingineer (1.2. Sear required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date