Update FAE to 2023 version. Link is here: https://planningdevelopment.elpasoco.com/planning-development-forms/#1584029763943-19bc4c03-3586

Updated: 11/4/2021

2022 Financial Assurance Estimate Form

(with pre-plat construction)

		PROJECT :	INFORMATI	ON				
Struthers Ranch Polaris Site Development	1		10/21/2022					PPR2248
Project Name			Date				PCD File No.	
			11-14				(with Dro	Diet Construction)
Description	Quantity	Units	Unit Cost		Total		% Complete	-Plat Construction) Remaining
SECTION 1 - GRADING AND EROSION CONTRO					Total		70 Complete	Kemaning
* Earthwork	= (construction	una i cima	iche Di li 3)					
less than 1,000; \$5,300 min		CY	\$ 8.00	=	\$	-		\$ -
1,000-5,000; \$8,000 min	3,515	CY	\$ 6.00	=	\$ 21	,090.00		\$ 21,090.00
5,001-20,000; \$30,000 min		CY	\$ 5.00	=	\$	-		\$ -
20,001-50,000; \$100,000 min		CY	\$ 3.50	=	\$	-		\$ -
50,001-200,000; \$175,000 min		CY	\$ 2.50	=	\$	-		\$ -
greater than 200,000; \$500,000 min		CY	\$ 2.00	=	\$	-		\$ -
* Permanent Seeding (inc. noxious weed mgmnt.)	1	AC	\$ 886.00	=	\$	886.00		\$ 886.00
* Mulching	1	AC	\$ 831.00	=	\$	831.00		\$ 831.00
* Permanent Erosion Control Blanket	630	SY	\$ 7.00 \$ 22.00	=	\$	-		\$ - t 13.060.00
* Permanent Pond/BMP Construction - Earthwork * Permanent Pond/BMP Construction - Retaining Walls	630 1,320	SF	\$ 22.00 \$ 25.00	=	- ·	3,860.00		\$ 13,860.00 \$ 33,000.00
* Permanent Pond/BMP (Forebays / Trickle Channels)	1,320	LS	\$ 3,000.00	=	-	3,000.00		\$ 3,000.00
* Permanent Pond/BMP (Outlet Structure / Spillway)	1	LS	\$ 10,000.00		· ·	,000.00		\$ 10,000.00
Safety Fence	_	LF	\$ 3.00	=	\$	-		\$ -
Temporary Erosion Control Blanket		SY	\$ 3.00	=	\$	-		\$ -
Vehicle Tracking Control	1	EA	\$ 2,625.00	=	· ·	,625.00		\$ 2,625.00
Silt Fence	660	LF	\$ 3.00	=	· ·	,980.00		\$ 1,980.00
Temporary Seeding	0.5	AC	\$ 695.00	=	\$	347.50		\$ 347.50
Temporary Mulch	0.5	AC	\$ 831.00	=	\$	415.50		\$ 415.50
Erosion Bales		EA	\$ 28.00	=	\$	-		\$ -
Erosion Logs/Straw Wattles		LF	\$ 6.00	=	\$	-		\$ -
Rock Check Dams		EA	\$ 554.00	=	\$	-		\$ -
Inlet Protection	2	EA	\$ 185.00	=	\$	370.00		\$ 370.00
Sediment Basin	1	EA	\$ 1,952.00	=	· ·	,952.00		\$ 1,952.00
Concrete Washout Basin	1	EA	\$ 997.00	=	\$	997.00		\$ 997.00
[insert items not listed but part of construction plans]				=	\$	-		\$ -
	INTENANCE (35	% of Constr	uction BMPs)	=	\$ 3	,040.45		\$ 3,040.45
* - Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	on 1 Subtotal	=	\$ 94,39	94.45		\$ 94,394.45
ALLOWED)					Ψ .,σ.			7 7 1,00 11 10
SECTION 2 - PUBLIC IMPROVEMENTS *								
ROADWAY IMPROVEMENTS					1.			
Construction Traffic Control		LS	0.1.00	=	\$	-		\$ -
Aggregate Base Course (135 lbs/cf)		Tons						•
Aggregate Base Course (135 lbs/cf)			\$ 31.00	=	\$	-		\$ -
		CY	\$ 56.00	=	\$	-		\$ - \$ -
Asphalt Payament (4" thick)		CY SY	\$ 56.00 \$ 16.00	=	\$	-		\$ - \$ - \$ -
Asphalt Pavement (4" thick)		CY SY SY	\$ 56.00 \$ 16.00 \$ 21.00	=	\$ \$ \$	-		\$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		CY SY SY SY	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00		\$ \$ \$	- - - -		\$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		CY SY SY SY Tons	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00	=	\$ \$ \$ \$	-		\$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		CY SY SY SY Tons	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00	= =	\$ \$ \$ \$ \$	- - - -		\$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	K	CY SY SY SY Tons SF EA	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = =	\$ \$ \$ \$ \$ \$	- - - - - -		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	K	CY SY SY Tons SF EA EA	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00	= = =	\$ \$ \$ \$ \$ \$	- - - - -		\$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	K	CY SY SY SY Tons SF EA EA SF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = = gn quar	s s s s s tities	- - - - - - -		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	K	CY SY SY SY Tons SF EA EA SF SF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add sig	= = gn quar	\$ \$ \$ \$ \$ \$	- - - - - - -	emove qu	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	K	CY SY SY SY Tons SF EA EA SF SF EA	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00	= = gn quar	s s s s s tities	Re		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I	K	CY SY SY SY Tons SF EA SF EA SF EA SF EA	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor integrand no	= = gn quar rsection trucks	s s s s s tities	Re	commor	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	K	CY SY SY Tons SF EA SF EA SF EA LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add sig	= = gn quar rsection trucks	s s s s s tities	Re		\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	K	CY SY SY SY Tons SF EA SF EA SF EA SF EA	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor integrand no	= = gn quar rsection trucks	s s s s otities n ahead	Re for de	commor velopme	s - s - s - s - s - s - s - s - s - s -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	150	CY SY SY Tons SF EA EA SF EA LF LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor integrand no allowed	gn quarrsection trucks	s s s s s n ahead	Re for de tho	commor velopme se are p	s - s - s - s - s - s - s - s - s - s -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	150	CY SY SY Tons SF EA EA SF EA LF LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add sig for inte and no allowed	gn quarrsection trucks	s s s s titities n ahead	Re for de tho	commor velopme	s - s - s - s - s - s - s - s - s - s -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	150	CY SY SY Tons SF EA EA LF LF LF SY	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor integrated and no allowed \$ 32.00 \$ 53.00	in quar rsection trucks	s s s s s n ahead	Re for de tho	commor velopme se are p	s - s - s - s - s - s - s - s - s - s -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	150	CY SY SY Tons SF EA EA LF LF LF SY SY	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 99.00 \$ 333.00 Add signor interpolation and no allowed \$ 32.00 \$ 53.00 \$ 66.00 \$ 80.00	in quar rsection trucks I.	s s s s s n ahead	Re for de tho	commor velopme se are p	s - s - s - s - s - s - s - s - s - s -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	150	CY SY SY Tons SF EA EA LF LF LF SY SY	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 99.00 \$ 333.00 Add signor interpolation and no allowed \$ 32.00 \$ 53.00 \$ 66.00 \$ 80.00	in quar rsection trucks I.	s s s s n ahead	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor interpolation and no allowed \$ 32.00 \$ 53.00 \$ 66.00 \$ 80.00 \$ 1,273	in quarresction trucks	s s s ntities n ahead	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 333.00 Add sig for inte and no allowed \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 1,273 \$ 102	n quarrsection trucks	s s s nahead s s ved. Provi	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		CY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 333.00 Add sig for inte and no allowed \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 1,273 \$ 102	n quarrsection trucks	s s s ntities n ahead	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		CY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 333.00 Add sig for inte and no allowed \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 1,273 \$ 102	n quarrsection trucks	s s s nahead s s ved. Provi	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase		CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 99.00 \$ 333.00 Add signary of the second of	n quarrsection trucks	s s s nahead s s ved. Provi	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 99.00 \$ 333.00 Add sig for inte and no allowed \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 1,639 \$ 1,639 \$ 55	n quar rsection trucks d.	s s s n ahead s ved. Provi	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 333.00 Add sig for inte and no allowed \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 102 \$ 1,639 \$ 55 \$ 80.00	n quarrsection trucks d.	s s s nahead s ved. Provi c quanties OW areas	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage		CY SY SY Tons SF EA EA LF LF LF SY SY EA LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 97.00 \$ 933.00 Add sig for inte and no allowed \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 102 \$ 1,639 \$ 55 \$ 80.00 \$ 80.00 \$ 1,639 \$ 55 \$ 80.00 \$ 2,324.00	m quarrection trucks d.	s s s s nahead s ved. Provi c quanties OW areas	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator		CY SY SY SY Tons SF EA SF EA LF LF LF LF LF LF SY SY SY EA LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor interpolation and no allowed \$ 32.00 \$ 53.00 \$ 66.00 \$ 80.00 \$ 106 \$ 1,273 \$ 67 \$ 102 \$ 163 \$ 55.00 \$ 80.00 \$ 80.00 \$ 1,273 \$ 67 \$ 102 \$ 1,639 \$ 55 \$ 80.00 \$ 4,172.00	m quarrection trucks d.	s s s natities nahead s s ved. Provi c quanties OW areas	Re for de tho implessed	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		CY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF SY SY SY LF	\$ 56.00 \$ 16.00 \$ 21.00 \$ 32.00 \$ 97.00 \$ 9.00 \$ 333.00 Add signor interpolation and no allowed and no allowed allowe	In quar rsection trucks d.	s s s s s n ahead s ved. Provi c quanties OW areas	Re for de tho	commor velopme se are p	\$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ - \$ -

PROJECT INFORMATION						
Struthers Ranch Polaris Site Development	10/21/2022	PPR2248				
Project Name	Date	PCD File No.				

escription	Quantity Units Cost					Total	(with Pre-Plat Construction) % Complete Remaining		
				=	\$	-		\$ -	
[insert items not listed but part of construction plans]				=	\$	-		\$ -	
TORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$	-		\$ -	
18" Reinforced Concrete Pipe		LF	\$ 70.00	=	\$	-		\$ -	
24" Reinforced Concrete Pipe		LF	\$ 83.00	=	\$	-		\$ -	
30" Reinforced Concrete Pipe		LF	\$ 104.00	=	\$	-		\$ -	
36" Reinforced Concrete Pipe		LF	\$ 128.00	=	\$	-		\$ -	
42" Reinforced Concrete Pipe		LF	\$ 171.00	=	\$	-		\$	
48" Reinforced Concrete Pipe		LF	\$ 209.00	=	\$	-		\$	
54" Reinforced Concrete Pipe		LF	\$ 272.00	=	\$	-		\$ -	
60" Reinforced Concrete Pipe		LF	\$ 319.00	=	\$	-		\$ -	
66" Reinforced Concrete Pipe		LF	\$ 368.00	=	\$	-		\$ -	
72" Reinforced Concrete Pipe		LF	\$ 421.00	=	\$	-		\$ -	
18" Corrugated Steel Pipe		LF	\$ 90.00	=	\$	-		\$ -	
24" Corrugated Steel Pipe		LF	\$ 103.00	=	\$	-		\$ -	
30" Corrugated Steel Pipe		LF	\$ 131.00	=	\$	-		\$ -	
36" Corrugated Steel Pipe		LF	\$ 157.00	=	\$	-		\$ -	
42" Corrugated Steel Pipe		LF	\$ 180.00	=	\$	-		\$ -	
48" Corrugated Steel Pipe		LF	\$ 190.00	=	\$	-		\$ -	
54" Corrugated Steel Pipe		LF	\$ 278.00	=	\$	-		\$ -	
60" Corrugated Steel Pipe		LF	\$ 300.00	=	\$	-		\$ -	
66" Corrugated Steel Pipe		LF	\$ 364.00	=	\$	-		\$ -	
72" Corrugated Steel Pipe		LF	\$ 428.00	=	\$	_		\$ -	
78" Corrugated Steel Pipe		LF	\$ 492.00	=	\$	_		\$ -	
84" Corrugated Steel Pipe		LF	\$ 588.00	=	\$	_		\$ -	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	300.00	=	\$	-		\$ -	
Flared End Section (FES) CSP Size =				=	4	_		\$ -	
(unit cost = 6x pipe unit cost)		EA		_	\$				
End Treatment- Headwall		EA		=	\$	-		\$ -	
End Treatment- Wingwall		EA		=	\$	-		\$ -	
End Treatment - Cutoff Wall		EA		=	\$	-		\$ -	
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 6,138.00	=	\$	-		\$ -	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$ 7,981.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 9,242.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 8,447.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,706.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,898.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,984.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,775.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,876.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 11,706.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 12,920.00	=	\$	-		\$ -	
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,138.00	=	\$	-		\$ -	
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,347.00	=	\$	-		\$.	
Storm Sewer Manhole, Box Base		EA	\$ 12,876.00	=	\$	-		\$	
Storm Sewer Manhole, Slab Base		EA	\$ 7,082.00	=	\$	-		\$.	
Geotextile (Erosion Control)		SY	\$ 7.00	=	\$	-		\$.	
Rip Rap, d50 size from 6" to 24"		Tons	\$ 89.00	=	\$	-		\$	
Rip Rap, Grouted		Tons	\$ 105.00	=	\$	-		\$.	
Drainage Channel Construction, Size (W x H)		LF	\$ -	=	\$	-		\$.	
Drainage Channel Lining, Concrete		CY	\$ 631.00	=	\$	-		\$ -	
Drainage Channel Lining, Rip Rap		CY	\$ 124.00	=	\$	-		\$ -	
Drainage Channel Lining, Grass		AC	\$ 1,626.00		\$	-		\$ -	
Drainage Channel Lining, Other Stabilization			7 2,020.00		\$			\$	
Drainage Chainor Enning, Other Chabinzation					\$			\$ -	
[insert items not listed but part of construction plans]					\$	-		\$	
					T				

PROJECT INFORMATION							
Struthers Ranch Polaris Site Development	10/21/2022	PPR2248					
Project Name	Date	PCD File No.					

				Unit			(with Pro	e-Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	VEMENTS (Priv	ate or Dis	trict	t and NO	T Mainta	ined by EPC)**		
ROADWAY IMPROVEMENTS								
					=	\$ -		\$
					=	\$ -		\$
					=	\$ -		\$
					=	\$ -		\$
					=	\$ -		\$
					=	\$ -		\$
STORM DRAIN IMPROVEMENTS (Exce	otion: Permanent Por	nd/BMP shall	be ite	mized unde	r Section 1)			<u> </u>
(2.00					=	\$ -		\$
					=	\$ -		\$
					_	\$ -		\$
					=	\$ -		\$
					_	\$ -		\$
					_	\$ -		\$
WATER SYSTEM IMPROVEMENTS						Ψ		4
Water Main Pipe (PVC), Size 8"		LF	\$	71.00	=	\$ -		\$
Water Main Pipe (Ductile Iron), Size 8"		LF	Ś	83.00	=	\$ -		\$
Gate Valves, 8"		EA	\$	2,058.00	=	\$ -		\$
Fire Hydrant Assembly, w/ all valves		EA	\$	7,306.00	_	\$ -		\$
Water Service Line Installation, inc. tap and valves		EA	Ś	1,466.00	=	\$ -		\$
Fire Cistern Installation, complete		EA	Ť	2, 100.00	=	\$ -		\$
, no distant motalitation, complete					_	\$ -		\$
[insert items not listed but part of construction plans]					_	\$ -		\$
SANITARY SEWER IMPROVEMENTS						Ψ		4
Sewer Main Pipe (PVC), Size 8"		LF	Ś	71.00	=	\$ -		\$
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,858.00	=	\$ -		\$
Sanitary Service Line Installation, complete		EA		1,553.00	_	\$ -		\$
Sanitary Sewer Lift Station, complete		EA	Ť	2,555.00	_	\$ -		\$
Sama, Serior Ent Oldson, complete						\$ -		\$
[insert items not listed but part of construction plans]						\$ -		\$
LANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific condition	n of a	ipproval or		Т		т
, , , , , , , , , , , , , , , , , , , ,	(. s. subdivision spi	EA	. or a	.pprovai, or	=	\$ -		\$
		EA				\$ -		\$
		EA				\$ -		\$
		EA			_	\$ -		\$
		EA				\$ -		\$
* - Section 3 is not subject to defect warranty requirements			n ?	Subtotal	=	\$ -		\$ -

PROJECT INFORMATION						
Struthers Ranch Polaris Site Development	10/21/2022	PPR2248				
Project Name	Date	PCD File No.				

			Unit				(with Pre	-Plat (Construction)
Description	Quantity	Units	Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Pe	rmanent WQCV BMPs)	LS	\$ 1,500.00	=	\$	1,500.00		\$	1,500.00
POND/BMP CERTIFICATION (inc. elevations an	d volume calculations)	LS	\$ 1,500.00	=	\$	1,500.00		\$	1,500.00
				To	tal Const	ruction Financia	l Assurance	4	107 890 45

fotal Construction Financial Assurance \$ 107,890.45

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \$_\$ 107,890.45

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

Total Defect Warranty Financial Assurance \$ 16,632.60

(20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown or	n the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date