2023 Financial Assurance Estimate Form

(with pre-plat construction)

(with pre-plat construction)		Updated: 12/8/2022
	PROJECT INFORMATION	
WWSD Upper West to East Transmission Line	1/24/2023	CDR-2218
Project Name	Date	PCD File No.

				Jnit						onstruction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTRO	OL (Constructio	n and Pern	nanent l	BMPs)						
Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min	3,803	CY	\$	6.00	=	\$	22,818.00		\$	22,818.0
5,001-20,000; \$30,000 min	,	CY	\$	5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	_		\$	
		CY	\$	2.50					\$	
50,001-200,000; \$175,000 min			-		=	\$				
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanket		SY	\$	8.00	=	\$	-		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	5.6	AC	\$ 1,	,875.00	=	\$	10,500.00		\$	10,500.0
Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
Concrete Washout Basin		EA	\$ 1,	,089.00	=	\$	-		\$	-
Inlet Protection	4	EA	_	202.00	=	\$	808.00		\$	808.0
Rock Check Dam	·	EA		605.00	=	\$	-		\$	-
		LF	\$							
Safety Fence				3.00	=	\$	-		\$	-
Sediment Basin		EA		,132.00	=	\$	-		\$	-
Sediment Trap		EA	\$	500.00	=	\$	-		\$	-
Silt Fence	1,000	LF	\$	3.00	=	\$	3,000.00		\$	3,000.0
Slope Drain		LF	\$	40.00		\$	-		\$	-
Straw Bale		EA	\$	31.00	=	\$	-		\$	_
Straw Wattle/Rock Sock	50	LF	\$	7.00		\$	350.00		\$	350.0
						-				
Surface Roughening	5.6	AC		250.00		\$	1,400.00		\$	1,400.0
Temporary Erosion Control Blanket	10,695	SY	\$	3.00	=	\$	32,085.00		\$	32,085.0
Temporary Seeding and Mulching		AC		,666.00	=	\$	-		\$	-
Vehicle Tracking Control	2	EA	\$ 2,	,867.00	=	\$	5,734.00		\$	5,734.0
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$			\$	_
	NTENANCE (35%	of Constr	uction I	BMDc)	=	\$	15,181.95		\$	15,181.9
	TIENANCE (35%	o oi consti	uction	DIMPS)	_	P	13,101.93		Þ	13,101.5
- Subject to defect warranty financial assurance. A minimum of 20% shall e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Soctio	n 1 Su	ibtotal	=	\$	91,876.95		\$	91,876.9
e retained until linal acceptance (MAXIMUM OF 80% COMPLETE						3			30	
LLOWED)			.	antota.			5-,010.50		т	5 = , 6 7 6 15 1
,			,,, , ou	abtotui		<u> </u>	52,010.00		Т.	32,070.5
SECTION 2 - PUBLIC IMPROVEMENTS *		000		abtotal			22,020.00		т .	5 1/07 0.50
SECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS				abtotui						•
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS CONSTRUCTION Traffic Control		LS			=	\$	-		\$	-
ECTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control			\$	34.00						•
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS			=	\$	-		\$	-
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS Tons	\$	34.00	=	\$ \$			\$ \$ \$	- -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)		LS Tons CY	\$ \$	34.00 61.00 17.00	=	\$ \$ \$	- - - -		\$ \$ \$	- - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY	\$ \$ \$ \$	34.00 61.00 17.00 23.00	=	\$ \$ \$ \$	- - - - -		\$ \$ \$ \$	- - - - -
CONTROL OF THE PROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY	\$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00	= =	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	- - - - - -
COADWAY IMPROVEMENTS CONSTRUCTION 7 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		LS Tons CY SY SY SY Tons	\$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00	= =	\$ \$ \$ \$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$	- - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		LS Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		LS Tons CY SY SY SY Tons	\$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00	= =	\$ \$ \$ \$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$	- - - - -
CONTROL 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
COADWAY IMPROVEMENTS CONSTRUCTION 7 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$	- - - - - - - -
CONTROL OF THICK THICK THE RESULT OF THE RES		LS Tons CY SY SY SY Tons SF EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		LS Tons CY SY SY SY Tons SF EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
COADWAY IMPROVEMENTS COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type I		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY Tons SF EA EA SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00 35.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - -
COADWAY IMPROVEMENTS CONSTRUCTION 7 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type I		LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * COADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY Tons SF EA EA SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00 35.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		LS Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
COADWAY IMPROVEMENTS CONSTRUCTION T arffic Control Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		LS Tons CY SY SY SY Tons EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
COADWAY IMPROVEMENTS CONSTRUCTION 1 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONTROLLE OF THE PROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raissed Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 10.00 364.00 16.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 35.00 35.00 35.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 35.00 35.00 35.00 35.00 72.00 116.00 ,390.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aspgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 35.00 35.00 35.00 35.00 72.00 116.00 ,390.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONTUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 35.00 35.00 37.00 111.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
CONTUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase		LS Tons CY SY SY SY Tons EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 72.00 87.00 116.00 390.00 111.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CONTUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 241.00 29.00 35.00 36.		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
CTTON 2 - PUBLIC IMPROVEMENTS OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphage Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Crors Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 72.00 87.00 116.00 ,390.00 73.00 111.00 ,790.00 60.00 87.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
CTTON 2 - PUBLIC IMPROVEMENTS OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		LS Tons CY SY SY SY Tons SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 28.00 241.00 35.00 35.00 35.00 35.00 35.00 35.00 372.00 116.00 ,390.00 73.00 111.00 ,790.00 60.00 87.00 87.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	- - - - - - - - - - - - - - - - - - -
CTTON 2 - PUBLIC IMPROVEMENTS OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 72.00 87.00 116.00 ,390.00 73.00 111.00 ,790.00 60.00 87.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
CTTON 2 - PUBLIC IMPROVEMENTS OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 28.00 241.00 35.00 35.00 35.00 35.00 35.00 35.00 372.00 116.00 ,390.00 73.00 111.00 ,790.00 60.00 87.00 87.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aspgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 35.00 37.00 111.00 73.00 111.00 73.00 111.00 73.00 111.00 73.00 111.00 73.00 110.00 60.00 87.00 97.00 97.00 97.00 97.00 97.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	
CONTUCTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 72.00 87.00 116.00 ,390.00 73.00 111.00 ,790.00 60.00 87.00 87.00 87.00 60.00 538.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			* * * * * * * * * * * * * * * * * * * *	

PROJECT INFORMATION							
WWSD Upper West to East Transmission Line	t Transmission Line 1/24/2023 CI						
Project Name	Date	PCD File No.					

escription Quantity			Unit Cost		Total	(with Pre-Plat Construction) % Complete Remaining		
				=	\$ -		\$ -	
[insert items not listed but part of construction plans]				=	\$ -		\$ -	
TORM DRAIN IMPROVEMENTS								
Concrete Box Culvert (M Standard), Size (W x H)		LF		=	\$ -		\$ -	
18" Reinforced Concrete Pipe		LF	\$ 76.00	=	\$ -		\$ -	
24" Reinforced Concrete Pipe		LF	\$ 91.00	=	\$ -		\$ -	
30" Reinforced Concrete Pipe		LF	\$ 114.00	=	\$ -		\$ -	
36" Reinforced Concrete Pipe		LF	\$ 140.00	=	\$ -		\$ -	
42" Reinforced Concrete Pipe		LF	\$ 187.00	=	\$ -		\$ -	
48" Reinforced Concrete Pipe		LF	\$ 228.00	=	\$ -		\$ -	
54" Reinforced Concrete Pipe		LF	\$ 297.00	=	\$ -		\$ -	
60" Reinforced Concrete Pipe		LF	\$ 348.00	=	\$ -		\$ -	
66" Reinforced Concrete Pipe		LF	\$ 402.00	=	\$ -		\$ -	
72" Reinforced Concrete Pipe		LF	\$ 460.00	=	\$ -		\$ -	
18" Corrugated Steel Pipe		LF	\$ 98.00	=	\$ -		\$ -	
24" Corrugated Steel Pipe		LF	\$ 112.00	=	\$ -		\$ -	
30" Corrugated Steel Pipe		LF	\$ 143.00	=	\$ -		\$ -	
36" Corrugated Steel Pipe		LF	\$ 171.00	=	\$ -		\$ -	
42" Corrugated Steel Pipe		LF	\$ 197.00	=	\$ -		\$ -	
48" Corrugated Steel Pipe		LF	\$ 207.00	=	\$ -		\$ -	
54" Corrugated Steel Pipe		LF	\$ 304.00	=	\$ -		\$ -	
60" Corrugated Steel Pipe		LF	\$ 328.00	=	\$ -		\$ -	
66" Corrugated Steel Pipe		LF	\$ 397.00	=	\$ -		\$ -	
72" Corrugated Steel Pipe		LF	\$ 467.00	=	\$ -		\$ -	
78" Corrugated Steel Pipe		LF	\$ 537.00	=	\$ -		\$ -	
84" Corrugated Steel Pipe		LF	\$ 642.00	=	\$ -		\$ -	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -	
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -	
End Treatment- Headwall		EA		=	\$ -		\$ -	
End Treatment- Headwall End Treatment- Wingwall		EA			\$ -		\$ -	
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -	
		EA	¢ 6.702.00		- ·			
		EA	\$ 6,703.00 \$ 8,715.00	=	Ψ		Ψ	
Curb Inlet (Type R) L=5', 5'≤ Depth < 10'		EA		=	Ψ		Ψ	
Curb Inlet (Type R) L =5', 10'≤ Depth < 15'		EA	\$ 10,092.00	=	Ψ		\$ -	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 9,224.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =10', 5'≤ Depth < 10'			\$ 9,507.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =10', 10'≤ Depth < 15'		EA	\$ 11,901.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 11,995.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =15', 5'≤ Depth < 10'		EA	\$ 12,858.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =15', 10'≤ Depth < 15'		EA	\$ 14,061.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 12,783.00	=	\$ -		\$ -	
Curb Inlet (Type R) L =20', 5'≤ Depth < 10'		EA	\$ 14,109.00	=	\$ -		\$ -	
Grated Inlet (Type C), Depth < 5'		EA	\$ 5,611.00	=	\$ -		\$ -	
Grated Inlet (Type D), Depth < 5'		EA	\$ 6,931.00	=	\$ -		\$ -	
Storm Sewer Manhole, Box Base		EA	\$ 14,061.00	=	\$ -		\$ -	
Storm Sewer Manhole, Slab Base		EA	\$ 7,734.00	=	-		\$ -	
Geotextile (Erosion Control)		SY	\$ 8.00	=	-		\$ -	
Rip Rap, d50 size from 6" to 24"		Tons	\$ 97.00	=	\$ -		\$ -	
Rip Rap, Grouted		Tons	\$ 115.00	=	\$ -		\$ -	
Drainage Channel Construction, Size (W x H)		LF	\$ -	=	\$ -		\$ -	
Drainage Channel Lining, Concrete		CY	\$ 689.00	=	\$ -		\$ -	
Drainage Channel Lining, Rip Rap		CY	\$ 135.00	=	\$ -		\$ -	
Drainage Channel Lining, Grass		AC	\$ 1,776.00	=	\$ -		\$ -	
Drainage Channel Lining, Other Stabilization				=	\$ -		\$ -	
				=	\$ -		\$ -	
[insert items not listed but part of construction plans]				=	\$ -		\$ -	
 Subject to defect warranty financial assurance. A minimum of 20% shaer retained until final acceptance (MAXIMUM OF 80% COMPLETE 	III	Section	n 2 Subtotal	=	\$ -		\$ -	

PROJECT INFORMATION							
WWSD Upper West to East Transmission Line 1/24/2023 CDR-2218							
Project Name	Date	•	PCD File No.				

				Unit			(with Pre	-Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (PI	rivate or D	istr	ict and N	NOT Main	tained by EPC)**		
ROADWAY IMPROVEMENTS								
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
STORM DRAIN IMPROVEMENTS (Except	ion: Permanent Por	nd/BMP shall l	be ite	emized und	er Section 1)		
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
WATER SYSTEM IMPROVEMENTS	1	'						
Water Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$ -		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	91.00	=	\$ -		\$ -
Gate Valves, 8"		EA	\$	2,247.00	=	\$ -		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	7,978.00	=	\$ -		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,601.00	=	\$ -		\$ -
Fire Cistern Installation, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans]					=	\$ -		\$ -
SANITARY SEWER IMPROVEMENTS								
Sewer Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$ -		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,305.00	=	\$ -		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,696.00	=	\$ -		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans]					=	\$ -		\$ -
LANDSCAPING IMPROVEMENTS	For subdivision spe	ecific condition	of a	approval, or	PUD)			
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
** - Section 3 is not subject to defect warranty requirements		Sectio	n 3	Subtotal	=	\$ -		\$ -

PROJECT INFORMATION							
WWSD Upper West to East Transmission Line	1/24/2023	CDR-2218					
Project Name	Date	PCD File No.					

			Unit				(with Pre	-Plat (Construction)
Description	Quantity	Units	Cost		Tota	ı	% Complete		Remaining
AS-BUILT PLANS (Public Improvements	inc. Permanent WQCV BMPs)	LS		=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevation)	ons and volume calculations)	LS		=	\$	-		\$	-
			(0 ()		I Construction				31/07 0.30
			`	ction subto	tals plus as-builts a	ind pond/B	MP certification)	T	91,876.95
	Total Remair	ing Constr	`	ction subto		ind pond/B	MP certification)	T	91,876.95
		_	uction Finar	ction subto	tals plus as-builts a	ind pond/B	MP certification) onstruction)	\$	•
		_	uction Finar	ction subtor	tals plus as-builts a	nd pond/B re-Plat C and pond/B	MP certification) onstruction) MP certification)	\$,

on the Grading and Erosion Control Plan and Construction Drawings associated with the Project. $ \\$
4/00/0000
1/30/2023
Date
Date