



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
COLORADO SPRINGS, CO 80907
PHONE (719) 531-5599
FAX (719) 531-5238

**WASTEWATER (OWTS) STUDY
THE RETREAT AT TIMBERRIDGE, FILING 2
VOLLMER ROAD AND ARROYA LANE
EL PASO COUNTY, COLORADO**

Prepared for

TimberRidge Development Group, LLC
2138 Flying Horse Club Drive
Colorado Springs, Colorado 80921

Attn: Loren Moreland

April 26, 2021
Revised October 29, 2021

Respectfully Submitted,

ENTECH ENGINEERING, INC.

Logan L. Langford, P.G.
Geologist

LLL/am

Encl.

Entech Job No. 211066
AAprojects/2021/211066 county ww(owts)

Reviewed by

Joseph C.
Goode, Jr., P.E.
President




TABLE OF CONTENTS

1.0 SUMMARY 3
2.0 GENERAL SITE CONDITIONS AND PROJECT DESCRIPTION..... 4
3.0 SCOPE OF THE REPORT 5
4.0 FIELD INVESTIGATION..... 5
5.0 SOIL, GEOLOGY AND ENGINEERING GEOLOGY 6
 5.1 General Geology 6
 5.2 Soil Conservation Survey 6
 5.3 Site Stratigraphy 7
 5.4 Soil Conditions..... 8
6.0 GROUNDWATER/DRAINAGE AREAS..... 9
7.0 ON-SITE WASTEWATER TREATMENT..... 10
8.0 CLOSURE 12
BIBLIOGRAPHY 13

TABLES

- Table 1: Summary of Laboratory Test Results
- Table 2: Tactile Test Pit Results

FIGURES

- Figure 1: Vicinity Map
- Figure 2: USGS Map
- Figure 3: Preliminary Concept Plan
- Figure 4: Development Plan/Test Boring Location Map
- Figure 5: Soil Survey Map
- Figure 6: Falcon NW Quadrangle Geology Map
- Figure 7: Geology Map/Engineering Geology
- Figure 8: Floodplain Map
- Figure 9: Septic Suitability Map

- APPENDIX A: Site Photographs
- APPENDIX B: Test Boring and Test Pit Logs
- APPENDIX C: Laboratory Test Results
- APPENDIX D: Soil Survey Descriptions

**WASTEWATER (OWTS) STUDY
THE RETREAT AT TIMBERRIDGE, FILING 2
VOLLMER ROAD AND ARROYA LANE
EL PASO COUNTY, COLORADO**

1.0 SUMMARY

Project Location

The project lies in portions of the SE¼ of Section 21, SW¼ of Section 22, W½ of Section 27, and NE¼ of Section 28, Township 12 South, Range 65 West of the 6th Principal Meridian in El Paso County, Colorado. The site is located approximately three miles northeast of Colorado Springs, Colorado.

Project Description

Total acreage involved in the TimberRidge project is approximately two hundred and thirty-seven acres. Filing 2 consists of 75.8 acres. Filing 2 development includes ninety single-family residential lots. Seventy-eight urban residential lots and twelve 2.5+ acres rural residential lots are proposed. The development will utilize municipal sewer and water on seventy-eight urban residential lots, and individual water wells and on-site wastewater treatment systems on twelve rural 2.5+ acre lots. The 78 urban lots will be serviced by the Sterling Ranch Sewer and Water Districts.

Scope of Report

This report presents the results of our wastewater (OWTS) evaluation for the 12 rural, residential lots.

Land Use and Engineering Geology

This site was found to be suitable for the proposed development. The site conditions are acceptable for onsite wastewater systems. Areas were encountered where the geologic conditions will impose some constraints on development and land use. These include areas of

shallow bedrock, expansive soils, artificial fill, downslope creep, erosion, floodplain, ponded water, shallow groundwater, seasonal shallow groundwater and potentially seasonally shallow groundwater areas. Based on the proposed development plan, it appears that these areas will have some impact on the development. These conditions will be discussed in greater detail in the report.

In general, it is our opinion that the development can be achieved if the observed geologic conditions on site are either avoided or properly mitigated. All recommendations are subject to the limitations discussed in the report.

2.0 GENERAL SITE CONDITIONS AND PROJECT DESCRIPTION

The site is located in portions of the SE $\frac{1}{4}$ of Section 21, SW $\frac{1}{4}$ of Section 22, W $\frac{1}{2}$ of Section 27, and NE $\frac{1}{4}$ of Section 28, Township 15 South, Range 65 West of the 6th Principal Meridian in El Paso County, Colorado. The site is located approximately three miles northeast of Colorado Springs, Colorado, at Vollmer Road and Arroya Lane. The location of the site is as shown on the Vicinity Map, Figure 1.

The topography of the site is generally gradually to moderately sloping to the south, with moderate to steep slopes along Sand Creek. The drainages on site flow in a southerly direction through the central portion of the site. Ponds are located on the site, over all TimberRidge, one north of Arroya Lane outside of the proposed residential development, and one located along the eastern side of Parcel C. Water was observed in Sand Creek and the ponds, other drainages on the site were dry at the time of this investigation. The site boundaries are indicated on the USGS Map, Figure 2. Previous land uses have included grazing and pasture land. The site contains primarily field grasses, weeds, cacti, and yuccas, with areas of scattered trees along Sand Creek, and ponderosa pine trees located across the northwest portion of the site. Site photographs, taken February 10, and March 9, 2017, are included in Appendix A.

Total acreage involved in Filing 2 is approximately 75.8 acres. Ninety single-family residential lots are proposed. The development will consist of twelve larger, rural two and half acre sized lots in the northern and northwestern portions of the development and seventy-eight urban lots in the eastern and southern portions of the development to the east of Sand Creek. The urban

lots will be serviced by municipal sewer and water (Sterling Ranch Sewer and Water Districts). The two and half acre lots will have individual water wells and on-site wastewater treatment systems. Open space is proposed along Sand Creek. Overlot grading is anticipated across a majority of the site to develop the roads and lots. The Preliminary Concept Plan and the Development Plan is presented in Figures 3 and 4.

3.0 SCOPE OF THE REPORT

The scope of the report will include the following:

- OWTS Tactile test pits to evaluate the site for onsite wastewater systems. Test borings to evaluate general soil conditions were also completed.

4.0 FIELD INVESTIGATION

Thirteen Test Borings were drilled on the site to determine general soil and bedrock characteristics. Six Test Pits (tactile pits) were excavated to evaluate the use of individual on-site wastewater treatment systems. The locations of the test borings and test pits are indicated on the Development Plan/Test Boring Location Map, Figure 4. The Test Boring Logs are presented in Appendix B. Results of this testing will be discussed later in this report.

Laboratory testing was also performed on some of the soils to classify and determine the soils engineering characteristics. Laboratory tests included grain-size analysis ASTM D-422, Atterberg Limits ASTM D-4318, volume change testing using FHA Swell and Swell/Consolidation test. Sulfate testing was performed on select samples to evaluate potential for below grade concrete degradation due to sulfate attack. Results of the laboratory testing are included in Appendix C. A Summary of Laboratory Test Results is presented in Table 1. Results of the tactile test pits are presented in Table 2.

Our field investigation for the soils, geology, and geologic hazard report consisted of the preparation of a geologic map of any bedrock features and significant surficial deposits. The soils and geology report was also used in this OWTS evaluation. The Natural Resource Conservation Service (NRCS), previously the Soil Conservation Service (SCS) survey was also

reviewed to evaluate the site. The position of mappable units within the subject property are shown on the Geologic Map. Our mapping procedures involved both field reconnaissance and measurements and air photo reconnaissance and interpretation. The same mapping procedures have also been utilized to produce the Engineering Geology Map which identified pertinent geologic conditions affecting development.

5.0 SOIL, GEOLOGY AND ENGINEERING GEOLOGY

5.1 General Geology

Physiographically, the site lies in the western portion of the Great Plains Physiographic Province. Approximately twelve miles to the west is a major structural feature known as the Rampart Range Fault. This fault marks the boundary between the Great Plains Physiographic Province and the Southern Rocky Mountain Province. The site exists within the southeastern edge of a large structural feature known as the Denver Basin. Bedrock in the area tends to be very gently dipping in a northeasterly direction (Reference 1). The rocks in the area of the site are sedimentary in nature and typically Upper Cretaceous in age. The bedrock underlying the site consists of the Dawson Formation. Overlying this formation are unconsolidated deposits of man-made, and alluvial soils of Quaternary Age. The alluvial soils were deposited by water on site and as stream terraces along Sand Creek and the drainages located on the site. Man-made soils exist as fill piles located in the southern portion of the site. The site's stratigraphy will be discussed in more detail in Section 5.3.

5.2 Soil Conservation Survey

The Natural Resource Conservation Service (Reference 2), previously the Soil Conservation Service (Reference 3) has mapped three soil types on the site (Figure 4). In general, the soils classify as coarse sandy loam. The soils are described as follows:

<u>Type</u>	<u>Description</u>
71	Pring Coarse Sandy Loam, 3 to 8% slopes

Complete descriptions of each soil type are presented in Appendix D. The soils have generally been described to have moderate to moderately rapid permeabilities. Possible hazards with soil

erosion are present on the site. The erosion potential can be controlled with vegetation. The majority of the soils have been described to have slight to moderate erosion hazards.

5.3 Site Stratigraphy

The Falcon NW Quadrangle Geology Map showing the site is presented in Figure 6 (Reference 4). The Geology Map prepared for the site is presented in Figure 7. Five mappable units were identified on this site which are described as follows:

- Qaf Artificial Fill of Holocene Age:** These are recent deposits of man-made fill. They are associated with the three man-made dams located across the site.
- Qal Recent alluvium of Holocene Age:** These are recent deposits that have been deposited along Sand Creek and the other drainages on-site.
- Qay2 Young alluvium two of Holocene Age:** These materials consist of water deposited alluvium, typically classified as a silty to well-graded sand, brown to dark brown in color and of moderate density.
- Qam Middle alluvium of Holocene to Pleistocene Age:** These materials consist of lower stream terrace deposits. The alluvium typically consists of silty to clayey gravelly sands.
- Tkd Dawson Formation of Tertiary to Cretaceous Age:** The Dawson Formation typically consisted of arkosic sandstone with interbedded fine-grained sandstone, siltstone and claystone. Overlying this formation is a variable layer of residual soil. The residual soils were derived from the in-situ weathering of the bedrock materials on-site. These soils consisted of silty to clayey sands and sandy clays.

The soils listed above were mapped from site-specific mapping, the *Geologic Map of the Falcon NW Quadrangle* distributed by the Colorado Geological Survey in 2003 (Reference 4), the *Geologic Map of the Colorado Springs-Castle Rock Area*, distributed by the US Geological Survey in 1979 (Reference 5), and the *Geologic Map of the Denver 1^o x 2^o Quadrangle*, distributed by the US Geological Survey in 1981 (Reference 6). The Test Borings and Profile Holes were also used in evaluating the site and are included in Appendix B. The Geology Map prepared for the site is presented in Figure 7.

5.4 Soil Conditions

The soils encountered in the Test Borings can be grouped into four general soil types. The soils were classified using the Unified Soil Classification System (USCS).

Soil Type 1 silty to slightly silty sand and very clayey sand (SM-SW, SM, SC), encountered in all of Test Borings at the existing ground surface and extending to depths ranging from 1 foot to 17 feet bgs. These soils were encountered at loose to dense states and at moist conditions. The majority of the soils were encountered and medium dense states. Samples tested had 9 to 41 percent passing the No. 200 Sieve. Atterberg Limits Testing resulted in the sand being non-plastic. Sulfate testing resulted in less than 0.01 to 0.01 percent sulfate by weight indicating the sand exhibits negligible potential for below grade concrete degradation.

Soil Type 2 sandy clay (CL), encountered in Test Boring Nos. 1, 2 and 7 at depths ranging from 2 to 14 feet bgs, and extending to depths ranging from 4 to 19 feet. These soils were encountered at very soft to stiff consistencies. Samples tested had 78 to 90 percent passing the No. 200 Sieve. Atterberg Limits Testing resulted in a liquid limit of 47 and a plastic index of 21. FHA Swell testing on samples of the sandy clay resulted in expansion pressures of 1520 to 1550 psf, indicating a moderate to high expansion potential. Sulfate testing resulted in less than 0.01 to 0.01 percent sulfate by weight indicating the clay exhibits negligible potential for below grade concrete degradation.

Soil Type 3 silty to slightly silty sandstone and clayey-silty sandstone (SM, SM-SW, SC-SM), encountered in all of Test Borings at depths ranging from 1 foot to 19 feet bgs and extending to the termination of the test borings (20 feet). The sandstone was encountered at dense to very dense states and at moist conditions. Samples tested had 9 to 24 percent passing the No. 200 Sieve. Atterberg Limits Testing resulted in the sandstone being non-plastic. Sulfate testing resulted in less than 0.01 percent sulfate by weight indicating the sandstone exhibits negligible potential for below grade concrete degradation.

Soil Type 4 sandy to very sandy claystone (CL), encountered in Test Boring Nos. 4 and 5 at depths ranging from 7 to 9 feet bgs and extending to depths ranging from 16 to 19 feet bgs. The claystone was encountered at hard consistencies and at moist conditions. Samples tested had

56 to 64 percent passing the No. 200 Sieve. Swell/Consolidation Testing resulted in expansions of 1 to 3.3 percent, which indicates the claystone exhibits a low to high expansion potential. Atterberg Limits Testing resulted in a liquid limit of 44 and a plastic index of 20.

The Test Boring Logs are presented in Appendix B. Laboratory Test Results are presented in Appendix C. A Summary of Laboratory Test Results is presented in Table 1.

6.0 GROUNDWATER/DRAINAGE AREAS

Groundwater was encountered in four of the test borings at depths ranging from 5 to 17.5 feet, water was not encountered in the remaining borings which were drilled to 20 feet. Areas of water, seasonal shallow groundwater water, and potential seasonal shallow groundwater have been mapped along the drainages on-site. These areas are discussed in the following section. Fluctuation in groundwater conditions may occur due to variations in rainfall and other factors not readily apparent at this time.

Groundwater and Floodplain Areas - constraint

Areas within the drainages on-site have been identified as areas of seasonally wet and/or seasonally high groundwater areas. Water was observed in the three ponds on-site, and flowing in Sand Creek. The majority of the drainages across the site were dry. The site is mapped within floodplain zones according to the FEMA Map No. 08041CO535G, Figure 8 (Reference 7). The floodplain area is to consist of open space/ park for the development. These areas are discussed as follows:

Seasonal Shallow Groundwater Area - constraint

In these areas, we would anticipate periodic high subsurface moisture conditions and frost heave potential on a seasonal basis. Additional, highly organic soils could be encountered in these areas. These areas lie within defined drainages, and it is anticipated they will be avoided by development and OWTS locations. Any structures in or adjacent to these areas should follow the mitigation discussed below.

Mitigation: Foundations must have a minimum 30-inch depth for frost protection. In areas where high subsurface moisture conditions are anticipated periodically, subsurface perimeter drains are recommended to help prevent the intrusion of water into areas below grade. Any grading in

these areas should be done to direct surface flow around construction to avoid areas of ponded water. Structures should not block drainages. All organic material should be completely removed prior to any fill placement. Finished floor levels must be located a minimum of one foot above floodplain levels.

Potentially Seasonal Shallow Groundwater Area - constraint

In these areas, we would anticipate the potential for periodically high subsurface moisture conditions, frost heave potential and highly organic soils. The majority of these areas lie within defined drainages which can likely be avoided by the proposed development. The same mitigation recommendations for the seasonal shallow groundwater areas apply to the potentially seasonal shallow groundwater areas.

Areas of Ponded Water - constraint

These are areas of standing water behind earthen dams on site. We would not expect development or OWTS systems in these areas. Either the dams can be avoided by construction or the areas may be completely regraded. Should complete regrading of the site be considered, all organic matter and soft, wet soils should be completely removed before filling. Any drainage into these areas should be rerouted in a non-erosive manner off of the site where it does not create areas of ponded water around proposed structures.

7.0 ON-SITE WASTEWATER TREATMENT

The site was evaluated for on-site wastewater treatment systems for the proposed lots in accordance with El Paso Land Development Code. Six (6) tactile test pits were performed across the larger lots. Test pits were located in anticipated locations of proposed on-site wastewater treatment system (OWTS) for the rural lots. The locations were chosen to determine a general understanding of the soil and bedrock conditions across the site. The results of the test pits are presented in Table 2. The approximate locations of the test pits are indicated on Figure 4 and 7, and on the Septic Suitability Map, Figure 9.

The Natural Resource Conservation Service (Reference 2), previously the Soil Conservation Service (Reference 3) has been mapped with three soil descriptions. The Soil Survey Map

(Reference 2) is presented in Figure 5, and the Soil Survey Descriptions are presented in Appendix D. The soils are described as having moderate to moderately rapid percolation rates.

Soils encountered in the tactile test pits consisted of loamy sand to gravelly loamy sand, sandy loam to gravelly sandy loam, sandy clay and silty clay with underlying clayey to silty sandstone. The limiting layers encountered in the test pits are the sandy loam, silty clay and silty to clayey sandstone, which corresponds to an LTAR values of 0.10 to 0.50 gallons per day per square foot. The bedrock was encountered at 5 to 7.5 feet in four of the test pits. The conditions encountered in the majority of the test pits will require a designed system. Signs of seasonal shallow groundwater were observed at depths 7 feet in Test Pit Nos. 3 and 5.

Absorption fields must be maintained a minimum of 4 feet above groundwater or bedrock. signs of seasonally occurring groundwater were observed in Test Pit Nos. 3 and 5 at depths of 7 feet.

In summary, it is our opinion the site is suitable for individual on-site wastewater treatment systems (OWTS) and that contamination of surface and subsurface water resources should not occur provided the OWTS sites are evaluated and installed according to El Paso County Guidelines and properly maintained. Based on the testing performed as part of this investigation and the type of project designed systems will likely be required for the majority of the lots. A Septic Suitability Map is presented in Figure 9. Absorption fields must be located a minimum of 100 feet from any well, including those on adjacent properties. Absorption fields must also be located a minimum of 50 feet from any ponded areas and 25 feet from dry gulches. It should be noted that additional testing will be required for the individual lots prior to construction.

8.0 CLOSURE

It is our opinion that the existing geologic engineering and geologic conditions are suitable for onsite wastewater systems. The proposed development and use are consistent with anticipated geologic and engineering geologic conditions.

It should be pointed out that because of the nature of data obtained by random sampling of such variable and non-homogeneous materials as soil and rock, it is important that we be informed of any differences observed between surface and subsurface conditions encountered in construction and those assumed in the body of this report. Individual investigations for building sites and absorption fields will be required prior to construction. Construction and design personnel should be made familiar with the contents of this report. Reporting such discrepancies to Entech Engineering, Inc. soon after they are discovered would be greatly appreciated and could possibly help avoid construction and development problems.

This report has been prepared for TimberRidge Development Group, LLC. for application to the proposed project in accordance with generally accepted geologic soil and engineering practices. No other warranty expressed or implied is made.

We trust that this report has provided you with all the information that you required. Should you require additional information, please do not hesitate to contact Entech Engineering, Inc.

BIBLIOGRAPHY

1. Bryant, Bruce; McGrew, Laura W, and Wobus, Reinhard A. 1981. *Geologic Structure Map of the Denver 1° x 2° Quadrangle, North-Central Colorado*. Sheet 2. U.S. Geologic Survey. Map I-1163.
2. Natural Resource Conservation Service, September 22, 2015. *Web Soil Survey*. United States Department Agriculture, <http://websoilsurvey.sc.egov.usda.gov/App/HomePage.htm>.
3. United States Department of Agriculture Soil Conservation Service. June 1981. *Soil Survey of El Paso County Area, Colorado*.
4. Madole, Richard F., 2003. *Geologic Map of the Falcon NW Quadrangle, El Paso County, Colorado*. Colorado Geological Survey. Open-File Report 03-8.
5. Trimble, Donald E. and Machette, Michael N. 1979. *Geologic Map of the Colorado Springs-Castle Rock Area, Front Range Urban Corridor, Colorado*. USGS, Map I-857-F.
6. Bryant, Bruce; McGrew, Laura W. and Wobus, Reinhard A. 1981. *Geologic Map of the Denver 1° x 2° Quadrangle, North-Central Colorado*. U.S. Geologic Survey. Map 1-1163.
7. Federal Emergency Management Agency. December 7, 2018. *Flood Insurance Rate Maps for El Paso County, Colorado and Incorporated Areas*. Map Number 08041CO535G
8. El Paso County Planning Development. December 1995. *El Paso County Aggregate Resource Evaluation Maps*.
9. Schwochow, S.D.; Shroba, R.R. and Wicklein, P.C. 1974. *Atlas of Sand, Gravel, and Quarry Aggregate Resources, Colorado Front Range Counties*. Colorado Geological Survey. Special Publication 5-B.
10. Keller, John W.; TerBest, Harry and Garrison, Rachel E. 2003. *Evaluation of Mineral and Mineral Fuel Potential of El Paso County State Mineral Lands Administered by the Colorado State Land Board*. Colorado Geological Survey. Open-File Report 03-07.

TABLES

TABLE 1
SUMMARY OF LABORATORY TEST RESULTS

CLIENT: TIMBERRIDGE DEVELOPMENT GROUP, LLC
 PROJECT: THE RETREAT AT TIMBERRIDGE, FILING 2
 JOB NO.: 211066


SOIL TYPE	TEST BORING NO.	DEPTH (FT)	WATER (%)	DRY DENSITY (PCF)	PASSING NO. 200 SIEVE (%)	LIQUID LIMIT (%)	PLASTIC INDEX (%)	SULFATE (WT %)	FHA SWELL (PSF)	SWELL/CONSOL (%)	UNIFIED CLASSIFICATION	SOIL DESCRIPTION
1	5	2-3			10.5						SM-SW	SAND, SLIGHTLY SILTY
1	6	5			41.3			0.01			SC	SAND, VERY CLAYEY
1	11	5			16.5						SM	SAND, SILTY
1	13	2-3			17.8						SM	SAND, SILTY
1	9	2-3			14.6	NV	NP				SM	SAND, SILTY
1	10	5			17.4			<0.01			SM	SAND, SILTY
1	2	10			9.2	NV	NP	<0.01			SM-SW	SAND, SLIGHTLY SILTY
2	1	2-3			77.5				1550		CL	CLAY, SANDY
2	2	4			86.1			0.01	1520		CL	CLAY, SANDY
3	1	10			9.3	NV	NP	<0.01			SM-SW	SANDSTONE, SLIGHTLY SILTY
3	3	5			24.0						SM	SANDSTONE, SILTY
3	7	20			16.6						SM	SANDSTONE, SILTY
3	8	5			14.9						SM	SANDSTONE, SILTY
3	12	10			24.4						SC	SANDSTONE, CLAYEY
3	9	15			9.9	NV	NP				SM-SW	SANDSTONE, SILTY
4	4	15	19.9	109.5	63.9	44	20	<0.01		3.3	CL	CLAYSTONE, SANDY
4	5	10	17.8	111.3	55.7					1.0	CL	CLAYSTONE, VERY SANDY
4	7	15			89.5	47	21	<0.01			CL	CLAYSTONE, SANDY

Table 2: Summary of Percolation Test and Tactile Test Pit Results

Test Pit No.	USDA Soil Type Limiting Layer	LTAR Value	Depth to Bedrock (ft.)	Depth to Seasonal Groundwater (ft.)
1	2A	0.50	N/A	N/A
2	4A*	0.15	5	N/A
3	5*	0.10	7.5	7
4	2A	0.50	N/A	N/A
5	5*	0.10	7	7
6	4A*	0.15	7	N/A

*- Conditions that will require an engineered OWTS

FIGURES



ENTECH
ENGINEERING, INC.
305 ELKTON DRIVE
 COLORADO SPRINGS, CO. 80907 (719) 531-5599

USGS MAP
 TIMBERRIDGE, FILING #2
 VOLLMER ROAD AND ARROYA LANE
 EL PASO COUNTY, CO.
 FOR: TIMBERRIDGE DEVELOPMENT GROUP, LLC

DRAWN: JAC	DATE: 4/27/21	CHECKED: KAC	DATE:
---------------	------------------	-----------------	-------

JOB NO.:
211066

FIG NO.:
2

REVISION BY	


ENTTECH
ENGINEERING, INC.


505 ELKTON DRIVE
COLORADO SPRINGS, CO. 80907
(719) 531-5599



SITE PLAN
TIMBRIDGE, FILING #2
VOLLMER ROAD AND ARROYA LANE
EL PASO COUNTY, CO.
FOR: TIMBRIDGE DEVELOPMENT GROUP, LLC

DATE	4/27/12
BY	AS SHOWN
SCALE	AS SHOWN
CHECKED	
DATE	
BY	
SCALE	
FIGURE NO.	3





ENTECH
ENGINEERING, INC.
385 ELKTON DRIVE
 COLORADO SPRINGS, CO. 80907 (719) 531-5599

SOIL SURVEY MAP
 TIMBERRIDGE, FILING #2
 VOLLMER ROAD AND ARROYA LANE
 EL PASO COUNTY, CO.
 FOR: TIMBERRIDGE DEVELOPMENT GROUP, LLC

DRAWN:
JAC


DATE:
4/27/21

CHECKED:
KAH

DATE:

JOB NO:
211066

FIG NO:
5



ENTECH
ENGINEERING, INC.
 305 ELKTON DRIVE
 COLORADO SPRINGS, CO. 80907 (719) 531-3599

FALCON NW QUADRANGLE GEOLOGY MAP
 TIMBERRIDGE, FILING #2
 VOLLMER ROAD AND ARROYA LANE
 EL PASO COUNTY, CO.
 FOR: TIMBERRIDGE DEVELOPMENT GROUP, LLC

DRAWN:
 JAC

DATE:
 4/27/21

CHECKED:
 KAH

DATE:

JOB NO.:
 211066

FIG NO.:
 6

LEGEND

SPECIAL FLOOD HAZARD AREAS INUNDATED BY 100-YEAR FLOOD

- ZONE A** No base flood elevations determined.
- ZONE AE** Base flood elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); base flood elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE A99** To be protected from 100-year flood by Federal flood protection system under construction; no base elevations determined.
- ZONE V** Coastal flood with velocity hazard (wave action); no base flood elevations determined.
- ZONE VE** Coastal flood with velocity hazard (wave action); base flood elevations determined.

FLOODWAY AREAS IN ZONE AE

OTHER FLOOD AREAS

- ZONE X** Areas of 500-year flood; areas of 100-year flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 100-year flood.

OTHER AREAS

- ZONE X** Areas determined to be outside 500-year floodplain.
- ZONE D** Areas in which flood hazards are undetermined.

UNDEVELOPED COASTAL BARRIERS

- Identified 1983
- Identified 1990
- Otherwise Protected Areas
- Coastal barrier areas are normally located within or adjacent to Special Flood Hazard Areas.

- Flood Boundary
- Floodway Boundary
- Zone D Boundary
- Boundary Dividing Special Flood Hazard Zones, and Boundary Dividing Areas of Different Coastal Base Flood Elevations Within Special Flood Hazard Zones.
- Base Flood Elevation Line: Elevation in Feet. See Map Index for Elevation Datum.
- Cross Section Line
- Base Flood Elevation in Feet Where Uniform Within Zone. See Map Index for Elevation Datum.
- Elevation Reference Mark
- River Mile
- Horizontal Coordinates Based on North American Datum of 1927 (NAD 27) Projection.


513

(EL 987)

RM7 X

M2

97°07'30" : 32°22'30"



SITE

ZONE X

ZONE A

22

27

21

28

REVISION	BY

ENTTECH
ENGINEERING, INC.
505 ELKTON DRIVE
COLORADO SPRINGS, CO. 80907
(719) 531-5599



FLOODPLAIN MAP
TIMBERIDGE, FILING #2
VOLMER ROAD AND ARROYA LANE
EL PASO COUNTY, CO.
FOR: TIMBERIDGE DEVELOPMENT GROUP, LLC

DATE	4/27/81
SCALE	AS SHOWN
JOB NO.	211006
DRAWN BY	JAC
CHECKED BY	KAB
PROJECT NO.	8


REVISION BY					

ENTTECH
ENGINEERING, INC.
505 ELKTON DRIVE
COLORADO SPRINGS, CO. 80907
(719) 531-5599



SITE PLAN/TEST BORING LOCATION MAP
THREE RETREAT AT TIMBER RIDGE
VOLLMER ROAD AND ARROYA LANE
EL PASO COUNTY, CO.
FOR: ARROYA INVESTMENTS

DATE	12/11/17
SCALE	AS SHOWN
APP. NO.	170020
FIGURE NO.	6



LEGEND:

Qaf - Artificial Fill Deposits of Holocene Age:
man-made fill deposits

Qal - Recent Alluvium of Holocene Age:
recent water deposited materials

Qam - Middle Alluvium of Holocene to Pliocene Age:
lower stream terrace deposits

TKd - Dawson Formation of Tertiary to Cretaceous Age:
arkosic sandstone with siltstone and claystone lenses

dsc - down slope creep

er - erosion

psw - potential seasonal shallow water

pu - potentially unstable slope

sw - seasonal shallow water

w - water

- Test Boring

LEGEND:

- POSSIBLE OWTS LOCATIONS


- POSSIBLE OWTS ALTERNATE LOCATIONS

- POSSIBLE HOUSE LOCATIONS

W - WATER WELLS MUST BE A MINIMUM OF 100 FT FROM OWTS ABSORPTION FIELDS





APPENDIX A: Site Photographs




**Looking south from
the northeastern
portion of the site.**

February 10, 2017



**Looking northwest
from the northeastern
portion of the site.**

February 10, 2017




Looking west from the northeastern portion of the site.

February 10, 2017




Looking southwest from the eastern portion of the site at the existing pond.

February 10, 2017




**Looking west from the
central portion of the
site.**

February 10, 2017




**Looking south along
Sand Creek from the
central portion of the
site.**

February 10, 2017




**Looking north from the
southeast portion of
the site.**

February 10, 2017




**Looking north from the
southern portion of the
site along Sand Creek.**

February 10, 2017




**Looking north from
central portion of the
site.**

February 10, 2017




**Looking north from the
western portion of the
site.**

February 10, 2017




**Looking southeast
from the western
portion of the site**

February 10, 2017




**Looking along Arroya
Lane in the northern
portion of the site.**

February 10, 2017



**Looking west along
the crest of the dam in
the northern portion of
the site.**

March 9, 2017



**Looking south from
the dam in the
northern portion of
site.**

March 9, 2017

APPENDIX B: Test Boring and Test Pit Logs

TEST BORING NO. 1
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO. 2
 DATE DRILLED 1/12/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
STAKE 3500							STAKE 3501						
DRY TO 18', 1/23/17							WATER @ 5', 1/12/17 WATER @ 11', 1/23/17						
SAND, SILTY, BROWN						1	SAND, SILTY, FINE TO COARSE GRAINED, BROWN, MEDIUM						
CLAY, SANDY, BROWN, STIFF, MOIST				15	19.3	2	DENSE, MOIST CLAY, SANDY, BROWN			10	3.2	1	
SANDSTONE, SLIGHTLY SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	5		50	10"	11.5	3	SAND, SILTY, FINE TO COARSE GRAINED, BROWN, MEDIUM DENSE TO LOOSE, MOIST TO WET	5		14	6.9	1	
	10		50	6"	7.1	3		10		15	13.9	1	
	15		50	6"	8.2	3		15		3	19.4	1	
SANDSTONE, CLAYEY, FINE TO MEDIUM GRAINED, TAN, VERY DENSE, MOIST	20		50	4"	17.2	3	SANDSTONE, SILTY, FINE TO COARSE GRAINED, GREEN BROWN, VERY DENSE, MOIST	20		50	11.9	3	
										8"			

* - BULK SAMPLE TAKEN



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

LL

3/28/17

JOB NO:
211066

FIG NO:
B-1

TEST BORING NO. 3
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO. 4
 DATE DRILLED 1/12/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
STAKE 3502							STAKE 3503						
DRY TO 19', 1/23/17							DRY TO 19', 1/23/17						
SAND, SILTY, TAN	1	[Symbol]				1	SAND, SILTY, TAN	1	[Symbol]				1
SANDSTONE, SILTY, FINE TO COARSE GRAINED, GREEN BROWN, VERY DENSE, MOIST	3	[Symbol]		50	6.1	3	SANDSTONE, SILTY, FINE TO COARSE GRAINED, GREEN BROWN, VERY DENSE, MOIST	3	[Symbol]		43	7.9	3
	5	[Symbol]		50	9.4	3		5	[Symbol]		50	8.5	3
	7"							7"					
	10	[Symbol]		50	7.4	3		10	[Symbol]		50	9.6	3
	6"						CLAYSTONE, SANDY, BROWN, HARD, MOIST	8"					
	15	[Symbol]		50	8.3	3		15	[Symbol]		50	12.9	4
	4"						SANDSTONE, CLAYEY, FINE TO COARSE GRAINED, GREEN BROWN, VERY DENSE, MOIST	6"					
	20	[Symbol]		50	11.2	3		20	[Symbol]		50	10.4	3
	4"							4"					



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

LLL

3/28/17

JOB NO.:
211066

FIG NO.:
B-2

TEST BORING NO. 5
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO. 6
 DATE DRILLED 1/12/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
STAKE 3504							STAKE 3505						
DRY TO 19.5', 1/23/17							WATER @ 17.5', 1/23/17						
SAND, SLIGHTLY SILTY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, MOIST	0-5	[Symbol]		17	3.9	1	SAND, SILTY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, MOIST	0-5	[Symbol]		16	5.8	1
	5-10	[Symbol]		15	7.8	1	SAND, VERY CLAYEY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, MOIST	5-10	[Symbol]		15	18.5	1
CLAYSTONE, SANDY, GREEN BROWN, HARD, MOIST	10-15	[Symbol]		50	15.7	4	SANDSTONE, CLAYEY TO SILTY, FINE TO COARSE GRAINED, BUFF, VERY DENSE, MOIST	10-15	[Symbol]		50	7.7	3
	15-20	[Symbol]		50	12.0	4		15-20	[Symbol]		50	11.6	3
SANDSTONE, CLAYEY, FINE TO COARSE GRAINED, GREEN BROWN, VERY DENSE, MOIST	20-25	[Symbol]		50	10.0	3		20-25	[Symbol]		50	9.3	3



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:
LLL

DATE:
3/28/17

JOB NO.:
 211066

FIG NO.:
 B-3

TEST BORING NO. 7
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO. 8
 DATE DRILLED 1/12/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
STAKE 3506							STAKE 3507						
WATER @ 14.5', 1/23/17							DRY TO 18', 1/23/17						
SAND, SILTY, FINE TO COARSE GRAINED, TAN, LOOSE, MOIST	5	[Symbol]		5	4.5	1	SAND, SILTY, TAN SANDSTONE, SILTY, FINE TO COARSE GRAINED, GREEN BROWN, VERY DENSE, MOIST	5	[Symbol]		50 10"	6.2	3
	5	[Symbol]		5	6.0	1		5	[Symbol]		50 9"	6.1	3
	10	[Symbol]		9	5.9	1		10	[Symbol]		50 6"	6.5	3
CLAY, SANDY, DARK BROWN, VERY SOFT, VERY MOIST	15	[Symbol]		2	22.9	2		15	[Symbol]		50 7"	11.8	3
SANDSTONE, SILTY, FINE GRAINED, DARK BROWN, VERY DENSE, MOIST	20	[Symbol]		50 9"	11.8	3		20	[Symbol]		50 7"	6.0	3



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

LLC

3/28/17

JOB NO.:

170020

FIG NO.:

B-4

TEST BORING NO. 9
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO. 10
 DATE DRILLED 1/12/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
STAKE 3508							STAKE 3509						
DRY TO 20', 1/23/17							WATER @ 14.5', 1/23/17						
SAND, SILTY, FINE TO COARSE GRAINED, TAN, DENSE, MOIST				32	8.8	1	SAND, SILTY, FINE TO COARSE GRAINED, TAN, DENSE, MOIST				44	8.4	1
SANDSTONE, SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	5			50 11"	4.9	3	SANDSTONE, SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	5			50 10"	9.4	3
	10			50	9.6	3		10			50	10.5	3
	15			50 8"	7.6	3		15			50 11"	11.8	3
	20			50 6"	10.5	3		20			50 9"	12.0	3



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:
LLL

DATE:
3/28/17

JOB NO.:
211066

FIG NO.:
B-5

TEST BORING NO. 11
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO. 12
 DATE DRILLED 1/12/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
STAKE 3510							STAKE 3511						
DRY TO 19.5', 1/23/17							DRY TO 19', 1/23/17						
SAND, SILTY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, DRY TO MOIST	5			11	3.4	1	SAND, SILTY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, DRY TO MOIST	5			21	3.0	1
	5			24	11.8	1		5			19	7.8	1
SANDSTONE, SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	10			50 8"	11.4	3	SANDSTONE, CLAYEY FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	10			50 10"	14.4	3
	15			50 6"	8.2	3		15			50 6"	8.9	3
	20			50 6"	8.6	3		20			50 6"	9.1	3



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

LLL

3/28/17

JOB NO.:
211066

FIG NO.:
B-6

TEST BORING NO. 13
 DATE DRILLED 1/12/2017
 Job # 211066

TEST BORING NO.
 DATE DRILLED
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FIL. 2

REMARKS

STAKE 3512

DRY TO 18.5',
 1/23/17

SAND, SILTY WITH SLIGHTLY
 CLAYEY LENSES, FINE TO
 COARSE GRAINED, TAN, MEDIUM
 DENSE, MOIST
 SANDSTONE, SILTY, FINE
 TO COARSE GRAINED, TAN,
 VERY DENSE, MOIST

Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
			18	11.9	1
5			50 11"	7.8	3
10			50 6"	10.8	3
15			50 5"	8.4	3
20			50 6"	9.4	3

REMARKS

Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
5					
10					
15					
20					



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:	DATE:	CHECKED: LLC	DATE: 3/28/17
--------	-------	-----------------	------------------

JOB NO:
211066

FIG NO:
B-7

TEST PIT NO. 1
 DATE EXCAVATED 11/13/2017
 Job # 211066

TEST PIT NO. 2
 DATE EXCAVATED 11/13/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FILING 2

REMARKS	Depth (ft)	Symbol	Samples	Soil Structure Shape	Soil Structure Grade	USDA Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Soil Structure Shape	Soil Structure Grade	USDA Soil Type
topsoil, sandy loam, brown	1	[Symbol]		gr	w	2A	topsoil, sandy loam, brown	1	[Symbol]		gr	l	2A
sandy loam, fine to coarse grained, light brown to tan	2	[Symbol]		gr	w	2A	interbedded sandy clay and loamy sand, tan to olive	2	[Symbol]		gr	w	4A
loamy sand, fine to coarse grained, tan	3	[Symbol]		sg		1		3	[Symbol]				
	4	[Symbol]						4	[Symbol]				
	5	[Symbol]						5	[Symbol]				
	6	[Symbol]					formational silty sandstone, tan	6	[Symbol]		ma		4A
	7	[Symbol]						7	[Symbol]				
	8	[Symbol]						8	[Symbol]				
	9	[Symbol]						9	[Symbol]				
	10	[Symbol]						10	[Symbol]				

Soil Structure Shape
 granular - gr
 platy - pl
 blocky - bl
 prismatic - pr
 single grain - sg
 massive - ma

Soil Structure Grade
 weak - w
 moderate - m
 strong - s
 loose - l



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST PIT LOG

DRAWN:

DATE:

CHECKED: *ULL*

DATE 11/30/17

JOB NO.:

211066

FIG NO.:

B-8

TEST PIT NO. 3
 DATE EXCAVATED 11/13/2017
 Job # 211066

TEST PIT NO. 4
 DATE EXCAVATED 11/13/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FILING 2

REMARKS	Depth (ft)	Symbol	Samples	Soil Structure Shape	Soil Structure Grade	USDA Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Soil Structure Shape	Soil Structure Grade	USDA Soil Type
topsoil, loamy sand, brown	1	[Symbol]		sg		1	topsoil, sandy loam, brown	1	[Symbol]		gr	w	2A
loamy sand, fine to coarse grained, tan	2	[Symbol]		sg		1	sandy loam to gravelly sandy loam, fine to coarse grained, tan	2	[Symbol]		gr	w	2A
	3	[Symbol]						3	[Symbol]				
	4	[Symbol]						4	[Symbol]				
	5	[Symbol]						5	[Symbol]				
	6	[Symbol]						6	[Symbol]				
silty clay, olive	7	[Symbol]		pl	w	5		7	[Symbol]				
silty to clayey sandstone, fine to coarse grained, tan	8	[Symbol]		ma		4A		8	[Symbol]				
*-signs of seasonally occurring groundwater at 7ft	9	[Symbol]						9	[Symbol]				
	10	[Symbol]						10	[Symbol]				

Soil Structure Shape

- granular - gr
- platy - pl
- blocky - bl
- prismatic - pr
- single grain - sg
- massive - ma

Soil Structure Grade

- weak - w
- moderate - m
- strong - s
- loose - l



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST PIT LOG

DRAWN:

DATE:

CHECKED:

DATE:

LL

11/30/17

JOB NO.:

211066

FIG NO.:

B-9

TEST PIT NO. 5
 DATE EXCAVATED 11/13/2017
 Job # 211066

TEST PIT NO. 6
 DATE EXCAVATED 11/13/2017
 CLIENT TIMBERRIDGE DEV. GROUP, LLC
 LOCATION RETREAT AT TIMBERRIDGE, FILING 2

REMARKS	Depth (ft)	Symbol	Samples	Soil Structure Shape	Soil Structure Grade	USDA Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Soil Structure Shape	Soil Structure Grade	USDA Soil Type
topsoil, loamy sand, brown	1			sg		1	topsoil, sandy loam, brown	1			gr	w	2A
gravelly loamy sand, fine to coarse grained, tan	2			sg		1	interbedded loamy sand and sandy clay, olive to tan	2			gr	w	4A
	3							3					
silty clay, olive	4			pl	w	5		4					
	5							5					
silty sandstone, fine to coarse grained, tan to buff *-signs of seasonally occurring groundwater at 7ft	6					4A	silt sandstone, fine to coarse grained, tan to buff	6					
	7			ma				7			ma		4A
	8							8					
	9							9					
	10							10					

Soil Structure Shape
 granular - gr
 platy - pl
 blocky - bl
 prismatic - pr
 single grain - sg
 massive - ma

Soil Structure Grade
 weak - w
 moderate - m
 strong - s
 loose - l



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


TEST PIT LOG

DRAWN:	DATE:	CHECKED:	DATE:
		UL	11/30/17

JOB NO.:
 211066
 FIG NO.:
 8-10

APPENDIX C: Laboratory Test Results

<u>UNIFIED CLASSIFICATION</u>	SM-SW	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	5	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	2-3	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	97.9%
10	71.7%
20	40.0%
40	29.4%
100	15.2%
200	10.5%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> LLL	<u>DATE:</u> 3/28/17
---------------	--------------	------------------------	-------------------------

JOB NO.:
170020

FIG NO.:
C-1

<u>UNIFIED CLASSIFICATION</u>	SC	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	6	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	95.6%
10	79.8%
20	63.1%
40	55.1%
100	47.2%
200	41.3%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED:	DATE:
		LL	3/28/17

JOB NO:
170020

FIG NO:
C-2

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	11	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>	<u>Atterberg Limits</u>
3"		Plastic Limit
1 1/2"		Liquid Limit
3/4"		Plastic Index
1/2"		
3/8"	100.0%	
4	91.5%	<u>Swell</u>
10	66.9%	Moisture at start
20	44.8%	Moisture at finish
40	32.9%	Moisture increase
100	20.5%	Initial dry density (pcf)
200	16.5%	Swell (psf)



**ENTECH
ENGINEERING, INC.**
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> LLL	<u>DATE:</u> 3/28/17
---------------	--------------	------------------------	-------------------------

JOB NO:
170020

FIG NO:
C-3

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	13	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	2-3	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	94.4%
10	67.0%
20	48.2%
40	35.2%
100	21.8%
200	17.8%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> LLL	<u>DATE:</u> 3/28/17
---------------	--------------	------------------------	-------------------------

JOB NO.:
170020

FIG NO.:
C-4

UNIFIED CLASSIFICATION	SM	CLIENT	ARROYA INVESTMENTS
SOIL TYPE #	1	PROJECT	THE RETREAT AT TIMBER RIDGE
TEST BORING #	9	JOB NO.	170020
DEPTH (FT)	2-3	TEST BY	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	94.8%
10	67.2%
20	44.7%
40	32.3%
100	18.6%
200	14.6%

Atterberg Limits	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

Swell	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED:	DATE:
		LLL	3/28/17

JOB NO.:
170020

FIG NO.:
C-5

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	10	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	100.0%
3/8"	99.1%
4	93.3%
10	71.0%
20	47.0%
40	35.0%
100	22.0%
200	17.4%

- Atterberg Limits
- Plastic Limit
- Liquid Limit
- Plastic Index

- Swell
- Moisture at start
- Moisture at finish
- Moisture increase
- Initial dry density (pcf)
- Swell (psf)




ENTECH ENGINEERING, INC.
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

LABORATORY TEST RESULTS

DRAWN	DATE	CHECKED: <i>LLL</i>	DATE: <i>3/28/17</i>
-------	------	---------------------	----------------------

JOB NO.: 170020
FIG NO.: *C-6*

<u>UNIFIED CLASSIFICATION</u>	SM-SW	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	2	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	10	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	92.1%
10	60.9%
20	33.9%
40	22.3%
100	12.3%
200	9.2%

Atterberg Limits	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

Swell	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED LLL	DATE: 3/28/17
--------	-------	----------------	------------------

JOB NO.:
170020

FIG NO:
C-7

<u>UNIFIED CLASSIFICATION</u>	CL	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	2	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	1	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	2-3	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	100.0%
10	98.2%
20	96.2%
40	94.4%
100	87.5%
200	77.5%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

<u>Swell</u>	
Moisture at start	10.9%
Moisture at finish	20.4%
Moisture increase	9.5%
Initial dry density (pcf)	131
Swell (psf)	1550



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u>	<u>DATE:</u>
		LLL	3/28/17

JOB NO:
170020

FIG NO:
C-8

<u>UNIFIED CLASSIFICATION</u>	CL	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	2	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	2	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	4	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	100.0%
10	98.9%
20	94.9%
40	91.8%
100	89.6%
200	86.1%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

<u>Swell</u>	
Moisture at start	15.9%
Moisture at finish	24.9%
Moisture increase	9.0%
Initial dry density (pcf)	99
Swell (psf)	1520



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE	CHECKED	DATE
		LLL	3/28/17

JOB NO
170020

FIG NO.
C-9

<u>UNIFIED CLASSIFICATION</u>	SM-SW	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	1	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	10	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	99.3%
10	87.0%
20	52.0%
40	31.6%
100	14.7%
200	9.3%

<u>Atterberg Limits</u>	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

<u>Swell</u>	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> LLL	<u>DATE:</u> 3/28/17
---------------	--------------	------------------------	-------------------------

JOB NO.:
170020

FIG NO.:
C-10

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	3	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	94.4%
10	66.5%
20	47.4%
40	38.2%
100	28.7%
200	24.0%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> LLL	<u>DATE:</u> 3/28/17
---------------	--------------	------------------------	-------------------------

JOB NO:
170020

FIG NO:
C-11

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	7	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	20	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	100.0%
3/8"	96.3%
4	88.9%
10	64.0%
20	43.5%
40	31.6%
100	20.3%
200	16.6%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> L L L	<u>DATE:</u> 3/28/17
---------------	--------------	--------------------------	-------------------------

JOB NO.:
170020

FIG NO.:
C-12

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	8	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	91.3%
10	62.6%
20	41.1%
40	30.5%
100	19.4%
200	14.9%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> LLL	<u>DATE:</u> 3/28/17
---------------	--------------	------------------------	-------------------------

JOB NO:
170020

FIG NO:
C-13

<u>UNIFIED CLASSIFICATION</u>	SC	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	12	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	10	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	99.1%
10	92.7%
20	76.5%
40	58.9%
100	32.7%
200	24.4%

Atterberg
Limits
Plastic Limit
Liquid Limit
Plastic Index

Swell
Moisture at start
Moisture at finish
Moisture increase
Initial dry density (pcf)
Swell (psf)



**ENTECH
ENGINEERING, INC.**
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE</u>	<u>CHECKED:</u> LLL	<u>DATE</u> 3/29/17
---------------	-------------	------------------------	------------------------

JOB NO.:
170020

FIG NO.:
L-74

<u>UNIFIED CLASSIFICATION</u>	SM-SW	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	9	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	15	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	100.0%
3/8"	93.9%
4	79.6%
10	55.8%
20	41.8%
40	32.8%
100	14.8%
200	9.9%

Atterberg Limits

Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

Swell

Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED LLL	DATE 3/28/17
--------	-------	----------------	-----------------

JOB NO:
170020

FIG NO:
6-15

<u>UNIFIED CLASSIFICATION</u>	CL	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	4	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	4	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	15	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	100.0%
1/2"	94.9%
3/8"	92.5%
4	88.4%
10	85.9%
20	81.5%
40	78.4%
100	71.3%
200	63.9%

Atterberg Limits	
Plastic Limit	24
Liquid Limit	44
Plastic Index	20

Swell	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

**LABORATORY TEST
RESULTS**


DRAWN:	DATE	CHECKED: LLL	DATE: 3/28/17
--------	------	-----------------	------------------

JOB NO.:
170020

FIG NO.:

C-16

<u>UNIFIED CLASSIFICATION</u>	CL	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	4	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	5	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	10	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	98.6%
10	85.6%
20	76.2%
40	71.0%
100	61.6%
200	55.7%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN</u>	<u>DATE</u>	<u>CHECKED</u>	<u>DATE</u>
		LLH	3/28/17

JOB NO:
170020

FIG NO:
C-17

<u>UNIFIED CLASSIFICATION</u>	CL	<u>CLIENT</u>	ARROYA INVESTMENTS
<u>SOIL TYPE #</u>	4	<u>PROJECT</u>	THE RETREAT AT TIMBER RIDGE
<u>TEST BORING #</u>	7	<u>JOB NO.</u>	170020
<u>DEPTH (FT)</u>	15	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	
10	100.0%
20	99.1%
40	98.1%
100	97.3%
200	89.5%

<u>Atterberg Limits</u>	
Plastic Limit	26
Liquid Limit	47
Plastic Index	21

<u>Swell</u>	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED: LLL	DATE: 3/28/17
--------	-------	-----------------	------------------


JOB NO:
170020

FIG NO:
C-18

CONSOLIDATION TEST RESULTS

TEST BORING #	4	DEPTH(ft)	15
DESCRIPTION	CL	SOIL TYPE	4
NATURAL UNIT DRY WEIGHT (PCF)			109
NATURAL MOISTURE CONTENT			19.9%
SWELL/CONSOLIDATION (%)			3.3%

JOB NO. 170020
 CLIENT ARROYA INVESTMENTS
 PROJECT THE RETREAT AT TIMBER RIDGE



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

**SWELL CONSOLIDATION
 TEST RESULTS**

DRAWN:

DATE:

CHECKED:

DATE:

LLL

3/28/17


JOB NO.:
 170020

FIG NO.:
 C-19

CONSOLIDATION TEST RESULTS

TEST BORING #	5	DEPTH(ft)	10
DESCRIPTION	CL	SOIL TYPE	4
NATURAL UNIT DRY WEIGHT (PCF)			111
NATURAL MOISTURE CONTENT			17.8%
SWELL/CONSOLIDATION (%)			1.0%

JOB NO. 170020
 CLIENT ARROYA INVESTMENTS
 PROJECT THE RETREAT AT TIMBER RIDGE



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**SWELL CONSOLIDATION
 TEST RESULTS**

DRAWN:	DATE:	CHECKED: LLL	DATE 3/28/17
--------	-------	-----------------	-----------------

JOB NO.:
170020

FIG NO.:
C-20

BORING NO.	TP-2	<u>UNIFIED CLASSIFICATION</u>	SM	<u>TEST BY</u>	BL
DEPTH(ft)	3	<u>AASHTO CLASSIFICATION</u>		<u>JOB NO.</u>	170020
CLIENT	ARROYA INVESTMENTS				
PROJECT	THE RETREAT AT TIMBER RIDGE				



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	82.5%
10	57.3%
20	41.0%
40	32.3%
100	22.9%
200	18.7%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE	CHECKED LLL	DATE 12/1/17
--------	------	----------------	-----------------

JOB NO.:
170020

FIG NO.:
C-22

BORING NO.	TP-4	UNIFIED CLASSIFICATION	SM-SW	TEST BY	BL
DEPTH(ft)	4	AASHTO CLASSIFICATION		JOB NO.	170020
CLIENT	ARROYA INVESTMENTS				
PROJECT	THE RETREAT AT TIMBER RIDGE				



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	94.6%
10	72.7%
20	42.2%
40	24.1%
100	10.6%
200	7.7%

Atterberg
Limits
Plastic Limit
Liquid Limit
Plastic Index

Swell
Moisture at start
Moisture at finish
Moisture increase
Initial dry density (pcf)
Swell (psf)



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

**LABORATORY TEST
RESULTS**

DRAWN

DATE

CHECKED

LLT

DATE:


12/11/17

JOB NO.:
170020

FIG NO

C-23

BORING NO.	TP-5	UNIFIED CLASSIFICATION	SC	TEST BY	BL
DEPTH(ft)	7-8	AASHTO CLASSIFICATION		JOB NO.	170020
CLIENT	ARROYA INVESTMENTS				
PROJECT	THE RETREAT AT TIMBER RIDGE				



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	100.0%
10	90.1%
20	74.4%
40	62.5%
100	43.8%
200	34.4%

Atterberg
Limits
Plastic Limit
Liquid Limit
Plastic Index

Swell
Moisture at start
Moisture at finish
Moisture increase
Initial dry density (pcf)
Swell (psf)



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

LABORATORY TEST
RESULTS

DRAWN:

DATE:


CHECKED:
LLL

DATE:
12/11/17

JOB NO.:
170020

FIG NO.:
C-24

BORING NO.	TP-6	UNIFIED CLASSIFICATION	CL	TEST BY	BL
DEPTH(ft)	2	AASHTO CLASSIFICATION		JOB NO.	170020
CLIENT	ARROYA INVESTMENTS				
PROJECT	THE RETREAT AT TIMBER RIDGE				



<u>U.S. Sieve #</u>	<u>Percent Finer</u>	<u>Atterberg Limits</u>
3"		Plastic Limit
1 1/2"		Liquid Limit
3/4"		Plastic Index
1/2"		
3/8"		
4	100.0%	<u>Swell</u>
10	98.3%	Moisture at start
20	94.7%	Moisture at finish
40	90.0%	Moisture increase
100	81.6%	Initial dry density (pcf)
200	73.6%	Swell (psf)



ENTECH ENGINEERING, INC.
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

LABORATORY TEST RESULTS

DRAWN:	DATE:	CHECKED:	DATE:
		LLL	12/1/17

JOB NO.:
170020

FIG NO.:
C-75

APPENDIX D: Soil Survey Descriptions

El Paso County Area, Colorado

71—Pring coarse sandy loam, 3 to 8 percent slopes

Map Unit Setting

National map unit symbol: 369k

Elevation: 6,800 to 7,600 feet

Farmland classification: Not prime farmland

Map Unit Composition

Pring and similar soils: 85 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Pring

Setting

Landform: Hills

Landform position (three-dimensional): Side slope

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Arkosic alluvium derived from sedimentary rock

Typical profile

A - 0 to 14 inches: coarse sandy loam

C - 14 to 60 inches: gravelly sandy loam

Properties and qualities

Slope: 3 to 8 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High
(2.00 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water storage in profile: Low (about 6.0 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 3e

Hydrologic Soil Group: B

Ecological site: Loamy Park (R048AY222CO)

Hydric soil rating: No

Minor Components

Pleasant

Percent of map unit:

Landform: Depressions

Hydric soil rating: Yes

Other soils

Percent of map unit:
Hydric soil rating: No

Data Source Information

Soil Survey Area: El Paso County Area, Colorado
Survey Area Data: Version 14, Sep 23, 2016