

McDonald's Fontaine & Marksheffel Traffic Compliance Letter

El Paso County, Colorado El Paso County EDARP File Number: EA2467

Traffic Engineer's Statement

The attached traffic report and supporting information were prepared under my responsible charge and they comport with the standard of care. So far as is consistent with the standard of care, said report was prepared in general conformance with the criteria established by the County for traffic reports.

53006 07/24/2024	July 24, 2024
Jeffrey R. Planck, P.E., PE #53006	Date

Developer's Statement

I, the Developer, have read and will comply with all commitments made on my behalf within this report.

Robert Yagusesky ED8303E491EB4EF	7/24/2024
Mr. Robert Yagusesky	Date
McDonald's LIŠA II Č	



McDonald's Fontaine & Marksheffel – Traffic Compliance Letter 096806032 Page 2

July 24, 2024

Mr. Robert Yagusesky McDonald's USA, LLC

Re: McDonald's Fontaine & Marksheffel – Traffic Compliance Letter

El Paso County, Colorado

Dear Mr. Yagusesky:

This traffic study letter documents a trip generation comparison to identify conformance with the original Village at Lorson Ranch traffic study for the proposed McDonald's development to be located on the northeast corner of Fontaine Boulevard and Marksheffel Road intersection in El Paso County, Colorado. The *Village at Lorson Ranch Traffic Impact Study* was completed in June 2024 which included this development area. The original traffic study does not specify the size of the McDonald's development. Instead, it takes into account the total square footage of all three (3) fast-food restaurants with drive-throughs in the development. It is worth noting that the site plan used for the original traffic study is consistent with the currently proposed McDonald's, which is anticipated to have a building area of 3,521 square feet.

ACCESS

Regional access to the McDonald's development will be provided by Interstate 25 (I-25) and State Highway 21 (SH-21). Primary access will be provided by Carriage Meadows Drive, Fontaine Boulevard, and Marksheffel Road. Direct access to the McDonald's development will be provided by a full movement access along Carriage Meadows Drive, a right-in access on Fontaine Boulevard, and a right-in/right-out (RIRO) access on Marksheffel Road.

TRIP GENERATION

A 3,521 square foot McDonald's fast-food restaurant is proposed within the Village at Lorson Ranch development to be located on the northeast corner of the Fontaine Boulevard and Marksheffel Road intersection. The project site was previously evaluated as a fast-food restaurant with drive-through. The overall Village at Lorson Ranch area was evaluated with three (3) fast-food restaurants with drive-through for a total of 8,170 square feet, a 5,680 square foot Convenience Store/Gas Station, a 12,000 square foot Day Care Center, and a 36,500 square foot Mini Warehouse. Applicable documents from the original traffic study are attached.

Site-generated traffic estimates are determined through a process known as trip generation. Average Rates and equations are applied to the proposed land use to estimate traffic generated by the development during a specific time interval. The acknowledged source for trip generation rates is the *Trip Generation Manual*¹ published by the Institute of Transportation Engineers (ITE). ITE has established trip rates in nationwide studies of similar land uses.

For the original and current proposal for the same development area, the trip generation was based on ITE Trip Generation, 11th Edition average rates for Fast Food Restaurant with Drive-Through (ITE Code 934) land use. The following **Table 1** compares the trip generation of the applicable development area from the original traffic study compared to the expected trip generation for the

¹ Institute of Transportation Engineers, Trip Generation: An Information Report, Eleventh Edition, Washington DC, 2021.



McDonald's Fontaine & Marksheffel – Traffic Compliance Letter 096806032

Page 3

proposed McDonald's project. Trip generation calculations and applicable documents from original traffic study are attached.

Table 1 –Trip Generation Comparison

	Daily Weekday Vehicle Trips							
	Daily							
Use and Size	Vehicle	AM	AM Peak Hour			PM Peak Hour		
	Trips	In	Out	Total	In	Out	Total	
Original Traffic Study – Village at Lorson Ranch (Sa	ame Develo	opmen	t Area)					
Fast Food Restaurant with Drive-Through (ITE 934)								
3,521 SF	1,646	80	77	157	60	56	116	
Current Proposal – McDonald's Fontaine & Marksh	effel							
Fast Food Restaurant with Drive-Through (ITE 934)								
3,521 SF	1,646	80	77	157	60	56	116	
Net Difference in Trips	0	0	0	0	0	0	0	
Original Traffic Study – Village at Lorson Ranch (To	otal Fast-Fo	ood Re	staura	nts with	Drive-	-Throu	gh)	
Fast Food Restaurant with Drive-Through (ITE 934)								
8,170 SF	3,820	186	179	365	140	130	270	
Current Proposal – McDonald's Fontaine & Marksh	effel							
Fast Food Restaurant with Drive-Through (ITE 934)								
3,521 SF	1,646	80	77	157	60	56	116	
Net Difference in Trips	-2,174	-106	-102	-208	-80	-74	-154	

As summarized in the first section of **Table 1**, the currently proposed McDonald's project is anticipated to generate 1,646 daily weekday trips with 157 trips occurring during the morning peak hour and 116 trips occurring during the afternoon peak hour per current ITE equations and data. Therefore, the proposed McDonald's project is anticipated to generate the same amount of daily, morning peak hour, and afternoon peak hour trips as the use originally studied in the same development area. This identifies that the current proposal is in traffic compliance with the original traffic study for the same development area and land use. The second section of Table 1 presents a summary of the total trips generated by the three fast-food restaurants with drive-throughs from the original study in comparison to the currently proposed McDonald's project. This indicates that there is reserved capacity for two more fast-food restaurants on site with approximately 208 morning peak hour trips and 154 afternoon peak hour trips still allocated for future fast-food restaurant use.

Please include a section for required **CONCLUSION** road impact fees.


In summary, the current proposal for the McDonald's project is expected to generate the same trips previously evaluated for the same development area in the original traffic study for the Village at Lorson Ranch. Therefore, the project is believed to be in traffic compliance with the Village at Lorson Ranch Traffic Impact Study completed in June 2024. As such, we believe no further traffic analysis is needed with this proposed development. If you have any questions or require anything further, please feel free to call me.

Sincerely,

KIMLEY-HORN AND ASSOCIATES, INC.

Jeffrey R. Planck, P.E. Project Traffic Engineer

Conceptual Site Plan



Kimley»Horn **McDonald's**

Know what's below.
Call before you dig.

Original Traffic Study Documents



VILLAGE AT LORSON RANCH TRAFFIC IMPACT STUDY

Prepared for:

El Paso County, CO

Prepared by:



2435 Research Parkway, Suite 300 Colorado Springs, CO 80920

Contact: Scott Barnhart, PE, PTOE 719.575.0100


On Behalf of:

The Landhuis Company 212 N. Wahsatch Avenue Suite 301 Colorado Springs, CO 80903

Traffic Engineer's Statement The attached traffic report and supporting information were presented in general conformance with the criteria established	it with the standard of care, said report was
But D. But It	June 6, 2024
	
Scott D. Barnhard, MAI #37447	Date
06/06/2024	
<u>Developer's Statement</u>	
I, the Developer, have read and will comply with all commitme	ents made on my behalf within this report.
Jen -	6/6/24
Jeff Mark, President	Date



Figure 2. Village at Lorson Ranch Site Plan



Matrix Design Group

Lorson Ranch Commercial North

4/4/2024 1:41 PM

Scenario - 1		
Scenario Name: Weekday	User Group:	
Dev. phase: 1	No. of Years to Project 0 Traffic :	
Analyst Note:		
Warning:		

VEHICLE TRIPS BEFORE REDUCTION

Land Use & Data Source	Location	IV	Size	Time Period	Method	Entry	Exit	Total
	LUCATION	IV		Tillie Period	Rate/Equation	Split%	Split%	IOLAI
934 - Fast-Food Restaurant with Drive-Through	General	1000 Ca Et CEA	8.17	Weekday	Average	1910	1910	3820
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA 8.17	weekday	467.48	50%	50%	3820	
565 - Day Care Center	General	1000 Sg. Ft. GFA	12	Weekday	Average	286	286	572
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	12	vveekuay	47.62	50%	50%	372
151 - Mini-Warehouse	General	1000 Sg. Ft. GFA	36.5	Weekday	Average	26	26	52
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 3q. Ft. GFA	30.3	56.5 Weekday	1.45	50%	50%	52
945 - Convenience Store/Gas Station - VFP (9-15)	General	1000 Sg. Ft. GFA	E 60	Weekday	Best Fit (LIN)	1867	1867	3734
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 3q. Ft. GFA	5.68	weekday	T = 560.88(X) + 548.79	50%	50%	3/34

VEHICLE TO PERSON TRIP CONVERSION

BASELINE SITE VEHICLE CHARACTERISTICS:

Land Use	Baseline Site Vehicle Mode Share		Baseline Site Vehicle Occupancy		Baseline Site Vehicle Directional Split	
Lailu USE	Entry (%)	Exit (%)	Entry	Exit	Entry (%)	Exit (%)
934 - Fast-Food Restaurant with Drive-Through Window	100	100	1	1	50	50
565 - Day Care Center	100	100	1	1	50	50
151 - Mini-Warehouse	100	100	1.6	1.6	50	50
945 - Convenience Store/Gas Station - VFP (9-15)	100	100	1	1	50	50

ESTIMATED BASELINE SITE PERSON TRIPS:

Land Use	Person Trip	Person Trips by Vehicle		Person Trips by Other Modes		ite Person Trips
Lailu OSE	Entry	Exit	Entry	Exit	Entry	Exit
934 - Fast-Food Restaurant with Drive-Through Window	1910	1910	0	0	1910	1910
334 - Last-Lood Restaulant with Drive-Iniough William	3	320	0		3820	
565 - Day Care Center	286	286	0	0	286	286
303 - Day Care Cerrier	572		0		572	
151 - Mini-Warehouse	42	42	0	0	42	42
131 - Willi-Walellouse	84		0		84	
945 - Convenience Store/Gas Station - VFP (9-15)	1867	1867	0	0	1867	1867
343 - Convenience Store/ Gas Station - VIF (3-13)	3	734	0		3734	

INTERNAL VEHICLE TRIP REDUCTION

LAND USE GROUP ASSIGNMENT:

Land Use	Land Use Group
934 - Fast-Food Restaurant with Drive-Through Window	Resturant
565 - Day Care Center	Others
151 - Mini-Warehouse	Others
945 - Convenience Store/Gas Station - VFP (9-15)	Resturant

Generated By OTISS Pro v2.1

Scenario - 2	
Scenario Name: AN	
Dev. phase: 1	No. of Years to Project
Dev. priuse. 1	Traffic:
Analyst Note:	
Warning:	

VEHICLE TRIPS BEFORE REDUCTION

Land Use & Data Source	Location IV	IV	Size	Time Period	Method	Entry	Exit	Total
	LOCATION	IV	Size	Time Period	Rate/Equation	Split%	Split%	IUlai
934 - Fast-Food Restaurant with Drive-Through	General	1000 Sg. Ft. GFA	8.17	Weekday, Peak Hour of	Average	186	179	365
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	8.17	Adjacent Street Traffic,	44.61	51%	49%	303
945 - Convenience Store/Gas Station - VFP (9-15)	General	1000 Sg. Ft. GFA	5.68	Weekday, Peak Hour of	Average	161	161	322
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	5.06	Adjacent Street Traffic,	56.52	50%	50%	322
565 - Day Care Center	General	1000 Sg. Ft. GFA	12	Weekday, Peak Hour of	Average	70	62	132
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	12	Adjacent Street Traffic,	11.00	53%	47%	152
151 - Mini-Warehouse	General	1000 Sg. Ft. GFA	36.5	Weekday, Peak Hour of	Average	2	1	2
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	30.5	Adjacent Street Traffic,	0.09	59%	41%	3

VEHICLE TO PERSON TRIP CONVERSION

BASELINE SITE VEHICLE CHARACTERISTICS:

Land Use	Baseline Site Vehicle Mode Share		Baseline Site Vehicle Occupancy		Baseline Site Vehicle Directional Split	
	Entry (%)	Exit (%)	Entry	Exit	Entry (%)	Exit (%)
934 - Fast-Food Restaurant with Drive-Through Window	100	100	1	1	51	49
945 - Convenience Store/Gas Station - VFP (9-15)	100	100	1	1	50	50
565 - Day Care Center	100	100	1	1	53	47
151 - Mini-Warehouse	100	100	1	1	59	41

ESTIMATED BASELINE SITE PERSON TRIPS:

Land Use	Person Trips by Vehicle		Person Trips by Other Modes		Total Baseline Site Person Trips	
Land OSC	Entry	Exit	Entry	Exit	Entry	Exit
934 - Fast-Food Restaurant with Drive-Through Window	186	179	0	0	186	179
554 - 1 ast-1 oou Nestaurant with brive-fillough william	3	65	0		3	65
945 - Convenience Store/Gas Station - VFP (9-15)	161	161	0	0	161	161
343 - Convenience Store, Gas Station - VIF (3-13)	322		0		322	
565 - Day Care Center	70	62	0	0	70	62
505 - Day Care Cerrier	1	32	0		1	32
151 - Mini-Warehouse	2	1	0	0	2	1
131 - Milli-Malellouse		3	0			3

INTERNAL VEHICLE TRIP REDUCTION

LAND USE GROUP ASSIGNMENT:

Land Use	Land Use Group
934 - Fast-Food Restaurant with Drive-Through Window	Resturant
945 - Convenience Store/Gas Station - VFP (9-15)	Resturant
565 - Day Care Center	Others
151 - Mini-Warehouse	Others

Generated By OTISS Pro v2.1

Scenario - 3		
Scenario Name: PM Peak Hour	User Group:	
Dev. phase: 1	User Group: No. of Years to Project ₀ Traffic :	
Analyst Note:		
Warning		

VEHICLE TRIPS BEFORE REDUCTION

Land Use & Data Source	Location	IV	Size	Time Period	Method	Entry	Exit	Total			
Land Use & Data Source	LOCATION	IV	3120	Tillie Fellou	Rate/Equation	Split%	Split%	Total			
934 - Fast-Food Restaurant with Drive-Through	General	1000 Sg. Ft. GFA	8.17	Weekday, Peak Hour of	Average	140	130	270			
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	1000 Sq. Ft. GFA	1000 3q. rt. GrA	1000 3q. Ft. GFA	0.1/	Adjacent Street Traffic,	33.03	52%	48%	270
945 - Convenience Store/Gas Station - VFP (9-15)	General	1000 5~ 54 654	1000 Sa Et CEA	1000 Sg. Ft. GFA	5.68	Weekday, Peak Hour of	Average	155	155	310	
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	3.08	Adjacent Street Traffic,	54.52	50%	50%	210			
565 - Day Care Center	General	1000 Sg. Ft. GFA	12	Weekday, Peak Hour of	Average	63	71	134			
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	12	Adjacent Street Traffic,	11.12	47%	53%	154			
151 - Mini-Warehouse	General	1000 Ca Et CEA	26.5	Weekday, Peak Hour of	Average	3	3	6			
Data Source: Trip Generation Manual, 11th Ed	Urban/Suburban	1000 Sq. Ft. GFA	1000 Sq. Ft. GFA	1000 Sq. Ft. GFA	1000 Sq. Ft. GFA 3	36.5	Adjacent Street Traffic,	0.15	47%	53%	0

VEHICLE TO PERSON TRIP CONVERSION

BASELINE SITE VEHICLE CHARACTERISTICS:

Land Use	Baseline Site Vehicle Mode Share		Baseline Site Vehicle Occupancy		Baseline Site Vehicle Directional Split	
Land OSE	Entry (%)	Exit (%)	Entry	Exit	Entry (%)	Exit (%)
934 - Fast-Food Restaurant with Drive-Through Window	100	100	1	1	52	48
945 - Convenience Store/Gas Station - VFP (9-15)	100	100	1	1	50	50
565 - Day Care Center	100	100	1	1	47	53
151 - Mini-Warehouse	100	100	1	1	47	53

ESTIMATED BASELINE SITE PERSON TRIPS:

Land Use	Person Trips by Vehicle		Person Trips by Other Modes		Total Baseline Site Person Trips	
Lailu OSE	Entry	Exit	Entry	Exit	Entry	Exit
934 - Fast-Food Restaurant with Drive-Through Window	140	130	0	0	140	130
334 - Last-Lood Restaulant with Drive-Iniough William	2	170	0		27	70
Convenience Store/Gas Station - VFP (9-15)	155	155	0	0	155	155
343 - Convenience Store/ Gas Station - VFF (3-13)	3	10	0		3:	10
565 - Day Care Center	63	71	0	0	63	71
303 - Day Care Cerrier	1	.34	0		13	34
151 - Mini-Warehouse	3	3	0	0	3	3
131 - Milli-Malellouse		6	0			5

INTERNAL VEHICLE TRIP REDUCTION

LAND USE GROUP ASSIGNMENT:

Land Use	Land Use Group
934 - Fast-Food Restaurant with Drive-Through Window	Resturant
945 - Convenience Store/Gas Station - VFP (9-15)	Resturant
565 - Day Care Center	Others
151 - Mini-Warehouse	Others

Generated By OTISS Pro v2.1

Trip Generation Worksheets

Kimley » Horn

Project	McDonald's Fontaine & Marksheffel									
Subject	Trip Generation for F	ast-Food Rest	aurant with Drive-Throu	gh Window						
Designed by	PAC	Date	July 22, 2024	Job No.	9	680603	2			
Checked by		Date		Sheet No.	1	of _	1			

TRIP GENERATION MANUAL TECHNIQUES

ITE <u>Trip Generation Manual</u> 11th Edition, Average Rates

Land Use Code - Fast-Food Restaurant with Drive-Through Window (934)

Independent Variable - 1000 Square Feet (X)

SF = 3,521

X = 3.521

T = Average Vehicle Trip Ends

Peak Hour of Adjacent Street Traffic, One Hour Between 7 and 9 a.m. (900 Series Page 726)

$$(T) = 44.61 (X) \\ (T) = 44.61 * (3.5)$$
Directional Distribution: 51% ent. 49% exit. T = 157 Average Vehicle Trip Ends 80 entering 77 exiting
$$80 + 77 = 157$$

Peak Hour of Adjacent Street Traffic, One Hour Between 4 and 6 p.m. (900 Series Page 727)

		Directio	nal Distribution:	52%	ent. 48%	exit.
(T) = 33.03 (X)		T =	116 Averag	e Vehicle	Trip Ends	
(T) = 33.03 *	(3.5)	60	entering	56 exi	ting	
			. 50	440		

Weekday (900 Series Page 725)

		Directio	nal Distribu	ution:	50%	ent. 50%	exit.
(T) = 467.48 (X)		T =	1646	Average Ve	hicle T	rip Ends	
(T) = 467.48 *	(3.5)	823	entering	823	exitir	ng	
		823	+ 82	23 = 1	1646		

Non Pass-By Trip Volumes (Per ITE Trip Generation Manual, 11th Edition)

Non't ass by the volumes (i ci ii b ocheration mandal, i ith baltion)										
AM Peak Hou	ur = 50	0% Non	-Pass By	PM Peak Hour =	45%	Non-Pass By				
	IN	Out	Total							
AM Peak	40	39	79							
PM Peak	27	25	52							
Daily	370	370	740	PM Peak Hour Rat	e Applie	ed to Daily				

Pass-By Trip Volumes (Per Trip Generation Manual, 11th Edition)

AM Peak Hou	r = 50	% Pas	s By	PM Peak Hour =	55%	Pass By
	IN	Out	Total			
AM Peak	40	39	79			
PM Peak	33	31	64			
Daily	453	453	906	PM Peak Hour Rat	e Applie	ed to Daily