

This plat for Crawford Apartments Subdivision was approved for filing by the El Paso

are accepted, but the public improvements thereon will not become the maintenance

for the areas described by this replat subject to all covenants, conditions, and

of the El Paso County Člerk and Recorder, Reception # ______

Chair, Board of County Commissioners Date

_____, 202_, subject to any notes specified hereon and any conditions

included in the resolution of approval. The dedications of land to the public easements

responsibility of El Paso County until preliminary acceptance of the public improvements in

accordance with the requirements of the Land Development Code and Engineering Criteria

Tract A, Fountain Valley Ranch Subdivision Filing No 6B in entirety is vacated and amended

restrictions recorded against and appurtenant to the original plat recorded in the Office

County, Colorado Board of County Commissioners on the _____ day of

Manual, and the Subdivision Improvements Agreement.

For and On Behalf of: Oliver E. Watts, Consulting Engineer, Inc.

By: _____

Drainage fee: _____ Bridge fee: _____

School fee: _____ Park fee: _____

 \sim

Fee: _____ Surcharge____

I hereby certify that this instrument was filed for record in my office at _____

Please fill these in when they are

Regional Area 4: \$10.120.00

Community Area 4: \$3,872.00

Widefield District 3: \$2.508.00

School fees:


Neighborhood Area 4: \$2,508.00

Reception Number_____ of the records of El Paso County, Colorado. Steve Schleiker, recorder

This _____ day of _____, 20____, A.D., and is duly recorded under

State of Colorado)

County of El Paso)



LEGEND

ITES:

1. Bearings are based on the record bearing of N89°18′44″E, for the south line of Block 7, Fountain Valley Ranch Subdivision Filing No 6B, monumented on the southwest of Lot 16, and on the southeast of Lot 13 by a 1″ red plastic caps, marked PLS 25968 on a # 5 rebar, buried 2″, as shown on the plat.

2. Survey monuments found or set are at ground level unless otherwise noted on the plat.

3. Title information was provided by the client as follows: Title Company: Old Republic National Title Insurance Company Order Number: SC55102334

Effective date: 12/20/2021 at 5:00 P.M.
This survey does not constitute a title search or opinion.

4. Notice: according to Colorado law, you must commence any legal action based upon any defect in the survey within three years after you first discover such defect. In no event may any action based upon any defect in this survey be commenced more than ten years from the date of the certification shown hereon.

5. Flood plain:

According to the current effective Federal Emergency Management Agency Flood Insurance Rate Map, the subject property is located outside the boundary of the 100 Year Floodplain, as identified on FEMA Mapping Panel No. 08041C0951 G, dated December 7, 2018.

6. Units of measurement: US Survey Feet

7. The following reports have been submitted in association with the Preliminary Plan or Final Plat for this subdivision and are on file at the County Planning and Community Development Department: Drainage Report; Water Resources Report; Soils and Geology and Soils Report; Fire Protection Report; Natural Resources Report, Traffic Impact Study, Wastewater Treatment Report.

8. Geologic Hazard Note

The site has been found to be impacted by geologic hazards. Mitigation measures and a map of the hazard area can be found in the report Subsurface Soil Investigation Crawford Apartments Crawford Avenue and Kittery Drive El Paso County, Colorado by Entech Engineering, inc., dated May 31, 2022, in file SF 235 available at the El Paso County Planning and Community Development Department:

The report listed potential for expansive soils. The suggested mitigation was

overexcavation of 5'-7' in depth and 5'-7' outside of any building footer. Structural fill should be placed in the over excavated areas and compacted to a minimum 95% of the soils minimum dry density.

9. All property owners are responsible for maintaining proper storm water drainage in and through their property. Public drainage easements as specifically noted on the plat shall be maintained by the individual lot owners unless otherwise indicated. Structures, fences, materials or landscaping that could impede the flow of runoff shall not be placed in drainage easements.

10. Easements: Unless otherwise indicated, all side, front, and rear lot lines are hereby platted on either side with a 10 foot public utility and drainage easement unless otherwise indicated. The sole responsibility for maintenance of these easements is hereby vested with the individual property owners.

11. Environmental: Developer shall comply with federal and state laws, regulations, ordinances, review and permit requirements, and other agency requirements, if any, of applicable agencies including, but not limited to, the Colorado Division of Wildlife, Colorado Department of Transportation, U.S. Army Corps of Engineers and the U.S. Fish and Wildlife Service regarding the Endangered Species Act, particularly as it relates to the listed species (e.g., Preble's Meadow Jumping Mouse).

12. Addresses: The addresses exhibited on this plat are for informational purposes only. They are not the legal description and are subject to change.

13. Mailboxes: Mailboxes shall be installed in accordance with all El Paso County and United States Postal Service regulations.

14. Driveway Note: No driveways shall be established unless an access permit has been granted by El Paso County. Individual lot purchasers are responsible for constructing driveways, including necessary drainage culverts from the private road per Land Development Code Section 6.3.3.C.2 and 6.3.3.C.3

15. Water Supply: Water is supplied by Security Water and Sanitation District, per agreement recorded June 30, 1987, in Book 5388 at Page 1067, and agreement recorded April 21, 2008, under Reception No. 208044754.

16. Wastewater: Wastewater is supplied by Security Water and Sanitation District, per agreement recorded June 30, 1987, in Book 5388 at Page 1067, and agreement recorded April 21, 2008, under Reception No. 208044754.

17. An Avigation Easement recorded September 27, 1985 in Book 5067 at Page 379, affects

18. All structural foundations shall be located and designed by a Professional Engineer,

currently registered in the State of Colorado.

19. The Subdivider(s) agree(s) on behalf of himself/herself and any developer or builder successor and assignees that Subdivider and/or said successor and assigns shall be required to pay traffic impact fees in accordance with the El Paso County Road Impact Fee Program Resolution (Resolution No 19-471), or any amendments thereto, at or prior to the time of building permit submittals. The fee obligation, if not paid at final plat recording, shall be documented on all sales documents and on plat notes to ensure that a title search would find the fee obligation before sale of the property.

20. The site is part of the Fountain Mutual Metropolitan District, as evidenced by instrument recorded June 19, 2001, under Reception No. 201084215.

Prepared by the office of:

Dliver E. Watts, Consulting Engineer, Inc.
614 Elkton Drive
Colorado springs, co 80907
(719) 593-0173 office
(719) 265-9660 fax

Dlliewatts@aol.com
Celebrating over 44 years in business

PCD File No.: SF-239

OLIVER E. WATTS CONSULTING ENGINEER COLORADO SPRINGS 1-9-23

4-28-23

□EW 21-5725-04