

2023 Financial Assurance Estimate Form

(with pre-plat construction)

(with pre-plat construction)		Updated: 12/8/2022					
PROJECT INFORMATION							
FALCON SHERIFF SUBSTATION	8/28/2023	PPR-22-059					
Project Name	Date	PCD File No.					

escription		Quantity	Units		Unit Cost			Total	(with Pro		Remaining
ECTION 1 - GRADING AND	FROSTON CONTRO			nont				iotai	% Complete		Remaining
Earthwork	Z EKOSION CONTRO	L (Construction	anu Perma	ment	DMP5)						
less than 1,000; \$5,300 m	nin		CY	\$	8.00		\$			\$	
1,000-5,000; \$8,000 min	1111	1,883	CY	\$	6.00		\$	11,298.00		\$	11,298.0
	: <u></u>	1,003	CY	\$	5.00		\$	11,290.00		\$	11,290.0
5,001-20,000; \$30,000 m			CY	\$	3.50		\$				
20,001-50,000; \$100,000				\$		=				\$	
50,001-200,000; \$175,00			CY		2.50	=	\$			\$	
greater than 200,000; \$50			CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanke			SY	\$	8.00	=	\$	-		\$	-
Permanent Seeding (inc. noxious		0.7	AC	\$	1,875.00	=	\$	1,368.75		\$	1,368.7
Permanent Pond/BMP (Riprap out	tfall at pond)	1	EA	\$	1,500.00	=	\$	1,500.00		\$	1,500.0
Concrete Washout Basin		1	EA	\$	1,089.00	=	\$	1,089.00		\$	1,089.0
Inlet Protection		3	EA	\$	202.00	=	\$	606.00		\$	606.0
Rock Check Dam			EA	\$	605.00	=	\$	-		\$	-
Safety Fence upo	late		LF	\$	3.00	=	\$	-		\$	-
Sediment Basin	antities.		EA	\$	2,132.00	=	\$	-		\$	-
			EA	\$	500.00	=	\$	-		\$	-
Silt Fence Unit	esolved.	350	LF	\$	3.00	=	\$	1,050.00		\$	1,050.0
Slope Drain			LF	\$	40.00		\$	-		\$	-
Straw Bale			EA	\$	31.00	=	\$	-		\$	-
Straw Wattle/Rock Sock			LF	\$	7.00	=	\$	-		\$	-
Surface Roughening			AC	\$	250.00		\$	-		\$	-
Temporary Erosion Control Blanks	et		SY	\$	3.00	=	\$	-		\$	-
Temporary Seeding and Mulching			AC	\$	1,666.00	=	\$	-		\$	-
Vehicle Tracking Control		1	EA	\$	2,867.00	=	\$	2,867.00		\$	2,867.0
						=	\$	-		\$	-
[insert items not listed but part of o	construction plans1					=	\$	-		\$	-
•		MAINTENANCE (35% of Co	nstruc	tion BMPs)	=	\$	1,583.05		\$	1,583.0
Subject to defect warranty financial assurance					,		1	_,		7	_,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
tained until final acceptance (MAXIMUM OF 8			Se	ction	1 Subtotal	=	\$	21,361.80		\$	21,361.80
DADWAY IMPROVEMENTS	OVEMENTS *		1.0		25 000 00					1 4	
	OVEMENTS *										
	OVEMENTS *		LS	\$	25,000.00	=	\$	-		\$	
DADWAY IMPROVEMENTS Construction Traffic Control	i lbs/cf)		LS Tons	\$	25,000.00 34.00	= =	\$	- -		\$	-
Construction Traffic Control Aggregate Base Course (135					-						
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135	i lbs/cf)		Tons	\$	34.00		\$	-		\$	-
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick)	i lbs/cf)		Tons CY	\$	34.00 61.00		\$			\$	-
Construction Traffic Control Aggregate Base Course (135	i lbs/cf)		Tons CY SY	\$ \$ \$	34.00 61.00 17.00		\$ \$ \$	- - -		\$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	i lbs/cf)		Tons CY SY SY	\$ \$ \$ \$	34.00 61.00 17.00 23.00		\$ \$ \$ \$	- - -		\$ \$ \$	- - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	i lbs/cf)		Tons CY SY SY SY	\$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00	=	\$ \$ \$ \$	- - - -		\$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved	i lbs/cf)		Tons CY SY SY SY Tons	\$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00	=	\$ \$ \$ \$ \$	-		\$ \$ \$ \$ \$	- - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign	i lbs/cf)		Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00	= = =	\$ \$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$	- - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	i lbs/cf)		Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00	= = = =	\$ \$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$	- - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	i lbs/cf)		Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	i lbs/cf)		Tons CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00	= = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	i lbs/cf)		Tons CY SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type I	5 lbs/cf) 5 lbs/cf)		Tons CY SY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve	5 lbs/cf) 5 lbs/cf) ertical)		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Termoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vec	i lbs/cf) i lbs/cf) ertical)		Tons CY SY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram	i lbs/cf) i lbs/cf) ertical)		Tons CY SY SY Tons SF EA EA SF SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only)	i lbs/cf) i lbs/cf) ertical)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
CADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk	i lbs/cf) i lbs/cf) ertical)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
CADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	i lbs/cf) i lbs/cf) ertical)		Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00 87.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	i lbs/cf) i lbs/cf) ertical)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00 87.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp	is lbs/cf) bis/cf) ertical) an)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 58.00 72.00 87.00 116.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide	is lbs/cf) is lbs/cf) ertical) ian) p) to include return)		Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,390.00 73.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide Cross Pan, collector (9" thick, 8" w	ertical) ian) p) to include return)		Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type A (6" Ve Curb and Gutter, Type C (Ram 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide Cross Pan, collector (9" thick, 8' w Curb Opening with Drainage Chas	ertical) ian) p) to include return)		Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,390.00 73.00 111.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type C (Ram 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide Cross Pan, collector (9" thick, 8' w. Curb Opening with Drainage Chas Guardrail Type 3 (W-Beam)	ertical) ian) p) to include return)		Tons CY SY SY SY Tons EA EA LF LF LF SY SY SY SY LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,390.00 73.00 111.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide Cross Pan, collector (9" thick, 8' w Curb Opening with Drainage Chas Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	ertical) ian) p) to include return)		Tons CY SY SY SY Tons SF EA EA SF EA LF		34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide Cross Pan, collector (9" thick, 8" w Curb Quendrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage	ertical) ian) p) to include return)		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 35.00 116.00 1,390.00 72.00 87.00 111.00 1,790.00 60.00 87.00 2,538.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide Cross Pan, collector (9" thick, 8' w Curb Opening with Drainage Chas Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	ertical) in include return) inde to include return) ise		Tons CY SY SY SY Tons SF EA EA SF EA LF		34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00 2,538.00 4,556.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide Cross Pan, collector (9" thick, 8" w Curb Qpening with Drainage Chas Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage	ertical) in include return) inde to include return) ise		Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 35.00 116.00 1,390.00 72.00 87.00 111.00 1,790.00 60.00 87.00 2,538.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Construction Traffic Control Aggregate Base Course (135 Aggregate Base Course (135 Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Ve Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide Cross Pan, collector (9" thick, 8' w Curb Opening with Drainage Chas Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	ertical) in include return) inde to include return) ise		Tons CY SY SY SY Tons SF EA EA SF EA LF		34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00 2,538.00 4,556.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Aggregate Base Course (138 Aggregate Base Course (138 Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" V6 Curb and Gutter, Type B (Medi Curb and Gutter, Type C (Ram 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide Cross Pan, collector (9" thick, 8' w Curb Opening with Drainage Chas Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, Sound Barrier Fence (panels, 6' h	ertical) in include return) inde to include return) ise		Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	34.00 61.00 17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00 2,538.00 4,556.00 95.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION								
FALCON SHERIFF SUBSTATION	8/28/2023	PPR-22-059						
Project Name	Date	PCD File No.						

Description	Quantity Units Cost					Total	(with Pre-Plat Construction) % Complete Remaining			
					=	\$ -		\$		
[insert items not listed but part of construction plans]					=	\$ -		\$		
TORM DRAIN IMPROVEMENTS	'					'				
Concrete Box Culvert (M Standard), Size (10x6)		LF			=	\$ -		\$		
18" Reinforced Concrete Pipe		LF	\$	76.00	=	\$ -		\$		
24" Reinforced Concrete Pipe		LF	\$	91.00	=	\$ -		\$		
30" Reinforced Concrete Pipe		LF	\$	114.00	=	\$ -		\$		
36" Reinforced Concrete Pipe		LF	\$	140.00	=	\$ -		\$		
42" Reinforced Concrete Pipe		LF	\$	187.00	=	\$ -		\$		
48" Reinforced Concrete Pipe		LF	\$	228.00		\$ -		\$		
54" Reinforced Concrete Pipe		LF	\$	297.00		\$ -		\$		
60" Reinforced Concrete Pipe		LF	\$	348.00	=	\$ -		\$		
66" Reinforced Concrete Pipe		LF	\$	402.00	=	\$ -		\$		
72" Reinforced Concrete Pipe		LF	\$	460.00	=	\$ -		\$		
18" Corrugated Steel Pipe		LF	\$	98.00	=	\$ -		\$		
24" Corrugated Steel Pipe		LF	\$	112.00		\$ -		\$		
30" Corrugated Steel Pipe		LF	\$	143.00		\$ -		\$		
		LF	\$	171.00						
36" Corrugated Steel Pipe		LF	\$	171.00	=	\$ - \$ -		Ψ		
42" Corrugated Steel Pipe 48" Corrugated Steel Pipe		LF			=	\$ -		\$		
,			\$	207.00						
54" Corrugated Steel Pipe		LF	\$	304.00	=	\$ -		\$		
60" Corrugated Steel Pipe		LF	\$	328.00	=	\$ -		\$		
66" Corrugated Steel Pipe		LF	\$	397.00	=	\$ -		\$		
72" Corrugated Steel Pipe		LF	\$	467.00	=	\$ -		\$		
78" Corrugated Steel Pipe		LF	\$	537.00	=	\$ -		\$		
84" Corrugated Steel Pipe		LF	\$	642.00	=	\$ -		\$		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA	\$	2,000.00	=	\$ -		\$		
Flared End Section (FES) RCP Size =					=	\$ -		\$		
(unit cost = 6x pipe unit cost)		EA	_	40.000.00						
End Treatment- Headwall		EA	\$	10,000.00	=	\$ -		\$		
End Treatment- Wingwall		EA	\$	8,000.00	=	\$ -		\$		
End Treatment - Cutoff Wall		EA	\$	2,500.00	=	\$ -		\$		
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$	6,703.00	=	\$ -		\$		
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$	8,715.00	=	\$ -		\$		
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$	10,092.00	=	\$ -		\$		
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$	9,224.00	=	\$ -		\$		
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$	9,507.00	=	\$ -		\$		
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$	11,901.00	=	\$ -		\$		
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$	11,995.00	=	\$ -		\$		
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$	12,858.00	=	\$ -		\$		
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$	14,061.00	=	\$ -		\$		
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$	12,783.00	=	\$ -		\$		
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$	14,109.00	=	\$ -		\$		
Grated Inlet (Type C), Depth < 5'		EA	\$	5,611.00	=	\$ -		\$		
Grated Inlet (Type D), Depth < 5'		EA	\$	6,931.00	=	\$ -		\$		
Storm Sewer Manhole, Box Base		EA	\$	14,061.00	=	\$ -		\$		
Storm Sewer Manhole, Slab Base		EA	\$	7,734.00	=	\$ -		\$		
Geotextile (Erosion Control)		SY	\$	8.00	=	\$ -		\$		
Rip Rap, d50 size from 6" to 24"		Tons	\$	97.00	=	\$ -		\$		
Rip Rap, Grouted		Tons	\$	115.00	=	\$ -		\$		
Drainage Channel Construction, Size (W x H)		LF	\$	-		\$ -		\$		
Drainage Channel Lining, Concrete		CY	\$	689.00		\$ -		\$		
Drainage Channel Lining, Rip Rap		CY	\$	135.00		\$ -		\$		
								-		
Drainage Channel Lining, Grass Drainage Channel Lining, Other Stabilization		AC	\$	1,776.00	=	Ψ		Ψ		
finsert items not listed but part of construction plans					=	Ψ .		\$		
					=	\ \$ -		1.5		

PROJECT INFORMATION							
FALCON SHERIFF SUBSTATION	8/28/2023	PPR-22-059					
Project Name	Date	PCD File No.					

				Unit			(with Pre-F	Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or Di	strict	and NOT	Maintain	ed by EPC)**		
DRY UTILITIES								
					=	\$ -	4	-
					=	\$ -	9	
					=	\$ -	9	-
					=	\$ -	4	-
					=	\$ -	9	-
					=	\$ -	4	-
STORM DRAIN IMPROVEMENTS (Exce	ption: Permanent Por	nd/BMP shall	be item	nized under Se	ection 1)	'		
					=	\$ -	4	-
					=	\$ -	4	-
					=	\$ -	9	-
					=	\$ -	4	-
					=	\$ -	9	-
					=	\$ -	\$	-
WATER SYSTEM IMPROVEMENTS								
Water Main Pipe (PVC), Size 6"		LF			=	\$ -	9	-
Water Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$ -		
Gate Valves, 8"		EA	\$	2,247.00	=	\$ -		
Fire Hydrant Assembly, w/ all valves		EA	\$	7,978.00	=	\$ -		
Water Service Line Installation, inc. tap and valves		EA	\$	1,601.00	=	\$ -		-
Fire Cistern Installation, complete		EA			=	\$ -		
					=	\$ -		-
SANITARY SEWER IMPROVEMENTS								
Sewer Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$ -		
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,305.00	=	\$ -		
Sanitary Service Line Installation, complete		EA	\$	1,696.00	=	\$ -		
Sanitary Sewer Lift Station, complete		EA			=	\$ -		
					=	\$ -		
[insert items not listed but part of construction plans]					=	\$ -		-
LANDSCAPING IMPROVEMENTS	(For subdivision spe		n of ap	proval, or PUI		1.		
		EA			=	\$ -	9	
		EA			=	\$ -	9	
		EA			=	\$ -	4	
		EA			=	\$ -	9	
		EA			=	\$ -		
* - Section 3 is not subject to defect warranty requirements		Sec	ction :	3 Subtotal	=	\$ -		\$-

provide costs for as built drawings since you will be adjusting the size of the pond. Unresolved.

		PROJECT		ORMATIO	N					
FALCON SHERIFF SUBSTATION			8/28	2023				P	PR-22	2-059
Project Name	-		Date	e		_		PCD File No.		
				Unit				(with Pre	-Plat (Construction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent Wo	QCV BMPs)	LS	V	<i>'</i>	=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume ca	alculations)	LS	\$	5,000.00	=	\$	5,000.00		\$	5,000.00
					Total	Constr	uction Financia	I Assurance	\$	26,361.80
			(Sum of all se	ction subtota	als plus as	s-builts and pond/BI	MP certification)		
	Total Re	maining Co	nstru	ction Fina	ncial Assu	ırance (with Pre-Plat C	onstruction) _.	\$	26,361.80
	(Sum	of all section to	otals le	ss credit for i	tems comple	ete plus as	s-builts and pond/Bl	MP certification)		
					Total De	efect Wa	arranty Financia	I Assurance	\$	2,833.35
		(20% of all	items i	dentified as ('). To be coll	lateralized	d at time of prelimina	ary acceptance)		
Approvals										
I hereby certify that this is an accurate and complete estimate	of costs for the w	ork as shown o	on the (Grading and E	rosion Conti	roi Plan ai	nd Construction Dra	wings associated	with t	ne Project.
Engineer (P.E. Seal Required)		_								
Engineer (F.E. Sear Required)										
Approved by Owner / Applicant		_	Date	<u> </u>						
, pp. orea o, ormer, repriedite			Dutt							
Approved by El Paso County Engineer / ECM Administrator		_	Date							