


ENG-CDR20005-R2-CDR-Redlines.pdf Markup Summary


2 (1)



Subject: Text Box
Page Index: 2
Date: 2/27/2021 4:51:41 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [2] 2 NOTES & DETAILS SHEET


ALL

3 (22)




Subject: Length Measurement
Page Index: 3
Date: 2/27/2021 1:21:17 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

60.3 ft




Subject: Callout
Page Index: 3
Date: 2/27/2021 1:25:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

might be better to underground now instead of guardrail




Subject: Pen
Page Index: 3
Date: 2/27/2021 1:29:13 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

(




Subject: Pen
Page Index: 3
Date: 2/27/2021 1:30:19 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

.




Subject: Length Measurement
Page Index: 3
Date: 2/27/2021 1:32:01 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

4.0 ft




Subject: Callout
Page Index: 3
Date: 2/27/2021 1:32:26 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50


verify clear zone (is guardrail required?)




Subject: Arrow
Page Index: 3
Date: 2/27/2021 1:35:16 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Arrow
Page Index: 3
Date: 2/27/2021 1:35:32 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50



Subject: Arrow
Page Index: 3
Date: 2/27/2021 1:35:52 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Arrow
Page Index: 3
Date: 2/27/2021 1:35:59 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Callout
Page Index: 3
Date: 2/27/2021 1:37:30 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

provide 12' NB lane, and shoulders (asphalt + gravel) from 9+50 - 14+50




Subject: Length Measurement
Page Index: 3 74.0 ft
Date: 2/27/2021 1:50:12 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Callout
Page Index: 3 ?
Date: 2/27/2021 1:51:07 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Callout
Page Index: 3 consider placing inlet in ultimate location
Date: 2/27/2021 10:50:01 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50



Subject: Callout
Page Index: 3 Provide an asphalt apron
Date: 2/27/2021 11:22:30 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50



Subject: Image
Page Index: 3
Date: 2/27/2021 11:22:38 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Callout
Page Index: 3 permanent easement will be required for the slope until platted
Date: 2/27/2021 2:04:09 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50




Subject: Callout
Page Index: 3
Date: 2/27/2021 2:07:57 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

Sidewalk connecting to City sidewalk needs to be provided




Subject:
Page Index: 3
Date: 2/27/2021 2:09:25 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50



Subject: Callout
Page Index: 3
Date: 2/27/2021 2:10:12 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

ped. ramp



Subject: Callout
Page Index: 3
Date: 2/27/2021 3:01:33 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50


reference curb end detail (taper in and up if not tied into driveway)




Subject: Callout
Page Index: 3
Date: 2/27/2021 3:05:53 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [3] 3 Vollmer Road (South) sta 10+00 to 23+50

Tie radius into driveway or to ROW?

4 (17)



Subject: Image
Page Index: 4
Date: 2/27/2021 11:54:17 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



PREPARED FOR

Subject: Length Measurement

12.0 ft

Page Index: 4

Date: 2/27/2021 11:55:19 AM


Author: dsdrice

Color: ■

Layer:

Space:

Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



Subject: Length Measurement

12.1 ft

Page Index: 4

Date: 2/27/2021 11:55:58 AM

Author: dsdrice

Color: ■

Layer:

Space:

Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



PREPARED FOR
SRI LAND, LLC
20 BOULDER CREEK
SUITE 201
COLORADO SPRINGS
JAMES F. W.

Subject: Arrow

Page Index: 4

Date: 2/27/2021 12:00:33 PM

Author: dsdrice

Color: ■

Layer:

Space:

Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



PREPARED FOR
SRI LAND, LLC
20 BOULDER CREEK
SUITE 201
COLORADO SPRINGS
JAMES F. W.

Subject: Arrow

Page Index: 4

Date: 2/27/2021 12:00:46 PM

Author: dsdrice

Color: ■

Layer:

Space:

Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



PREPARED FOR
SRI LAND, LLC
20 BOULDER CREEK
SUITE 201
COLORADO SPRINGS
JAMES F. W.

Subject: Arrow

Page Index: 4

Date: 2/27/2021 12:00:49 PM


Author: dsdrice

Color: ■

Layer:

Space:

Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



Subject: Pen

Page Index: 4

Date: 2/27/2021 12:04:03 PM


Author: dsdrice

Color: ■


Layer:

Space:


Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate




Subject: Callout
Page Index: 4 label radius
Date: 2/27/2021 12:04:19 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate




Subject:
Page Index: 4
Date: 2/27/2021 12:12:31 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate




Subject: Callout
Page Index: 4 Provide a median island with note to be installed once Marksheffel Road is opened.
Date: 2/27/2021 12:12:46 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate




Subject: Length Measurement 19.6 ft
Page Index: 4
Date: 2/27/2021 2:41:19 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate




Subject: Arrow
Page Index: 4
Date: 2/27/2021 2:49:56 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



Subject: Arrow
Page Index: 4
Date: 2/27/2021 2:50:29 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate




Subject: Arrow
Page Index: 4
Date: 2/27/2021 2:50:42 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate



Subject: Callout
Page Index: 4
Date: 2/27/2021 2:52:03 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate

Provide details and existing grade for this side of Lochwinnoch. Provide some shoulder on the northeast side tapering in to existing.



Subject: Callout
Page Index: 4
Date: 2/27/2021 2:59:43 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate


label reference for curb end detail and provide detail



Subject: Callout
Page Index: 4
Date: 2/27/2021 3:06:47 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [4] 4 Vollmer Road (south) Interim Sta 23+50 to 33+00 ultimate


show gravel shoulders also

5 (34)




Subject: Length Measurement
Page Index: 5
Date: 2/27/2021 1:15:50 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

12.0 ft




Subject: Length Measurement
Page Index: 5
Date: 2/27/2021 1:16:07 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)


12.0 ft




Subject: Arrow
Page Index: 5
Date: 2/27/2021 1:16:33 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Length Measurement 12.0 ft
Page Index: 5
Date: 2/27/2021 1:16:59 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Arrow
Page Index: 5
Date: 2/27/2021 1:18:04 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Callout begin stripe here?
Page Index: 5
Date: 2/27/2021 1:40:42 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)



Subject: Length Measurement 13.7 ft
Page Index: 5
Date: 2/27/2021 1:42:03 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Length Measurement 13.9 ft
Page Index: 5
Date: 2/27/2021 1:43:40 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Callout
Page Index: 5
Date: 2/27/2021 1:44:14 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

label redirect and taper ratios




Subject: Callout
Page Index: 5
Date: 2/27/2021 1:44:20 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

label CL stationing and lane lengths




Subject: Highlight
Page Index: 5
Date: 2/27/2021 1:44:46 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Callout
Page Index: 5
Date: 2/27/2021 1:45:22 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

If an additional stop sign is needed, left turn lane may need to be further north a few feet



Subject: Callout
Page Index: 5
Date: 2/27/2021 1:46:06 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

Show barricades with label that Marksheffel is not to be opened until City and County approve.




Subject: Callout
Page Index: 5
Date: 2/27/2021 1:48:23 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)


label redirect ratios

PIPE	PAVEMENT M
1	2-WAY LEFT TURN LANE
2	DOUBLE CENTERLINE LANE
3	LANE LANES
4	BROWN EDGE /BIKE LA

Subject:
Page Index: 5
Date: 2/27/2021 10:55:54 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject:
Page Index: 5
Date: 2/27/2021 10:58:22 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Callout
Page Index: 5
Date: 2/27/2021 11:00:25 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

delineators? If using jersey barrier place it at ROW line.




Subject: Callout
Page Index: 5
Date: 2/27/2021 11:03:17 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

should be double-yellow median




Subject: Callout
Page Index: 5
Date: 2/27/2021 11:03:45 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

TWLT not needed anywhere?




Subject: Callout
Page Index: 5
Date: 2/27/2021 11:05:10 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

should be double yellow median




Subject: Callout
Page Index: 5
Date: 2/27/2021 11:24:34 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)


Show existing and proposed lanes in separate details




Subject: Arrow
Page Index: 5
Date: 2/27/2021 11:25:52 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Image
Page Index: 5
Date: 2/27/2021 11:56:57 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Arrow
Page Index: 5
Date: 2/27/2021 11:57:22 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)



Subject: Arrow
Page Index: 5
Date: 2/27/2021 11:57:41 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Arrow
Page Index: 5
Date: 2/27/2021 11:58:34 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Cloud+
Page Index: 5
Date: 2/27/2021 11:59:41 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

Show details to the north




Subject: Callout
Page Index: 5
Date: 2/27/2021 12:10:21 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

Label left turn lane as temporary until Marksheffel Road is opened.




Subject:
Page Index: 5
Date: 2/27/2021 12:13:58 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)




Subject: Callout
Page Index: 5
Date: 2/27/2021 12:15:02 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

label redirect ratios




Subject: Callout
Page Index: 5
Date: 2/27/2021 12:15:59 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

Provide signage striping for median island




Subject: Callout
Page Index: 5
Date: 2/27/2021 12:56:19 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)

Just edge line may be fine (without hatching)?




Subject: Length Measurement
Page Index: 5
Date: 2/27/2021 2:46:11 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)



Subject: Callout
Page Index: 5
Date: 2/27/2021 2:46:21 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [5] 5 Ultimate Vollmer Road (South)


realign northbound lane before intersection as discussed

6 (14)




Subject: Length Measurement
Page Index: 6
Date: 2/27/2021 1:55:59 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections

74.0 ft




Subject: Callout
Page Index: 6
Date: 2/27/2021 2:02:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections

there should be a 16.5' bench @ 1.5%




Subject: Arrow
Page Index: 6
Date: 2/27/2021 2:02:55 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections




Subject: Length Measurement
Page Index: 6
Date: 2/27/2021 2:03:03 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections

16.5 ft




Subject: Arrow
Page Index: 6
Date: 2/27/2021 2:03:57 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections




Subject: Callout
Page Index: 6
Date: 2/27/2021 2:05:54 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections

If for some reason there is no bench, the slope needs to be recoverable or provide guardrail




Subject: Arrow
Page Index: 6
Date: 2/27/2021 2:15:36 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections




Subject: Length Measurement
Page Index: 6
Date: 2/27/2021 2:15:36 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections

16.5 ft




Subject: Arrow
Page Index: 6
Date: 2/27/2021 2:15:36 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections




Subject: Callout
Page Index: 6
Date: 2/27/2021 2:16:23 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections


there should be a 16.5' bench @1.5%. Show meandering sidewalk.



Subject: Length Measurement
Page Index: 6
Date: 2/27/2021 2:17:16 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections




Subject:
Page Index: 6
Date: 2/27/2021 2:19:22 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections



Subject: Callout
Page Index: 6
Date: 2/27/2021 3:13:40 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections


Can part of old road be used for trail from 18+80?



Subject: Callout
Page Index: 6
Date: 2/27/2021 3:14:52 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [6] 6 Cross Sections


Show sidewalk 10+00 to 18+80

7 (24)




Subject: Length Measurement
Page Index: 7
Date: 2/27/2021 2:27:04 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

16.5 ft




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:27:04 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Callout
Page Index: 7
Date: 2/27/2021 2:27:04 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

there should be a 16.5' bench @1.5%. Show meandering sidewalk.




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:27:04 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Length Measurement
Page Index: 7
Date: 2/27/2021 2:28:24 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections


74.0 ft




Subject:
Page Index: 7
Date: 2/27/2021 2:28:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:29:17 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections



Subject:
Page Index: 7
Date: 2/27/2021 2:31:26 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:32:54 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Callout
Page Index: 7
Date: 2/27/2021 2:33:51 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

label shoulders




Subject: Callout
Page Index: 7
Date: 2/27/2021 2:34:38 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections


label recoverable slope or guardrails




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:35:03 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections



Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:35:12 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:35:43 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Callout
Page Index: 7
Date: 2/27/2021 2:36:55 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections


grade shoulders to drain



Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:37:26 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 7
Date: 2/27/2021 2:37:59 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections



Subject: Length Measurement
Page Index: 7
Date: 2/27/2021 2:40:28 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

26.6 ft




Subject: Callout
Page Index: 7
Date: 2/27/2021 2:57:19 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

label max cross-slope 5:1 for 12.5'


Provide shoulder and ditch dimensions from, or copy of, SD_2-12 for segments without curb and gutter.

Subject: Text Box
Page Index: 7
Date: 2/27/2021 3:08:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

Provide shoulder and ditch dimensions from, or copy of, SD_2-12 for segments without curb and gutter.




Subject: Arrow
Page Index: 7
Date: 2/27/2021 3:09:14 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Callout
Page Index: 7
Date: 2/27/2021 3:10:22 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

Can part of old road be used for trail to 27+80?




Subject:
Page Index: 7
Date: 2/27/2021 3:10:53 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 7
Date: 2/27/2021 3:11:17 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

8 (2)



Subject: Callout
Page Index: 8
Date: 2/27/2021 12:25:07 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections


68'?



Subject: Cloud+
Page Index: 8
Date: 2/27/2021 12:25:43 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

Delete?


9 (1)



Subject: Text Box
Page Index: 9
Date: 2/27/2021 4:52:36 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

ALL

11 (1)



Subject: Callout
Page Index: 11
Date: 2/27/2021 12:23:25 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

If an additional stop sign is needed, left turn lane may need to be further north. An interim median would allow for this and pedestrian refuge.

12 (2)




Subject: EPC ENG Review
Page Index: 12
Date: 3/1/2021 8:18:10 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

See comment letter also.

Subject: Text Box
Page Index: 12
Date: 3/1/2021 8:18:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

See comment letter also.


13 (1)



Subject: Text Box
Page Index: 13
Date: 2/27/2021 4:50:46 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

ALL

14 (2)



Subject: Text Box
Page Index: 14
Date: 2/27/2021 12:27:33 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

future

MEDIAN




Subject: Highlight
Page Index: 14
Date: 2/27/2021 12:27:52 PM
Author: dsdrice
Color:
Layer:
Space:
Page Label: [7] 7 Cross Sections

15 (15)




Subject: Callout
Page Index: 15
Date: 2/27/2021 12:28:46 PM
Author: dsdrice
Color:
Layer:
Space:
Page Label: [7] 7 Cross Sections

keep raised median




Subject: Callout
Page Index: 15
Date: 2/27/2021 4:36:18 PM
Author: dsdrice
Color:
Layer:
Space:
Page Label: [7] 7 Cross Sections

label grade




Subject: Callout
Page Index: 15
Date: 2/27/2021 4:37:52 PM
Author: dsdrice
Color:
Layer:
Space:
Page Label: [7] 7 Cross Sections

show ped ramps




Subject: Callout
Page Index: 15
Date: 2/27/2021 4:38:20 PM
Author: dsdrice
Color:
Layer:
Space:
Page Label: [7] 7 Cross Sections

label elevations




Subject: Text Box
Page Index: 15
Date: 2/27/2021 4:38:27 PM
Author: dsdrice
Color:
Layer:
Space:
Page Label: [7] 7 Cross Sections


Provide a centerline profile for the necessary distance to show that criteria is met.




Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:40:03 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:41:01 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:41:08 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:41:21 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections



Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:41:24 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:44:54 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections



Subject: Callout
Page Index: 15
Date: 2/27/2021 4:45:59 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

show warp elevations/lines



Subject: Callout
Page Index: 15
Date: 2/27/2021 4:48:11 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

label slopes at arrows or provide a separate detail (recommended for all intersections and pedestrian crossings)



Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:48:31 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections




Subject: Arrow
Page Index: 15
Date: 2/27/2021 4:48:36 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

17 (1)

NOSE
-22 ■


Subject: Highlight
Page Index: 17
Date: 2/27/2021 12:30:12 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

18 (9)




Subject: Callout
Page Index: 18
Date: 2/27/2021 12:36:58 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

Is an additional stop sign needed?




Subject: Callout
Page Index: 18
Date: 2/27/2021 12:45:15 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

Stripe out through lane and right left turn lane?
 This will allow for pedestrian refuge until signal is needed. See N. Carefree at Marksheffel. Keep raised median.




Subject: Callout
Page Index: 18
Date: 2/27/2021 12:47:34 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

(add barricades)




Subject: Callout
Page Index: 18
Date: 2/27/2021 12:51:31 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

Road closed barricades until Marksheffel Road is opened




Subject: Callout
Page Index: 18
Date: 2/27/2021 12:53:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

should be double-yellow median between tracts J and B (no place to turn left southbound)




Subject: Length Measurement
Page Index: 18
Date: 2/27/2021 4:30:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

48.0 ft




Subject: Callout
Page Index: 18
Date: 2/27/2021 4:32:19 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections

2



Subject:
Page Index: 18
Date: 2/27/2021 4:32:29 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections



Subject:
Page Index: 18
Date: 2/27/2021 4:32:33 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: [7] 7 Cross Sections