


SITE DEVELOPMENT PLAN

LOT 2 - CLAREMONT BUSINESS PARK 2 FILING NO. 2
 A PARCEL OF LAND IN THE SOUTHEAST QUARTER OF THE SOUTHEAST QUARTER (SE 1/4 SE 1/4) OF SECTION 5,
 AND THE NORTHEAST QUARTER OF THE NORTHEAST QUARTER (NE 1/4 NE 1/4) OF SECTION 8,
 T14S, R65W, OF THE 6th P.M., EL PASO COUNTY, COLORADO

LEGEND:

- SET No 5 REBAR AND 1.25" ORANGE CAP STAMPED "M&S CIVIL PLS 25966"
- FOUND No 5 REBAR AND 1.25" ORANGE CAP STAMPED "PLS 38141" NOTED OTHERWISE
- ALTA SURVEY BOUNDARY
- - - RIGHT-OF-WAY LINES
- - - ADJACENT PROPERTY LINES
- - - EASEMENT LINES
- - - SECTION LINES
- - - RIGHT-OF-WAY DEDICATED BY PLAT
- - - EXISTING FENCE
- - - EXISTING CURB AND GUTTER
- - - E EXISTING UNDERGROUND ELECTRIC LINES
- - - FO EXISTING UNDERGROUND FIBER OPTIC LINES
- - - T EXISTING UNDERGROUND TELEPHONE LINES
- - - TV EXISTING UNDERGROUND CABLE TELEVISION LINES
- - - G EXISTING GAS LINES
- - - S EXISTING SANITARY SEWER LINES
- - - W EXISTING WATER LINES
- - - (6380) EXISTING STORM SEWER SYSTEM
- - - (6379) EXISTING STORM SEWER LINES
- - - (6380) MAJOR CONTOUR LINES
- - - (6379) MINOR CONTOUR LINES
- *NOT A PART* PARCELS INDICATED WITH ASTERISK "*" ARE NOT A PART OF THIS SURVEY
- TRAFFIC FLOW



SITE DATA:

SITE ADDRESS: 1521 EL JEFE HEIGHTS
 EXISTING/PROP ZONE: CS
 SITE PLAN ACREAGE: 1.808 AC
 TAX SCHEDULE NO.: 5405412005
 PROPOSED USE: DRIVE-IN FAST FOOD SERVICE
 EXISTING LAND USE: VACANT

PARKING REQUIREMENTS:
 DRIVE-IN FAST FOOD SERVICE
 PARKING SPACES: TOTAL 1 SPACE PER 100 SF REQUIRED PER TABLE 6-2 (LDC)
 BICYCLE SPACE = 5% OF PARKING SPACES = 2 SPACES REQUIRED, 4 PROVIDED
 ** NO OFF-STREET PARKING PROVIDED
 ** NO SPECIFIC LOADING AREA PROVIDED

PARKING REQUIREMENTS				
BUILDING SF	REQUIRED SPACES	PROVIDED SPACES	REQUIRED ADA ASSESSABLE	PROVIDED ADA ASSESSABLE
1920	20	24	1	2

BUILDING SQ FOOTAGE: 1920 SF
 BUILDING LOT COVERAGE: 2.79%
 IMPERVIOUS SURFACE COVERAGE: 41.12% ~ 58.88% OPEN/LANDSCAPING

FEMA FLOODPLAIN NOTE:

NO PORTION OF THIS PROPERTY IS LOCATED WITHIN A DESIGNATED FEMA FLOODPLAIN IN ACCORDANCE WITH THE FLOOD INSURANCE RATE MAP (FIRM) PANEL NO. 080410533 G, EFFECTIVE DATE DECEMBER 7, 2018.

GENERAL NOTES:


- THE PARTIES RESPONSIBLE FOR THIS PLAN HAVE FAMILIARIZED THEMSELVES WITH ALL CURRENT ACCESSIBILITY CRITERIA AND SPECIFICATIONS AND THE PROPOSED PLAN REFLECTS ALL SITE ELEMENTS REQUIRED BY THE APPLICABLE DESIGN STANDARDS AND GUIDELINES AS PUBLISHED BY THE UNITED STATES DEPARTMENT OF JUSTICE. APPROVAL OF THIS PLAN BY EL PASO COUNTY DOES NOT ENSURE COMPLIANCE WITH THE ADA OR ANY REGULATIONS OR GUIDELINES ENACTED OR PROMULGATED UNDER OR RESPECT TO SUCH LAWS.
- THE OWNER AGREES ON BEHALF OF HIM/HERSELF AND ANY DEVELOPER OR BUILDER SUCCESSORS AND ASSIGNEES THAT SUBDIVIDER AND/OR SAID SUCCESSORS AND ASSIGNS SHALL BE REQUIRED TO PAY TRAFFIC IMPACT FEES IN ACCORDANCE WITH THE EL PASO COUNTY ROAD IMPACT FEE PROGRAM RESOLUTION (RESOLUTION NO. 24-377), OR ANY AMENDMENTS THERETO, AT OR PRIOR TO THE TIME OF BUILDING PERMIT SUBMITTALS. THE FEE OBLIGATION, IF NOT PAID AT FINAL PLAT RECORDING, SHALL BE DOCUMENTED ON ALL SALES DOCUMENTS AND ON PLAT NOTES TO ENSURE THAT A TITLE SEARCH WOULD FIND THE FEE OBLIGATION BEFORE SALE OF THE PROPERTY.

UTILITY NOTES:



- GAS METERS MUST BE A MINIMUM OF 3- FEET FROM DOORS, OPERABLE WINDOWS, OR ANY VENTS OR OPENING IN WALLS.
- GAS SERVICE TO BE PROVIDED BY COLORADO SPRINGS UTILITIES. THE CSU FIELD ENGINEER TO DETERMINE FINAL LOCATIONS OF GAS METERS AND THE SERVICE LINE., CONTACT FIELD ENGINEERING AT 719-668-4985 WITH ANY QUESTIONS.
- ELECTRIC SERVICE TO BE PROVIDED BY MOUNTAIN VIEW ELECTRIC ASSOCIATION. CONTACT MVCA NEW CONSTRUCTION AT 719-495-2283. THE MVCA FIELD ENGINEER TO DETERMINE FINAL LOCATIONS OF ELECTRIC TRANSFORMER, METER AND SERVICE LINE.

HANDICAP PARKING DESIGN CRITERIA:

- RAMPS SHALL NOT BE PLACED IN HANDICAPPED ACCESS AISLE, BUT SHALL BE PLACED WITHIN THE ADJOINING SIDEWALKS.
- ACCESS AISLES MAY NOT EXCEED 2% SLOPE IN ANY DIRECTION
- HANDICAPPED RAMPS MAY NOT EXCEED A SLOPE OF 8%
- THE MINIMUM WIDTH FOR HANDICAPPED RAMPS IS 36 INCHES.
- THE SIDES OF RAMPS MAY NOT EXCEED A SLOPE OF 10% UNLESS PROTECTED WITH A HANDRAIL.
- HANDICAPPED PARKING SHALL MEET ALL OTHER APPLICABLE CITY AND ADA CODE REQUIREMENTS.



PLANNING & COMMUNITY
 DEVELOPMENT DIRECTOR APPROVAL




LOT 2 - CLAREMONT BUSINESS
 PARK 2 FILING NO. 2
 SITE DEVELOPMENT PLAN
 JOB NO. 10-025
 DATE PREPARED: 09/20/23
 DATE REVISED: 3/25/26



EL PASO COUNTY FILE NO. PPR2345

CIVIL CONSULTANTS, INC. SHEET 1 OF 1




FLOOR PLAN



○ EAST (MARKSHEFFEL ROAD) ELEVATION

SCALE: 1/4" = 1'-0"



○ EXTERIOR SIGN ELEVATION
SCALE: 1/4" = 1'-0"



○ SOUTH (DRIVE-THRU) ELEVATION

SCALE: 1/4" = 1'-0"

REVISION		
NO.	DATE	DESCRIPTION



○ NORTH ELEVATION

SCALE: 1/4" = 1'-0"



UTILITY NOTES:

GAS METERS MUST BE A MINIMUM OF 3-FEET FROM DOORS, OPERABLE WINDOWS, OR ANY VENTS OR OPENINGS IN WALLS.

○ WEST (REAR) ELEVATION

SCALE: 1/4" = 1'-0"



Quick Service Restaurant | Retail
Design Group, LLC
584 Bellvue Road, Suite 3D Annapolis, MD 21409
Ph. No. (301) 364-9880



FLAVOR PALETTE
NEXT GEN
STORE NUMBER
364842

REVISION		
NO.	DATE	DESCRIPTION

DUNKIN' NEW BUILD

MARKSHEFFEL
COLORADO SPRINGS, CO

EXTERIOR ELEVATIONS | SCALE: 1/4" = 1'-0"

SHEET No.:

EER-2

DATE: 05/18/2026

PROJECT CONTACTS

PROPERTY OWNER

DTV MEADOWBROOK LLC
106 S KYRENE RD., SUITE 2
CHANDLER, AZ 85226
TELE: (480)-313-2724
ATTN: BRIAN ZUREK
EMAIL: BRIAN@DOUBLETREEVENTURES.COM

APPLICANT

DTV MEADOWBROOK LLC
106 S KYRENE RD., SUITE 2
CHANDLER, AZ 85226
TELE: (480)-313-2724
ATTN: BRIAN ZUREK
EMAIL: BRIAN@DOUBLETREEVENTURES.COM

CIVIL ENGINEER

M&S CIVIL CONSULTANTS INC.
212 N WAHSAATCHI, SUITE 305
COLORADO SPRINGS, CO 80903
TELE: (719) 210-8125
ATTN: GEORGIANNE WILLARD
EMAIL: GEORGIANNE@M&SCIVIL.COM


LANDSCAPE ARCHITECT

GALLOWAY & COMPANY
1155 KELLY JOHNSON BLVD. SUITE 305
COLORADO SPRINGS, CO 80920
TELE: (719) 900-7220
ATTN: JON ROMERO, P.E.
EMAIL: JONROMERO@GALLOWAYUS.COM

SURVEYOR

M&S CIVIL CONSULTANTS INC.
212 N WAHSAATCHI, SUITE 305
COLORADO SPRINGS, CO 80903
TELE: (719) 210-8125
ATTN: GEORGIANNE WILLARD
EMAIL: GEORGIANNE@M&SCIVIL.COM

VICINITY MAP



PROPERTY INFO:

ADDRESS: 1541 EL LEFT HTS.
ZONING: CS CAD-0
LOT SIZE: 1.808 ACRES
PARCEL NUMBER: 540542005

PLANTING NOTES

GENERAL

- ALL WORK SHALL CONFORM TO ALL APPLICABLE STATE AND LOCAL CODES, STANDARDS, AND SPECIFICATIONS.
- LANDSCAPE DESIGN IS DIAGRAMMATIC IN NATURE. THE CONTRACTOR SHALL BE RESPONSIBLE FOR HIS OWN TAKEOFFS AND QUANTITY CALCULATIONS. IN THE EVENT OF A DISCREPANCY BETWEEN THE PLAN AND THE LANDSCAPE LEGEND, THE PLANT QUANTITY AS SHOWN ON THE PLAN SHALL TAKE PRECEDENCE AND NOTIFY THE LANDSCAPE ARCHITECT OF THESE DISCREPANCIES. MINOR ADJUSTMENTS TO THE LANDSCAPE MATERIAL AND LOCATIONS MAY BE PROPOSED FOR CITY CONSIDERATION AT THE CONSTRUCTION DOCUMENT STAGE TO RESPOND TO MARKET AND FIELD CONDITIONS. HOWEVER, THERE SHALL BE NO REDUCTION IN THE NUMBER AND SIZE OF MATERIALS.
- CONTRACTOR SHALL MAKE HIMSELF AWARE OF THE LOCATIONS OF EXISTING AND PROPOSED UTILITIES, AND SHALL BE RESPONSIBLE FOR ANY DAMAGE TO THE UTILITIES AND/OR ANY INJURY TO ANY PERSON. THIS DRAWING IS PART OF A COMPLETE SET OF CONTRACT DOCUMENTS. UNDER NO CIRCUMSTANCES SHOULD THIS PLAN BE USED FOR CONSTRUCTION PURPOSES WITHOUT EXAMINING ACTUAL LOCATIONS OF UTILITIES ON SITE AND REVIEW ALL RELATED PLANS AND DOCUMENTS.
- ALL UTILITY EASEMENTS SHALL REMAIN UNOBTSTRUCTED AND FULLY ACCESSIBLE ALONG THEIR ENTIRE LENGTH FOR MAINTENANCE EQUIPMENT.
- THE CONTRACTOR SHALL TAKE EXTREME CARE NOT TO DAMAGE ANY EXISTING PLANTS INDICATED AS "TO REMAIN". ANY SUCH PLANTS DAMAGED BY THE CONTRACTOR SHALL BE REPLACED WITH THE SAME SPECIES, SIZE, AND QUANTITY AT THE CONTRACTOR'S OWN EXPENSE, AND AS ACCEPTABLE TO THE OWNER. REFER TO THE TREE PROTECTION NOTES ON THE PLANS (AS APPLICABLE).
- LANDSCAPE CONTRACTOR SHALL EXAMINE THE SITE CONDITIONS UNDER WHICH THE WORK IS TO BE PERFORMED AND NOTIFY THE GENERAL CONTRACTOR IN WRITING OF UNSATISFACTORY CONDITIONS. IF SITE CONDITIONS OR PLANT AVAILABILITY REQUIRE CHANGES TO THE PLAN, THEN AN APPROVAL WILL BE OBTAINED FROM THE CITY. DO NOT PROCEED UNTIL CONDITIONS HAVE BEEN CORRECTED.
- ALL CONSTRUCTION DEBRIS AND MATERIAL SHALL BE REMOVED AND CLEANED OUT PRIOR TO INSTALLATION OF TOPSOIL, TREES, SHRUBS, AND TURF.
- FOR ALL INFORMATION ON SURFACE MATERIAL OF WALKS, DRIVES, AND PARKING LOTS, SEE THE SITE PLAN. SEE PHOTOMETRIC PLAN FOR TREE STANDING LIGHTING INFORMATION.
- THE LANDSCAPE CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT ONE WEEK PRIOR TO BEGINNING CONSTRUCTION.
- WINTER WATERING SHALL BE AT THE EXPENSE OF THE CONTRACTOR UNTIL SUCH TIME AS FINAL ACCEPTANCE IS RECEIVED.
- ALL LANDSCAPE CONSTRUCTION PRACTICES, WORKMANSHIP, AND ETHICS SHALL BE IN ACCORDANCE WITH INDUSTRY STANDARDS SET FORTH IN THE CONTRACTORS HANDBOOK PUBLISHED BY THE COLORADO LANDSCAPE CONTRACTORS ASSOCIATION.
- LANDSCAPE AND IRRIGATION WORK SHALL BE COMPLETED PRIOR TO THE ISSUANCE OF THE FINAL CERTIFICATE OF OCCUPANCY.

FINISH GRADING AND SOIL PREPARATION

- CONTRACTOR SHALL CONSTRUCT AND MAINTAIN FINISH GRADES AS RECOMMENDED BY THE GEOTECHNICAL REPORT. ALL LANDSCAPE AREAS SHALL HAVE POSITIVE DRAINAGE AWAY FROM STRUCTURES AT THE MINIMUM SLOPE SPECIFIED IN THE REPORT, AND AREAS OF POTENTIAL PONDING SHALL BE REGRADED TO BLEND IN WITH THE SURROUNDING GRADES AND ELIMINATE PONDING POTENTIAL. SHOULD ANY CONFLICTS AND/OR DISCREPANCIES ARISE BETWEEN THE GEOTECHNICAL REPORT, THE GRADING PLANS, THESE NOTES, AND ACTUAL CONDITIONS, THE CONTRACTOR SHALL IMMEDIATELY BRING SUCH ITEMS TO THE ATTENTION OF THE LANDSCAPE ARCHITECT AND OWNER.
- AFTER FINISH GRADES HAVE BEEN ESTABLISHED, IT IS RECOMMENDED THAT THE CONTRACTOR SHALL HAVE SOIL SAMPLES TESTED BY AN ESTABLISHED SOIL TESTING LABORATORY FOR THE FOLLOWING: GENERAL SOIL FERTILITY, PH, ORGANIC MATTER CONTENT, SALT (CEC), LIME, SODIUM ADSORPTION RATIO (SAR) AND BORON CONTENT. EACH SAMPLE SUBMITTED SHALL CONTAIN NO LESS THAN ONE QUANT OF SOIL. CONTRACTOR SHALL ALSO SUBMIT THE PROJECT'S PLANT LIST TO THE LABORATORY ALONG WITH THE SOIL SAMPLES. THE SOIL REPORT PRODUCED BY THE LABORATORY SHALL CONTAIN RECOMMENDATIONS FOR THE FOLLOWING (AS APPROPRIATE): GENERAL SOIL PREPARATION AND BACKFILL MIXES, PRE-PLANT FERTILIZER APPLICATIONS, AND ANY OTHER SOIL RELATED ISSUES. THE REPORT SHALL ALSO PROVIDE A FERTILIZER PROGRAM FOR THE ESTABLISHMENT PERIOD AND FOR LONG-TERM MAINTENANCE.
- THE CONTRACTOR SHALL RECOMMEND INSTALLATION OF SOIL AMENDMENTS AND FERTILIZERS PER THE SOILS REPORT FOR THE OWNER/OWNER'S REPRESENTATIVE CONSIDERATION.
- AT A MINIMUM, ALL TOPSOIL SHALL BE AMENDED WITH NITROGEN STABILIZED ORGANIC AMENDMENT COMPOST AT A RATE OF 5.0 CUBIC YARDS AND AMMONIUM PHOSPHATE 16-20-0 AT A RATE OF 15 POUNDS PER THOUSAND SQUARE FEET OF LANDSCAPE AREA. COMPOST SHALL BE MECHANICALLY INTEGRATED INTO THE TOP 6" OF SOIL BY MEANS OF ROTOTILLING AFTER CROSS-RIPPING. GROUND COVER & PERENNIAL BED AREAS SHALL BE AMENDED AT A RATE OF 8 CUBIC FEET PER THOUSAND SQUARE FEET OF NITROGEN STABILIZED ORGANIC AMENDMENT AND 10 LBS. OF 12-12-12 FERTILIZER PER CU. YD., ROTOTILLED TO A DEPTH OF 8". NO MANURE OR ANIMAL-BASED PRODUCTS SHALL BE USED FOR ORGANIC AMENDMENTS.

PLANTING

- ALL DECIDUOUS TREES SHALL HAVE FULL, WELL-SHAPED HEADS/ALL EVERGREENS SHALL BE UNSHEARED AND FULL TO THE GROUND; UNLESS OTHERWISE SPECIFIED. TREES WITH CENTRAL LEADERS WILL NOT BE ACCEPTED IF LEADER IS DAMAGED OR REMOVED. PRUNE ALL DAMAGED TWIGS AFTER PLANTING.
- ALL PLANTS WITHIN A SPECIES SHALL HAVE SIMILAR SIZE, AND SHALL BE OF A FORM TYPICAL FOR THE SPECIES. ANY PLANT DEEMED UNACCEPTABLE BY THE LANDSCAPE ARCHITECT SHALL BE IMMEDIATELY REMOVED FROM THE SITE AND SHALL BE REPLACED WITH AN ACCEPTABLE PLANT OF LIKE TYPE AND SIZE AT THE CONTRACTOR'S OWN EXPENSE. ANY PLANTS APPEARING TO BE UNHEALTHY, EVEN IF DETERMINED TO STILL BE ALIVE, SHALL NOT BE ACCEPTED. THE LANDSCAPE ARCHITECT SHALL BE THE SOLE JUDGE AS TO THE ACCEPTABILITY OF PLANT MATERIAL.
- ALL TREES SHALL BE GUAYED AND WOOD STAKED AS PER DETAILS. NO "T-STAKES" SHALL BE USED FOR TREES.
- ALL PLANT MATERIALS SHALL BE TRUE TO TYPE, SIZE, SPECIES, QUALITY, AND FREE OF INJURY, BROKEN ROOT BALLS, PESTS, AND DISEASES, AS WELL AS CONFORM TO THE MINIMUM REQUIREMENTS DESCRIBED IN THE "AMERICAN STANDARD FOR NURSERY STOCK". FOLLOW GREENCO TREE PLANTING RECOMMENDATIONS FOR MINIMUM QUALITY REQUIREMENTS FOR TREES.
- ALL TREE AND SHRUB BED LOCATIONS ARE TO BE STAKED OUT ON SITE FOR APPROVAL BY THE LANDSCAPE ARCHITECT PRIOR TO INSTALLATION.
- ALL TREES PLANTED ADJACENT TO PUBLIC AND/OR PEDESTRIAN WALKWAYS SHALL BE PRUNED CLEAR OF ALL BRANCHES BETWEEN GROUND AND A HEIGHT OF EIGHT (8) FEET FOR THAT PORTION OF THE PLAN LOCATED OVER THE SIDEWALK AND/OR ROAD.
- ALL PLANT MATERIAL SHALL NOT BE PLANTED PRIOR TO INSTALLATION OF TOPSOIL.
- ALL PLANT BEDS SHALL BE CONTAINED WITH STEEL EDGER. STEEL EDGER IS NOT REQUIRED ALONG CURBS, WALKS OR BUILDING FOUNDATIONS. ALL EDGING SHALL OVERLAP AT JOINTS A MINIMUM OF 8-INCHES, AND SHALL BE FASTENED WITH A MINIMUM OF 4 PINS PER EACH 10 FOOT SECTION. THE TOP OF ALL EDGING MATERIAL SHALL BE A ROLLED TOP AND 1/2 INCH ABOVE THE FINISHED GRADE OF ADJACENT LAWN OR MULCH AREAS. COLOR: GREEN.
- THE DEVELOPER, HIS SUCCESSOR, OR ASSIGNEE SHALL BE RESPONSIBLE FOR ESTABLISHING AND CONTINUING A REGULAR PROGRAM OF MAINTENANCE FOR ALL LANDSCAPED AREAS. SEE LANDSCAPE GUARANTEE AND MAINTENANCE NOTE.
- A 3-FOOT CLEAR SPACE SHALL BE MAINTAINED AROUND THE CIRCUMFERENCE OF ALL FIRE HYDRANTS.
- LANDSCAPE CONTRACTOR TO SUBMIT SAMPLES OF MISCELLANEOUS LANDSCAPING MATERIALS TO THE LANDSCAPE ARCHITECTS AND OWNER'S REPRESENTATIVE FOR APPROVAL PRIOR TO INSTALLATION, I.E.: MULCH, EDGER, LANDSCAPE FABRIC, ETC.

MULCHING

- AFTER ALL PLANTING IS COMPLETE, THE CONTRACTOR SHALL INSTALL A MINIMUM 4" THICK LAYER OF MULCH AS SPECIFIED IN THE PLANTING LEGEND. INSTALL A 4" THICK RING OF DOUBLE SHREDED CEDAR BARK MULCH AROUND ALL PLANT MATERIAL IN ROCK MULCH BEDS WHERE LANDSCAPING IS SHOWN ON THE PLANS. WOOD MULCH RING SIZE SHALL BE THE CONTAINER SIZE OF THE SHRUBS, PERENNIALS, AND ORNAMENTAL GRASSES. TREE RING SIZE SHALL BE GREEN INDUSTRIES OF COLORADO INDUSTRY STANDARD WIDTH.
- ALL MULCH SHALL BE HARVESTED IN A SUSTAINABLE MANNER FROM A LOCAL SOURCE.
- INSTALL DENTIT PRO-5 WEED BARRIER FABRIC UNDER ALL ROCK MULCH SHRUB BEDS SPECIFIED ON THE PLANS ONLY. NO LANDSCAPE FABRIC SHALL BE USED IN WOOD MULCH AREAS. NO PLASTIC WEED BARRIERS SHALL BE SPECIFIED.
- ABSOLUTELY NO EXPOSED GROUND SHALL BE LEFT SHOWING ANYWHERE ON THE PROJECT AFTER MULCH HAS BEEN INSTALLED.
- ALL PLANTING AREAS WITH LESS THAN A 4:1 GRADIENT SHALL RECEIVE A LAYER OF MULCH, TYPE AND DEPTH PER PLANS. SUBMIT 1 CUBIC FOOT SAMPLE OF MULCH (ONE SAMPLE PER TYPE) TO LANDSCAPE ARCHITECT FOR APPROVAL PRIOR TO INSTALLATION. THE MULCH SHALL BE SPREAD EVENLY THROUGHOUT ALL PLANTING AREAS EXCEPT SLOPES 4:1 OR STEEPER, OR AS OTHERWISE DENOTED ON THE PLAN. ABSOLUTELY NO EXPOSED GROUND SHALL REMAIN IN AREAS TO RECEIVE MULCH AFTER MULCH HAS BEEN INSTALLED.
- ALL PLANTING AREAS ON SLOPES OVER 4:1 SHALL RECEIVE COCONUT FIBER EROSION CONTROL NETTING FROM ROLLS. NETTING SHALL BE ACT-125, AS MANUFACTURED BY NORTH AMERICAN GREEN (OR EQUAL). INSTALL AND STAKE PER MANUFACTURER'S SPECIFICATIONS. SEE ALSO THE CIVIL ENGINEER'S EROSION CONTROL PLAN.

PLANT SCHEDULE

SYMBOL	CODE	QTY	COMMON NAME	BOTANICAL NAME	CONT.	CAL / SIZE	HT. X SPD.	WATER USE
DECIDUOUS TREES								
	ACFR	3	AUTUMN BLAZE FREEMAN MAPLE	ACER X FREEMANI 'JEFFERSRED' TM	B&B	2" CAL	50'X40'	LOW
	GTH	4	IMPERIAL HONEY LOCUST	GLEDITSIA TRIACANTHOS INERMIS 'IMPCOLE' TM	B&B	2" CAL	35'X25'	LOW
	OJMA	2	HERITAGE OAK	QUERCUS X MACDANIELI 'CLEMONS'	B&B	2" CAL	50'X40'	MODERATE
EVERGREEN TREES								
	PBE	3	BABY BLUE EYES COLORADO BLUE SPRUCE	PICEA PLUNGENS 'BABY BLUE EYES'	B&B	6" HT	15'X10'	LOW
ORNAMENTAL TREES								
	ACTM	3	HOT WINGS TATARIAN MAPLE	ACER TATARICUM 'GARANN' TM	B&B	1.5" CAL	25'X20'	MODERATE
	MASP	2	SPRING SNOW CRABAPPLE	MALUS X 'SPRING SNOW'	B&B	1.5" CAL	20'X15'	LOW

SYMBOL	CODE	QTY	COMMON NAME	BOTANICAL NAME	CONT.	HT. X SPD.	WATER USE
SHRUBS							
	YUCL	14	SOAPWEED	YUCCA GLAUCA	#5 CONT.	3'X4'	LOW
DECIDUOUS SHRUBS							
	AMCS	9	LEADPLANT	AMORPHA CANESCENS	#5 CONT.	4'X4'	VERY LOW
	PHOS	14	SUMMER WINE NINEBARK	PHYSOCARPUS OPULOIFOLIUS 'SEWARD' TM	#5 CONT.	4'X4'	MODERATE
	PBEP	11	PAWNEE BUTTES SAND CHERRY	PRUNUS BESSEYI 'P0115' TM	#5 CONT.	1.5'X6'	VERY LOW
	SPAL	40	LITTLE PRINCESS JAPANESE SPIREA	SPIRAEA JAPONICA 'LITTLE PRINCESS'	#5 CONT.	2'X3'	LOW
EVERGREEN SHRUBS							
	ARCO	22	MOCK BEARBERRY MANZANITA	ARCTOSTAPHYLOS X COLORADENSIS	#5 CONT.	8'X4'	VERY LOW
	PMS	12	SLOWMOUND MUGO PINE	PINUS MUGO 'SLOWMOUND'	#5 CONT.	3'X4'	LOW
ORNAMENTAL GRASSES							
	CAAK	17	KARL FOERSTER FEATHER REED GRASS	CALAMAGROSTIS X ACUTIFLORA 'KARL FOERSTER'	#1 CONT.	5'X2'	LOW
	HESC	24	BLUE AVENIA	HELICTOTRICHON SEMPERVIRENS	#1 CONT.	2.5'X2.5'	VERY LOW
	HSCB	19	LITTLE BLUESTEM	SCHIZACHYRIUM SCOPARUM	#1 CONT.	3'X2'	VERY LOW

SYMBOL QTY TYPE

	376 SF	2-4" ARKANSAS TAN ROCK COBBLE
	5,717 SF	3/4" DESERT SAND RIVER ROCK MULCH
	8,148 SF	EL PASO COUNTY ALL-PURPOSE LOW GROW MIX
	3,067 SF	DETENTION / WETLAND NATIVE SEED

SEED MIXES

TABLE B. EL PASO COUNTY ALL-PURPOSE LOW GROW MIX FOR UPLAND AND TRANSITION AREAS

COMMON NAME	SCIENTIFIC NAME	GROWTH SEASON/FORM	% OF MIX	POUNDS PLS
BUFFALOGRASS	BUCHLOE DACTYLOIDES	WARM SOD	25	9.6
BLUE GRAMA	BOUTELOUA GRACILIS	WARM BUNCH	20	10.8
SIDE-OATS GRAMA	BOUTELOUA CURTIPENDULA	WARM BUNCH	29	5.6
GREEN NEEDLEGRASS	NASSELLA VIRIDULA	COOL BUNCH	5	3.2
WESTERN WHEATGRASS	PASCOPYRUM SMITHII	COOL SOD	20	12
SAND DROPSOED	SPOROBOLUS CRYPTANDRUS	WARM BUNCH	1	0.8
		SEED RATE (LBS PLS/ACRE)		42

DETENTION / WETLAND NATIVE SEED
45# REED CANARY GRASS
25% MEADOW BROME, IMPROVED
25% CREEPING FOXTAIL
5# TIMOTHY, CLIMAX

SEE MIX AVAILABLE FROM:
ARKANSAS VALLEY SEED
4300 N MONROD STREET PARKWAY
DENVER, CO 80216
(303)320-7500

LANDSCAPE REQUIREMENTS

CODE SECTION	CATEGORY	FORMULA	CALCULATION	REQUIRED	PROVIDED	ABBREVIATION DENOTED ON PLAN
6.2.2.B	ROADWAY LANDSCAPING	MARKSHEFFEL RD. (PRINCIPAL ARTERIAL) 25 FT SETBACK & 1 TREE/ 20 LF	129 LF / 20	25 FT SETBACK & 6 TREES	25' SETBACK & 6 TREES*	(MR)
6.2.2.E.2	INTERNAL LANDSCAPE	NON RESIDENTIAL - 5%	TOTAL AREA 39,832 SF X 0.05	1,992 SF	17,310 SF	NA
6.2.2.E.2	INTERNAL LANDSCAPE	1 TREE / 500 SF	1,992 SF OF REQUIRED LANDSCAPE AREA / 500	4 TREES	4 TREES & 0 SHRUB SUB.	(N)
6.2.2.G.2b	INTERNAL LANDSCAPE	50% LIVE GROUND COVERAGE	17,310 SF INTERNAL LANDSCAPE AREA X 0.5	8,655 SF LIVE COVERAGE	8,655 SF LIVE COVERAGE	NA
6.2.2.C.1	PARKING LOT LANDSCAPING	1 TREE / 15 PARKING SPOTS	24 PARKING SPOTS / 15	2 TREES	2 TREES	(PL)

*NOTE: SOME TREES WERE PLACED OUTSIDE OF LANDSCAPE SETBACK DUE TO SITE CONSTRAINTS SUCH AS THE 25' ELECTRIC EASEMENT AND EXISTING RETAINING WALL

IRRIGATION CONCEPT

- AN AUTOMATIC IRRIGATION SYSTEM SHALL BE INSTALLED AND OPERATIONAL BY THE TIME OF FINAL INSPECTION. THE ENTIRE IRRIGATION SYSTEM SHALL BE INSTALLED BY A QUALIFIED IRRIGATION CONTRACTOR.
- THE IRRIGATION SYSTEM WILL HAVE APPROPRIATE BACKFLOW PREVENTION DEVICES INSTALLED TO PREVENT CONTAMINATION OF THE WATER SOURCE IF APPLICABLE.
- ALL NON-TURF/SEED PLANTED AREAS WILL BE DRIP IRRIGATED. TURF SOD/SEED SHALL RECEIVE POP-UP SPRAY IRRIGATION FOR HEAD TO HEAD COVERAGE.
- ALL PLANTS SHARING SIMILAR HYDROZONE CHARACTERISTICS SHALL BE PLACED ON A VALVE DEDICATED TO PROVIDE THE NECESSARY WATER REQUIREMENTS SPECIFIC TO THAT HYDROZONE.
- THE IRRIGATION SYSTEM SHALL BE DESIGNED AND INSTALLED, TO THE MAXIMUM EXTENT POSSIBLE, TO CONSERVE WATER BY USING THE FOLLOWING DEVICES AND SYSTEMS: MATCHED PRECIPITATION RATE TECHNOLOGY ON ROTOR AND SPRAY HEADS (WHEREVER POSSIBLE), RAIN SENSORS, AND SMART MULTI-PROGRAM COMPUTERIZED IRRIGATION CONTROLLERS FEATURING SENSORY INPUT CAPABILITIES.



LANDSCAPE GUARANTEE AND MAINTENANCE

- THE LANDSCAPE CONTRACTOR SHALL GUARANTEE ALL TREES, SHRUBS, PERENNIALS, SOD, SEEDED AREAS, AND IRRIGATION SYSTEMS FOR A PERIOD OF ONE YEAR FROM THE DATE OF THE OWNER'S ACCEPTANCE. THE CONTRACTOR SHALL REPLACE, AT HIS OWN EXPENSE, ANY PLANTS WHICH DIE IN THAT TIME, OR REPAIR ANY PORTIONS OF THE IRRIGATION SYSTEM WHICH OPERATE IMPROPERLY.
- THE LANDSCAPE CONTRACTOR SHALL MAINTAIN THE LANDSCAPE IN A NEAT, CLEAN, AND HEALTHY CONDITION FOR A PERIOD OF 90 DAYS. THIS SHALL INCLUDE PROPER PRUNING, MOWING AND AERATION OF LAWNS, WEEDING, REPLACEMENT OF MULCH, REMOVAL OF LITTER, AND THE APPROPRIATE WATERING OF ALL PLANTINGS. IRRIGATION SHALL BE MAINTAINED IN PROPER WORKING ORDER, WITH SCHEDULING ADJUSTMENTS BY SEASON AND TO MAXIMIZE WATER CONSERVATION. IF SITE OPENS DURING WINTER, TO AVOID FREEZE DAMAGE ON PLANTINGS, THE 90 DAYS SHOULD BEGIN AFTER ACCEPTANCE OF THE WORK.
- DURING THE LANDSCAPE MAINTENANCE PERIOD, THE LANDSCAPE CONTRACTOR SHALL MAINTAIN POSITIVE DRAINAGE AWAY FROM STRUCTURES IN ALL LANDSCAPED AREAS AT THE MINIMUM SLOPE SPECIFIED IN THE GEOTECHNICAL REPORT. LANDSCAPE AREAS WHICH SETTLE AND CREATE THE POTENTIAL FOR PONDING SHALL BE REPAIRED TO ELIMINATE PONDING POTENTIAL AND BLEND IN WITH THE SURROUNDING GRADES. SHOULD ANY CONFLICTS AND/OR DISCREPANCIES ARISE BETWEEN THE GEOTECHNICAL REPORT, THE GRADING PLANS, THESE NOTES, AND ACTUAL CONDITIONS, THE CONTRACTOR SHALL IMMEDIATELY BRING SUCH ITEMS TO THE ATTENTION OF THE LANDSCAPE ARCHITECT AND OWNER.
- LANDSCAPE IMPROVEMENTS AND MAINTENANCE SHALL BE THE RESPONSIBILITY OF OWNER AND/OR THEIR ASSIGNS.


UTILITY NOTES

- THE LANDSCAPE CONTRACTOR IS REQUIRED TO CONTACT THE COUNTY PUBLIC WORKS DEPARTMENT, AND ANY OTHER PUBLIC OR PRIVATE AGENCY NECESSARY FOR UTILITY LOCATION PRIOR TO ANY CONSTRUCTION.
- THIS DRAWING IS A PART OF A COMPLETE SET OF BID DOCUMENTS, SPECIFICATIONS, ADDITIONAL DRAWINGS, AND EXHIBITS. UNDER NO CIRCUMSTANCES SHOULD THESE PLANS BE USED FOR CONSTRUCTION PURPOSES WITHOUT EXAMINING ACTUAL LOCATIONS OF UTILITIES ON SITE, AND REVIEWING ALL RELATED DOCUMENTS.
- THE LOCATION OF THE ALL UNDERGROUND UTILITIES ARE LOCATED ON THE ENGINEERING DRAWINGS FOR THIS PROJECT. THE MOST CURRENT REVISION IS HERE IN MADE PART OF THIS DOCUMENT. UNDERGROUND UTILITIES EXIST THROUGHOUT THIS SITE AND MUST BE LOCATED PRIOR TO ANY CONSTRUCTION ACTIVITY. WHERE UNDERGROUND UTILITIES EXIST, FIELD ADJUSTMENT MAY BE NECESSARY AND MUST BE APPROVED BY A REPRESENTATIVE OF THE OWNER. NEITHER THE OWNER NOR THE LANDSCAPE ARCHITECT ASSUMES ANY RESPONSIBILITY WHATSOEVER, IN RESPECT TO THE CONTRACTOR'S ACCURACY IN LOCATING THE INDICATED PLANT MATERIAL, AND UNDER NO CIRCUMSTANCES SHOULD THESE PLANS BE USED WITHOUT REFERENCING THE ABOVE MENTIONED DOCUMENTS.

1.1 SHRUB PLANTING
N.T.S.



1.2 DECIDUOUS TREE PLANTING
N.T.S.



1.3 CONIFEROUS TREE PLANTING
N.T.S.



SITE DEVELOPMENT PLAN
LOT 2 CLAREMONT BUSINESS PARK 2
FILING NO. 2
QUALITY BRAND GROUP CO, LLC
PC# 364842
EL PASO COUNTY, CO

#	Date	Issue / Description	Init.
1	01/24/2024	1ST RESUBMITTAL	SRM
2	12/24/2025	2ND RESUBMITTAL	SRM
3	03/09/2026	3RD RESUBMITTAL	SRM
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			

LANDSCAPE NOTES & DETAILS

L.O.0

