EROSION AND STORMWATER QUALITY CONTROL PERMIT (ESQCP) EL PASO COUNTY APPLICATION AND PERMIT

PCD Project Number: PUDSP-21-009

APPLICANT INFORMATION	PERMIT NUMBER
Owner Information	
Property Owner	Mayberry Communities, LLC
Applicant Name (Permit Holder)	Jason Kvols
Company/Agency	Mayberry Communities, LLC
Position of Applicant	Development Manager
Address (physical address, not PO Box)	3296 Divine Heights #207
City	Colorado Springs
State	co
Zip Code	80922
Mailing address, if different from above	
Telephone	719-426-7810
FAX number	
Email Address	jasonkvols@mayberrycoloradosprings.com
Cellular Phone number	719-426-7810
Contractor/Operator Information	
Name (person of responsibility)	(same as above)
Company	
Address (physical address, not PO Box)	
City	
State	
Zip Code	
Mailing address, if different from above	
Telephone	
FAX number	
Email Address	
Cellular Phone number	
Erosion Control Supervisor (ECS)*	
ECS Phone number*	
ECS Cellular Phone number*	

^{*}Required for all applicants. May be provided at later date pending securing a contract when applicable.

PROJECT INFORMATION

Project Information	
Project Name	Mayberry, Colorado Springs - Phase 1
Legal Description	Parts of Sections 14-15, T14S, R63W of 6th P.M. (see attached)
Address (or nearest major cross streets)	South side of SH94 at New Log Road
Acreage (total and disturbed)	Total: 228 acres Disturbed: 140 acres
Schedule	Start of Construction: March 2022 Completion of Construction: December 2022 Final Stabilization: August 2023
Project Purpose	New Residential Subdivision (240 lots)
Description of Project	New Residential Subdivision (240 lots)
Tax Schedule Number	34000-00-259, -260, -349, -350, -356, -362

FOR OFFICE USE ONLY

The following signature from the ECM Administrator signifies the approval of this ESQCP. All work shall be performed in accordance with the permit, the El Paso County Engineering Criteria Manual (ECM) Standards, City of Colorado Springs Drainage Criteria Manual, Volume 2 (DCM2) as adopted by El Paso County Addendum, approved plans, and any attached conditions. The approved plans are an enforceable part of the ESQCP. Construction activity, except for the installation of initial construction BMPs, is not permitted until issuance of a Construction Permit and Notice to Proceed.

Signature of ECM Administrator:	APPROVED Engineering Department	Date _
	03/17/2022 11:08:09 AM	

1.1 REQUIRED SUBMISSIONS

In addition to this completed and signed application, the following items must be submitted to obtain an ESQCP:

- Permit fees:
- Stormwater Management Plan (SWMP) meeting the requirements of DCM2 and ECM either as part of the plan set or as a separate document;
- Operation and Maintenance Plan for any proposed permanent stormwater control measures; and
- Signed Private Detention Basin/Stormwater Quality Best Management Practice Maintenance Agreement and Easement, if any permanent stormwater control measures are to be constructed.

1.2 RESPONSIBILITY FOR DAMAGE

The County and its officers and employees, including but not limited to the ECM Administrator, shall not be answerable or accountable in any manner for damage to property or for injury to or death of any person, including but not limited to a permit holder, persons employed by the permit holder, or persons acting in behalf of the permit holder, from any cause. The permit holder shall be responsible for any liability imposed by law and for damage to property or injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder, arising out of work or other activity permitted and done under a permit, or arising out of the failure to perform the obligations under any permit with respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work or other activity, or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit.

The permit holder shall indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description brought for or on account of damage to property or injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder and the public, resulting from the performance of work or other activity under the permit, or arising out of the failure to perform obligations under any permit with respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work or other activity, or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit, except as otherwise provided by state law. The permit holder waives any and all rights to any type of expressed or implied indemnity against the County, its officers or employees. It is the intent of the parties that the permit holder will indemnify, save, and hold harmless the County, its officers and employees from any and all claims, suits or actions as set forth above regardless of the existence or degree of fault of or negligence, whether active or passive, primary or secondary, on the part of the County, the permit holder, persons employed by the permit holder, or persons acting in behalf of the permit holder

1.3 APPLICATION CERTIFICATION

We, as the Applicants or the representative of the Applicants, hereby certify that this application is correct and complete as per the requirements presented in this application, the El Paso County Engineering Criteria Manual, and Drainage Criteria Manual, Volume 2 and El Paso County Addendum.

We, as the Applicants or the representatives of the Applicants, have read and will comply with all of the requirements of the specified Stormwater Management Plan and any other documents specifying stormwater best management practices to be used on the site, including permit conditions that may be required by the ECM Administrator. We understand that the stormwater control measures are to be maintained on the site and revised as necessary to protect stormwater quality as the project progresses. We further understand that a Construction Permit must be obtained and all necessary stormwater quality control measures are to be installed in accordance with the SWMP, the El Paso County Engineering Criteria Manual, Drainage Criteria Manual, Volume 2 and El Paso County Addendum before land disturbance begins and that failure to comply will result in a Stop Work Order and may result in other penalties as allowed by law. We further understand and agree to indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description as outlined in Section 1.2 Responsibility for Damage

4	1		Date: 2-16-72	
Signature of Owner	or Representative			
	l, (00 Ma	Joern		
Print Name of Owne	r or Representative			
	M	1	Date: 2-16-22	
Signature of Operato	or or Representative			
John Mic	k, (00 Ma	ybeery		
Print Name of Opera	tor or Representative			
Permit Fee	\$			
Surcharge	\$			
Financial Surety	\$	Type of Surety		
Total	\$			

LEGAL DESCRIPTION - MAYBERRY PHASE 1 PUD AMENDMENT:

A TRACT OF LAND LOCATED IN THE NORTHEAST ONE-QUARTER (NEI/4) OF SECTION 15 AND IN THE NORTH ONE-HALF (NI/2) OF SECTION 14, ALL IN TOWNSHIP 14 SOUTH, RANGE 63 WEST OF THE 6th P.M., EL PASO COUNTY, COLORADO, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE NORTHWEST CORNER OF SAID SECTION 14, SAID POINT ALSO BEING THE NORTHEAST CORNER OF SAID SECTION 15, AS MONUMENTED BY A REBAR AND 3-1/2" ALUMINUM CAP STAMPED "U.P.&E. PLS 116_4 1999", FROM WHICH THE NORTH ONE-QUARTER CORNER OF SAID SECTION 14, AS MONUMENTED BY A REBAR AND 2" ALUMINUM CAP IN A RANGE BOX STAMPED "U.P.&E. PLS 11624 1999", BEARS S89°44'49"E, A DISTANCE OF 2606.55 FEET AND IS THE BASIS OF BEARINGS USED HEREIN;

THENCE S00°01'09"W ALONG THAT LINE COMMON TO SAID SECTION 15 AND SAID SECTION 14, A DISTANCE OF 61.50 FEET TO THE POINT OF BEGINNING OF THE TRACT HEREIN DESCRIBED;

THENCE S89°28'59"E, A DISTANCE OF 50.00 FEET TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF NEW LOG ROAD AS SHOWN ON THE PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1, AS RECORDED UNDER RECEPTION NO. 220714655 OF THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER, SAID POINT ALSO BEING THE SOUTHWEST CORNER OF THAT CDOT RIGHT-OF-WAY DESCRIBED AS TRACT NO. 1, AS RECORDED UNDER RECEPTION NO. 220211233 OF SAID COUNTY RECORDS AND THE NORTHWEST CORNER OF TRACT K, OF SAID MAYBERRY, COLORADO SPRINGS FILING NO. 1;

THENCE ALONG THAT LINE COMMON TO SAID EASTERLY RIGHT-OF-WAY LINE AND THE WESTERLY LINE OF SAID TRACT K, THE FOLLOWING FIVE (5) COURSES;

- 1.) THENCE S00°01'09"W, A DISTANCE OF 180.61 FEET TO A POINT OF CURVATURE:
- 2.) THENCE ALONG THE ARC OF A 365.00 FOOT RADIUS CURVE TO THE LEFT, THROUGH A CENTRAL ANGLE OF 21°30'29", AN ARC LENGTH OF 137.02 FEET (THE LONG CHORD OF WHICH BEARS \$10°44'06"E, A LONG CHORD DISTANCE OF 136.21 FEET) TO A POINT OF TANGENCY:
- 3.) THENCE \$21°29'20"E. A DISTANCE OF 134.47 FEET TO A POINT OF CURVATURE:
- 4.) THENCE ALONG THE ARC OF A 435.00 FOOT RADIUS CURVE TO THE RIGHT, THROUGH A CENTRAL ANGLE OF 21°29'20", AN ARC LENGTH OF 163.15 FEET (THE LONG CHORD OF WHICH BEARS \$10°44'40"E, A LONG CHORD DISTANCE OF 162.19 FEET) TO A POINT OF TANGENCY;
- 5.) THENCE S00°00'00"W, A DISTANCE OF 38.06 FEET;

THENCE S44°44'29"E ALONG THE SOUTHWESTERLY LINE OF SAID TRACT K, A DISTANCE OF 31.25 FEET TO A POINT ON THE NORTHERLY RIGHT-OF-WAY LINE OF VILLAGE MAIN STREET AS SHOWN ON SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1;

THENCE S89°28'59"E ALONG THAT LINE COMMON TO SAID TRACT K AND SAID NORTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 448.41 FEET;

THENCE N45°15'31"E ALONG THE SOUTHEASTERLY LINE OF SAID TRACT K, A DISTANCE OF 30.97 FEET TO A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF MARKETPLACE DRIVE AS SHOWN ON SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1;

THENCE N00°00'00"E ALONG THAT LINE COMMON TO SAID TRACT K AND SAID MARKETPLACE DRIVE, A DISTANCE OF 352.75 FEET;

PAGE 1 OF 4

THENCE N44°44'29"W ALONG THE EASTERLY LINE OF SAID TRACT K, A DISTANCE OF 31.25 FEET TO THE SOUTHWESTERLY POINT OF TERMINUS OF CATTLEMEN RUN AS SHOWN ON SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1;

THENCE ALONG THAT LINE COMMON TO SAID TRACT K AND SAID CATTLEMEN RUN, THE FOLLOWING TWO (2) COURSES;

- 1.) THENCE N00°00'00"E, A DISTANCE OF 60.00 FEET;
- 2.) THENCE N89°28'59"E, A DISTANCE OF 20.79 TO THE SOUTHWEST CORNER OF LOT 1, OF SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1:

THENCE N00°31'01"E ALONG THAT LINE COMMON TO SAID TRACT K, SAID LOT 1 AND TRACT B OF SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1, A DISTANCE OF 201.27 FEET TO THE NORTHERLY CORNER COMMON TO SAID TRACT K AND SAID TRACT B, SAID POINT ALSO BEING A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF SAID CDOT TRACT NO. 1:

THENCE S89°28'59"E ALONG THAT LINE COMMON TO SAID SOUTHERLY RIGHT-OF-WAY LINE, SAID TRACT B AND TRACT L OF SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1, A DISTANCE OF 1669.13 FEET TO THE SOUTHEASTERLY CORNER OF SAID COOT TRACT NO. 1, SAID POINT ALSO BEING A POINT ON THE WESTERLY LINE OF THAT TRACT OF LAND AS DESCRIBED IN BOOK 5527 AT PAGE 376 OF SAID COUNTY RECORDS:

THENCE ALONG THAT LINE COMMON TO SAID TRACT AND SAID TRACT L, THE FOLLOWING TWO (2) COURSES;

- 1.) THENCE \$00°14'20"E, A DISTANCE OF 107.84 FEET;
- 2.) THENCE \$89°44'49"E, A DISTANCE OF 230.80 FEET;

THENCE S00°00'00"E, A DISTANCE OF 154.51 FEET;

THENCE N89°28'59"W, A DISTANCE OF 23.35 FEET:

THENCE S00°00'00"E, A DISTANCE OF 173.74 FEET;

THENCE S89°28'59"E, A DISTANCE OF 380.91 FEET TO A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF SPRINGS ROAD AS SHOWN ON SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1:

THENCE N00°00'00"E ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 435.02 FEET TO THE SOUTHEAST CORNER OF THAT CDOT RIGHT-OF-WAY DESCRIBED AS TRACT NO. 2, AS RECORDED UNDER SAID RECEPTION NO. 220211233;

THENCE S89°28'59"E, A DISTANCE OF 65.00 FEET TO A POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF SAID SPRINGS ROAD;

THENCE S00°00'00"W ALONG SAID EASTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 435.02 FEET;

THENCE S89°28'59"E, A DISTANCE OF 219.39 FEET:

THENCE N00°00'00"E, A DISTANCE OF 10.73 FEET;

THENCE S89°28'59"E, A DISTANCE OF 722.91 FEET TO A POINT ON THE EAST LINE OF THE WEST ONE-HALF OF THE NORTHEAST ONE-QUARTER (W1/2 NE1/4) OF SAID SECTION 14:

THENCE S00°21'12"E ALONG SAID EAST LINE, A DISTANCE OF 648.81 FEET;

THENCE N89°28'59"W, A DISTANCE OF 937.75 FEET;

THENCE ALONG THE ARC OF A 65.00 FOOT RADIUS CURVE TO THE RIGHT, THROUGH A CENTRAL ANGLE OF 79°26'05", AN ARC LENGTH OF 90.12 FEET (THE LONG CHORD OF WHICH BEARS N89°28'59"W, A LONG CHORD DISTANCE OF 83.07 FEET);

THENCE N89°28'59"W, A DISTANCE OF 2271.94 FEET TO THE SOUTHWESTERLY POINT OF TERMINUS OF MAYBERRY DRIVE AS SHOWN ON SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1:

THENCE N00°31'01"E ALONG THE WESTERLY LINE OF SAID MAYBERRY DRIVE, A DISTANCE OF 100.00 FEET TO A POINT ON THE SOUTHERLY LINE OF TRACT O, AS SHOWN ON SAID PLAT OF MAYBERRY, COLORADO SPRINGS FILING NO. 1;

THENCE ALONG THE SOUTHERLY, EASTERLY, AND NORTHERLY LINES OF SAID TRACT O, THE FOLLOWING FIVE (5) COURSES;

- I.) THENCE N45°15'31"E, A DISTANCE OF 30.97 FEET TO A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF SAID MARKETPLACE DRIVE;
- 2.) THENCE N00°00'00"E ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 201.01 FEET;
- 3.) THENCE N44°44'29"W, A DISTANCE OF 31.25 FEET TO A POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF SAID VILLAGE MAIN STREET;
- 4.) THENCE N89°28'59"W ALONG SAID SOUTHERLY RIGHT-OF-WAY LINE, A DISTANCE OF 448.42 FEET;
- 5.) THENCE \$45°15'31"W, A DISTANCE OF 30.97 FEET;

THENCE CONTINUING ALONG THE SOUTHERLY AND WESTERLY RIGHT-OF-WAY LINES OF SAID VILLAGE MAIN STREET, THE FOLLOWING SEVEN (7) COURSES;

- 1.) THENCE N89°28'59"W, A DISTANCE OF 62.00 FEET;
- 2.) THENCE N44°44'29"W, A DISTANCE OF 31.25 FEET:
- 3.) THENCE N89°28'59"W, A DISTANCE OF 142.00 FEET;
- 4.) THENCE \$45°15'31"W, A DISTANCE OF 30.97 FEET;
- 5.) THENCE N89°28'59"W, A DISTANCE OF 62.00 FEET;
- 6.) THENCE N44°44'29"W, A DISTANCE OF 31.25 FEET;
- 7.) THENCE N00°00'00"E, A DISTANCE OF 70.00 FEET;

THENCE N45°15'31"E, A DISTANCE OF 30.97 FEET TO A POINT ON THE WESTERLY RIGHT-OF-WAY LINE OF SAID NEW LOG ROAD;

THENCE ALONG SAID WESTERLY RIGHT-OF-WAY LINE, THE FOLLOWING FIVE (5) COURSES;

1.) THENCE N00°00'00"E, A DISTANCE OF 31.13 FEET TO A POINT OF CURVATURE;

- 2.) THENCE ALONG THE ARC OF A 435.00 FOOT RADIUS CURVE TO THE RIGHT, THROUGH A CENTRAL ANGLE OF 19°58'22", AN ARC LENGTH OF 151.64 FEET (THE LONG CHORD OF WHICH BEARS N09°59'11"E, A LONG CHORD DISTANCE OF 150.87 FEET) TO A POINT OF TANGENCY;
- 3.) THENCE N19°58'22"E, A DISTANCE OF 166.93 FEET TO A POINT OF CURVATURE;
- 4.) THENCE ALONG THE ARC OF A 365.00 FOOT RADIUS CURVE TO THE LEFT, THROUGH A CENTRAL ANGLE OF 19°57'13", AN ARC LENGTH OF 127.11 FEET (THE LONG CHORD OF WHICH BEARS N09°59'45"E, A LONG CHORD DISTANCE OF 126.47 FEET) TO A POINT OF TANGENCY;
- 5.) THENCE N00°01'09"E, A DISTANCE OF 174.24 FEET;

THENCE \$89°07'06"E, A DISTANCE OF 50.01 FEET TO THE POINT OF BEGINNING.

SAID TRACT CONTAINS 71.39 ACRES OF LAND, MORE OR LESS.