# EROSION AND STORMWATER QUALITY CONTROL PERMIT (ESQCP) EL PASO COUNTY APPLICATION AND PERMIT

PCD Project Number: SF-21-033 & EGP-22-001

PERMIT NUMBER
-COBILLA CAPITAL LLC GORILLA CAPITAL CO SADDLEHORN RANCH, LLC
JOHN HELMICK
-CORILLA CAPITAL LLC GORILLA CAPITAL CO SADDLEHORN RANCH, LLC
CEO
1342 HIGH STREET
EUGENE
OREGON
97401
541-393-9043
JOHN@GORILLACAPITAL.COM
ALL CONTRACTOR INFORMATION TBD

\*Required for all applicants. May be provided at later date pending securing a contract when applicable.

#### **PROJECT INFORMATION**

Project Information	
Project Name	SADDLEHORN RANCH-FILING 2
Legal Description	SEE END OF PDF FOR LEGAL DESCRIPTION
Address (or nearest major cross streets)	INTERSECTION OF JUDGE ORR ROAD & CURTIS
Acreage (total and disturbed)	Total: 177 acres Disturbed: 21 acres
Schedule	Start of Construction: 5/2022 - 6/2022 Completion of Construction: 6/2022 - 12/2022 Final Stabilization: 12/2022 - 5/2023
Project Purpose	TO PROVIDE 42 +/- RURAL 2.5 ACRE LOTS IN EL PASO COUNTY.
Description of Project	SADDLEHORN RANCH IS A RURAL 2.5 ACRE+ LOT SUBDIVISION IN EL PASO COUNTY, COLORADO
Tax Schedule Number	

#### FOR OFFICE USE ONLY

The following signature from the ECM Administrator signifies the approval of this ESQCP. All work shall be performed in accordance with the permit, the El Paso County <u>Engineering Criteria Manual</u> (ECM) Standards, City of Colorado Springs <u>Drainage Criteria Manual</u>, Volume 2 (DCM2) as adopted by El Paso County <u>Addendum</u>, approved plans, and any attached conditions. The approved plans are an enforceable part of the ESQCP. Construction activity, except for the installation of initial construction BMPs, is not permitted until issuance of a Construction Permit and Notice to Proceed.

Signature of ECM Administrator: \_\_\_\_\_

Date \_\_\_\_\_

### 1.1 REQUIRED SUBMISSIONS

In addition to this completed and signed application, the following items must be submitted to obtain an ESQCP:

- Permit fees;
- Stormwater Management Plan (SWMP) meeting the requirements of DCM2 and ECM either as part of the plan set or as a separate document;
- Operation and Maintenance Plan for any proposed permanent stormwater control measures; and
- Signed Private Detention Basin/Stormwater Quality Best Management Practice Maintenance Agreement and Easement, if any permanent stormwater control measures are to be constructed.

#### 1.2 **RESPONSIBILITY FOR DAMAGE**

The County and its officers and employees, including but not limited to the ECM Administrator, shall not be answerable or accountable in any manner for damage to property or for injury to or death of any person, including but not limited to a permit holder, persons employed by the permit holder, or persons acting in behalf of the permit holder, from any cause. The permit holder shall be responsible for any liability imposed by law and for damage to property or injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder, arising out of work or other activity permitted and done under a permit, or arising out of the failure to perform the obligations under any permit with respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work or other activity, or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit.

The permit holder shall indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description brought for or on account of damage to property or injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder and the public, resulting from the performance of work or other activity under the permit, or arising out of the failure to perform obligations under any permit with respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work or other activity, or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit, except as otherwise provided by state law. The permit holder waives any and all rights to any type of expressed or implied indemnity against the County, its officers or employees. It is the intent of the parties that the permit holder will indemnify, save, and hold harmless the County, its officers and employees from any and all claims, suits or actions as set forth above regardless of the existence or degree of fault of or negligence, whether active or passive, primary or secondary, on the part of the County, the permit holder, persons employed by the permit holder, or persons acting in behalf of the permit holder

#### 1.3 **APPLICATION CERTIFICATION**

We, as the Applicants or the representative of the Applicants, hereby certify that this application is correct and complete as per the requirements presented in this application, the El Paso County Engineering Criteria Manual, and Drainage Criteria Manual, Volume 2 and El Paso County Addendum.

We, as the Applicants or the representatives of the Applicants, have read and will comply with all of the requirements of the specified Stormwater Management Plan and any other documents specifying stormwater best management practices to be used on the site, including permit conditions that may be required by the ECM Administrator. We understand that the stormwater control measures are to be maintained on the site and revised as necessary to protect stormwater quality as the project progresses. We further understand that a Construction Permit must be obtained and all necessary stormwater quality control measures are to be installed in accordance with the SWMP, the El Paso County Engineering Criteria Manual, Drainage Criteria Manual, Volume 2 and El Paso County Addendum before land disturbance begins and that failure to comply will result in a Stop Work Order and may result in other penalties as allowed by law. We further understand and agree to indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description as outlined in Section 1.2 Responsibility for Damage

MINI

Signature of	Owner	or Re	epresentative
--------------	-------	-------	---------------

Print Name of Owner or Representative

Signature of Operator or Representative

Print Name of Operator or Representative

Permit Fee	\$

Surcharge

**Financial Surety** 

Total \$

Date: April 22, 2022

Date:

\$ Type of Surety



## SADDLEHORN RANCH FILING NO. 2

### **PROPERTY DESCRIPTION**

A PARCEL OF LAND LOCATED IN SECTION 3 AND THE NORTH HALF OF THE NORTH HALF OF SECTION 10, TOWNSHIP 13 SOUTH, RANGE 64 WEST OF THE 6TH P.M., COUNTY OF EL PASO, STATE OF COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING AT THE SOUTHWEST CORNER OF SECTION 3, TOWNSHIP 13 SOUTH, RANGE 64 WEST OF THE 6TH PRINCIPAL MERIDIAN;

THENCE ON THE WEST LINE OF SAID SECTION 3, N00°32'28"W A DISTANCE OF 1987.87 FEET, TO THE NORTHWESTERLY CORNER OF SADDLEHORN RANCH FILING NO. 1 RECORDED UNDER RECEPTION NO. 221714749 IN THE RECORDS OF THE EL PASO COUNTY CLERK AND RECORDER AND THE POINT OF BEGINNING;

THENCE CONTINUING ON SAID WEST LINE, N00°32'28"W A DISTANCE OF 799.26 FEET;

THENCE DEPARTING SAID WEST LINE THE FOLLOWING THIRTY-TWO (32) COURSES:

- 1. S89°59'23"E A DISTANCE OF 442.27 FEET;
- 2. N00°00'37"E A DISTANCE OF 35.00 FEET;
- 3. S89°59'23"E A DISTANCE OF 60.00 FEET;
- 4. S00°00'37"W A DISTANCE OF 35.00 FEET;
- 5. S89°59'23"E A DISTANCE OF 303.52 FEET, TO A POINT OF CURVE;
- 6. ON THE ARC OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 780.00 FEET, A CENTRAL ANGLE OF 18°44'59" AND AN ARC LENGTH OF 255.25 FEET, TO A POINT OF TANGENT;
- 7. S71°14'24"E A DISTANCE OF 260.86 FEET, TO A POINT OF CURVE;
- 8. ON THE ARC OF A CURVE TO THE RIGHT, HAVING A RADIUS OF 2780.00 FEET, A CENTRAL ANGLE OF 13°06'52" AND AN ARC LENGTH OF 636.31 FEET, TO A POINT OF TANGENT;
- 9. S58°07'32"E A DISTANCE OF 223.80 FEET;
- 10. N29°44'39"E A DISTANCE OF 35.38 FEET;
- 11. S60°15'21"E A DISTANCE OF 60.00 FEET;
- 12. N29°44'39"E A DISTANCE OF 495.87 FEET, TO A POINT OF CURVE;
- 13. ON THE ARC OF A CURVE TO THE LEFT, HAVING A RADIUS OF 3780.00 FEET, A CENTRAL ANGLE OF 03°09'58" AND AN ARC LENGTH OF 208.89 FEET, TO A POINT OF NON-TANGENT;
- 14. S63°25'19"E A DISTANCE OF 253.86 FEET;
- 15. N78°29'56"E A DISTANCE OF 122.41 FEET;
- 16. S65°55'05"E A DISTANCE OF 154.37 FEET;
- 17. S80°55'05"E A DISTANCE OF 329.85 FEET;
- 18. S83°17'36"E A DISTANCE OF 453.41 FEET;
- 19. S58°21'31"E A DISTANCE OF 99.14 FEET;

- 20. S12°59'32"E A DISTANCE OF 287.70 FEET;
- 21. S84°04'11"W A DISTANCE OF 116.39 FEET;
- 22. S00°27'54"W A DISTANCE OF 933.68 FEET;
- 23. S36°54'54"E A DISTANCE OF 330.03 FEET;
- 24. S13°21'17"E A DISTANCE OF 83.07 FEET;
- 25. S00°07'31"W A DISTANCE OF 82.66 FEET;
- 26. S07°55'12"W A DISTANCE OF 107.85 FEET;
- 27. S34°24'44"W A DISTANCE OF 178.42 FEET;
- 28. S26°04'25"W A DISTANCE OF 85.34 FEET;
- 29. S07°51'44"E A DISTANCE OF 510.21 FEET;
- 30. S33°40'12"E A DISTANCE OF 357.56 FEET;
- 31. S09°52'53"W A DISTANCE OF 673.53 FEET;
- 32. S00°38'45"W A DISTANCE OF 417.04 FEET, TO A POINT ON THE SOUTH LINE OF THE NORTH HALF OF THE NORTHEAST QUARTER OF SAID SECTION 10;

THENCE ON SAID SOUTH LINE, S89°34'01"W A DISTANCE OF 416.11 FEET, TO THE SOUTHEASTERLY CORNER OF SADDLEHORN RANCH FILING NO. 1;

THENCE ON THE EASTERLY AND NORTHELRLY LINES OF SADDLEHORN RANCH FILIING NO. 1 THE FOLLOWING TWENTY-ONE (21) COURSES:

- 1. N49°37'00"W A DISTANCE OF 565.00 FEET, TO A POINT OF NON-TANGENT CURVE;
- ON THE ARC OF A CURVE TO THE RIGHT WHOSE CENTER BEARS N19°28'44"W, HAVING A RADIUS OF 170.00 FEET, A CENTRAL ANGLE OF 19°02'46" AND AN ARC LENGTH OF 56.51 FEET, TO A POINT OF TANGENT;
- 3. S89°34'03"W A DISTANCE OF 197.98 FEET;
- 4. N00°00'00"E A DISTANCE OF 964.76 FEET;
- 5. N05°58'59"W A DISTANCE OF 349.19 FEET;
- 6. N16°11'46"W A DISTANCE OF 257.34 FEET;
- 7. N16°11'46"W A DISTANCE OF 261.98 FEET;
- 8. N21°16'04"W A DISTANCE OF 343.92 FEET;
- 9. N26°10'49"W A DISTANCE OF 266.32 FEET;
- 10. N44°25'17"W A DISTANCE OF 280.03 FEET;
- 11. N56°30'41"W A DISTANCE OF 35.01 FEET;
- 12. S42°31'10"W A DISTANCE OF 422.77 FEET, TO A POINT OF NON-TANGENT CURVE;
- 13. ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS S47°44'09"W, HAVING A RADIUS OF 1680.00 FEET, A CENTRAL ANGLE OF 05°10'02" AND AN ARC LENGTH OF 151.51 FEET, TO A POINT OF NON-TANGENT;
- 14. S42°34'07"W A DISTANCE OF 60.00 FEET;
- 15. S63°48'26"W A DISTANCE OF 1002.65 FEET;
- 16. N33°50'17"W A DISTANCE OF 610.26 FEET;
- 17. N24°10'40"W A DISTANCE OF 207.55 FEET;

18. N32°24'01"W A DISTANCE OF 240.57 FEET;

- 19. N53°08'37"W A DISTANCE OF 71.78 FEET;
- 20. N68°03'22"W A DISTANCE OF 227.58 FEET;
- 21. S89°27'32"W A DISTANCE OF 72.00 FEET, TO THE POINT OF BEGINNING.

CONTAINING A CALCULATED AREA OF 7,703,680 SQUARE FEET OR 176.8522 ACRES.