## Remove FAE from the drainage report.

## 2022 Financial Assurance Estimate Form

(with pre-plat construction)

Project Name

Saddlehorn Ranch Filing 2 Improvements Early Grading

				Unit				(with Pre-Plat Construction)		
Description		Quantity	Units	Cost			Total	% Complete	Remai	ining
SECTION 1 - GRADING AND ERO	SION CONTROL	(Construction	and Permar	nent BMPs)						
* Earthwork						1.				
less than 1,000; \$5,300 min			CY	\$ 8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min			CY	\$ 6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min			CY	\$ 5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min			CY	\$ 3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		50,633	CY	\$ 2.50	=	\$	175,000.00		\$	175,000.00
greater than 200,000; \$500,000 min			CY	\$ 2.00	=	\$	Add emergency			
* Permanent Seeding (inc. noxious weed n	ngmnt.)	6	AC	\$ 828.00	=	\$				5,266.08
* Mulching		6	AC	\$ 777.00	=	\$	<ul><li>spillwa</li></ul>	y since t	his aot	4,662.00
* Permanent Erosion Control Blanket			SY CY	\$ 6.00	=	\$				
* Permanent Pond/BMP Construction	do actionata)			\$ -	-		added in the latest			-
* Permanent Pond/BMP (provide engineer	's estimate)		EA LF	¢ 100.00		\$	GFC s	ubmittal		-
*30" RCP			EA	\$ 100.00	=	-	0200	abiiiiiiai		-
*Detention Outlet Structure			EA	\$ 5,000.00	=	\$	-		\$	-
*Concrete/Riprap Forebay				\$ 3,000.00	=	-	-		\$	-
*Concrete Trickle Channel		4	CY EA	\$ 95.00	=	\$	-	-	\$	
*Drainagoway ripran, d50 size from 6" to 3	24"		Tons	\$ 4,000.00		\$	Add the	followin	a items	since
*Drainageway riprap, d50 size from 6" to 2			EA	\$ 83.00 \$ 600.00		\$				
*30" - Flared End Section (FES)			EA		=		tnese a	re show	n on the	GEC
*Permanent WQ Feature (EDB)  *Gravel Maintenance Access Road	adote for AEI	1.044	SY	\$ 5,000.00 \$ 45.00		\$	and/or	noted as	heina	
- July	odate for 15'	1,046	٥٢	\$ 45.00						
Safety Fence	ide access roa	ad 8,102	LF	\$ 3.00		\$	constru	cted in tl	ne FDR	narra
Temporary Erosion Control Blanket		3,642	SY	\$ 3.00	=	\$	- Pond	F foreba	V	
Vehicle Tracking Control		3,042	EA	\$ 2,453.00		\$			•	
Silt Fence		11,010	LF	\$ 2,433.00	=	\$	<ul><li>- Emer</li></ul>	gency Sp	oillwav	
Temporary Seeding		11,010	AC	\$ 650.00	-	\$				/rinron
Temporary Mulch		13	AC	\$ 777.00	_	\$		outfall sp		
Erosion Bales		13	EA	\$ 26.00	=	\$	- Riprai	rundow	n into t	he
Erosion Logs/Straw Waddle			LF	\$ 5.00	=	\$				
Rock Check Dams		38	EA	\$ 518.00	_	\$	<ul><li>forebay</li></ul>			
Inlet and Outlet Protection		17	EA	\$ 173.00	=	\$	- Trickle	e Channe	اد	
Sediment Basin		1/	EA	\$ 1,824.00	=	\$				
Concrete Washout Basin		<u>'</u>	EA	\$ 932.00	-	\$	<ul><li>Conci</li></ul>	ete Was	hout Ba	asin
Concrete Washout Basin			LA	ψ 332.00	=	\$				
[insert items not listed but part of construct	tion planel				_	\$				
Index nome not noted but part or construct	son pianoj					Ψ			-	
	MAIN	TENANCE (35	% of Constru	uction BMPs)	=	\$	30,610.30		\$	30,610.30
- Subject to defect warranty financial assurance. A m				,		-	,		-	,
etained until final acceptance (MAXIMUM OF 80% CC			Section	n 1 Subtotal	=	\$	374,372.38		\$ 374	,372.38
SECTION 2 - PUBLIC IMPROVEM	1ENTS *									
ROADWAY IMPROVEMENTS										
			LS	\$ 50,000.00	=	\$	-		\$	-
Mobilization/Construction Traffic Control			0)/	\$ 10.00	I	\$	-		\$	-
Removal of Asphalt (Full Depth)			SY						\$	-
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4")			SY	\$ 5.00		\$	-		_	
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping			SY LF	\$ 5.00 \$ 1.00		\$	-		\$	-
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing			SY	\$ 5.00 \$ 1.00 \$ 5.00		\$			\$	-
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4*) Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf)			SY LF LF Tons	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00	=	\$ \$ \$	-		•	
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)			SY LF LF Tons	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00	=	\$	-		\$	-
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4*) Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf)			SY LF LF Tons	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00	=	\$ \$ \$	- - -		\$ \$	-
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)			SY LF LF Tons	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00	=	\$ \$ \$ \$			\$ \$ \$	-
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)			SY LF LF Tons CY SY	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50	=	\$ \$ \$ \$	- - - -		\$ \$ \$ \$	- - -
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	_" thick		SY LF LF Tons CY SY SY	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00	=	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	- - -
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	_" thick		SY LF LF Tons CY SY SY SY	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00		\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$ \$	- - - -
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)	" thick		SY LF LF Tons CY SY SY SY Tons	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00	=	\$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved	" thick		SY LF LF Tons CY SY SY SY Tons SF	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00	= =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign	_" thick		SY LF LF Tons CY SY SY SY Tons SF EA	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00	= = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	_" thick		SY LF LF Tons CY SY SY SY SY EA EA SF	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 91.00 \$ 8.30 \$ 311.00 \$ 250.00 \$ 14.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Removal of Asphalt (Full Depth) Removal of Asphalt (Planing-4") Removal of Striping Removal of Fencing Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	" thick	4	SY LF LF Tons CY SY SY SY Tons SF EA EA	\$ 5.00 \$ 1.00 \$ 5.00 \$ 29.00 \$ 52.00 \$ 14.50 \$ 20.00 \$ 30.00 \$ 91.00 \$ 8.30 \$ 311.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION								
Saddlehorn Ranch Filing 2 Improvements Early Grading	5/12/2022	EGP221						
Project Name	Date	PCD File No.						

Description  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk	Quantity	Units LF LF	\$ 31.00	=	Total -	% Complete	Rem:	aining -
Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk				=			\$	_
Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		LF	04.00					
4" Sidewalk (common areas only) 5" Sidewalk			\$ 31.00	=	\$ -		\$	-
5" Sidewalk		LF	\$ 31.00	=	\$ -		\$	-
		SY	\$ 50.00	=	\$ -		\$	-
6" Sidewalk		SY	\$ 62.00	=	\$ -		\$	-
0 Oldewalk		SY	\$ 75.00	=	\$ -		\$	-
8" Sidewalk		SY	\$ 99.00		\$ -		\$	-
Pedestrian Ramp		EA	\$ 1,190.00	=	\$ -		\$	-
Cross Pan, local (8" thick, 6' wide to include return)		LF	\$ 63.00	=	\$ -		\$	-
Cross Pan, collector (9" thick, 8' wide to include return)		LF	\$ 95.00		\$ -		\$	-
Curb Chase		EA	\$ 1,532.00	=	\$ -		\$	
Guardrail Type 3 (W-Beam)		LF	\$ 51.00		\$ -		\$	
Guardrail Type 7 (Concrete)		LF	\$ 75.00		\$ -		\$	
Guardrail Impact Attenuator		EA	\$ 3,899.00		\$ -		\$	
·		LF		=	1 .		\$	
Sound Barrier Fence (CMU block, 6' high)								-
Sound Barrier Fence (panels, 6' high)		LF	\$ 83.00	=	\$ -		\$	-
Electrical Conduit, Size =		LF	\$ 17.00	=	\$ -		\$	-
Traffic Signal, complete intersection		EA	\$ 439,875	=	\$ -		\$	-
Traffic Signal, complete intersection		EA	\$ 439,875	=	\$ -		\$	-
[insert items not listed but part of construction plans]				=	\$ -		\$	-
STORM DRAIN IMPROVEMENTS								
Concrete Box Culvert (M Standard), Size ( W x H )		LF		=	-		\$	-
18" Reinforced Concrete Pipe		LF	\$ 67.00	=	\$ -		\$	-
24" Reinforced Concrete Pipe	123	LF	\$ 81.00	=	\$ 9,963.00		\$	9,963.00
19" x 30" Horizontal Elliptical Reinforced Concrete Pipe		LF	\$ 100.00	=	\$ -		\$	-
54" Corrugated Steel Pipe		LF	\$ 269.00	=	\$ -		\$	-
18" CMP	354	LF	\$ 30.00	=	\$ 10,620.00		\$	10,620.00
60" Corrugated Steel Pipe	331	LF	\$ 290.00		\$ -		\$	10,020.00
66" Corrugated Steel Pipe		LF	\$ 352.00	=	\$ -		\$	
72" Corrugated Steel Pipe		LF	\$ 414.00		\$ -		\$	
18" - Flared End Section (FES)		EA	\$ 402.00	=				-
, ,					\$ -		\$	-
18" - Flared End Section (FES)		EA	\$ 402.00		\$ -		\$	
24" - Flared End Section (FES)	4	EA	\$ 486.00		\$ 1,944.00		\$	1,944.00
19" x 30" - Flared End Section (FES)		EA	\$ 600.00		\$ -		\$	-
30" - Flared End Section (FES)		EA	\$ 600.00		\$ -		\$	-
32" Flared End Section (FES)		EA	\$ 650.00	=	\$ -		\$	-
Flared End Section (FES) CSP Size =  (unit cost = 6x pipe unit cost)		E 4		=	-		\$	_
		EA						
End Treatment- Headwall		EA		=	\$ -		\$	-
End Treatment- Wingwall		EA		=	-		\$	-
End Treatment - Cutoff Wall		EA		=	\$ -		\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$ 5,736.00	=	\$ -		\$	-
Curb Inlet (Type R) L=5', $5' \le Depth < 10'$		EA	\$ 7,440.00	=	\$ -		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$ 8,637.00	=	-		\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,894.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$ 8,136.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 10,185.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 10,265.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 11,005.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$ 12,034.00	=	\$ -		\$	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 10,940.00		\$ -		\$	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$ 12,075.00		\$ -		\$	
Grated Inlet (Type C), Depth < 5'		EA	\$ 4,802.00		\$ -		\$	
( ) ,				=				
Grated Inlet (Type D), Depth < 5'		EA	\$ 5,932.00	=	\$ -		\$	-
Storm Sewer Manhole, Box Base		EA	\$ 12,034.00	=	\$ -		\$	-
Storm Sewer Manhole, Slab Base		EA	\$ 6,619.00	=	\$ -		\$	-
				=	\$ -		\$	_
Geotextile (Erosion Control)		SY	\$ 6.20	_	_		Ψ	-
Rip Rap, d50 size from 6" to 24"		Tons	\$ 83.00	=	\$ -		\$	
Rip Rap, Grouted		Tons	\$ 98.00	=	\$ -		\$	
Drainage Channel Lining, Concrete		CY	\$ 590.00	=	\$ -		\$	-
Drainage Channel Lining, Rip Rap		CY	\$ 116.00		\$ -		\$	
Drainage Channel Lining, Grass		AC	\$ 110.00		\$ -		\$	
Drainage Channel Lining, Other Stabilization		, 10		=	\$ -		\$	
Dramage Charmer Linning, Other Stabilization								
				=	\$ -		\$	-
				=	\$ -		\$	-
[insert items not listed but part of construction plans] - Subject to defect warranty financial assurance. A minimum of 20% shall b								

	F	PROJECT IN	NFORMATIC	N					
Saddlehorn Ranch Filing 2 Improvements Early Grading	g		5/12/2022					EGP221	
Project Name			Date				PCD File No.		
Description	Quantitu	Linita	Unit		Total		(with Pre-		maining
Description SECTION 3 - COMMON DEVELOPMENT IMPRO	Quantity VEMENTS (Driv	Units	Cost	T Mainta	Total		% Complete	Rei	naming
ROADWAY IMPROVEMENTS	VENIENTS (FT	vate of Dis	trict and NC	71 Mairita	inica by Li C)				
				=	\$	-		\$	-
				=	\$	-		\$	-
				=	\$	-		\$	-
OTODM DD AIN IMPROVEMENTO	i D D	- J/DMD - b - II b	- 1411	= 04: 4)	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Except	tion: Permanent Por	nd/BIVIP shall b	e itemizea unae	er Section 1)	\$			\$	_
				=	\$			\$	-
				=	\$	-		\$	-
					\$	-		\$	-
				=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS									
Water Main Pipe (PVC), Size 8"		LF	\$ 66.00	=	\$	-		\$	-
Water Main Pipe (PVC), Size 12"		LF	\$ 100.00		\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$ 78.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$ 1,923.00	=	\$			\$	-
Gate Valves, 0		EA	\$ 2,900.00		\$			\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$ 6,828.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$ 1,370.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA		=	\$	-		\$	-
				=	\$	-		\$	-
[insert items not listed but part of construction plans]				=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS		15	¢ 66.00		Ι φ			<u></u>	
Sewer Main Pipe (PVC), Size 8" Sanitary Sewer Manhole, Depth < 15 feet		LF EA	\$ 66.00 \$ 4,540.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$ 1,451.00		\$			\$	
Sanitary Sewer Lift Station, complete		EA	Ψ 1,101100	=	\$	-	l	\$	-
•				=	\$	-		\$	-
[insert items not listed but part of construction plans]				=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision sp		of approval, or	PUD)					
		EA		=	\$	-		\$	-
		EA EA		=	\$	-		\$	-
		EA		=	\$			\$	
		EA			\$			\$	-
** - Section 3 is not subject to defect warranty requirements		Section	n 3 Subtotal	=	\$	-		\$	-
					-				
AS-BUILT PLANS (Public Improvements inc. Permanent W		LS		=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume ca	alculations)	LS		=	\$	-	-	\$	-
				Total	Construction I	Einanaia	Accurance	ф <b>2</b>	07 707 20
			(Sum of all age				_	\$ 3	97,727.38
			(Sulli of all Sec	JUNI SUDIOIA	ls plus as-builts ar	ій ропи/ы	vir certification)		
	Total Remain	ing Constri	uction Finan	cial Assu	rance (with Pr	e-Plat C	onstruction)	\$ 3	97,727.38
	(Sum of all	section totals	less credit for ite	ems complet	te plus as-builts ar	nd pond/BI	MP certification)		
				Total Def	ect Warranty I	Financia	I Assurance	\$	41,656.62
	(2	20% of all items	s identified as (*	). To be colla	ateralized at time o	of prelimina	ary acceptance)		
Approvals									
hereby certify that this is an accurate and complete estimate	of costs for the wo	ork as shown o	n the Grading a	nd Erosion C	Control Plan and C	onstructio	n Drawings assoc	iated with	the Project.
annum.	DO REGISTA								
	ANT.								
B B	25043								
( Any flow a	3-22-2022								
	0000000000								
Engineer (P.E. Seal Required)	Wannannannannan -	_							
J (									
		=							
Approved by Owner / Applicant			Date						
Approved by El Paso County Engineer / ECM Administrator		-	Date						