Update to Please use 2022 FAE CDR-22-002 and correct date 2019 Financial Assurance Estimate Form (with pre-plat construction) Jpdated: 4/18/201 PROJECT INFORMATION Judge Orr Road RV Park & Storage Dev 1/10/2022 PPR-16-040 **Project Name** Date PCD File No. (with Pre-Plat Construction) Unit % Complete Description Quantity Units Cost Total Remaining SECTION 1 - GRADING AND EROSION CONTROL (Construction and Permanent BMPs) * Earthwork Provide earthwork less lhan 1.000: \$5,300 min 8.00 CY \$ 1,000-5,000; \$8,000 min CY \$ 6.00 \$ quantity, inlet 5,001-20,000; \$30,000 min CY \$ 5.00 \$ protection, permanent 20.001-50.000; \$100.000 min CY \$ 3.50 \$ 50,001-200,000; \$175,000 min s 2.50 CY \$ seeding & mulching greater than 200,000; \$500,000 min CY \$ 2.00 \$ * Permanent Seeding (inc. noxious weed mgmnt.) and any additional 800.00 AC \$ \$ * Mulching AC 750.00 \$ \$ BMPs for the * Permanent Erosion Control Blanket SY \$ 6.00 \$ * Permanent Pond/BMP Construction CY \$ 20.00 \$ installation of the * Permanent Pond/BMP (Spillway) FA \$ proposed extension. * Permanent Pond/BMP (Outlet Structure) ΕA \$ Safety Fence LF \$ 3.00 \$ Temporary Erosion Control Blanket SY \$ 3.00 \$ \$ Vehicle Tracking Control 2,370.00 EA \$ \$ \$ Silt Fence LF \$ 2.50 \$ \$ Temporary Seeding AC \$ 628.00 \$ \$ Temporary Mulch AC \$ 750.00 Ś \$ Erosion Bales EA 25.00 s \$ \$ Erosion Logs/Straw Waddle LF 5.00 \$ \$ \$ Update item to Rock Check Dams ΕA 500.00 \$ \$ \$ Inlet Protection EA \$ 167.00 = \$ \$ include the assumed Sediment Basin EΑ \$ 1,762.00 \$ \$ Concrete Washout Basin thickness of 8". FA 900.00 s \$ \$ insert items not listed but part of construction plans MAINTENANCE (35% of Construction, BMPs) Update quantity \$ Subject to defect warranty financial assura 9% shall Section Subtotal be retained until final acceptance (MAXIMUM OF 80% COMPL = \$ \$. SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS **Construction Traffic Control** LS Aggregate Base Course (135 lbs/cf) s Tons \$ 840 Update. This should Aggregate Base Course (135 lbs/cf) CY \$ 42,100.00 \$ Asphalt Pavement (3" thick) SY s \$ be higher. Pavement Asphalt Pavement (4" thick) 3,367 SY \$ 63,973.00 Asphalt Pavement (6" thick) SY \$ width is 48 \$ Asphalt Pavement (147 lbs/cf) _" thick Tons \$ \$ Raised Median, Paved 8.00 SF \$ \$ \$ Regulatory Sign/Advisory Sign ΕA 300.00 \$ \$ \$ Guide/Street Name Sign ΕA \$ Epoxy Pavement Marking SF \$ 13.00 = \$ \$ Thermoplastic Pavement Marking SF \$ 23.00 Move all quantities from Section 2 to Section Barricade - Type 3 200.00 EA \$ Delineator - Type I ΕA \$ 24.00 3. Curb and Gutter, Type A (6" Vertical) 1,684 LF \$ 30.00 (Median) Curb and Gutter, Type B LF \$ 30.00 Curb and Gutter, Type C (Ramp) LF 30.00 \$ \$ 4" Sidewalk (common areas only) SY \$ 48.00 \$ \$ 5" Sidewalk SY \$ 60.00 = \$ \$ 6" Sidewalk SY s 72.00 8" Sidewalk SY \$ 96.00 5 Pedestrian Ramp ĘΑ ,150.00 \$ \$ Cross Pan, local (8" thick, 6' wide to include return) LF 61.00 \$ = \$ Cross Pan, collector (9" thick, 8' wide to include return) LE \$ 92.00 5 Curb Chase EA \$ 1,480.00 5 Guardrail Type 3 (W-Beam) LF 49.00 s Ś Guardrail Type 7 (Concrete) LF 72.00 \$ \$ Guardrail End Anchorage EA s 2.098.00 \$ \$ Guardrail Impact Attenuator EA \$ 3.767.00 = \$ \$

\$

\$

s

78.00

80.00

16.00

425,000

\$

\$

\$

\$

=

=

\$

\$

\$

LF

LF

LF

EΑ

Sound Barrier Fence (CMU block, 6' high)

Size =

Sound Barrier Fence (panels, 6' high)

Traffic Signal, complete intersection

Electrical Conduit.

udae Ore Boad BV Barly & Stores - Dave		ROJECT	INFORMATIC				~			
udge Orr Road RV Park & Storage Dev	1/10/2022							PPR-16-040		
roject Name			Date				PCD File No.	ur		
			1 11-12				(Diat Canada Si A		
escription	Quantity	Units	Unit Cost			Total	(with Pr % Complete	e-Plat Construction) Remaining		
					\$	2		\$		
[insert items not listed but part of construction plans]	1 1		1	=	\$	8		\$ 4		
TORM DRAIN IMPROVEMENTS										
Concrete Box Culvert (M Standard), Size (W x H)		LF	1	. <u>8</u>	\$	*		\$		
18" Reinforced Concrete Pipe	40	LF	\$ 65.00	=	\$	2,600.00		\$ 2,600.0		
24" Reinforced Concrete Pipe		LF	\$ 78,00		\$	14 J.		\$ -		
30" Reinforced Concrete Pipe		LF	\$ 97.00	.	\$	2		\$		
36" Reinforced Concrete Pipe		LF	\$ 120.00	=	\$			\$ -		
42" Reinforced Concrete Pipe		LF	\$ 160_00	Ξ	\$	2		\$ -		
48" Reinforced Concrete Pipe		LF	\$ 195,00	=	\$			\$ -		
54" Reinforced Concrete Pipe		LF	\$ 245.00	=	\$	3		\$ -		
60" Reinforced Concrete Pipe		LF	\$ 288.00	Ξ	\$	2		\$ -		
66" Reinforced Concrete Pipe		LF	\$ 332,00	÷.	\$	5		\$ -		
72" Reinforced Concrete Pipe	1	LF	\$ 380.00	=	\$	3		\$ -		
18" Corrugated Steel Pipe		LF	\$ 84,00	Ξ.	\$	- (P -		\$.		
24" Corrugated Steel Pipe		LF	\$ 96.00	÷.	\$	2		\$ -		
30" Corrugated Steel Pipe		LF	\$ 122.00	=	\$			\$.		
36" Corrugated Steel Pipe		LF	\$ 147.00	±	\$	÷		\$ -		
42" Corrugated Steel Pipe		LF	\$ 168.00	=	\$	10 a 1		\$.		
48" Corrugated Steel Pipe		LF	\$ 178.00	=	\$	2 H		\$ -		
54" Corrugated Steel Pipe		LF	\$ 260_00	¥	\$			\$.		
60" Corrugated Steel Pipe		LF	\$ 280.00	#	\$	5 I		\$.		
66" Corrugated Steel Pipe		LF	\$ 340_00	=	\$			\$.		
72" Corrugated Steel Pipe		LF	\$ 400_00	=	\$			\$		
78" Corrugated Steel Pipe		LF	\$ 460.00	=	\$	62		\$.		
84" Corrugated Steel Pipe		LF	\$ 550.00	=	\$			\$ -		
Flared End Section (FES) RCP Size =								10		
(unit cost = 6x pipe unit cost)		EA		₩	\$	29		\$		
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)		- ^		<u> </u>	\$			s -		
	A Party Arts	EA			10					
End Treatment- Headwall		EA		=	\$	57		\$ -		
End Treatment- Wingwall		EA		=	\$			\$ =		
End Treatment - Cutoff Wall		EA			\$	-	-	\$		
Curb Inlet (Type R) L=5', Depth < 5'	2	EA	\$ 5,542.00		\$	11,084.00		\$ 11,084.0		
Curb Inlet (Type R) L=5', $5' \le \text{Depth} < 10'$		EA	\$ 7,188.00	=	\$			\$ -		
Curb Inlet (Type R) L =5', $10' \le \text{Depth} < 15'$		EA	\$ 8,345.00	=	\$		1.1	\$		
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$ 7,627.00	- 5	\$	· · · · · · · · · · · · · · · · · · ·		\$		
Curb Inlet (Type R) L =10', $5' \le \text{Depth} < 10'$		EA	\$ 7,861.00	77	\$	2		\$ -		
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$ 9,841.00	-	\$			\$		
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$ 9,918.00		\$			\$ -		
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$ 10,633.00		\$			\$		
Curb Inlet (Type R) L = $15'$, $10' \le \text{Depth} < 15'$		EA	\$ 11,627.00	=	\$	1	_	\$ -		
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$ 10,570.00	=	\$	· · · · · ·		\$		
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'	2 - 2 - 2 - 2 - 2 - 4	EA	\$ 11,667.00		\$	2		\$.		
Grated Inlet (Type C), Depth < 5'		EA	\$ 4,640.00		\$			\$ ·		
Grated Inlet (Type D), Depth < 5'		EA	\$ 5,731.00	-	\$			\$ -		
Storm Sewer Manhole, Box Base	in a second	EA	\$ 11,627.00	÷.	\$	2	Con Labor	\$ *		
Storm Sewer Manhole, Slab Base		EA	\$ 6,395.00	=	\$	17		\$ -		
Geotextile (Erosion Control)		SY	\$ 6.00	=	\$	- 34		\$ -		
Rip Rap, d50 size from 6" to 24"		Tons	\$ 80.00	Ē	\$	12	A Contraction	\$.		
Rip Rap, Grouted		Tons	\$ 95.00	=	\$	2		\$		
Drainage Channel Construction, Size (W x H)		LF		=	\$	æ		\$ -		
Drainage Channel Lining, Concrete		CY	\$ 570.00		\$			\$ -		
Drainage Channel Lining, Rip Rap		CY	\$ 112.00	=	\$	浸		\$ -		
Drainage Channel Lining, Grass	IV III III III III III III III III III	AC	\$ 1,469.00	=	\$			\$.		

 \sim

		PROJECT		ORMATIO	N								
Judge Orr Road RV Park & Storage Dev		1/10/2022						PPR-16-040					
Project Name		Date						PCD File No.					
			-	Unit				(with Pro-Pla	t Construction)				
Description	Quantity	Units		Cost			Total	% Çomplete	Remaining				
					₩	\$	ð.	\$	3				
[insert items not listed but part of construction plans]					=	\$	÷.	\$	54				
 Subject to defect warranty financial assurance A minimum of 20% sha be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) 	II	Secti	on 2	Subtotal	=	\$	170,277.00	\$	170,277.00				
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Priv	ate or Di	stric	t and NOT	Mainta	ined b	v EPC)**						
ROADWAY IMPROVEMENTS													
	e sidewalk		1.		=	\$		\$					
					=	\$	e	\$					
quanti	tv.		T		=	\$		\$	12				
decenter.	· · ·				-	\$	3	\$					
					=	\$	2	\$	(e				
					=	\$		\$					
STORM DRAIN IMPROVEMENTS (Exc	eption: Permanent Por	nd/BMP sha	beile	emized under	Section 1)							
					=	\$		\$					
					-	\$		\$	1.1				
					÷	\$	14	\$					
					=	\$		\$					
						\$		\$					
					=	\$	2	\$					
WATER SYSTEM IMPROVEMENTS													
Water Main Pipe (PVC), Size 8"		LF	S	64.00	=	\$		\$					
Water Main Pipe (Ductile Iron), Size 8"		LF	s	75.00	-	\$	14	\$	2				
Gate Valves, 8"		EA	\$	1,858.00	÷	\$		\$					
Fire Hydrant Assembly, w/ all valves		EA	\$	6,597.00	-	\$		\$					
Water Service Line Installation, inc. tap and valves		EA	\$	1,324.00	-	\$		\$	5				
Fire Cistern Installation, complete	ALL ALL ALL ALL ALL	EA	10414	1	÷.	\$, .	\$	1.1				
					=	\$		\$					
[insert items not listed but part of construction plans] SANITARY SEWER IMPROVEMENTS			1_	_	-	\$	14 - C	\$	1				
Sewer Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$		\$					
Sanitary Sewer Manhole, Depth < 15 feet	-	EA	S	4.386.00	-	\$	340	e e					
Sanitary Service Line Installation, complete		EA		1,402.00	-	\$	12	\$					
Sanitary Sewer Lift Station, complete		EA	892	A1102100		\$		Ś					
			1.1		-	\$		Ś					
[insert items not listed but part of construction plans]			-		-	\$		\$					
ANDSCAPING IMPROVEMENTS	(For subdivision sp	ecific conditi	on of s	annroval or D		1323		3					
	(i or aubulvision spi	EA		pproval, or P	=	\$		\$					
		EA	-			\$		\$					

		PROJECT	INFORMATIO	N							
Judge Orr Road RV Park & Storage Dev		1/10/2022					P	PR-1	6-040		
Project Name			Date		-	PCD File No.					
		-	11-14	_	_		(with Dee	DI-4			
Description	Quantity	Ouantity Units Cost					(with Pre-Plat Construction)				
	Quantity	EA	CUSL		*	Total	% Complete	*	Remaining		
		EA		=	\$			\$	-		
		EA		=	¢			Р ¢			
* - Section 3 is not subject to defect warranty requirements	4		n 3 Subtotal	=	Ś	-		\$			
								_ T			
AS-BUILT PLANS (Public Improvements inc. Permanent		LS	\$ 500.00	=	\$	500.00		\$	500,		
POND/BMP CERTIFICATION (inc. elevations and volume calculations)		LS		=	\$	185		\$			
				Tat		otion Financi			-		
			<i>(</i>) <i>()</i>			iction Financia		ş	170,777.0		
			(Sum or all sec	suon sube	otais plus as	-builts and pond/B	MP ceruncation)				
	Total Dama							-			
		-	truction Finan		•			\$	170,777.0		
	(Sum of	all section tota	Is less credit for ite	ems com	plete plus as	-builts and pond/B	MP certification)				
				Total C		rranty Financia					
		(200) of all its				-		ş	34,055.4		
		(20% of all ite	ms identified as (*)	lo be c	ollateralized	at time of preamin	lary acceptance)				
الاص	CONTRACTOR OF THE OWNER							_			
Approvals	RA BEDAL										
AT GAMP	assess the	N									
hereby certify that this is an accurate and complete estim	ate of coststar the wo	the as shown o	n the Grading and	Erosion	Control Plan	and Construction	Drawings associa	ated w	ith the Project.		
110	TOTAL	Y									
	and the	¥.									
and a second	000	¥.					2				
1 S	44020 CH	1									
1 St. 1	10/1 7	$\dot{\tau}$									
Engineer (P.E. Seal Required)	100	-11									
	mana ne al al al a	ジ									
	- B - C										
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOBAL ST NY										
and the second se	TORAL SPACE										