



POINT TABULATION			POINT TABULATION			POINT TABULATION		
ID NO.	DESCRIPTION	ELEVATION	ID NO.	DESCRIPTION	ELEVATION	ID NO.	DESCRIPTION	ELEVATION
10	TOE OF SLOPE	N+9952.98 E+20091.35 E+20091.35	34	TOP OF SLOPE	N+9917.97 E+20074.94 E+20074.94	56	DISSEPARATOR	N+9915.53 E+20091.35 E+20091.35
11	TOE OF SLOPE	N+10001.44 E+20087.02 E+20087.02	35	TOP OF SLOPE	N+10077.90 E+20087.75 E+20087.75	57	DISSEPARATOR	N+9920.71 E+20092.11 E+20092.11
12	TOE OF SLOPE	N+10078.00 E+20087.55 E+20087.55	36	TOP OF SLOPE/RH/PAV	N+10114.03 E+20083.84 E+20083.84	58	DISSEPARATOR	N+9921.05 E+20092.11 E+20092.11
13	TOE OF SLOPE	N+10031.76 E+20087.76 E+20087.76	37	TOP OF SLOPE	N+10059.75 E+20086.75 E+20086.75	59	DISSEPARATOR	N+9915.53 E+20092.13 E+20092.13
14	TOE OF SLOPE/RH/PAV	N+10086.03 E+20087.83 E+20087.83	38	TOP OF SLOPE	N+10029.60 E+20089.83 E+20089.83	60	DISSEPARATOR	N+9915.53 E+20098.13 E+20098.13
15	TOE OF SLOPE	N+10048.83 E+20091.08 E+20091.08	39	TOP OF POND/REGIM. SPILLWAY	N+9951.96 E+20080.22 E+20080.22	61	DISSEPARATOR	N+9921.03 E+20091.35 E+20091.35
16	TOE OF SLOPE	N+9946.08 E+20092.11 E+20092.11	40	SPILLWAY CREST	N+9948.14 E+20090.22 E+20090.22	62	TOP OF POND	N+9994.27 E+20090.25 E+20090.25
17	MAINT. & ACCESS ROAD	N+9733.82 E+20083.83 E+20083.83	41	TOP OF POND/REGIM. SPILLWAY	N+9953.43 E+20072.20 E+20072.20	63	TOP OF POND	N+10108.14 E+20083.79 E+20083.79
18	MAINT. & ACCESS ROAD	N+9733.82 E+20083.83 E+20083.83	42	SPILLWAY CREST	N+9892.76 E+20072.45 E+20072.45	64	TOP OF POND	N+9921.03 E+20092.01 E+20092.01
19	MAINT. & ACCESS ROAD	N+9674.06 E+20087.55 E+20087.55	43	TOP OF POND/REGIM. SPILLWAY	N+9892.76 E+20072.45 E+20072.45	65	TOP OF POND	N+9893.90 E+20092.72 E+20092.72
20	MAINT. & ACCESS ROAD/TOE OF SLOPE	N+10102.65 E+20080.22 E+20080.22	44	SPILLWAY CREST	N+9756.81 E+20072.86 E+20072.86	66	EDGE OF ROAD/RH/PAV	N+10066.14 E+20092.51 E+20092.51
24	RH/PAV	N+9988.14 E+20080.22 E+20080.22	45	TOP OF SLOPE	N+9722.35 E+20083.84 E+20083.84	67	EDGE OF ROAD/RH/PAV	N+10066.14 E+20092.51 E+20092.51
25	SPILLWAY CREST	N+9722.35 E+20083.84 E+20083.84	46	TOP OF SLOPE	N+9722.35 E+20083.84 E+20083.84	68	EDGE OF ROAD/RH/PAV	N+10066.14 E+20092.51 E+20092.51
26	TOP OF POND/REGIM. SPILLWAY	N+9723.71 E+20083.84 E+20083.84	47	TOP OF SLOPE/RH/PAV	N+10078.20 E+20071.75 E+20071.75	69	RH/PAV	N+10066.14 E+20092.51 E+20092.51
27	TOP OF SLOPE	N+9803.19 E+20086.74 E+20086.74	49	TOP OF SLOPE	N+10078.20 E+20071.75 E+20071.75	70	RH/PAV	N+10078.05 E+20092.80 E+20092.80
28	TOP OF SLOPE	N+9803.19 E+20086.74 E+20086.74	50	TOP OF SLOPE	N+9923.97 E+20071.75 E+20071.75	71	EDGE OF ROAD/RH/PAV	N+10078.05 E+20092.80 E+20092.80
29	MAINT. & ACCESS ROAD	N+9722.19 E+20083.84 E+20083.84	51	TOP OF SLOPE	N+9923.97 E+20071.75 E+20071.75	72	EDGE OF ROAD/RH/PAV	N+10078.05 E+20092.80 E+20092.80
30	TOP OF SLOPE	N+9722.19 E+20083.84 E+20083.84	52	DISSEPARATOR	N+9923.97 E+20080.10 E+20080.10	73	RH/PAV	N+9923.97 E+20092.80 E+20092.80
31	TOP OF SLOPE	N+9722.19 E+20083.84 E+20083.84	53	DISSEPARATOR	N+9923.97 E+20080.10 E+20080.10	74	RH/PAV	N+9923.97 E+20092.80 E+20092.80
32	TOP OF SLOPE	N+9844.80 E+20086.72 E+20086.72	54	DISSEPARATOR	N+9923.97 E+20080.10 E+20080.10	75	TOP OF SLOPE/RH/PAV	N+9923.97 E+20092.80 E+20092.80
33	TOP OF SLOPE/RH/PAV	N+9844.80 E+20086.72 E+20086.72	55	DISSEPARATOR	N+9923.97 E+20080.10 E+20080.10	76	TOP OF SLOPE/RH/PAV	N+9923.97 E+20092.80 E+20092.80

ID. NO.	DESCRIPTION	POINT TABULATION	
		NORTHING/EASTING	ELEVATION
1	OUTLET STRUCTURE	N: 8232.33 E: 2923.33	6716.70
2	TOE OF SLOPE	N: 8307.72 E: 2922.60	6717.50
3	TOE OF SLOPE	N: 8322.55 E: 2923.86	6718.31
4	TOE OF SLOPE	N: 8350.01 E: 2924.60	6719.09
5	MAINT. & ACCESS ROAD/TOE OF SLOPE	N: 8368.03 E: 2925.83	6719.46
6	TOE OF SLOPE/REPAIR	N: 8398.01 E: 2926.53	6719.86
7	TOE OF SLOPE	N: 8428.00 E: 2926.61	6717.66
8	TOE OF SLOPE	N: 8479.39 E: 2927.25	6717.25



Know what's below.
Call before you dig.




ENGINEER'S STATEMENT




 PREPARED UNDER MY DIRECT SUPERVISION AND ON BEHALF OF JR
 ENGINEERING

MIKE A. BRAMLETT, P.E.
 COLORADO P.E. 32314
 FOR AND ON BEHALF OF JR ENGINEERING




VTC-3. VEHICLE TRACKING CONTROL W/ CONSTRUCTION MAT OR TURF REINFORCEMENT MAT (TRM)

November 2010 Urban Drainage and Flood Control District Urban Storm Drainage Criteria Manual Volume 3 VTC-5



SSA-4 Urban Drainage and Flood Control District Urban Storm Drainage Criteria Manual Volume 3 November 2010

SF-1, SILT FENCE


November 2010 Urban Drainage and Flood Control District Urban Storm Drainage Criteria Manual Volume 3 SF-3

TAMLIN ROAD RV STORAGE		GRADING AND EROSION CONTROL DETAILS		SHEET 7 OF 10 JOB NO. 25134.00
H-SCALE	N/A	DESIGNED BY	NOJ	
V-SCALE	N/A	DRAWN BY	NOJ	
		CHECKED BY		
No.	REVISION	DATE	BY	

ENGINEER'S STATEMENT
STANDARD DETAILS SHOWN WERE REVIEWED AND AS TO THEIR APPLICATION ON THIS PROJECT

MIKE A. BRAMLETT, P.E.
COLORADO P.E. 32314
FOR AND ON BEHALF OF JR ENGINEERING, LTDAL

SC-7 Sediment Basin (SB)



SC-7

SC-7 Sediment Basin (SB)


TABLE 1.1. TYPICAL DIMENSIONS FOR STANDARD SEDIMENT BASINS	1.5'	2.0'	2.5'	3.0'	3.5'	4.0'	4.5'	5.0'	5.5'	6.0'	6.5'	7.0'	7.5'	8.0'	8.5'	9.0'	9.5'	10.0'
Basin Length (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Width (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Depth (ft)	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0

1. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
2. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
3. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
4. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
5. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
6. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
7. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
8. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
9. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
10. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

EC-6 Rolled Erosion Control Products (RECP)



EC-6

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

SC-7

SC-7 Sediment Basin (SB)


TABLE 1.1. TYPICAL DIMENSIONS FOR STANDARD SEDIMENT BASINS	1.5'	2.0'	2.5'	3.0'	3.5'	4.0'	4.5'	5.0'	5.5'	6.0'	6.5'	7.0'	7.5'	8.0'	8.5'	9.0'	9.5'	10.0'
Basin Length (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Width (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Depth (ft)	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0

1. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
2. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
3. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
4. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
5. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
6. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
7. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
8. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
9. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.
10. THE BASIN SHALL BE CONSTRUCTED OF CONCRETE OR STEEL.

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

EC-6 Rolled Erosion Control Products (RECP)



EC-6

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

SC-7

SC-7 Temporary Outlet Protection (TOP)





TABLE 1.1. TYPICAL DIMENSIONS FOR STANDARD SEDIMENT BASINS	1.5'	2.0'	2.5'	3.0'	3.5'	4.0'	4.5'	5.0'	5.5'	6.0'	6.5'	7.0'	7.5'	8.0'	8.5'	9.0'	9.5'	10.0'
Basin Length (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Width (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Depth (ft)	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0

EC-6 Rolled Erosion Control Products (RECP)

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

EC-6 Rolled Erosion Control Products (RECP)



EC-6

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

EC-8

EC-8 Temporary Outlet Protection (TOP)





TABLE 1.1. TYPICAL DIMENSIONS FOR STANDARD SEDIMENT BASINS	1.5'	2.0'	2.5'	3.0'	3.5'	4.0'	4.5'	5.0'	5.5'	6.0'	6.5'	7.0'	7.5'	8.0'	8.5'	9.0'	9.5'	10.0'
Basin Length (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Width (ft)	15.0	20.0	25.0	30.0	35.0	40.0	45.0	50.0	55.0	60.0	65.0	70.0	75.0	80.0	85.0	90.0	95.0	100.0
Basin Depth (ft)	1.5	2.0	2.5	3.0	3.5	4.0	4.5	5.0	5.5	6.0	6.5	7.0	7.5	8.0	8.5	9.0	9.5	10.0

EC-6 Rolled Erosion Control Products (RECP)

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

EC-6 Rolled Erosion Control Products (RECP)



EC-6

August 2011 Urban Drainage and Flood Control District
Urban Storm Drainage Channel Manual Volume 3

3/14/11

ENGINEER'S STATEMENT
STANDARD DETAILS SHOWN WERE REVIEWED AND FOUND TO BE IN ACCORDANCE WITH THE SPECIFICATIONS FOR THIS PROJECT.

MIKE A. BRAMLEY, P.E.
COLORADO P.E. 33114
FOR AND ON BEHALF OF JR. ENGINEERS, INC.




Figure 9.37. Low sulfidation chrysotile bodies.

94-72 Urban Outlings and Flood Control District
Columbiana Districts Extension, Volume 2
September 2017

SHEET	10	OF	10	JOB NO.	25134.00
TAMLIN ROAD RV STORAGE			STORM SEWER DETAILS		
CHECKED BY					
DRAWN BY	NQJ				
DESIGNED BY	NQJ				
DATE	01/17/20				
V-SCALE	N/A				
H-SCALE	N/A	No. REVISION		BY	DATE