



NOXIOUS WEED MANAGEMENT PLAN

for

***Stimple Family Minor Subdivision
El Paso County, CO***

PREPARED FOR:

Classic Communities
2138 Flying Horse Club Drive
Colorado Springs, CO 80921
Contact: Loren Moreland
lmoreland@classichomes.com

PREPARED BY:

Bristlecone Ecology, LLC
2023 W. Scott Place
Denver, CO 80211
Contact: Dan Maynard
dmaynard@bristleconeecology.com

October 8, 2024



TABLE OF CONTENTS

EXECUTIVE SUMMARY	III
1.0 INTRODUCTION AND PROJECT LOCATION	4
2.0 NOXIOUS WEED MANAGEMENT BACKGROUND	6
3.0 NOXIOUS WEED MANAGEMENT PLAN	7
3.1 Purpose and Goals	7
3.2 Regulated Species	7
3.3 Construction	8
3.5 Post-Construction	9
4.0 CONCLUSIONS AND RECOMMENDATIONS.....	10
REFERENCES.....	11

APPENDICES

APPENDIX A: COLORADO STATE NOXIOUS WEED LIST

EXECUTIVE SUMMARY

Bristlecone Ecology, LLC (“B.E.”) was retained by Classic Communities, LLC (“Proponent”) to prepare a Noxious Weed Management Plan (“Plan”) for the proposed Simple Family Minor Subdivision development project (“Project”), located in unincorporated El Paso County, Colorado. The site is currently subdivided illegally, and the Project will legalize the parcel as a single, 7.5-acre lot to allow a single home to be constructed. The Project is located on approximately 7.5 acres just north of Arroya Lane and east of Vollmer Road, within El Paso County Parcel No. 5221400002. It is bounded to the north and west by open space, to the east by rural residential properties, and to the south by the Timber Ridge residential housing development.


This Plan is a Project-specific document that has been designed to set forth Project-level regulations to prevent and control the spread of noxious weeds within the Project area and vicinity. Noxious weeds are defined as those non-native plants that aggressively invade and are detrimental to native vegetation communities and ecosystems. The *Colorado State Noxious Weed Act* (Colorado Revised Statute 35-5.5-103) developed a list of plants considered noxious in the state of Colorado that should be targeted for control by various methods dependent on list category (A, B, or C). This Plan shall tier to the requirements set forth by the El Paso County (EPC) Noxious Weed Management Plan (2017a), which contains guidelines for the control and treatment of noxious weeds found in the County. EPC requires that residential projects that include ground disturbing activities submit a project-specific noxious weed management plan. This Plan provides methods to prevent and control the spread of noxious weeds at construction and post-construction phases of the Project.

1.0 INTRODUCTION AND PROJECT LOCATION

Classic Communities, LLC (“Proponent”) retained Bristlecone Ecology, LLC (“B.E.”) to prepare a Noxious Weed Management Plan (“Plan”) for the proposed Simple Family Minor Subdivision residential development project (“Project”) located in El Paso County (EPC), Colorado. The site is currently subdivided illegally, and the Project will legalize the parcel as a single, 7.5-acre lot to allow a single home to be constructed. The Project is located in Sections 21 and 22, Township 12 South, Range 65 West, and can be found on the U.S. Geological Survey’s (USGS) Falcon NW 7.5-minute quadrangle (USGS 2023) (**Figure 1: Project Location Map**). The Project encompasses the entire 7.5-acre property, EPC Parcel No. 5221400002, just north of Arroya Lane and just east of Vollmer Road (**Figure 1**).

The Project Area is located at the intersection of two distinct ecoregions in Colorado: the Foothill Grasslands ecoregion and the Pine-Oak Woodlands ecoregion. The Foothill Grasslands ecoregion is composed of a mixture of tall- and mid-grasses and isolated pine woodlands (Chapman et al. 2006). Dominant species include little bluestem (*Schizachyrium scoparium*), big bluestem (*Andropogon gerardii*), switchgrass (*Panicum virgatum*), and yellow Indiangrass (*Sorghastrum nutans*), among other commonly occurring grasses including blue grama (*Bouteloua gracilis*), needle-and-thread (*Hesperostipa comata*), Junegrass (*Koeleria macrantha*), and others (Chapman et al. 2006). The Pine-Oak Woodlands ecoregion is composed of a ponderosa pine (*Pinus ponderosa*) overstory, with a mid-story of Gambel oak (*Quercus gambelii*), mountain mahogany (*Cercocarpus montanus*), and other shrubs, and an herbaceous understory of mixed grasses such as mountain muhly (*Muhlenbergia montana*) and little bluestem. The Foothills Grasslands occupy the majority of the site, with scattered pine forest present along the southeast edge of the Project Area. Elevations within the Project Area range between approximately 7,245 and 7,300 feet above mean sea level (AMSL).

Figure 1: Site Location Map



11/28/2023 C:\GIS_Projects\Bristlecone_Ecology\28_015_Simple_Property\Project_Location.mxd

2.0 NOXIOUS WEED MANAGEMENT BACKGROUND

The spread of invasive species roughly mirrors the rise in human travel and commerce (Mack *et al.* 2000 and Sheley *et al.* 1996). Many noxious weeds have been identified as aggressive, weather resistant, escaped ornamentals from residential landscapes (Westbrooks 1998). *The Federal Noxious Weed Act* (7 U.S.C. 2801 *et seq.*; 88 Stat. 2148) was enacted in 1975 in an effort to halt the spread of noxious weeds across the country. Following guidelines set forth by the *Federal Noxious Weed Act*, Colorado passed the *Colorado Noxious Weed Act* (“Act”; C.R.S. 35-5.5-103) in 1990. The Act identified noxious weeds particular to the landscape of Colorado. As defined in the Act, noxious weeds are any non-native plant that:

- aggressively invades or is detrimental to economic crops or native plant communities;
- is poisonous to livestock;
- is a carrier of detrimental insects, diseases, or parasites;
- or is detrimental, either by direct or indirect effects, to the environmentally sound management of natural or agricultural ecosystems.

The Act was amended in 2002 to require counties to establish individual management plans relevant to local municipalities. EPC developed the *El Paso County Noxious Weed Management Plan* in 2003 (updated in 2017) to identify county-level noxious weed management practices that would preserve the economic and environmental value of EPC lands (EPC 2017a). Disturbed areas are vulnerable to infestation from noxious weeds due to the aggressive nature by which noxious weeds can spread. Construction activities including clearing, grading, and excavation promote the establishment of noxious weed species before native vegetation can reestablish within the cleared area. As such, the *EPC Noxious Weed Management Plan* requires integrated management plans for any activities requiring dirt moving activities within El Paso County (EPC 2017a). Project-specific integrated management plans should include methods to prevent, control, and monitor the spread of noxious weeds and should take into account the multiple methods by which noxious weeds germinate. Annuals typically reproduce through seed which can easily attach to equipment during construction activities. Perennials often propagate through an extensive root system. Ground disturbing activities have the potential to redistribute root sections that could quickly propagate in other areas. Because of the multiple methods by which noxious weeds spread and propagate, integrated management plans should outline education and native revegetation methods, in addition to chemical control methods (EPC 2017a).

3.0 NOXIOUS WEED MANAGEMENT PLAN

3.1 Purpose and Goals

The construction of Project facilities will occur over several months. Upon completion of construction, the Project will consist of one residential lot and its associated facilities and infrastructure. It is anticipated that noxious weeds will concentrate along roadsides, temporary construction staging areas, and other highly trafficked areas within the development. As such, this integrated management plan includes construction and maintenance methods to prevent, control, and monitor the spread of identified noxious weed populations within the Project. It will be the responsibility of the Homeowners' Association (HOA) or metropolitan district (should either be formed), or other responsible entity, to establish covenants to prevent and control the spread of noxious weeds. Typically, an HOA or metro district will contract a licensed herbicide applicator to seasonally survey and spray for noxious weeds throughout the development as necessary. Additionally, communal landscaped areas should be regularly mowed and treated for noxious weeds. Integrated management methods shall include the following:

- surveys to inventory and map established noxious weed populations;
- sharing of data with EPC to aid in EPC level inventory;
- physical, biological, and chemical treatment of all identified noxious weed populations;
- and periodic post-construction treatment as needed and as determined by the HOA, metro district, or other responsible entity.

Management methods identified within this Plan will comply with *Chapter 6: General Development Standards of the EPC Land Development Code* (EPC 2017b), the *EPC Noxious Weed Management Plan* (EPC 2017a) and the Act (Colorado Revised Statutes 35-5.5-103). Biological control methods are not included due to the prohibition of their use on plants targeted for eradication by the Colorado Weed Management Association (CWMA) (2015). Noxious weed species targeted would be those identified in the Act, with special consideration for those species listed in the *EPC Noxious Weeds and Control Methods* (EPC 2018).

3.2 Regulated Species

The Act identifies three levels of priority for control of noxious weeds throughout the State of Colorado ("State"). The CWMA maintains an updated list of noxious weeds known to occur in the State. CWMA also maintains a "watch list" of noxious weeds that occur in proximity to State borders and/or those species with a distribution that is not yet understood (**Appendix A: Colorado State Noxious Weed List**). List A noxious weeds are those species targeted for eradication. List A noxious weed populations are typically isolated in nature or rare throughout much of the State (*Colorado Revised Statutes 35-5.5-103*). Eradication and reporting of List A populations is required by law (Colorado Department of Agriculture [CDA] 2006). List B species are discretely distributed throughout the State and must be eradicated, contained, or suppressed (*Colorado Revised Statutes 35-5.5-103*). EPC requires control of all List B noxious weed populations located within the Project area (EPC 2017a). List C noxious weed populations are widespread and well established.

EPC requires control of List C species through education of the public and/or chemical control (EPC 2017a).

3.3 Construction

Noxious weed management protocols during construction include prevention and treatment. Prevention and treatment shall be accomplished at the Project through surveys of construction easements, followed by primary chemical treatment. Initial inventory surveys shall occur separately from treatment, but both shall be completed before initial ground disturbing activities commence.

Noxious weed surveys shall be conducted within all construction easements prior to any ground disturbing activities. Surveyors shall use GPS units to collect data on noxious weed populations. Data collected for List C populations shall include species and general coordinates of population; data collected for List A and List B populations shall include species, coordinates for the approximate center of each identified population, and the approximate radius of the infestation. EPC shall receive a map of identified noxious weed populations within the Project. Should surveyors locate List A species, the specific data collected shall be sent to EPC. Treatment type shall be selected depending on the priority rank of the noxious weed species (List A, B, or C), and the location and density of the infestation. Chemical treatment shall include herbicide application; the suggested chemical treatment protocol is described below.

List A species must be eradicated by law (USDA 2006). Should surveyors identify List A species, a plant sample shall be collected for positive identification through EPC's Environmental Division. Upon positive confirmation of a List A species, hand pulling of the population shall be performed to remove the mechanism for creation of a seedbank. Chemical treatment shall be applied to the area and shall be selected in compliance with the *EPC Noxious Weeds and Control Methods* (EPC 2018). List B species shall be chemically treated with an herbicide selected in compliance with the *EPC Noxious Weeds and Control Methods* (EPC 2018). Herbicide selection may vary depending upon the time of year and the life cycle of the plant. All herbicide application shall occur concurrent with initial ground disturbing activities. The herbicide applicator shall treat noxious weed populations with EPC recommended chemicals (EPC 2017a). B.E. recommends not treating List C noxious weeds; List C noxious weeds are well established and difficult to treat since many have hardy seed beds that are not affected by herbicide application. Rather than completely eradicating List C populations, herbicide applicators manage populations with continued seasonal treatments. A more efficient protocol would be to avoid List C weeds to the greatest extent possible during construction to avoid spreading their seeds. It is anticipated that an HOA, metro district, or other controlling entity will treat all noxious or weedy species within development areas post-construction, including List C species, and will maintain a weed-free landscape within the Project.

Additional construction phase noxious weed management protocols shall include prevention and maintenance. Contractors shall prevent the spread of noxious weeds through the use of clean equipment and through treatment of all List A and List B populations concurrent with initial ground disturbing activities. Heavy equipment used on the site shall be washed and sprayed before mobilization on the Project. Doing so shall ensure that soil and seeds are not transported

from other sites. Noxious weed treatment shall occur to areas slated for ground disturbance or immediately after initial ground disturbance activities. Doing so will ensure that active List A and List B noxious weed populations will become inactive and/or effectively managed throughout the construction phase of the Project.

It is anticipated that portions of the Project may be landscaped. Topsoil sources for landscaped areas shall be provided from native, on-site topsoil. Any salvaged topsoil piles shall be treated for noxious weeds and maintained and protected from erosion and/or noxious weed establishment during construction through Best Management Practices (BMPs) identified in the Project's Grading, Erosion, and Sediment Control (GESC) Plan.

3.5 Post-Construction

Post-construction noxious weed management protocols shall be limited to maintenance treatment, as needed and as determined by the HOA, metro district, or other responsible entity. It is anticipated that any landscaped areas of the Project, including private lots, will require seasonal noxious weed treatment and maintenance. B.E. notes that any existing List A and List B noxious weed populations should be treated concurrent with construction. Treatment of the site concurrent with initial ground disturbing activities may halt the spread of List A and List B noxious weeds in the immediate vicinity of the Project. However, noxious weed populations may persist on the Project's periphery. It shall be the controlling entity's responsibility to identify and treat any persistent noxious weed populations on the Project site.

4.0 CONCLUSIONS AND RECOMMENDATIONS

Noxious weeds are present on the Project site in several areas ranging from scattered populations to dense concentrations. Noxious weeds that were detected during the site reconnaissance included:

List B

- Diffuse knapweed (*Centaurea diffusa*)
- Canada thistle (*Cirsium arvense*)
- Yellow toadflax (*Linaria vulgaris*)

List C

- Common mullein (*Verbascum thapsus*)

There were no large concentrations of noxious weeds, but scattered noxious weeds were found throughout various portions of the site, primarily where disturbance had previously occurred and in the transition zones between wetlands and uplands. Canada thistle and yellow toadflax were found mainly in wetter areas, particularly in the southern half of the site in wetlands or in the transitions zone from wetlands into uplands. Common mullein and knapweed were found only in the uplands, with most of the knapweed occurring in the disturbed areas along the buried utility lines and near Aroya Lane. The El Paso County Community Service Department's Environmental Division recommends herbicide application or mechanical removal and provides detailed application rates and timing (EPC 2018). Herbicide recommendations can be found at the links provided in the References section below.

It is possible that additional noxious weed populations may be present on the site. As such, it is recommended that a site inventory be performed to catalogue and map all populations on the site. Controls for any List A or List B species identified within the Project area would be required following the management plan outlined here and EPC's recommended control methods (EPC 2018).

This Noxious Weed Management Plan was written to comply with guidelines in the Colorado Noxious Weed Act (Colorado Revised Statutes 35-5.5-103) and the EPC Noxious Weed Management Plan. B.E. recommends that the Proponent conduct sitewide surveys to locate and treat any List A and List B noxious weed populations observed within the Project area. Surveys and treatment can be performed concurrently prior to construction. Typically, chemical treatment is applied between late spring and early fall depending on the recommended treatment protocols for each species (EPC 2018).

Should you have any questions regarding this or any other matter, please feel free to contact our office at info@bristleconeecology.com.

Sincerely,
Bristlecone Ecology, LLC



Daniel Maynard
Ecologist

REFERENCES

- Chapman, S.S., G.E. Griffith, J.M. Omernik, A.B. Price, J. Freeouf, and D.L. Schrupp. 2006. Ecoregions of Colorado (color poster with map, descriptive text, summary tables, and photographs): Reston, Virginia, U.S. Geological Survey (map scale 1:1,200,000).
- CDA (Colorado Department of Agriculture). 2006. 8 CCR 1206-2 – Rules Pertaining to the Administration and Enforcement of the Colorado Noxious Weed Act.
- CWMA (Colorado Weed Management Association). 2015. Colorado State Noxious Weed List.
- EPC (El Paso County). 2017a. El Paso County Noxious Weed Management Plan. <https://assets-communityservices.elpasoco.com/wp-content/uploads/Environmental-Division-Picture/Noxious-Weeds/Weed-Management-Plan-December-2017.pdf>
- EPC. 2017b. Land Development Code: Chapter 6. General Development Standards. <https://assets-planningdevelopment.elpasoco.com/wp-content/uploads/LandUseCode/EPC-Land-Use-Code-Chapter-6-2016.pdf>
- EPC. 2018. Noxious Weeds and Control Methods. Prepared by the Community Services Department - Environmental Division. Available at: <https://communityservices.elpasoco.com/wp-content/uploads/Environmental-Division-Picture/Noxious-Weeds/Noxious-Weed-Control-Book.pdf>
- Mack, R. N., Simberloff, D., Mark Lonsdale, W., Evans, H., Clout, M., & Bazzaz, F. A. 2000. Biotic invasions: causes, epidemiology, global consequences, and control. *Ecological applications*, 10(3), 689-710.
- Sheley, R., Manoukian, M., & Marks, G. 1996. Preventing Noxious Weed Invasion. *Rangelands*, 18, 100-101.
- State of Colorado. 2003. Colorado Revised Statutes, Title 35 Agriculture, Article 5.5 Colorado Noxious Weed Act.
- USDA (U.S. Department of Agriculture). 2001. Effective Aerial Reseeding Methods: Market Search Report.
- USDA. 2019. National Agriculture Imagery Program.
- Westbrooks, R. G. 1998. Invasive plants: changing the landscape of America. *US Government Documents (Utah Regional Depository)*, 490.



APPENDIX A

COLORADO STATE NOXIOUS WEED LIST

List A Species (26)

Common	Scientific
African rue	<i>(Peganum harmala)</i>
Bohemian knotweed	<i>(Fallopia x bohemicum)</i>
Camelthorn	<i>(Alhagi maurorum)</i>
Common crupina	<i>(Crupina vulgaris)</i>
Cypress spurge	<i>(Euphorbia cyparissias)</i>
Dyer's woad	<i>(Isatis tinctoria)</i>
Elongated mustard	<i>(Brassica elongata)</i>
Flowering rush	<i>(Butomus umbellatus)</i>
Giant knotweed	<i>(Fallopia sachalinensis)</i>
Giant reed	<i>(Arundo donax)</i>
Giant salvinia	<i>(Salvinia molesta)</i>
Hairy willow-herb	<i>(Epilobium hirsutum)</i>
Hydrilla	<i>(Hydrilla verticillata)</i>
Japanese knotweed	<i>(Fallopia japonica)</i>
Meadow knapweed	<i>(Centaurea x moncktonii)</i>
Mediterranean sage	<i>(Salvia aethiopsis)</i>
Medusahead	<i>(Taeniatherum caput-medusae)</i>
Myrtle spurge	<i>(Euphorbia myrsinites)</i>
Orange hawkweed	<i>(Hieracium aurantiacum)</i>
Parrotfeather	<i>(Myriophyllum aquaticum)</i>
Purple loosestrife	<i>(Lythrum salicaria)</i>
Rush skeletonweed	<i>(Chondrilla juncea)</i>
Squarrose knapweed	<i>(Centaurea virgata)</i>
Tansy ragwort	<i>(Senecio jacobaea)</i>
Yellow starthistle	<i>(Centaurea solstitialis)</i>
Yellow flag iris	<i>(Iris pseudacorus)</i>

List B Species (38)

Common	Scientific
Absinth wormwood	<i>(Artemisia absinthium)</i>
Black henbane	<i>(Hyoscyamus niger)</i>
Bouncingbet	<i>(Saponaria officinalis)</i>
Bull thistle	<i>(Cirsium vulgare)</i>
Canada thistle	<i>(Cirsium arvense)</i>
Chinese clematis	<i>(Clematis orientalis)</i>
Common tansy	<i>(Tanacetum vulgare)</i>
Common teasel	<i>(Dipsacus fullonum)</i>
Cutleaf teasel	<i>(Dipsacus laciniatus)</i>
Dalmatian toadflax, broad-leaved	<i>(Linaria dalmatica)</i>
Dalmatian toadflax, narrow-leaved	<i>(Linaria genistifolia)</i>
Dame's rocket	<i>(Hesperis matronalis)</i>
Diffuse knapweed	<i>(Centaurea diffusa)</i>
Eurasian watermilfoil	<i>(Myriophyllum spicatum)</i>
Hoary cress	<i>(Lepidium draba)</i>
Houndstongue	<i>(Cynoglossum officinale)</i>
Jointed goatgrass	<i>(Aegilops cylindrica)</i>

List B Species Continued (38)

Common	Scientific
Leafy spurge	(<i>Euphorbia esula</i>)
Mayweed chamomile	(<i>Anthemis cotula</i>)
Moth mullein	(<i>Verbascum blattaria</i>)
Musk thistle	(<i>Carduus nutans</i>)
Oxeye daisy	(<i>Leucanthemum vulgare</i>)
Perennial pepperweed	(<i>Lepidium latifolium</i>)
Plumeless thistle	(<i>Carduus acanthoides</i>)
Russian knapweed	(<i>Rhaponticum repens</i>)
Russian-olive	(<i>Elaeagnus angustifolia</i>)
Salt cedar	(<i>Tamarix. ramosissima</i>)
Salt cedar	(<i>T. chinensis</i>)
Scentless chamomile	(<i>Tripleurospermum inodorum</i>)
Scotch thistle	(<i>Onopordum acanthium</i>)
Scotch thistle	(<i>O. tauricum</i>)
Spotted knapweed	(<i>Centaurea stoebe ssp. micranthos</i>)
Spotted x diffuse knapweed hybrid	(<i>Centaurea x psammogena</i>)
Sulfur cinquefoil	(<i>Potentilla recta</i>)
Wild caraway	(<i>Carum carvi</i>)
Yellow nutsedge	(<i>Cyperus esculentus</i>)
Yellow toadflax	(<i>Linaria vulgaris</i>)
Yellow x Dalmatian toadflax hybrid	(<i>Linaria vulgaris x L. dalmatica</i>)

List C Species (18)

Common	Scientific
Bulbous bluegrass	(<i>Poa bulbosa</i>)
Chicory	(<i>Cichorium intybus</i>)
Common burdock	(<i>Arctium minus</i>)
Common mullein	(<i>Verbascum thapsus</i>)
Common St. Johnswort	(<i>Hypericum perforatum</i>)
Downy brome, cheatgrass	(<i>Bromus tectorum</i>)
Field bindweed	(<i>Convolvulus arvensis</i>)
Halogeton	(<i>Halogeton glomeratus</i>)
Johnsongrass	(<i>Sorghum halepense</i>)
Perennial sowthistle	(<i>Sonchus arvensis</i>)
Poison hemlock	(<i>Conium maculatum</i>)
Puncturevine	(<i>Tribulus terrestris</i>)
Quackgrass	(<i>Elymus repens</i>)
Redstem filaree	(<i>Erodium cicutarium</i>)
Siberian elm	(<i>Ulmus pumila</i>)
Tree of Heaven	(<i>Ailanthus altissima</i>)
Velvetleaf	(<i>Abutilon theophrasti</i>)
Wild proso millet	(<i>Panicum miliaceum</i>)

Watch List Species (19)

These species are not regulated by the Noxious Weed Act/Rule.

Common	Scientific
Baby's breath	<i>(Gypsophila paniculata)</i>
Caucasian bluestem	<i>(Bothriochloa bladhii)</i>
Common bugloss	<i>(Anchusa officinalis)</i>
Common reed	<i>(Phragmites australis)</i>
Garden loosestrife	<i>(Lysimachia vulgaris)</i>
Garlic mustard	<i>(Alliaria petiolata)</i>
Himalayan blackberry	<i>(Rubus armeniacus)</i>
Hoary alyssum	<i>(Berteroa incana L.)</i>
Meadow hawkweed	<i>(Hieracium caespitosum)</i>
Onionweed	<i>(Asphodelus fistulosus)</i>
Perennial Sweet Pea	<i>(Lathyrus latifolius)</i>
Scotch broom	<i>(Cytisus scoparius)</i>
Swainsonpea	<i>(Sphaerophysa salsula)</i>
Syrian beancaper	<i>(Zygophyllum fabago)</i>
Tall Oatgrass	<i>(Arrhenatherum elatius)</i>
Ventenata grass	<i>(Ventenata dubia)</i>
White bryony	<i>(Bryonia alba)</i>
Yellow bluestem	<i>(Bothriochloa ischaemum)</i>
Yellow mignonette	<i>(Reseda lutea)</i>