

# Planning and Community Development Department 2880 International Circle Colorado Springs, Colorado 80910

Phone: 719.520.6300 Fax: 719.520.6695

Website www.elpasoco.com

## DEVIATION REQUEST AND DECISION FORM

Updated: 6/26/2019

PRO	<b>JECT</b>	INFO	RMA	TION
-----	-------------	------	-----	------

Project Name: Homestead North at Sterling Ranch Filing No. 1

Schedule No.(s): 5228000030

Legal Description: See Exhibit B - Legal Description

#### APPLICANT INFORMATION

Company: SR Land, LLC.

Name: Jim Morley

Mailing Address: 20 Boulder Crescent, Suite 102, COLORADO SPRINGS, COLORADO, 80903

Phone Number: (719) 491-3024

FAX Number: N/A

Email Address: Jmorley3870@aol.com

#### **ENGINEER INFORMATION**

Company: JR ENGINEERING

Name: MIKE BRAMLETT Colorado P.E. Number: 32314

Mailing Address: 5475 TECH CENTER DRIVE, SUITE 235, COLORADO SPRINGS, COLORADO 80919

Phone Number: 719-593-2593

FAX Number: N/A

Email Address: MBRAMLETT@JRENGINEERING.COM

#### OWNER, APPLICANT, AND ENGINEER DECLARATION

To the best of my knowledge, the information on this application and all additional or supplemental documentation is true, factual and complete. I am fully aware that any misrepresentation of any information on this application may be grounds for denial. I have familiarized myself with the rules, regulations and procedures with respect to preparing and filing this application. I also understand that an incorrect submittal will be cause to have the project removed from the agenda of the Planning Commission, Board of County Commissioners and/or Board of Adjustment or delay review until corrections are made, and that any approval of this application is based on the representations made in the application and may be revoked on any breach of representation or cogdition(s) of approval.

Signature of owner (or authorized representative)

Mich Bulow

12/08/2022 Date

Engineer's Seal, Signature

And Date of Signature

3

MB

1 of 6

PCD File No. SF 22-13

A deviation from the standards of or in Section <u>ECM section 2.5.2 Pedestrian Facilities</u> of the Engineering Criteria Manual (ECM) is requested for the Jane Kirkman / Texas Jack T Intersection accessible curb ramp layout.
Identify the specific ECM standard which a deviation is requested:
ECM Section 2.5.2.C.3 Accessible Curb Ramps at "T" intersections. All "T" intersections shall have a minimum of four curb ramps as shown in Figure 2-26 (Exhibit A)
State the reason for the requested deviation:
The south flowline slope of Jane Kirkman will exceed the accessible ramp cross slope standard of 2%.
Explain the proposed alternative and compare to the ECM standards (May provide applicable regional or national standards used as basis):
See Exhibit A for a sketch of the proposed accessible ramp layout of for Jane Kirkman Drive and Texas Jack Drive.
To accommodate accessible access from north to south, ramps and a crosswalk will be placed across Texas Jack both north and south of Jane Kirkman Drive. There is also and accessible ramps and crosswalk crossing Jane Kirkman approximately 200 feet west near Vollmer Road.

DEVIATION REQUEST (Attach diagrams, figures, and other documentation to clarify request)

LIMITS OF CONSIDERATION  (At least one of the conditions listed below must be met for this deviation request to be considered.)						
<ul> <li>☐ The ECM standard is inapplicable to the particular situation.</li> <li>☑ Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility.</li> <li>☐ A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public.</li> </ul>						
Provide justification:						
To provide a north-south accessible ramp/crosswalk at this intersection would require other a deviation of other ECM criteria. Given that a north-south accessible Jane Kirkman ramp/crosswalk is available approximately 200 feet west and east-west ramp/crosswalks are provided both north and south of the intersection, the deviation is justifiable.						
CRITERIA FOR APPROVAL						
Per ECM section 5.8.7 the request for a deviation may be considered if the request is <u>not based exclusively on financial considerations</u> . The deviation must not be detrimental to public safety or surrounding property. The applicant must include supporting information demonstrating compliance with <u>all of the following criteria</u> :  The deviation will achieve the intended result with a comparable or superior design and quality of improvement.						
This request is not based on financial considerations. The proposed ramp/crosswalk layout provides adequate accessible pedestrian access.						
The deviation will not adversely affect safety or operations.						
The deviation will not adversely affect safety or operations.						

The deviation will not adversely affect main		
Maintenance of the El Paso County roadwa	ays will not be impacted.	
1		
	**	
		3.3
The deviation will not adversely affect aesti	hatic annearance	
A "I I'	nette appearance.	
Aesthetic appearance of the subdivision is	not compromised by granting this deviation.	
1		
l'i		
The deviation meets the design intent and p	purpose of the ECM standards.	
The deviation meets the design intent and page 1. Yes, the deviation meets the design intent and page 1.	purpose of the ECM standards.  and purpose of the ECM standards and is a balance of the various ECM standard.	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
The deviation meets the design intent and process, the deviation meets the design intent a roadway geometry and pedestrian access.	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a	and purpose of the ECM standards and is a balance of the various ECM standard	s for
Yes, the deviation meets the design intent a roadway geometry and pedestrian access.	and purpose of the ECM standards and is a balance of the various ECM standard	
Yes, the deviation meets the design intent a roadway geometry and pedestrian access.  The deviation meets the control measure re	and purpose of the ECM standards and is a balance of the various ECM standard	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
Yes, the deviation meets the design intent a roadway geometry and pedestrian access.  The deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	
The deviation meets the control measure re Yes, the deviation meets the control measure re	equirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable are requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, this projections	

### **REVIEW AND RECOMMENDATION:**

Approved by the ECM Administrator		2.5.2		
This request has been determined to have met hereby granted based on the justification provide	the criteria for approval. led.	A deviation from Section	of the ECM is	
Γ	APPROVED Engineering Department	٦		
	12/15/2022 7:30:45 AM dsdnijkamp			
L	EPC Planning & Community Development Department	1		
Denied by the ECM Administrator				
This request has been determined not to have a hereby denied.	met criteria for approval.	A deviation from Section	of the ECM is	
Г		1	11 N .	
L		j.		
ECM ADMINISTRATOR COMMENTS/CONDIT	TIONS:			

#### 1.1. PURPOSE

The purpose of this resource is to provide a form for documenting the findings and decision by the ECM Administrator concerning a deviation request. The form is used to document the review and decision concerning a requested deviation. The request and decision concerning each deviation from a specific section of the ECM shall be recorded on a separate form.

#### 1.2. BACKGROUND

A deviation is a critical aspect of the review process and needs to be documented to ensure that the deviations granted are applied to a specific development application in conformance with the criteria for approval and that the action is documented as such requests can point to potential needed revisions to the ECM.

#### 1.3. APPLICABLE STATUTES AND REGULATIONS

Section 5.8 of the ECM establishes a mechanism whereby an engineering design standard can be modified when if strictly adhered to, would cause unnecessary hardship or unsafe design because of topographical or other conditions particular to the site, and that a departure may be made without destroying the intent of such provision.

#### 1.4. APPLICABILITY

All provisions of the ECM are subject to deviation by the ECM Administrator provided that one of the following conditions is met:

- The ECM standard is inapplicable to a particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship
  on the applicant, and an equivalent alternative that can accomplish the same design objective is
  available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not
  modified, the standard will impose an undue hardship on the applicant with little or no material benefit to
  the public.

#### 1.5. TECHNICAL GUIDANCE

The review shall ensure all criteria for approval are adequately considered and that justification for the deviation is properly documented.

#### 1.6. LIMITS OF APPROVAL

Whether a request for deviation is approved as proposed or with conditions, the approval is for project-specific use and shall not constitute a precedent or general deviation from these Standards.

#### 1.7. REVIEW FEES

A Deviation Review Fee shall be paid in full at the time of submission of a request for deviation. The fee for Deviation Review shall be as determined by resolution of the BoCC.

Chapter 2 Transportation Facilities Adopted: 12/23/2004 Revised: 12/13/2016 REVISION 6 Section 2.5.2-2.5.2

Figure 2-35. Sidewalk Clearances




Figure 2-36. Access Ramp Locations at "T" Intersections




Exhibit A - ECM Fig 2-36

