



Dedicated to protecting and improving the health and environment of the people of Colorado

Kurt Hughes, Owner Operator
Hughes Landscaping Inc dba The Sod Guy
42600 Summitview Ct
Parker, CO 80138

DATE: 10/25/2019

MEMO RE: Stormwater Discharge Permit - "Rainfall Erosivity Waiver" Exclusion Rwaiver387

Hughes Landscaping Inc dba The Sod Guy - The Sod Guy

595 Amelia St Colorado Springs CO 80915

El Paso County

*Anticipated Schedule beginning 2019-12-01 ending 2020-04-30

WQCD DIVISION CONTACTS

Margo Griffin, WQCD Acting Unit Manager, 303-692-3607

Debbie Jessop WGL 303-692-3590

The Water Quality Control Division (the Division) is in receipt of the Rainfall Erosivity Waiver for Exclusion from CDPS Stormwater Permitting for Small Construction Projects (Less than Five Acres) for the above-referenced facility. The Division has reviewed your application and, given the information provided, is in agreement that permit coverage is not required for this facility.

CONTACT INFORMATION FOR R-WAIVER EXCLUSION

Legal Contact *Receives all legal documentation, pertaining to the Rwaiver.*

Kurt Hughes, Owner Operator
Hughes Landscaping Inc dba The Sod Guy
42600 Summitview Ct
Parker, CO 80138

Phone number: 303-944-6187
Email:
khughes@hugheslandscapinginc.com

Facility Contact *contacted for general inquiries regarding the facility*

Ed Apodaca, Business Mgr
Hughes Landscaping Inc dba The Sod Guy
42600 Summitview Ct
Parker, CO 80138

Phone number: 303-521-0727
Email: ed@thesodguy.com

A Stormwater Management Plan (SWMP) is not required by the Division for small construction projects that qualify for the Rainfall Erosivity Waiver. However, a project operating under the waiver may still be held liable if stormwater discharges from construction activities cause or threaten to cause pollution, contamination or degradation of State waters. For this reason, the permittee must still develop and implement stormwater Best Management Practices as needed to protect water quality. The Division has a guidance document available on construction SWMP preparation at <http://www.cdphe.state.co.us/wq/PermitsUnit> , or call (303) 692 - 3517.

A stormwater discharge permit is required if the project's R-Factor ever becomes greater than 5 due to changes, or anticipated changes, in the project's schedule. Also, if the project or common plan of development or sale exceeds, or is anticipated to exceed, 5 acres of disturbance, the project no longer qualifies for the Rainfall Erosivity Waiver. If a project's *anticipated schedule changes such that the Project R-Factor would be greater than 5 or the disturbance exceeds 5 acres, the discharger would be in violation of the regulation, and permit coverage must be obtained. The applicant is responsible for periodically assessing their project to assure that they still qualify for the Rainfall Erosivity Waiver, and applying for the appropriate permit if needed due to changing conditions.