

EROSION AND STORMWATER QUALITY CONTROL PERMIT (ESQCP) EL PASO COUNTY APPLICATION AND PERMIT

APPLICANT INFORMATION

PERMIT NUMBER

Owner Information	
Owner	FLRD #2 LLC
Name (person of responsibility)	Jim Boulton
Company/Agency	Classic Homes
Position of Applicant	Manager
Address (physical address, not PO Box)	6385 Corporate Drive, Suite 200
City	Colorado Springs
State	Colorado
Zip Code	80919
Mailing address, if different from above	
Telephone	719-592-9333
FAX number	
Email Address	jboulton@classichomes.com
Cellular Phone number	719-499-3818
Contractor/Operator Information	
Name (person of responsibility)	Mark Sherwood
Company	Classic Homes
Address (physical address, not PO Box)	6385 Corporate Drive, Suite 200
City	Colorado Springs
State	Colorado
Zip Code	80919
Mailing address, if different from above	
Telephone	719-592-9333
FAX number	
Email Address	msherwood@classichomes.com
Cellular Phone number	719-323-0306
Erosion Control Supervisor (ECS)*	Mark Sherwood
ECS Phone number*	719-592-9333
ECS Cellular Phone number*	719-323-0306

*Required for all applicants. May be provided at later date pending securing a contract when applicable.

PROJECT INFORMATION

Project Information	
Project Name	Forest Lakes Filing 6
Legal Description	See Attached
Address (or nearest major cross streets)	Westerly terminus of Forest Lakes Drive & Mesa Top Drive
Acreage (total and disturbed)	Total: 80.9 acres Disturbed: 1.03 acres
Schedule	Start of Construction: January 2021 Completion of Construction: January 2022 Final Stabilization: Roadways, Home Lots, re-seeding
Project Purpose	Roadway, drainage and utility infrastructure installation to support Filing No. 6. Majority of grading completed with previous Filing 5, small berm to be done and final stabilization with this ESQCP.
Description of Project	Proposed single-family residential community
Tax Schedule Number	71000-00-433

FOR OFFICE USE ONLY

The following signature from the ECM Administrator signifies the approval of this ESQCP. All work shall be performed in accordance with the permit, the El Paso County Engineering Criteria Manual (ECM) Standards, City of Colorado Springs Drainage Criteria Manual, Volume 2 (DCM2) as adopted by El Paso County Addendum, approved plans, and any attached conditions. The approved plans are an enforceable part of the ESQCP. Construction activity, except for the installation of initial construction BMPs is not permitted until issuance of a Construction permit and Notice to Proceed.

Signature of ECM Administrator: _____ Date _____

APPROVED
Engineering Department

05/11/2021 1:19:31 PM
dsdnijkamp
EPC Planning & Community
Development Department

1.1 REQUIRED SUBMISSIONS

In addition to this completed and signed application, the following items must be submitted to obtain an ESQCP:

- Permit fees
- Stormwater Management Plan (SWMP) meeting the requirements of DCM2 and ECM either as part of the plan set or as a separate document;
- Cost estimates of construction and maintenance of construction and permanent stormwater control measures (Cost estimates shall be provided on a unit cost basis for all stormwater BMPs);
- Financial surety in an amount agreeable to the ECM Administrator based on the cost estimates of the stormwater quality protection measures provided. The financial surety shall be provided in the form of a Letter of Credit, Surety with a Bonding Company, or other forms acceptable to El Paso County;
- Operation and Maintenance Plan for any proposed permanent stormwater control measures; and
- Signed Private Detention Basin/Stormwater Quality Best Management Practice Maintenance Agreement and Easement, if any permanent stormwater control measures are to be located on site.

1.2 RESPONSIBILITY FOR DAMAGE

The County and its officers and employees, including but not limited to the ECM Administrator, shall not be answerable or accountable in any manner, for injury to or death of any person, including but not limited to a permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder, or for damage to property resulting from any activities undertaken by a permit holder or under the direction of a permit holder. The permit holder shall be responsible for any liability imposed by law and for injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder, or damage to property arising out of work or other activity permitted and done by the permit holder under a permit, or arising out of the failure on the permit holder's part to perform the obligations under any permit in respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work, or other activity, or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit.

To the extent allowed by law, the permit holder shall indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description brought for or on account of injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder and the public, or damage to property resulting from the performance of work or other activity under the permit, or arising out of the failure on the permit holder's part to perform his obligations under any permit in respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work, or other activity or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit, except as otherwise provided by state law. The permit holder waives any and all rights to any type of expressed or implied indemnity against the County, its officers or employees.

1.3 APPLICATION CERTIFICATION

We, as the Applicants or the representative of the Applicants, hereby certify that this application is correct and complete as per the requirements presented in this application and the El Paso County Engineering Criteria Manual and Drainage Criteria Manual, Volume 2 and El Paso County Addendum.

We, as the Applicants or the representatives of the Applicants, have read and will comply with all of the requirements of the specified Stormwater Management Plan and any other documents specifying stormwater best management practices to be used on the site including permit conditions that may be required by the ECM Administrator. We understand that the stormwater control measures are to be maintained on the site and revised as necessary to protect stormwater quality as the project progresses. We further understand that a Construction Permit must be obtained and all necessary stormwater quality control measures are to be installed in accordance with the SWMP, the El Paso County Engineering Criteria Manual, Drainage Criteria Manual, Volume 2 and El Paso County Addendum before land disturbance begins and that failure to comply will result in a Stop Work Order and may result in other penalties as allowed by law. We further understand and agree to indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description as outlined in Section 1.2 Responsibility for Damage.

James Boulton v.p.
Signature of Owner or Representative

Date: 5-6-21

JAMES BOULTON
Print Name of Owner or Representative

Mark Sherwood
Signature of Operator or Representative

Date: 5-6-21

MARK SHERWOOD
Print Name of Operator or Representative

Permit Fee \$ _____
Surcharge \$ _____
Financial Surety \$ _____
Total \$ _____

Type of Surety _____



JOB NO. 1175.60-02
AUGUST 14, 2020
PAGE 1 OF 3

619 N. Cascade Avenue, Suite 200 (719) 785-0790
Colorado Springs, Colorado 80903 (719) 785-0799 (Fax)

LEGAL DESCRIPTION: FOREST LAKES FILING NO. 6

(2) TWO PARCELS OF LAND BEING A PORTION OF THE SOUTHWEST QUARTER OF SECTION 28, AND THE SOUTHEAST QUARTER OF SECTION 29 ALL IN TOWNSHIP 11 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BASIS OF BEARINGS: A PORTION OF THE NORTHERLY BOUNDARY OF FOREST LAKES FILING NO. 1 RECORDED UNDER RECEPTION NO. 206712407 RECORDS OF EL PASO COUNTY, COLORADO, BEING MONUMENTED AT BOTH ENDS BY A NO. 4 REBAR AND RED PLASTIC SURVEYORS CAP STAMPED "ROCKWELL PLS 19586" ASSUMED TO BEAR N89°29'26"E, A DISTANCE OF 3103.31 FEET.

PARCEL 1

TRACT B AS PLATTED IN FOREST LAKES FILING NO. 5 RECORDED UNDER RECEPTION NO. 220714540 RECORDS OF EL PASO COUNTY, COLORADO.

CONTAINING A CALCULATED AREA OF 1.716 ACRES.

PARCEL 2

COMMENCING AT THE NORTHWESTERLY CORNER OF FOREST LAKES FILING NO. 1 RECORDED UNDER RECEPTION NO. 206712407, RECORDS OF EL PASO COUNTY, COLORADO, SAID POINT BEING ON THE NORTH LINE OF THE SOUTHWEST QUARTER OF SECTION 28, TOWNSHIP 11 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO, SAID POINT BEING THE POINT OF BEGINNING;

THENCE, ON THE WESTERLY BOUNDARY OF SAID FOREST LAKES FILING NO. 1, THE FOLLOWING (9) NINE COURSES:

1. S04°27'43"E, A DISTANCE OF 339.79 FEET;
2. S38°59'42"W, A DISTANCE OF 180.21 FEET TO A POINT ON CURVE;
3. ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N21°35'30"E, HAVING A DELTA OF 01°06'06", A RADIUS OF 370.00 FEET AND A DISTANCE OF 7.11 FEET TO A POINT OF REVERSE CURVE;
4. ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 31°25'41", A RADIUS OF 330.00 FEET AND A DISTANCE OF 181.01 FEET TO A POINT OF REVERSE CURVE;
5. ON THE ARC OF A CURVE TO THE LEFT HAVING A DELTA OF 32°16'24", A RADIUS OF 120.00 FEET AND A DISTANCE OF 67.59 FEET TO A POINT OF TANGENT;
6. S70°21'22"E, A DISTANCE OF 52.28 FEET TO A POINT OF CURVE;
7. ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 27°30'55", A RADIUS OF 215.00 FEET AND A DISTANCE OF 103.25 FEET TO A POINT OF TANGENT;
8. S42°50'27"E, A DISTANCE OF 31.85 FEET TO A POINT ON CURVE;
9. ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N47°10'02"E, HAVING A DELTA OF 47°22'46", A RADIUS OF 110.00 FEET AND A DISTANCE OF 90.96 FEET TO A POINT ON CURVE SAID POINT BEING ON THE NORTHERLY BOUNDARY OF FOREST LAKES FILING NO. 5 RECORDED UNDER RECEPTION NO. 220714540;

THENCE ON THE NORTHERLY, EASTERLY AND WESTERLY BOUNDARY OF SAID FOREST LAKES FILING NO. 5, THE FOLLOWING (10) TEN COURSES:

1. S89°46'48"W, A DISTANCE OF 183.07 FEET TO A POINT OF CURVE;
2. ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 44°35'14", A RADIUS OF 170.00 FEET AND A DISTANCE OF 132.29 FEET TO A POINT OF REVERSE CURVE;
3. ON THE ARC OF A CURVE TO THE LEFT HAVING A DELTA OF 68°49'01", A RADIUS OF 610.00 FEET AND A DISTANCE OF 732.66 FEET TO A POINT OF REVERSE CURVE;
4. ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 05°11'19", A RADIUS OF 2970.00 FEET AND A DISTANCE OF 268.96 FEET TO A POINT ON CURVE;

5. N19°15'40"W, A DISTANCE OF 195.00 FEET;
6. S71°35'22"W, A DISTANCE OF 82.41 FEET;
7. S73°15'37"W, A DISTANCE OF 79.43 FEET;
8. S74°54'03"W, A DISTANCE OF 79.46 FEET;
9. S14°22'43"E, A DISTANCE OF 180.00 FEET;
10. S14°17'53"E, A DISTANCE OF 90.00 FEET TO A POINT ON CURVE;

THENCE ON THE ARC OF CURVE TO THE RIGHT WHOSE CENTER BEARS N14°17'53"W HAVING A DELTA OF 02°49'14", A RADIUS OF 3045.00 FEET AND A DISTANCE OF 149.89 FEET TO A POINT OF TANGENT;

THENCE S78°32'06"W, A DISTANCE OF 126.34 FEET;

THENCE S11°27'54"E, A DISTANCE OF 120.00 FEET;

THENCE S06°00'12"W, A DISTANCE OF 190.00 FEET;

THENCE S16°36'58"W, A DISTANCE OF 85.00 FEET;

THENCE S35°54'31"W, A DISTANCE OF 123.00 FEET;

THENCE S73°26'22"W, A DISTANCE OF 186.50 FEET;

THENCE S13°23'21"W, A DISTANCE OF 143.85 FEET TO A POINT OF CURVE;

THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 93°21'59", A RADIUS OF 345.00 FEET AND A DISTANCE OF 562.19 FEET TO A POINT OF TANGENT;

THENCE N73°14'40"W, A DISTANCE OF 87.48 FEET;

THENCE N47°10'45"W, A DISTANCE OF 60.00 FEET TO A POINT ON CURVE;

THENCE ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS N47°10'45"W HAVING A DELTA OF 29°25'54", A RADIUS OF 270.00 FEET AND A DISTANCE OF 138.69 FEET TO A POINT OF TANGENT;

THENCE N13°23'21"E, A DISTANCE OF 187.58 FEET;

THENCE N76°36'39"W, A DISTANCE OF 12.00 FEET;

THENCE N13°23'21"E, A DISTANCE OF 112.00 FEET;

THENCE N76°36'39"W, A DISTANCE OF 138.00 FEET;

THENCE N13°23'21"E, A DISTANCE OF 72.42 FEET TO A POINT OF CURVE;

THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 22°26'27", A RADIUS OF 680.00 FEET AND A DISTANCE OF 266.33 FEET TO A POINT ON CURVE;

THENCE N54°10'11"W, A DISTANCE OF 55.57 FEET;

THENCE N80°01'15"W, A DISTANCE OF 99.34 FEET TO A POINT OF CURVE;

THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 29°11'30", A RADIUS OF 365.00 FEET AND A DISTANCE OF 185.96 FEET TO A POINT OF TANGENT;

THENCE N50°49'45"W, A DISTANCE OF 148.00 FEET;

THENCE N39°10'15"E, A DISTANCE OF 140.00 FEET TO A POINT ON CURVE;

THENCE ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS S39°10'15"W HAVING A DELTA OF 16°43'30", A RADIUS OF 325.00 FEET AND A DISTANCE OF 94.87 FEET TO A POINT OF TANGENT;

THENCE N67°33'15"W, A DISTANCE OF 216.00 FEET TO A POINT OF CURVE;

THENCE ON THE ARC OF A CURVE TO THE RIGHT HAVING A DELTA OF 40°00'20", A RADIUS OF 225.00 FEET AND A DISTANCE OF 157.10 FEET TO A POINT OF REVERSE CURVE;

THENCE ON THE ARC OF A CURVE TO THE LEFT HAVING A DELTA OF 62°03'00", A RADIUS OF 175.00 FEET AND A DISTANCE OF 189.52 FEET TO A POINT ON CURVE;

THENCE S00°24'05"W, A DISTANCE OF 5.00 FEET

THENCE N89°35'55"W, A DISTANCE OF 271.00 FEET TO A POINT OF CURVE;

THENCE ON THE ARC OF A CURVE TO THE LEFT HAVING A DELTA OF 47°41'21", A RADIUS OF 525.00 FEET AND A DISTANCE OF 436.97 FEET TO A POINT ON CURVE;

THENCE S47°17'16"E, A DISTANCE OF 170.00 FEET TO A POINT ON CURVE;

THENCE ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS S47°17'16"E HAVING A DELTA OF 25°13'46", A RADIUS OF 355.00 FEET AND A DISTANCE OF 156.32 FEET TO A POINT ON CURVE;

THENCE N72°31'01"W, A DISTANCE OF 170.00 FEET TO A POINT ON CURVE;

THENCE ON THE ARC OF A CURVE TO THE LEFT WHOSE CENTER BEARS S72°31'01"E HAVING A DELTA OF 03°15'17", A RADIUS OF 525.00 FEET AND A DISTANCE OF 29.82 FEET TO A POINT ON CURVE;

THENCE N75°46'18"W, A DISTANCE OF 581.80 FEET TO A POINT ON THE WEST LINE OF THE SOUTHEAST QUARTER OF SECTION 29, TOWNSHIP 11 SOUTH, RANGE 67 WEST OF THE SIXTH PRINCIPAL MERIDIAN, EL PASO COUNTY, COLORADO;

THENCE N00°13'11"E, ON THE WEST LINE OF SAID SOUTHEAST QUARTER OF SECTION 29, A DISTANCE OF 572.93 FEET TO THE CENTER QUARTER CORNER OF SAID SECTION 29;

THENCE N89°40'43"E, ON THE NORTH LINE OF THE SOUTHEAST QUARTER OF SAID SECTION 29, A DISTANCE OF 2638.56 FEET TO THE WEST QUARTER CORNER OF SECTION 28;


THENCE N89°29'26"E, ON THE NORTH LINE OF THE SOUTHWEST QUARTER OF SAID SECTION 28, A DISTANCE OF 1718.18 FEET TO THE POINT OF BEGINNING.

CONTAINING A CALCULATED AREA OF 79.168 ACRES.

CONTAINING A TOTAL CALCULATED AREA OF 80.884 ACRES.

LEGAL DESCRIPTION STATEMENT:

I, DOUGLAS P. REINELT, A LICENSED PROFESSIONAL LAND SURVEYOR IN THE STATE OF COLORADO, DO HEREBY STATE THAT THE ABOVE LEGAL DESCRIPTION WAS PREPARED UNDER MY RESPONSIBLE CHARGE AND ON THE BASIS OF MY KNOWLEDGE, INFORMATION AND BELIEF, IS CORRECT.



DOUGLAS P. REINELT, PROFESSIONAL LAND SURVEYOR
COLORADO P.L.S. NO. 30118
FOR AND ON BEHALF OF CLASSIC CONSULTING
ENGINEERS AND SURVEYORS

August 14, 2020
DATE