

**Soils and Geology
And Wastewater Treatment System
Evaluation**

**For
Wyoming Estates
3050 N. Curtis Road
Final**

October 5, 2020



**Julia M. Murphy MS, PG
Professional Geologist**



**Groundwater Investigations LLC
11590 Black Forest Road Ste 15
Colorado Springs, CO 80908
(719) 338-1805**



PROJECT DESCRIPTION

The following presents Soils and Geology for the proposed Wyoming Estates Minor Subdivision (Project Site) located in the SE ¼ of the NE ¼ of Section 33, Township 13 South, Range 64 West of the 6th P.M. in the County of El Paso (Figure 1).

The Project Site is comprised 40.01 acres of vacant land to be subdivided into 4 single-family residential RR-5 (Figure 2). The water supply for each lot will be from individual wells and wastewater will be treated by individual non-evaporative septic systems.

GEOLOGY

The Project Site is located within the Falcon Quadrangle near the southeastern edge of the Denver Basin, a geologic structural depression. This asymmetrical structural basin is shallow-dipping toward the northeast. The uppermost/surficial deposits are unconsolidated Quaternary eolian deposits which include Lots 1, 3 and 4 and the western portion of Lot 2; the northeast corner of the Project Site (eastern portion of Lot 2) are older gravels and alluvium (Figure 3). These are underlain in vertical succession, by the Denver, Arapahoe and Laramie Fox Hills Aquifers. Residential Wells in the area can be found completed in the Denver and Arapahoe Aquifers. The base of the Denver Aquifer is about 490 feet below ground surface (bgs) and the Arapahoe Aquifer is from about 515 (top) to 1000 ft bgS (CDSS, SB5).

The Project Site generally slopes to the northeast ranging from 1% to 9%. In the southwest corner, drainage is to the southeast. Figure 4 provides the Project Site Surface Contours.

SOILS

The National Resource Conservation Service (NRCS) has identified three soil types with a northeast trend on the Property (Figure 5).

Type	Description	Percent Coverage
8	Blakeland Loamy Sand, 1 to 9 percent Slope	46.8
19	Columbine gravelly sandy loam sand, 0 to 3 % slopes	1.8
95	Truckton Sandy Loams, 1 to 9 percent Slope	51.4

Attachment 1 provides a complete description of the soils. The soil is classified a “well” to “excessively well” drained. Runoff potential is low with no ponding or flooding which is consistent with historical aerial photos.

FIELD INVESTIGATIONS

OTWS

Field investigations at the Project Site consisted of excavating two profile pits at each proposed lot (8 total) to identify onsite wastewater treatment system (OWTS) locations (PARR 2018,), Figure 6. The OWTS profile pits were excavated to a maximum depth of 8.5 feet below the ground surface. Samples were collected from select intervals and evaluated for soil properties. At locations tested on Lots 2, 3 and 4, a conventional, non-engineered onsite wastewater treatment system was determined to be acceptable. At the locations tested within Lot 1, results indicate that an engineered onsite wastewater treatment system is needed. Table 1 summarized the field investigation results. Attachment 3 provides the detained soil engineering reports.

Pavement Design

Two test holes were evaluated for a proposed gravel roadway for pavement design (Raiper, 2019 Figure 7). Soil samples were collected for testing which included sieve analysis and Atterberg limits in addition to determining resistance values (R-values). The results are summarized in Table 2.

TABLE 1
Summary of Soils Testing for Onsite Wastewater Treatment

[illegible]

TABLE 2

Location	Depth (ft)	Plasticity Index	% Passing #200	Moisture Content (%)	USCS Soil Classification	Tested R-Value
IP1	1-3	NP	26	42	SM	76
IP1	8-10	6	30	51	SC-SM	
IP2	1-3	NP	17	36	SM	
IP2	3-5	NP	20	35	SM	

It was reported for the locations tested, "there was a very (low) potential for swell due to the sandy composition of site soils which consist of non-plastic to low plasticity silty sand and silty clayey sand soils with low percentage of particles passing the #200 sieve screen. Therefore, there is no need to provide any additional stabilization or treatments to subgrade soils" (Raiper, 2019)

GROUNDWATER

Groundwater was not encountered in any of the OWTS test pit and was not evident in the profile test pits a week following excavation. There are no existing wells on the Project Site. Shallow alluvial wells in the area occur in the older gravels and alluviums to the northeast (Soil Type 19 on Figure 5, Qgo Figure 3) which are also on the eastern portion of Lot 3. USGS reported groundwater levels in a Well labeled as SCO1306433AAA1 and located just north of Lot 3. Groundwater levels were measured consistently over the last 40 years and consistently occurs at an elevation of about 6480 ft amsl (Attachment 2) approximately 20 feet below the northeast corner of Lot 3. Based on review of the geology, well reports, and surface drainage, this is likely the location /elevation of the highest water table underlying at the Project Site.

GEOLOGIC HAZARDS

The Project Site was evaluated for geologic hazards that may impact development. Hazards identified in the El Paso County Land Development Code including: Mining, wildfire, highwater table or polluted water, landfills, fill areas, contamination; airports and major utility facilities, and landslides were not identified on the Project Site. The National Flood Hazard map delineated the Property and surrounding area an "area of Minimal Flood Hazard" (FEMA 2018). The Project Site is not located in a flood plain (Figure 8).

Erosion

The soils at the Project Site are susceptible to erosion. Currently, the property is covered with prairie grass. Construction will enhance erosion potential however the slopes are mild and once the disturbed surface is revegetated, erosion should be low.

Expansive Soils

Expansive soils were not present within the soils samples collected at the 8 profile pits. The spoils were described as having a sandy composition, non-plastic to low plastic sands, silty clayey sandy soil. Due to the potential for variability, additional borings will be necessary prior to foundation excavation and subsequently re-evaluated upon completion of the foundation excavation and prior to the placement of any framework.

Mineral Resources

The Project Site is not included in the maps of aggregate deposits or known mineral resources. Colorado Geological Mineral Derivative Map indicates a low potential for the Project Site to contain economically viable mineral resources.

Conclusion

The Project Site is compatible with the proposed development of single-family residential lots. Soils tested on Lot 1 were identified as requiring an engineered individual wastewater treatment system. Hazards are minimal and can be mitigated by standard practices.



REFERENCES

Bartusek, Mike, February 19, 2018, RESPEC, Wyoming Estates Subdivision Final Drainage Report.

El Paso County Planning Development. December 1995. El Paso County Aggregate Resource Evaluation Maps.

Federal Emergency Management Agency (FEMA). December 12, 2018.
<https://www.fema.gov/national-flood-hazard-layer-nfhl>; nfhl Viewer.

Morgan, Mathew L. and White, Johnathan L. 2012. Geologic Map of the Falcon Quadrangle, El Paso County Colorado. Colorado Geological Survey. Open File Report 12-05.

Mineral Resources. <https://cologeosurvey.maps>

National Resource Conservation Service, <https://websoilsurvey.nrcs.usda.gov>

Parr Engineering and Consulting Inc. September 27, 2018. Profile Pits Subdivision JN 18.394, 18.395, 18.396, 18.397

Rapier, Delbert , Protex, Geotechnical Pavement Design, Curtis Road and David Road Job No. 8619, January 9, 2019.

Schwochow, S.D; et al. 1974. Atlas of Sand, Gravel, and Quarry Aggregate Resources, Colorado Front Range Counties. Colorado Geological Survey, Special Publication 5-B.

Thorson, Jon P., 2003. *Geologic Map of the Black Forest Quadrangle, El Paso County, Colorado*. Colorado Geological Survey Open -File Report 03-06.



FIGURE 1
LOCATION

2000 ft

3050 Curtis Rd

Russell Dr


Curtis Rd



CDSS

Colorado's Decision Support Systems

Wyoming Estates



Legend

- Well Constructed
- Confluence Point
- Source Water Route Framework
- County

Colorado Geology (Tweto)

Qa	Qg	Qgo	Qe	Qeo	Qd	Qdo	Ql	Qb	QTsa	QTa	To

Location

Notes

Depositional Boundary
Eolian Deposits and Older Gravels and
Alluvium (NE)

FIGURE 3

This product is for informational purposes and may not have been prepared for, or be suitable for, legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.



2,339 Feet

0 1,169

2,339 Feet

1: 14,032

Date Prepared: 5/20/2019 4:44:19 PM

The Southeast Quarter of the Northeast Quarter of Section 33, Township 13 South, Range 64 West of the 6th P.M., El Paso County, Colorado

N89°52'18"E 1326.81'



Jan 1 = 1.00 Acres
 Jan 2 = 5.00 Acres
 Jan 3 = 1.00 Acres
 Jan 4 = 21.00 Acres
 Production 1.13 Acres
 Final = 2.00 Acres

Service Providers:

**Federal Fire Protection Division
Mountain View Elementary School
El Paso Co. Telephone
Individualized Severe Disruptive System**

Free

Post Fee _____
School Fee _____

Notes:

3. This listing does not constitute a recommendation by the Authors and Associates. The Authors and Associates are not responsible for the results of the use of the information contained herein. The use of the information is at the user's sole risk. The Authors and Associates are not responsible for the results of the use of the information contained herein. The use of the information is at the user's sole risk.
4. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.
5. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.
6. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.
7. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.
8. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.
9. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.
10. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief. The authors warrant that the information contained herein is true and correct to the best of their knowledge and belief.

6. Mechanisms for the remediation of contaminated sites in the Pacific County Department of Transportation and Public Works. The Pacific County Department of Transportation and Public Works is responsible for the maintenance, repair, and safety of the county's transportation system. The county's transportation system includes a large number of highways, bridges, and other infrastructure. The county's transportation system is a critical component of the county's economy and infrastructure. The county's transportation system is a critical component of the county's economy and infrastructure. The county's transportation system is a critical component of the county's economy and infrastructure.

[illegible]

Know All Men By These Presents:

Their first assignment, Wayne Street's President, Steve R. Robinson, Jr., being the owner of the following apartment house at level

To Wh:

The Southwest Quarter of the Northwest Quarter of Section 33, Township 13 North, Range 34 East of the 6th of N. 31 West County, State of Colorado.

Owner:

Sharon Mueller
Hunts Run Revitalization, Inc.
5000 Willey Road
Puyallup, WA 98449-5447
Email: huntsruninc@gmail.com

Drainage Engineer:

Michael A. Bartsch, P.E.
BENPEC
3520 Avenida Bluffs Parkway, Suite 102
Carlsbad Springs, CO 80518
773-244-5172

Land Surveyor:

Joseph E. Alvar, Ph.D.
Alvar and Associates, Inc.
2499 Roundstone Valley Road Suite C
P.O. Box 10000, Dallas, TX 75241

Geologist/Hydrogeologist

Julia M. Murguly MS, PG
Professorial Consulting Microbiologist
Ground Water Investigations

Zone:

Abstract

Topography:


J. Pol. Constant Interval



ALFESSI and ASSOCIATES, Inc.

Tel: 719/540-8832
 Fax: 719/540-7382

Step 3d is a 10 day hold in a 14 day decision. 20. Forwarding 12 hours. Manager for about 200 Principals. Managers. Of Prince County, Colorado.



Natural Resources
Conservation Service


Web Soil Survey
National Cooperative Soil Survey

Figure 5
4/1/2019
Page 1 of 3

FIGURE 6

Wyoming Estates

The Southeast Quarter of the Northeast Quarter of Section 33, Township 13 South, Range 64 West of the 6th P.M., El Paso County, Colorado



Know All Men By These Presents:

That the undersigned, Shaver Shaffer President, Home Plus Real Estate, Inc., being the owner of the following described land of said:

To Wit:

The Southeast Quarter of the Northeast Quarter of Section 33, Township 13 South, Range 64 West of the 6th P.M., El Paso County, State of Colorado. Together with a certain easement right of way the Easement and Easement to the West 1/2 of the East 1/2 of the Southeast Quarter and the South 1/2 of the East 1/2 of the Southeast Quarter of said Section, reserving for Easements that are part of the Easement to Book 3453 or Page 324 subject to Easement and Easement to Book 3453 or Page 324 together with Easement for Easement and Easement to Book 3453 or Page 324.

Access Road Easement:

An Access Road Easement in a portion of the Southeast Quarter Northeast Quarter, Section 33, Township 13 South, Range 64 West of the 6th P.M., County of El Paso, State of Colorado, more particularly described as follows: The following is the portion of a 60 ft. Access Road Easement being 1/2 of the East 1/2 of the Southeast Quarter. Commencing at the Corner West Southeast corner in said Section 33, thence N89°52'18"E, a distance of 2,445.88 feet, thence N89°52'18"E, a distance of 1,245.40 feet to the POINT OF BEGINNING of the easement described herein; thence N89°52'18"E, a distance of 275.37 feet to a point of curve to the right having a radius of 300.00 feet and a central angle of 89°52'18"; thence Southwesterly along the arc, a distance of 319.18 feet to a point of reverse curve to the left having a radius of 300.00 feet and a central angle of 89°52'18"; thence Southwesterly along the arc, a distance of 298.75 feet to the POINT OF ENDING.

Dedication:

The above owner, having owned said tract of land to be granted into a site and easements as shown on the plat, which subdivision shall be subject to "WYOMING ESTATES", a subdivision in El Paso County, Colorado. All easements granted are hereby dedicated to public use and said owner does hereby agree that proper drainage provided at the owner's expense and at the satisfaction of the Board of County Commissioners of El Paso County, Colorado.

In Witness Whereof:

The aforementioned Shaver Shaffer President, Home Plus Real Estate, Inc., has executed this instrument this _____ day of _____, 2020 A.D.

Shaver Shaffer

Notarial:

State of Colorado

County of El Paso

The foregoing instrument was acknowledged before me this _____ day of _____, 2020 A.D., by Shaver Shaffer

Witness my hand and seal

Address:

My Commission expires:

Surveyor's Certification:

The undersigned Colorado Professional Land Surveyor does hereby certify that the accompanying plat was prepared and drawn under his direct supervision and supervision and accurate shows the described land of land and subdivision thereof, and that the requirements of Title 38 of the Colorado Revised Statutes (CRS) are satisfied. I have been duly sworn to the best of my professional knowledge, belief and opinion.

Joseph Hesse

Colorado Professional Land Surveyor No. 50130

State of Colorado

County of El Paso

Board of County Commissioners Certificate:

This Plat "WYOMING ESTATES" was approved by filing to the El Paso County, Colorado Board of Commissioners on the _____ day of _____, 2020, subject to any written objections and any conditions included in the resolution of approval. The dedication of land to the public vests said conditions are accepted, but public improvements thereto will not become the maintenance responsibility of El Paso County until preliminary acceptance of the public improvements in accordance with the requirements of the Land Development Code and Engineering (Public Works) and the Subdivision Improvement Agreement.

Chair, Board of County Commissioners

Date:

Executive Director, Planning and Community Development

Date:

Recordings:

State of Colorado

County of El Paso

I hereby certify that this instrument was filed for record in my office on this _____ day of _____, 2020 A.D., and is duly recorded under Reception Number _____ of the records of El Paso County, State of Colorado.

By _____

Check Recorder, Recorder

Date:

Notice:

According to Colorado Law you must commence any legal action based upon any defect in this survey within three years after you first discover such defect. In the event you file any action based upon any defect in this survey the commencement more than ten years from the date of publication shown herein.

ALESSI

ALESSI and ASSOCIATES, Inc.

2080 Broadway Valley Road, Suite C

Colorado Springs, CO 80906

Phone: 719/545-8832

Fax: 719/545-7181

The 27.14 of the NE 1/4 of Section 33, Township 13 South, Range 64 West

El Paso County, Colorado

Job No. 191062 Wyoming Estates

DATE August 21, 2020

PCD File No. MS196

Total Acreage:

Lot 1 = 5.15 Acres

Lot 2 = 5.08 Acres

Lot 3 = 5.08 Acres

Lot 4 = 21.19 Acres

Deduction: 1.50 Acres

Total = 45.83 Acres

Service Providers:

El Paso Fire Protection District

Mountain View Electric, Inc.

El Paso Co. Telephone

Individual Service Request System

Beavertown, Utah

Fees:

Perk Fee:

School Fee:

Backlog Fee:

Fee:

Notes:

1. This survey does not constitute a title search by Alessi and Associates, Inc., to determine ownership or easements of record. For information regarding easements, rights of way, Easement and Easement, see, subject to the Title Policy prepared by North American Title Insurance Company of Colorado, File Number 34530-16-0176, dated August 18, 2018.

2. "The property owner, its successors and assigns, and all future owners in this development are hereby notified that they may be required to comply with applicable rules, regulations, and ordinances of the El Paso County Board of Commissioners, including the El Paso County Board of Commissioners, which compliance may result in a reduction of said individual lots, and may result in water available."

3. There shall be no direct or indirect access to Curtis Road.

4. Easement treatment is the responsibility of each individual property owner. The El Paso County Health Department and Environment must approve each system and, in some cases the Department may require an engineer designed system prior to permit approval.

5. Individual wells are the responsibility of each property owner. Permits for individual wells must be obtained from the State Engineer who has the authority to set conditions for the location of these permits.

6. Water in the Denver Basin Aquifer is allocated based on a 100 year supply the however, the El Paso County planning purposes, water in the Denver Basin Aquifer is allocated based on a 100 year supply the. Applicants the (water) Owner, authorized, and all future owners in the subdivision should be aware that the (water) the of a water supply based on water in a given Denver Basin Aquifer may be less than either the 100 years or 100 years indicated due to increased water level declines. Furthermore, the water supply plan should not rely solely upon non-renewable aquifers. Alternative renewable water resources should be acquired and incorporated in a permanent water supply plan that provides future generations with a water supply.

7. Easement (water) Well Permits and existing well.

8. No driveway shall be established unless an access permit has been granted by El Paso County.

9. All property owners are responsible for maintaining proper vehicle storage in and through their property. Public storage easements as specifically noted on the plat shall be maintained by the individual lot owners unless otherwise indicated. Structures, fences, materials or landscaping that could impede the flow of traffic shall be placed in drainage easements.

10. Easements shall be installed in accordance with all El Paso County Department of Transportation and United States Postal Service regulations.

11. Developer shall comply with federal and state laws, regulations, ordinances, rules and permit requirements, and all other agency requirements, if any, of applicable agencies including, but not limited to, the Colorado Department of Wildlife, Colorado Department of Transportation, U.S. Army Corps of Engineers, the U.S. Fish & Wildlife Service regarding the Endangered Species Act, particularly as it relates to the Preble's Meadow Jumping Mouse as a listed threatened species.

12. The following reports have been submitted and are on file at the Department of Engineering: Study and Design, Water Supply, Drainage Report and Easement Report.

13. All structural foundations shall be located and designed by a Professional Engineer, currently registered in the State of Colorado. Natural drainage locations shall be located by a Professional Engineer and the specific foundation/footings shall be required.

14. No structures or major storage activities are permitted within the designated drainage easements, except fences, fences shall not impede runoff from existing drainage easements.

15. The addresses contained on this plat are for informational purposes only. They are not the legal description and are subject to change.

16. Property within this subdivision is subject to the terms and provisions of the El Paso County Road Impact Fee Program (Resolution 16-471) and any subsequent amendments. Fees for each lot within this subdivision shall be paid in full at the time of building permit issuance. The road impact fee is based on the established rate at the time of building permit application.

17. Individual lot purchasers are responsible for constructing drainage, including necessary drainage culverts from their lot to the El Paso County Road Impact Fee Program (Resolution 16-471) and any subsequent amendments. Fees for each lot within this subdivision shall be paid in full at the time of building permit issuance. The road impact fee is based on the established rate at the time of building permit application.

18. This plat, "WYOMING ESTATES" is NOT within a designated F.E.M.A. Floodplain as determined by the Flood Insurance Rate Map, Community Panel Numbers 1684-01/0684-02, 1684-03/0684-04, effective December 7, 2016.

19. This survey does not constitute a title search by Alessi and Associates, Inc., to determine ownership or easements of record. For information regarding easements, rights of way, Easement and Easement, see, subject to the Title Policy prepared by North American Title Insurance Company of Colorado, File Number 34530-16-0176, dated August 18, 2018.

20. Easement treatment is the responsibility of each individual property owner. The El Paso County Health Department and Environment must approve each system and, in some cases the Department may require an engineer designed system prior to permit approval.

21. Individual wells are the responsibility of each property owner. Permits for individual wells must be obtained from the State Engineer who has the authority to set conditions for the location of these permits.

22. Water in the Denver Basin Aquifer is allocated based on a 100 year supply the however, the El Paso County planning purposes, water in the Denver Basin Aquifer is allocated based on a 100 year supply the. Applicants the (water) Owner, authorized, and all future owners in the subdivision should be aware that the (water) the of a water supply based on water in a given Denver Basin Aquifer may be less than either the 100 years or 100 years indicated due to increased water level declines. Furthermore, the water supply plan should not rely solely upon non-renewable aquifers. Alternative renewable water resources should be acquired and incorporated in a permanent water supply plan that provides future generations with a water supply.

23. Easement (water) Well Permits and existing well.

24. No driveway shall be established unless an access permit has been granted by El Paso County.

25. All property owners are responsible for maintaining proper vehicle storage in and through their property. Public storage easements as specifically noted on the plat shall be maintained by the individual lot owners unless otherwise indicated. Structures, fences, materials or landscaping that could impede the flow of traffic shall be placed in drainage easements.

26. This plat, "WYOMING ESTATES" is NOT within a designated F.E.M.A. Floodplain as determined by the Flood Insurance Rate Map, Community Panel Numbers 1684-01/0684-02, 1684-03/0684-04, effective December 7, 2016.

27. Individual lot purchasers are responsible for constructing drainage, including necessary drainage culverts from their lot to the El Paso County Road Impact Fee Program (Resolution 16-471) and any subsequent amendments. Fees for each lot within this subdivision shall be paid in full at the time of building permit issuance. The road impact fee is based on the established rate at the time of building permit application.

28. This plat, "WYOMING ESTATES" is NOT within a designated F.E.M.A. Floodplain as determined by the Flood Insurance Rate Map, Community Panel Numbers 1684-01/0684-02, 1684-03/0684-04, effective December 7, 2016.

29. This survey does not constitute a title search by Alessi and Associates, Inc., to determine ownership or easements of record. For information regarding easements, rights of way, Easement and Easement, see, subject to the Title Policy prepared by North American Title Insurance Company of Colorado, File Number 34530-16-0176, dated August 18, 2018.

30. Easement treatment is the responsibility of each individual property owner. The El Paso County Health Department and Environment must approve each system and, in some cases the Department may require an engineer designed system prior to permit approval.

31. Individual wells are the responsibility of each property owner. Permits for individual wells must be obtained from the State Engineer who has the authority to set conditions for the location of these permits.

Approximate Backhoe Test Pit Excavation

Site Plan

Scale: N.T.S.

Drawn by: KR

Date: 1/9/18

Curtis Road and David Road

3050 Curtis Road
El Paso, Colorado



ProTeX Job No.: 8619

National Flood Hazard Layer FIRMette Figure 8



38°52'49.55"N



Legend

SEE FIS REPORT FOR DETAILED LEGEND AND INDEX MAP FOR FIRM PANEL LAYOUT

SPECIAL FLOOD HAZARD AREAS	Without Base Flood Elevation (BFE) Zone A, V, AE With BFE or Depth Zone AE, AO, AH, X, AR Regulatory Floodway
----------------------------	--

OTHER AREAS OF FLOOD HAZARD	0.2% Annual Chance Flood Hazard, Areas of 1% annual chance flood with average depth less than one foot or with drainage areas of less than one square mile Zone X Future Conditions 1% Annual Chance Flood Hazard Zone X Area with Reduced Flood Risk due to Levee, See Notes, Zone X Area with Flood Risk due to Levee Zone D
-----------------------------	---

OTHER AREAS	Area of Minimal Flood Hazard Zone X Effective LOMRs Area of Undetermined Flood Hazard Zone X Channel, Culvert, or Storm Sewer Levee, Dike, or Floodwall
-------------	---

GENERAL STRUCTURES	Cross Sections with 1% Annual Chance Water Surface Elevation Coastal Transect Base Flood Elevation Line (BFE) Limit of Study Jurisdiction Boundary Coastal Transect Baseline Profile Baseline Hydrographic Feature
--------------------	---

OTHER FEATURES	Digital Data Available No Digital Data Available Unmapped
----------------	---

The pin displayed on the map is an approximate point selected by the user and does not represent an authoritative property location.

This map complies with FEMA's standards for the use of digital flood maps if it is not void as described below. The basemap shown complies with FEMA's basemap accuracy standards.











































The flood hazard information is derived directly from the authoritative NFHL web services provided by FEMA. This map was exported on 4/25/2019 at 12:54:03 PM and does not reflect changes or amendments subsequent to this date and time. The NFHL and effective information may change or become superseded by new data over time.

This map image is void if the one or more of the following map elements do not appear: basemap imagery, flood zone labels, legend, scale bar, map creation data, community identifiers, FIRM panel number, and FIRM effective date. Map images for unmapped and unmodernized areas cannot be used for regulatory purposes.

ATTACHMENT 1

SOILS

MAP LEGEND

	Area of Interest (AOI)		Soil Area
	Area of Interest (AOI)		Stony Spot
	Soils		Very Stony Spot
	Soil Map Unit Polygons		Wet Spot
	Soil Map Unit Lines		Other
	Soil Map Unit Points		Special Line Features
	Special Point Features		Water Features
	Blowout		Streams and Canals
	Borrow Pit		Transportation
	Clay Spot		Rails
	Closed Depression		Interstate Highways
	Gravel Pit		US Routes
	Gravelly Spot		Major Roads
	Landfill		Local Roads
	Lava Flow		Background
	Marsh or swamp		Aerial Photography
	Mine or Quarry		
	Miscellaneous Water		
	Perennial Water		
	Rock Outcrop		
	Saline Spot		
	Sandy Spot		
	Severely Eroded Spot		
	Sinkhole		
	Slide or Slip		
	Sodic Spot		

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service
Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: El Paso County Area, Colorado
Survey Area Data: Version 16, Sep 10, 2018

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: Jun 7, 2016—Aug 17, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
8	Blakeland loamy sand, 1 to 9 percent slopes	18.2	46.8%
12	Bresser sandy loam, cool, 3 to 5 percent slopes	0.0	0.0%
19	Columbine gravelly sandy loam, 0 to 3 percent slopes	0.7	1.8%
95	Truckton loamy sand, 1 to 9 percent slopes	20.0	51.4%
Totals for Area of Interest		38.9	100.0%

El Paso County Area, Colorado

8—Blakeland loamy sand, 1 to 9 percent slopes

Map Unit Setting

National map unit symbol: 369v
Elevation: 4,600 to 5,800 feet
Mean annual precipitation: 14 to 16 inches
Mean annual air temperature: 46 to 48 degrees F
Frost-free period: 125 to 145 days
Farmland classification: Not prime farmland

Map Unit Composition

Blakeland and similar soils: 85 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Blakeland

Setting

Landform: Hills, flats
Landform position (three-dimensional): Side slope, talf
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Alluvium derived from sedimentary rock and/or
eolian deposits derived from sedimentary rock

Typical profile

A - 0 to 11 inches: loamy sand
AC - 11 to 27 inches: loamy sand
C - 27 to 60 inches: sand

Properties and qualities

Slope: 1 to 9 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Somewhat excessively drained
Runoff class: Low
Capacity of the most limiting layer to transmit water (Ksat): High to
very high (5.95 to 19.98 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Calcium carbonate, maximum in profile: 5 percent
Available water storage in profile: Low (about 4.5 inches)

Interpretive groups

Land capability classification (irrigated): 3e
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: A
Ecological site: Sandy Foothill (R049BY210CO)
Hydric soil rating: No

Minor Components

Other soils

Percent of map unit:
Hydric soil rating: No

Pleasant

Percent of map unit:
Landform: Depressions
Hydric soil rating: Yes

Data Source Information

Soil Survey Area: El Paso County Area, Colorado
Survey Area Data: Version 16, Sep 10, 2018

El Paso County Area, Colorado

19—Columbine gravelly sandy loam, 0 to 3 percent slopes

Map Unit Setting

National map unit symbol: 367p
Elevation: 6,500 to 7,300 feet
Mean annual precipitation: 14 to 16 inches
Mean annual air temperature: 46 to 50 degrees F
Frost-free period: 125 to 145 days
Farmland classification: Not prime farmland

Map Unit Composition

Columbine and similar soils: 85 percent
Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Columbine

Setting

Landform: Flood plains, fan terraces, fans
Down-slope shape: Linear
Across-slope shape: Linear
Parent material: Alluvium

Typical profile

A - 0 to 14 inches: gravelly sandy loam
C - 14 to 60 inches: very gravelly loamy sand

Properties and qualities

Slope: 0 to 3 percent
Depth to restrictive feature: More than 80 inches
Natural drainage class: Well drained
Runoff class: Very low
Capacity of the most limiting layer to transmit water (Ksat): High to very high (5.95 to 19.98 in/hr)
Depth to water table: More than 80 inches
Frequency of flooding: None
Frequency of ponding: None
Available water storage in profile: Very low (about 2.5 inches)

Interpretive groups

Land capability classification (irrigated): 4e
Land capability classification (nonirrigated): 6e
Hydrologic Soil Group: A
Ecological site: Gravelly Foothill (R049BY214CO)
Hydric soil rating: No

Minor Components

Fluvaquentic haplaquolls

Percent of map unit:
Landform: Swales

Hydric soil rating: Yes

Pleasant

Percent of map unit:

Landform: Depressions

Hydric soil rating: Yes

Other soils

Percent of map unit:

Hydric soil rating: No

Data Source Information

Soil Survey Area: El Paso County Area, Colorado

Survey Area Data: Version 16, Sep 10, 2018

El Paso County Area, Colorado

95—Truckton loamy sand, 1 to 9 percent slopes

Map Unit Setting

National map unit symbol: 36bd

Elevation: 6,000 to 7,000 feet

Mean annual precipitation: 14 to 16 inches

Mean annual air temperature: 46 to 50 degrees F

Frost-free period: 125 to 145 days

Farmland classification: Not prime farmland

Map Unit Composition

Truckton and similar soils: 85 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Truckton

Setting

Landform: Hills, flats

Landform position (three-dimensional): Side slope, talf

Down-slope shape: Linear

Across-slope shape: Linear

Parent material: Arkosic alluvium derived from sedimentary rock and/or arkosic residuum weathered from sedimentary rock

Typical profile

A - 0 to 8 inches: loamy sand

Bt - 8 to 24 inches: sandy loam

C - 24 to 60 inches: coarse sandy loam

Properties and qualities

Slope: 1 to 9 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Low

Capacity of the most limiting layer to transmit water (Ksat): High
(1.98 to 6.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None

Frequency of ponding: None

Available water storage in profile: Low (about 5.4 inches)

Interpretive groups

Land capability classification (irrigated): 4e

Land capability classification (nonirrigated): 6e

Hydrologic Soil Group: A

Ecological site: Sandy Foothill (R049BY210CO)

Hydric soil rating: No

Minor Components

Other soils

Percent of map unit:

Hydric soil rating: No

Pleasant

Percent of map unit:

Landform: Depressions

Hydric soil rating: Yes

Data Source Information

Soil Survey Area: El Paso County Area, Colorado

Survey Area Data: Version 16, Sep 10, 2018

ATTACHMENT 2

GROUNDWATER LEVEL



COLORADO

Division of Water Resources
Department of Natural Resources

GROUNDWATER DETAILS

Well Name: SC01306433AAA1

Permit Number:

WDID:

Data Source: USGS

Location Number: SC01306433AAA1

USGS Site ID: 385250104331301

Applicant/Contact:

Physical Location

Dist N/S	Dist E/W	Q10	Q40	Q160	Sec	Township	Range	PM	UTMx	UTMy	Location Accuracy
518 N	76 E		NE	NE	33	13.0 S	64.0 W	S	538682.5	4303607.1	GPS

Division: 2

District: 10

County:

EL PASO

Designated Basin: UPPER BLACK SQUIRREL CREEK

Management District: UPPER BLACK SQUIRREL

Construction Information

Surface Elevation (ft): 6488.58

Well Depth (ft): 75.00

Depth to Base of Grout (ft):

Depth to Top of Perforated Casing (ft):

Depth to Bottom of Perforated Casing (ft):

Source Aquifer(s):


Well Measurement Summary

Start Date: 03/14/1979 End Date: 10/02/2018

Number of Measurements: 34

Ten Most Recent Readings

Date	Depth to Water Feet Below Land Surface	Elevation of Water (ft)	Change From Previous Measure (ft)
10/02/2018	7.97	6480.61	-1.19
04/21/2016	6.78	6481.80	-1000005.78
05/15/2015	-999999.00	1006487.58	1000007.20
10/02/2014	8.20	6480.38	0.77
03/27/2012	8.97	6479.61	-1.32
05/21/2010	7.65	6480.93	-0.31
04/14/2009	7.34	6481.24	0.12
05/30/2007	7.46	6481.12	-0.14
04/05/2006	7.32	6481.26	-0.30
04/21/2005	7.02	6481.56	0.00






Groundwater Watch

USGS Monitor
 El Paso County, Colorado
 Hydrologic Unit 11020004

Water-Data Inquiry

Site Number: 385250104331301 - SC01306433AAA1



DESCRIPTION:

Latitude 38°52'49.7", Longitude 104°33'14.5" NAD83
 El Paso County, Colorado, Hydrologic Unit 11020004
 Well depth: 75.1 feet
 Hole depth: 75.1 feet
 Land surface altitude: 6,485.00 feet above NGVD29.

AVAILABLE DATA:


Data Type	Begin Date	End Date	Count
Field groundwater-level measurements	1979-03-14	2018-10-02	37

Additional Data Sources	Begin Date	End Date	Count
Groundwater Watch **offsite**	1979	2018	37

OPERATION:

Record for this site is maintained by the USGS Colorado Water Science Center
 Email questions about this site to Colorado Water Science Center Water-Data Inquiries

Groundwater Watch Help Page



Most recent data value: 7.97 on 10/2/2018
 Period of Record Monthly Statistics for 385250104331301
 Depth to water level, feet below land surface
 All Approved Continuous & Periodic Data Used In Analysis
 Note: Highlighted values in the table indicate closest statistic to the most recent data value.

Month	Lowest Median	10th %ile	25th %ile	50th %ile	75th %ile	90th %ile	Highest Median	Number of Years
Mar	8.97	8.71	7.98	7.87	7.56	7.23	7.11	13
Apr	8.08	8.04	7.95	7.61	7.32	7.02	7.02	15

As of 4/19/2019 16:51-2

Statistics Options


View month/year statistics

Summary for Period of Record Periodic Water Levels

Depth to water level, feet below land surface

Approved Periodic Water Level Values

Begin Date	End Date	Number of Values
03/14/79	10/02/18	37




Highest WL	Date of Highest WL	Lowest WL	Date of Lowest WL
6.78	04/21/16	8.97	03/27/12

 Groundwater Levels Options

 View latest data on NWISWeb

 Download groundwater levels in text format



*References to non-Department of the Interior (DOI) products do not constitute an endorsement by the DOI.

U.S. Department of the Interior | U.S. Geological Survey
 URL: <https://groundwaterwatch.usgs.gov/AWLSites.asp>
 Page Contact Information: Contact the USGS Office of Groundwater
 Last update: Friday, August 10, 2018 at 08:39



Page displayed in 0.398 seconds.

ATTACHMENT 3

SOIL SAMPLES OWTS



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal
11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908
Office: 719-494-0404 Cell: 719-659-1313

STA SOIL EVALUATION

Date: September 27, 2018 **Job:** JN: 18.395

Site Location: 3050 Curtis Road, Lot 1
Peyton, CO 80831
(Lot number updated 6/7/19)

Purpose of Investigation: To determine general subsurface soil conditions at the site location & to formulate design criteria for the proposed On-Site Wastewater Treatment system (OWTS)

Field Procedure: The materials in the various strata of the soil profile pit were visually classified in accordance with the U.S. Department of Agriculture (USDA) standards.



Profile Pit	YES
Perc Test	-

Date: (Profile Eval) September 18, 2018
Excavator Homeowner
Evaluator R.J & S.D.

Depth to Groundwater (permanent or seasonal) Pit #1: Not Reached
Depth to Groundwater (permanent or seasonal) Pit #2: Not Reached

Depth to Bedrock - Pit #1: Not Reached
Depth to Bedrock - Pit #2: Not Reached

Other Terrain Features or Soil Conditions: See Attached Site Map

Endorsement: Jared R. Dumke, P.E.

Profile Pit 1	
Latitude:	38°52'41.42"N
Longitude:	104°33'25.06"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 6'-0"	Type 2 (LTAR=0.60)
6'-0" - 8'-6"	Type 4 (LTAR=0.20)
-	-

Profile Pit 2	
Latitude:	38°52'41.10"N
Longitude:	104°33'24.94"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 3'-0"	Type 2 (LTAR=0.60)
3'-0" - 8'-6"	Type 4 (LTAR=0.20)
-	-

Location	
Latitude:	Longitude:
-	-
-	-
-	-

Perc #1	N/A	Min./In.
Perc #2	N/A	Min./In.
Perc #3	N/A	Min./In.
Average:		N/A Min./In.

Recommendations: (1) An Engineered On-Site Wastewater Treatment system (OWTS) is required for this location due to: Soil Type 4 identified in the treatment zone of Profile Pit #1 & Profile Pit #2.



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal

11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908

Office: 719-494-0404 Cell: 719-659-1313

Google Site Map





Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number:	18.395
Date Evaluated:	09/18/18
Profile Pit#:	Pit #1

Excavator:	Homeowner
Logged By:	R.J. & S.D.
Method:	Profile Pit
Equipment:	Excavator

Total Depth:	8'-6"
STA Slope & Direction:	N 45° E @ 4%
Latitude:	38°52'41.42"N
Longitude:	104°33'25.06"W

3050 Curtis Road, Lot 1, 80831

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 1, 80831					
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag. Color
		Topsoil					
2		Sandy Loam	Granular	Moderate	No	Type 2 (LTAR = 0.60) Treatment Level 1	<35% 10YR 3/3 (Moist)
4							
6							
8		Clay	Blocky	Strong	No	Type 4 (LTAR = 0.20) Treatment Level 1	<35% 2.5Y 5/4 (Moist)
Total Depth= 8'-6"							
10							

Evidence of Groundwater:	Not Reached
Depth to Bedrock:	Not Reached

Additional Notes:



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal
11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908
Office: 719-494-0404 Cell: 719-659-1313

STA SOIL EVALUATION

Date: September 27, 2018 **Job:** JN: 18.396

Site Location: 3050 Curtis Road, Lot 2
Peyton, CO 80831
(Lot number updated 6/7/19)

Purpose of Investigation: To determine general subsurface soil conditions at the site location & to formulate design criteria for the proposed On-Site Wastewater Treatment system (OWTS)

Field Procedure: The materials in the various strata of the soil profile pit were visually classified in accordance with the U.S. Department of Agriculture (USDA) standards.



Profile Pit	YES
Perc Test	-

Date: (Profile Eval) September 18, 2018
Excavator Homeowner
Evaluator R.J. & S.D.

Depth to Groundwater (permanent or seasonal) Pit #1: Not Reached
Depth to Groundwater (permanent or seasonal) Pit #2: Not Reached

Depth to Bedrock - Pit #1: Not Reached
Depth to Bedrock - Pit #2: Not Reached

Other Terrain Features or Soil Conditions: See Attached Site Map

Endorsement: Jared R. Dumke, P.E.

Profile Pit 1	
Latitude:	38°52'40.93"N
Longitude:	104°33'18.76"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 8'-6"	Type 3 (LTAR=0.35)
-	-
-	-

Profile Pit 2	
Latitude:	38°52'41.21"N
Longitude:	104°33'18.03"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 8'-6"	Type 3 (LTAR=0.35)
-	-
-	-

Location	
Latitude:	Longitude:
-	-
-	-
-	-

Perc #1	N/A	Min./In.
Perc #2	N/A	Min./In.
Perc #3	N/A	Min./In.
Average:		N/A Min./In.

Recommendations: (1) A conventional, non-engineered On-Site Wastewater Treatment system (OWTS) is acceptable for this site.



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal
11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908
Office: 719-494-0404 Cell: 719-659-1313

Google Site Map





Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number: 18.395
Date Evaluated: 09/18/18
Profile Pit#: Pit #2

Excavator: Homeowner
Logged By: R.J. & S.D.
Method: Profile Pit
Equipment: Excavator

Total Depth: 8'-6"
STA Slope & Direction: N 25° E @ 4%
Latitude: 38°52'41.10"N
Longitude: 104°33'24.94"W

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 1, 80831						
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag.	Color
		Topsoil						
2		Sandy Loam	Granular	Moderate	No	Type 2 (LTAR = 0.60) Treatment Level 1	<35%	10YR 3/3 (Moist)
4		Clay	Blocky	Strong	No	Type 4 (LTAR = 0.20) Treatment Level 1	<35%	2.5Y 5/4 (Moist)
6								
8								
10								
		Total Depth= 8'-6"						

Evidence of Groundwater: Not Reached
Depth to Bedrock: Not Reached

Additional Notes:



Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number: 18.396
Date Evaluated: 09/18/18
Profile Pit#: Pit #1

Excavator: Homeowner

Total Depth: 8'-6"

Logged By: R.J. & S.D.

STA Slope & Direction: N 35° E @ 4%

Method: Profile Pit

Latitude: 38°52'40.93"N

Equipment: Excavator

Longitude: 104°33'18.76"W

3050 Curtis Road, Lot 2, 80831

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 2, 80831										
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag. Color					
		Topsoil										
2		Sandy Clay Loam	Granular	Strong	No	Type 3 (LTAR = 0.35) Treatment Level 1	<35% 10YR 4/3 (Moist)					
4												
6												
8												
		Total Depth= 8'-6"										
10												

Evidence of Groundwater: Not Reached

Depth to Bedrock: Not Reached

Additional Notes:



Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number: 18.396
Date Evaluated: 09/18/18
Profile Pit#: Pit #2

Excavator: Homeowner
Logged By: R.J. & S.D.
Method: Profile Pit
Equipment: Excavator

Total Depth: 8'-6"
STA Slope & Direction: N 35° E @ 4%
Latitude: 38°52'41.21"N
Longitude: 104°33'18.03"W

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 2, 80831						
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag.	Color
		Topsoil						
2		Sandy Clay Loam	Granular	Strong	No	Type 3 (LTAR = 0.35) Treatment Level 1	<35%	10YR 4/3 (Moist)
4								
6								
8								
		Total Depth= 8'-6"						
10								

Evidence of Groundwater: Not Reached
Depth to Bedrock: Not Reached

Additional Notes:



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal
11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908
Office: 719-494-0404 Cell: 719-659-1313

STA SOIL EVALUATION

Date: September 27, 2018 **Job:** JN: 18.397

Site Location: 3050 Curtis Road, Lot 3
Peyton, CO 80831
(Lot number updated 6/7/19)

Purpose of Investigation: To determine general subsurface soil conditions at the site location & to formulate design criteria for the proposed On-Site Wastewater Treatment system (OWTS)

Field Procedure: The materials in the various strata of the soil profile pit were visually classified in accordance with the U.S. Department of Agriculture (USDA) standards.



Profile Pit	YES
Perc Test	-

Date: (Profile Eval) September 18, 2018
Excavator Homeowner
Evaluator R.J & S.D.

Depth to Groundwater (permanent or seasonal) Pit #1: Not Reached
Depth to Groundwater (permanent or seasonal) Pit #2: Not Reached

Depth to Bedrock - Pit #1: Not Reached
Depth to Bedrock - Pit #2: Not Reached

Other Terrain Features or Soil Conditions: See Attached Site Map

Endorsement: Jared R. Dumke, P.E.

Profile Pit 1	
Latitude:	38°52'37.92"N
Longitude:	104°33'17.81"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 2'-6"	Type 3 (LTAR=0.35)
2'-6" - 4'-0"	Type 3 (LTAR=0.35)
4'-0" - 8'-6"	Type 3 (LTAR=0.35)

Profile Pit 2	
Latitude:	38°52'37.81"N
Longitude:	104°33'16.94"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 8'-6"	Type 3 (LTAR=0.35)
-	-
-	-

Location	
Latitude:	Longitude:
-	-
-	-
-	-

Perc #1	N/A	Min./In.
Perc #2	N/A	Min./In.
Perc #3	N/A	Min./In.
Average:		N/A Min./In.

Recommendations: (1) A conventional, non-engineered On-Site Wastewater Treatment system (OWTS) is acceptable for this site.



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal

11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908

Office: 719-494-0404 Cell: 719-659-1313

Google Site Map





Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number: 18.397
Date Evaluated: 09/18/18
Profile Pit#: Pit #1

Excavator: Homeowner

Logged By: R.J. & S.D.

Method: Profile Pit

Equipment: Excavator

Total Depth: 8'-6"

STA Slope & Direction: N 35° E @ 5%

Latitude: 38°52'37.92"N

Longitude: 104°33'17.81"W

3050 Curtis Road, Lot 3, 80831

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 3, 80831						
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag.	Color
		Topsoil						
2		Sandy Clay Loam	Granular	Moderate	No	Type 3 (LTAR = 0.35)	<35%	10YR 2/2 (Moist)
4		Sandy Clay Loam	Blocky	Strong	No	Type 3 (LTAR = 0.35)	<35%	2.5Y 3/3 (Moist)
6		Sandy Clay Loam	Blocky	Moderate	No	Type 3 (LTAR = 0.35) Treatment Level 1	<35%	2.5Y 4/3 (Moist)
8								
10								
		Total Depth= 8'-6"						

Evidence of Groundwater: Not Reached

Depth to Bedrock: Not Reached

Additional Notes:



Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number: 18.397
Date Evaluated: 09/18/18
Profile Pit#: Pit #2

Excavator: Homeowner
Logged By: R.J. & S.D.
Method: Profile Pit
Equipment: Excavator

Total Depth: 8'-6"
STA Slope & Direction: N 35° E @ 5%
Latitude: 38°52'37.81"N
Longitude: 104°33'16.94"W

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 3, 80831						
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag.	Color
		Topsoil						
2		Sandy Clay Loam	Granular	Moderate	No	Type 3 (LTAR = 0.35) Treatment Level 1	<35%	2.5Y 4/3 (Moist)
4								
6								
8								
		Total Depth= 8'-6"						
10								

Evidence of Groundwater: Not Reached

Depth to Bedrock: Not Reached

Additional Notes:



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal
11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908
Office: 719-494-0404 Cell: 719-659-1313

STA SOIL EVALUATION

Date: September 27, 2018 **Job:** JN: 18.394

Site Location: 3050 Curtis Road, Lot 4
Peyton, CO 80831
(Lot number updated 6/7/19)

Purpose of Investigation: To determine general subsurface soil conditions at the site location & to formulate design criteria for the proposed On-Site Wastewater Treatment system (OWTS)

Field Procedure: The materials in the various strata of the soil profile pit were visually classified in accordance with the U.S. Department of Agriculture (USDA) standards.



Profile Pit	YES
Perc Test	-

Date: (Profile Eval) September 18, 2018
Excavator Homeowner
Evaluator R.J & S.D.

Depth to Groundwater (permanent or seasonal) Pit #1: Not Reached
Depth to Groundwater (permanent or seasonal) Pit #2: Not Reached

Depth to Bedrock - Pit #1: Not Reached
Depth to Bedrock - Pit #2: Not Reached

Other Terrain Features or Soil Conditions: See Attached Site Map

Endorsement: Jared R. Dumke, P.E.

Profile Pit 1	
Latitude:	38°52'31.31"N
Longitude:	104°33'28.35"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 5'-0"	Type 3 (LTAR=0.35)
5'-0" - 8'-0"	Type 2 (LTAR=0.60)
-	-

Profile Pit 2	
Latitude:	38°52'30.60"N
Longitude:	104°33'27.64"W
Layer	Soil Type & LTAR
0 - 1'-0"	Topsoil
1'-0" - 8'-6"	Type 3 (LTAR=0.35)
-	-
-	-

Location	
Latitude:	Longitude:
-	-
-	-
-	-

Perc #1	N/A	Min./In.
Perc #2	N/A	Min./In.
Perc #3	N/A	Min./In.
Average:		N/A Min./In.

Recommendations: (1) A conventional, non-engineered On-Site Wastewater Treatment system (OWTS) is acceptable for this site.



PARR ENGINEERING & CONSULTING, INC.

Christopher L. Parr, P.E. Principal
11590 Black Forest Road, Suite 10, Colorado Springs, CO 80908
Office: 719-494-0404 Cell: 719-659-1313

Google Site Map



**Parr Engineering & Consulting, Inc.**

11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number:	18.394
Date Evaluated:	09/18/18
Profile Pit#:	Pit #1

Excavator:	Homeowner
Logged By:	R.J. & S.D.
Method:	Profile Pit
Equipment:	Excavator

Total Depth:	8'-0"
STA Slope & Direction:	S @ 3%
Latitude:	38°52'31.31"N
Longitude:	104°33'28.35"W

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 4, 80831						
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag.	Color
		Topsoil						
2		Sandy Clay Loam	Granular	Strong	No	Type 3 (LTAR = 0.35) Treatment Level 1	<35%	10YR 3/2 (Moist)
4								
6		Sandy Loam	Granular	Moderate	No	Type 2 (LTAR = 0.60) Treatment Level 1	<35%	10YR 5/3 (Moist)
8								
		Total Depth= 8'-0"						
10								

Evidence of Groundwater:	Not Reached
--------------------------	-------------

Depth to Bedrock:	Not Reached
-------------------	-------------

Additional Notes:



Parr Engineering & Consulting, Inc.
11590 Black Forest Road, Suite 10
Colorado Springs, Colorado 80908
Phone: 719-494-0404

Profile Pit - Log

Job Number: 18.394
Date Evaluated: 09/18/18
Profile Pit#: Pit #2

Excavator: Homeowner
Logged By: R.J. & S.D.
Method: Profile Pit
Equipment: Excavator

Total Depth: 8'-6"
STA Slope & Direction: S @ 3%
Latitude: 38°52'30.60"N
Longitude: 104°33'27.64"W

3050 Curtis Road, Lot 4, 80831

Depth (ft.)	Sample Interval	3050 Curtis Road, Lot 4, 80831										
		USDA Soil Texture	USDA Soil Structure - Shape	Soil Structure Grade	Redoximorphic Features Present? (Y/N)	Soil Type (from Table 9 in O-14)	% Rock Frag. Color					
		Topsoil										
2		Sandy Clay Loam	Granular	Strong	No	Type 3 (LTAR = 0.35) Treatment Level 1	<35% 10YR 3/2 (Moist)					
4												
6												
8												
		Total Depth= 8'-6"										
10												

Evidence of Groundwater: Not Reached
Depth to Bedrock: Not Reached

Additional Notes: