SUBDIVISION IMPROVEMENTS AGREEMENT

THIS AGREEMENT, made between Home Run Restorations, Inc., hereinafter called the "Subdivider," and El Paso County by and through the Board of County Commissioners of El Paso County, Colorado, hereinafter called the "County," shall become effective the date of approval of the Final Plat by the Board of County Commissioners.

WITNESSETH:

WHEREAS, the Subdivider, as a condition of approval of the final plat of Wyoming Estates subdivision wishes to enter into a Subdivision Improvements Agreement, as provided for by Section 3028137 (C.R.S.), Chapter 5 of the El Paso County Engineering Criteria Manual and Chapter 8 of the El Paso County Land Development Code incorporated herein; and

WHEREAS, pursuant to the same authority, the Subdivider is obligated to provide security or collateral sufficient in the judgment of the Board of County Commissioners to make reasonable provision for completion of certain public improvements set forth on Exhibit(s) A attached hereto and incorporated herein; and

WHEREAS, the Subdivider wishes to provide collateral to guarantee performance of this Agreement including construction of the above referenced improvements by means of a Subdivision Bond.

NOW, THEREFORE, in consideration of the following mutual covenants and agreements, the Subdivider and the County agree as follows:

- 1. The Subdivider agrees to construct and install, at his sole expense, all of those improvements as set forth on Exhibit A attached hereto. To secure and guarantee performance of its obligations as set forth herein, the Subdivider agrees to provide collateral to remain in effect at all times until the improvements are completed and accepted in accordance with Chapter 5 of the ECM. Security and collateral shall be posted in the form of a Subdivision Bond issued by Lexon Insurance Company in the amount of \$279,468.44.
- 2. Subdivider is responsible for providing any renewals of collateral to ensure that there is never a lapse in security coverage. Subdivider shall procure renewal/extension/replacement collateral at least fifteen (15) days prior to the expiration of the original or renewal/extension/replacement collateral then in effect. Failure to procure renewal/extension/replacement collateral within this time limit shall be a default under this Agreement and shall allow the County to execute on the collateral. In addition, if Subdivider allows collateral to lapse at any time, no lots in the subdivision may be sold, conveyed or transferred, whether by Deed or Contract, after the expiration date of such collateral until the improvements identified on Exhibit A have been completed and final acceptance is received from the County. If replacement collateral is used for renewal, approval by Board of County Commissioners is required.
- 3. No lots in the subdivision shall be sold, conveyed, or transferred, whether by Deed or by Contract, nor shall building permits be issued until and unless the required improvements for the subdivision have been constructed and completed in accordance with the approved construction plans and preliminary acceptance is received from the County. In the alternative, lots within the subdivision may be sold, conveyed or transferred and / or have building permits issued upon receipt of collateral acceptable to the County, pursuant to this Agreement, which is sufficient to guarantee construction of the improvements, identified by phase if applicable, in the attached Exhibit A.

Chuck Broerman

12/14/2021 03:33:18 PM Doc \$0.00 8

Rec \$0.00 Pages

El Paso County, CO

221227452

221227453

- 4. The Subdivider agrees that all of those certain public improvements to be completed as identified on Exhibit A shall be constructed in compliance with the following:
 - a. All laws, resolutions and regulations of the United States, State of Colorado, El Paso County and its various agencies, affected special districts and/or servicing authorities.
 - b. Such other designs, drawings, maps, specifications, sketches and other matter submitted to and approved by any of the above stated governmental entities.
- 5. All improvements shall be completed by the Subdivider, meeting all applicable standards for preliminary acceptance, within 24 (twenty-four) months from the date of notice to proceed in the Construction Permit for the Subdivision. If the Subdivider determines that the completion date needs to be extended, the Subdivider shall submit a written request for a change in the completion date to the ECM Administrator at least 90 days in advance of the required completion date. The request shall include the reasons for the requested change in completion date, the proposed new completion date, and prove collateral is in place to cover the extension time requested. The completion date for the Subdivision may be extended one time, for a period no longer than 6 months at the discretion of the ECM Administrator. Any additional requests for extension of the completion date will be scheduled for hearing by the Board of County Commissioners. The ECM Administrator or the Board of County Commissioners may require an adjustment in the amount of collateral to take into account any increase in cost due to the delay including inflation.
- 6. It is mutually agreed pursuant to the provisions of Section 3028137 (3) C.R.S. that the County or any purchaser of any lot, lots, tract or tracts of land subject to a plat restriction which is the security portion of a Subdivision Improvements Agreement shall have the authority to bring an action in any District Court to compel the enforcement of any Subdivision Improvements Agreement on the sale, conveyance, or transfer of any such lot, lots, tract or tracts of land or of any other provision of this article. Such authority shall include the right to compel rescission of any sale, conveyance, or transfer of any lot, lots, tract or tracts of land contrary to the provisions of any such restrictions set forth on the plat or in any separate recorded instrument, but any such action shall be commenced prior to the issuance of a building permit by the County where so required or otherwise prior to commencement of construction on any such lot, lots, tract or tracts of land.
- 7. It is further mutually agreed that, pursuant to the provisions of Section 30-28-137 (2) C.R.S., and Chapter 5 of the County's Engineering Criteria Manual, as improvements are completed, the Subdivider may apply to the Board of County Commissioners for a release of part or all of the collateral deposited with said Board. Upon inspection and approval, the Board shall release said collateral. The County agrees to respond to an inspection request in a reasonable time upon receipt of the request. If the Board determines that any of such improvements are not constructed in substantial compliance with specifications it shall furnish the Subdivider a list of specific deficiencies and shall be entitled to withhold collateral sufficient to ensure such substantial compliance. If the Board of County Commissioners determines that the Subdivider will not construct any or all of the improvements in accordance with all of the specifications, the Board of County Commissioners may withdraw and employ from the deposit of collateral such funds as may be necessary to construct the improvements in accordance with the specifications.
- 8. The Subdivider agrees, and both parties acknowledge that the construction of the improvements identified and guaranteed through this Subdivision Improvements Agreement shall follow the

inspection, collateral, and acceptance process that is identified in Chapter 5 of the County's Engineering Criteria Manual. This is to include among other things, a Preliminary Acceptance process, replacement of performance collateral with appropriate Warranty collateral at that time, and a 2-year warranty period prior to final acceptance. Where any inconsistency exists between Chapter 5 of the Engineering Criteria Manual and the Land Development Code with respect to these inspections, collateral and acceptance processes, the Engineering Criteria Manual is the controlling document.

- 9. The Subdivider(s) agrees to provide the County with a title insurance commitment at time of final platting evidencing that fee simple title of all lands in the subdivision is vested with the subdivider(s).
- 10. The County agrees to approval of the final plat of Wyoming Estates Subdivision subject to the terms and conditions of this Agreement.
- Parties hereto mutually agree that this Agreement may be amended from time to time provided that such amendment be in writing and signed by all parties hereto.
- 12. This Agreement shall take effect on the date of approval of the Final Plat by the Board of County Commissioners.
- 13. The Subdivider(s) agrees for itself and its successors and assigns that Subdivider and/or its said successors and assigns shall be required to pay road impact fees in accordance with the El Paso County Road Impact Fee Program at or prior to the time of building permit submittals.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year below written.

	BOARD OF COUNTY COMMISSIONERS OF
	EL PASO COUNTY, COLORADO
12/7/2022	By: (1)
(Date Final Plat Approved)	Craig Dossey, Executive Director
	Planning and Community Development Department
	Authorized Signatory pursuant to LDC
ATTEST:	Approved as to form:
	Lori L. Seage
County Clerk and Recorder	County Attorney's Office
•	HOME RUN RESTORATIONS INC.
	By: Jak
	Representative
	Title: Presidut
Subscribed, sworn to and acknowled by the parties above named.	edged before me this 12 th day of November, 2021

My commission expires: 05-25-262

Notary Public

KYLE CRAWLEY
NOTARY PUBLIC
STATE OF COLORADO
NOTARY ID 201846222248
MY COMMISSION EXPIRES 05125/2022

2019 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 7/16/2019

	PROJECT INFORMATION	
Wyoming Estates Subdivision	3/11/2021	MS-196
Project Name	Date	PCD File No.

			1	Unit	i				-rial (Construction)
cription	Quantity	Units		Cost			Total	% Complete		Remaining
CTION 1 - GRADING AND EROSION CONTRO	OL (Construction	and Perma	ment	BMPs)						
Earthwork			_					1 1		
less than 1,000; \$5,300 min		CY	S	8.00	=	\$	•		\$	•
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$			\$	
5,001-20,000; \$30,000 min	14,500	CY	\$	5.00	*	ş	72,500.00	1	\$	72,500.
20,001-50,000; \$100,000 min		CY	\$	3,50	=	\$	•		\$	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	*		\$	
greater than 200,000; \$500,000 min		CY	Ş	2,00	=	\$	•		\$	•
Permanent Seeding (inc. noxious weed mgmnt.)	1.7	AC	\$	800.00	=	\$	1,360.00		\$	1,360.
Mulching	1.7	AC	\$	750 00	=	\$	1,275.00		\$	1,275.
Permanent Erosion Control Blanket	1,860	SY	\$	6.00	-	\$	11,160.00		\$	11,160
Permanent Pond/BMP Construction	2,650	CY	\$	20.00	•	\$	53,000.00		\$	53,000.
Permanent Pond/BMP (Spillway)	. 2	EA			=	\$			\$	
Permanent Pond/BMP (Outlet Structure)	2	EA			=	\$			\$	
Salety Fence	-	LF	s	3.00	=	Ś			\$	
Fernograpy Erosion Control Blanket		SY	\$	3.00	=	Š			\$	
• •	1	EA	Š	2,370,00	=	Š	2,370.00		\$	2,370
/ehicle Tracking Control	1,575	LF	\$	2,570.00	-	\$	3,937.50		\$	3,937
Sill Fence	10000111		-		_	\$	•			1,067.
emporary Seeding	1.7	AC	\$	628.00	=	•	1,067.60		\$	
emporary Mulch	1.7	AC	\$	750.00	-	\$	1,275.00		\$	1,275
Frasion Bales	26	EA	\$	25.00	=	\$	650.00		\$	650
rosion Logs/Straw Waddle		LF	8	5. 0 0	-	\$	•		\$	
Rock Check Dams		EA	\$	500.00	=	\$,		\$	
niet Protection	2	EA	5	167.00	=	\$	334.00		\$	334
Sediment Basin	2	EA	\$	1,762,00	=	\$	3,524.00		\$	3,524
Send Filter Basin	2	EA	5	3,000 00		\$	6,000.00		\$	6,000
Concrete Washout Basin		EA	\$	900.00	-	\$			\$	
					=	\$			\$	
					=	5			\$	
	AINTENANCE (359			on BMPs) Subtotal	, E	\$	6,705.34 165,158.44		\$	
	AINTENANCE (359									
M/ CTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control	1	Section		Subtotal 1,000.00		\$ \$	1,000.00		\$	1,000
CTION 2 - PUBLIC IMPROVEMENTS *		LS Tons	on 1	1,000.00 28.00	E	\$	165,158.44		\$ 5	1,000
CTION 2 - PUBLIC IMPROVEMENTS *	1	Section	on 1	1,000.00 28.00 50.00	E	\$ \$	1,000.00		\$ \$ \$	1,000
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Ogregate Base Course (135 lbs/cf)	1	LS Tons	on 1 \$ \$	1,000.00 28.00	E	\$ \$	1,000.00		\$ \$ \$ \$	1,000 35,000
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf)	1	LS Tons CY	s s s	1,000.00 28.00 50.00	E	\$ \$	1,000.00		\$ \$ \$	1,000 35,000
CTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Ogregate Base Course (135 lbs/cf) Ogregate Base Course (135 lbs/cf) Osphalt Pavement (3" thick)	1,250	LS Tons CY SY	\$ \$ \$ \$	1,000.00 28.00 50.00 14.00	E	\$ \$	1,000.00 35,000.00		\$ \$ \$ \$	1,000 35,000
CTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Ogregate Base Course (135 lbs/cf) Ogregate Base Course (135 lbs/cf) Sphalt Pavement (3" lhick) Sphalt Pavement (4" lhick)	1,250	LS Tons CY SY SY	s s s s s	1,000.00 28.00 50.00 14.00 19.00	E	\$ \$	1,000.00 35,000.00		\$ \$ \$ \$ \$	1,000 35,000
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (sphalt Pavement (4" thick) (sphalt Pavement (6" thick) (sphalt Pavement (6" thick) (147 lbs/cf)"thick	1,250	LS Tons CY SY SY	s s s s	1,000.00 28.00 50.00 14.00 19.00 29.00	•	\$ \$	1,000.00 35,000.00		\$ \$ \$ \$ \$ \$	1,000 35,000
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ogregate Base Course (135 lbs/cf) (ogregate Base Course (135 lbs/cf) (sphalt Pavement (3" thick) (sphalt Pavement (4" thick) (sphalt Pavement (6" thick) (sphalt Pavement (6" thick) (sphalt Pavement (147 lbs/cf)" thick (taised Median, Paved	1,250	LS Tons CY SY SY SY Tons	s s s s s s s s s	1,000.00 28.00 50.00 14.00 19.00 29.00 68.00	•	\$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00		\$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphalt Pavement (3" lhick) (sphalt Pavement (6" lhick) (sphalt Pavement (6" lhick) (sphalt Pavement (147 lbs/cf)" thick (taised Median, Paved (segulatory Sign/Advisory Sign	; 1,250 2,340	LS Tons CY SY SY SY Tons SF EA	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 19.00 29.00 88.00 8.00	-	\$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphall Pavement (4" thick) (sphall Pavement (6" lhick) (sphall Pavement (6" lhick) (147 lbs/cf)" thick (147 l	1 1,250 2,340	LS Tons CY SY SY SY Tons SF EA	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 19.00 29.00 88.00 8.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (sphalt Pavement (4" thick) (sphalt Pavement (6" thick) (sphalt Pavement (6" thick) (sphalt Pavement (147 lbs/cf) (sphalt	1 1,250 2,340	LS Tons CY SY SY Tons SF EA EA SF	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 19.00 29.00 88.00 300.00	= = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (gsphalt Pavement (3" lhick) (gsphalt Pavement (6" lhick) (gsphalt Pavement (6" lhick) (gsphalt Pavement (147 lbs/cf) (gsphalt Pavem	1 1,250 2,340	LS Tons CY SY SY SY Tons SF EA EA SF SF	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Ogregate Base Course (135 lbs/cf) Ogregate Base Course (135 lbs/cf) Osphalt Pavement (3" thick) Osphalt Pavement (4" thick) Osphalt Pavement (6" thick) Osphalt Pavement (6" thick) Osphalt Pavement (147 lbs/cf)" thick taised Median, Paved Regulatory Sign/Advisory Sign Osudde/Street Name Sign Opoxy Pavement Marking Charmoplastic Pavement Marking Charmoplastic Pavement Marking Claricade - Type 3	1 1,250 2,340	LS Tons CY SY SY Tons SF EA EA SF EA	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 20.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphall Pavement (3" thick) (sphall Pavement (6" thick) (sphall Pavement (6" thick) (sphall Pavement (147 lbs/cf)" thick (saled Median, Paved (spulatory Sign/Advisory Sign (suide/Street Name Sign (poxy Pavement Marking (hermoplastic Pavement Marking (hermoplast	1 1,250 2,340	LS Tons CY SY SY Tons SF EA EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 23.00 24.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (sphalt Pavement (4" thick) (sphalt Pavement (6" thick) (sphalt Pavement (147 lbs/cf) (sphalt Pavement (147 lbs/cf) (segulatory Sign/Advisory Sign (spude/Street Name Sign (spoxy Pavement Marking (sprincate - Type 3 (belineator - Type 1 (curb and Gutter, Type A (6" Vertical)	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF SF EA LF	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 19.00 80.00 80.00 13.00 23.00 20.00 24.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (gsphall Pavement (6" lhick) (ssphall Pavement (6" lhick) (ssphall Pavement (147 lbs/cf) (ssphall Pavement (147 lbs/cf) (state) Supply S	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF SF EA LF	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 29.00 8.00 300.00 13.00 23.00 200.00 24.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Oggregate Base Course (135 lbs/cf) Oggregate Base Course (135 lbs/cf) Osphalt Pavement (3" thick) Osphalt Pavement (4" thick) Osphalt Pavement (6" thick) Osphalt Pavement (6" thick) Osphalt Pavement (147 lbs/cf)"thick Osphalt Pavement Marking Osuride Street Name Sign Osuride Street Name Osuride	1 1,250 2,340	LS Tons CY SY SY Tons SF EA EA SF EA LF LF	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 29.00 80.00 300.00 13.00 20.00 24.00 30.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphall Pavement (3" lhick) (sphall Pavement (4" thick) (sphall Pavement (6" thick) (sphall Pavement (6" thick) (sphall Pavement (147 lbs/cf) (sphall Pavement Marking (sphall Pa	1 1,250 2,340	LS Tons CY SY SY Tons SF EA EA SF EA LF LF LF SY	s s s s s s s s s s s s s s s s s s s	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphall Pavement (3" lhick) (sphall Pavement (4" thick) (sphall Pavement (6" thick) (sphall Pavement (6" thick) (sphall Pavement (147 lbs/cf) (sphall Pavement Marking (sphall Pa	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 28.00 50.00 14.00 19.00 8.00 300.00 13.00 23.00 24.00 30.00 30.00 44.00 60.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (136 lbs/cf) (gsphalt Pavement (4° lhick) (gsphalt Pavement (6° lhick) (gsphalt Pavement (147 lbs/cf) (gsphalt Pavement (147 lbs/cf) (gsphalt Pavement (147 lbs/cf) (gsphalt Pavement Marking (gregate Base Course (gsphalt Pavement Marking	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 28.00 50.00 14.00 29.00 80.00 80.00 29.00 80.00 23.00 23.00 20.00 30.00 30.00 30.00 48.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
construction Traffic Control ggregate Base Course (135 lbs/cf) ggregate Base Course (135 lbs/cf) ggregate Base Course (135 lbs/cf) sphalt Pavement (3" thick) sphalt Pavement (4" thick) sphalt Pavement (6" thick) sphalt Pavement (147 lbs/cf) sphalt Pavement (147 lbs/cf) sphalt Pavement (147 lbs/cf) sphalt Pavement (147 lbs/cf) subject Pavement (147 lbs/cf) suide/Street Name Sign poxy Pavement Marking hermoplastic Pavement Marking arricade - Type 3 letineator - Type 1 luth and Gutter, Type A (6" Vertical) surb and Gutter, Type B (Median) surb and Gutter, Type C (Ramp) "Sidewalk (common areas only) "Sidewalk "Sidewalk	1 1,250 2,340	Sections LS Tons CY SY SY SY Tons SF EA EA EA LF EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 46.00 60.00 72.00 96.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Oggregate Base Course (135 lbs/cf) Oggregate Base Course (135 lbs/cf) Osphalt Pavement (3" thick) Osphalt Pavement (4" thick) Osphalt Pavement (6" thick) Osphalt Pavement (6" thick) Osphalt Pavement (147 lbs/cf)"thick Osphalt Pavement Marking Osuride Street Name Sign Osuride Street Name Osuride	1 1,250 2,340	Sections LS Tons CY SY SY SY Tons SF EA EA EA LF EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 28.00 50.00 14.00 29.00 80.00 80.00 29.00 80.00 23.00 23.00 20.00 30.00 30.00 30.00 48.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (147 lbs/cf) (ggregate Gase Course (147 lbs/cf) (ggregate Gase Co	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 46.00 60.00 72.00 96.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		* * * * * * * * * * * * * * * * * * * *	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (147 lbs/cf) (ggregate Base Co	1 1,250 2,340	LS Tons CY SY SY Tons SF EA EA LF EA LF LF SY SY SY EA	9	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (136 lbs/cf) (ggregate Base Course (137 lbs/cf) (ggregate Base Course (147 lbs/cf) (gsphalt Pavement (6" lhick) (ggulatory Sign/Advisory Sign (goxy Pavement Marking (ggregate Base Course (147 lbs/cf) (ggregate Base Course (148 lbs/cf) (ggre	1 1,250 2,340	Sections LS Tons CY SY SY Tons SF EA SF EA LF LF SY SY SY SY LF LF LF SY SY SY LF	9	1,000.00 28.00 50.00 14.00 19.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphalt Pavement (3" lhick) (sphalt Pavement (6" lhick) (sphalt Pavement (6" lhick) (sphalt Pavement (6" lhick) (sphalt Pavement (147 lbs/cf)" thick (assed Median, Paved (tepulatory Sign/Advisory Sign (suide/Street Name Sign (poxy Pavement Marking (hermoplastic Pavement Marking (hermoplastic Pavement Marking (harricade - Type 3 (belineator - Type 1 (buth and Gutter, Type A (6" Vertical) (buth and Gutter, Type B (Median) (buth and Gutter, Type C (Ramp) (" Sidewalk (common areas only) (" Sidewalk	1 1,250 2,340	Sections LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY EA LF	9 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 48.00 30.00 48.00 60.00 1,150.00 61.00 92.00 1,480.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (ggregate Base Course (135 lbs/cf) (sphall Pavement (3" lhick) (sphall Pavement (6" lhick) (sphall Pavement (6" lhick) (sphall Pavement (147 lbs/cf) (sphall Pavement (147 lbs/cf) (sphall Pavement (147 lbs/cf) (sphall Pavement (147 lbs/cf) (sphall Pavement Marking (spulator) Sign/Advisory Sign (sude/Street Name Sign (spox) Pavement Marking (spox)	1 1,250 2,340	Sections LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY LF	**************************************	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 23.00 24.00 30.00 48.00 60.00 72.00 60.00 71,150.00 61.00 91.00 91.00 94.00 1,480.00 49.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (147 lbs/cf) (ggregate Course (147 lbs/cf) (ggregate Course (147 lbs/c	1 1,250 2,340	Sections LS Tons CY SY SY SY Tons SF EA SF EA LF LF SY SY SY SY EA LF	* * * * * * * * * * * * * * * * * * *	1,000.00 28.00 50.00 14.00 19.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 92.00 1,480.00 48.00 1,150.00 92.00 1,480.00 48.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (147 lbs/cf) (gsphalt Pavement (6" lhick) (ggulatory Sign/Advisory Sign (goxy Pavement Marking (gregate) (ggregate Hame Sign (goxy Pavement Marking (gregate) (gregate Hame Sign (gregate) (gregate Hame Sign (gregate Hame) (gregate Hame Sign (gregate Hame) (greg	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF EA LF LF LF LF SY SY SY EA LF	**************************************	1,000.00 28.00 50.00 14 00 19.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 30.00 72.00 96.00 1,150.00 92.00 1,480.00 49.00 49.00 72.00 49.00 2,098.00		\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control ggregate Base Course (135 lbs/cf) ggregate Base Course (135 lbs/cf) sphall Pavement (3" thick) sphall Pavement (6" thick) sphall Pavement (6" thick) sphall Pavement (6" thick) sphall Pavement (147 lbs/cf)" thick dissed Median, Paved tepulatory Sign/Advisory Sign suide/Street Name Sign poxy Pavement Marking hermoplastic Pavement Marking hermoplastic Pavement Marking larricade - Type 3 delineator - Type 1 buth and Gutter, Type A (6" Vertical) curb and Gutter, Type B (Median) curb and Gutter, Type C (Ramp) "Sidewalk (common areas only) "Sidewalk "	1 1,250 2,340	Sections LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY EA LF	**************************************	1,000.00 28.00 50.00 14.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 48.00 30.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00 92.00 1,480.00 49.00 72.00 30,000 3		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	1,000 35,000 44,460
CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control (ggregate Base Course (135 lbs/cf) (ggregate Base Course (147 lbs/cf) (gsphalt Pavement (6" lhick) (ggulatory Sign/Advisory Sign (goxy Pavement Marking (gregate) (ggregate Hame Sign (goxy Pavement Marking (gregate) (gregate Hame Sign (gregate) (gregate Hame Sign (gregate Hame) (gregate Hame Sign (gregate Hame) (greg	1 1,250 2,340	LS Tons CY SY SY Tons SF EA SF EA LF LF LF LF SY SY SY EA LF	**************************************	1,000.00 28.00 50.00 14 00 19.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 30.00 72.00 96.00 1,150.00 92.00 1,480.00 49.00 49.00 72.00 49.00 2,098.00		\$ 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1,000.00 35,000.00 44,460.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	6,705 165,158.4 1,000 35,000 44,460

	PROJECT INFORMATION	
Wyoming Estates Subdivision	3/11/2021	MS-196
Project Name	Date	PCO File No.

			- 1	Unik				•	Plat Construction)
escription	Quantity	Units		Cost			Total	% Complete	Remaining
Traffic Signal, complete intersection		EA	\$	425,000	=	\$	•	1	,
					-	\$			•
					=	\$	•	} 1:	•
						_		,	
Concrete Box Culvert (M Standard), Size (W x H)		LF			~	\$	*		•
18" Reinforced Concrete Pipe		LF	5	65.00	=	\$	•		\$
24" Reinforced Concrete Pipe		LF	S	78.00	-	\$			•
30"x19" RCEP	130	LF	S	97.00	2	\$	12,610.00		12,610
36" Reinforced Concrete Pipe		LF	S	120.00		\$			\$
42" Reinforced Concrete Pipe		UF	\$	160 00	•	\$	•		\$
48" Reinforced Concrete Pipe		LF	5	195 00	•	\$	•		\$
54" Reinforced Concrete Pipe		LF	\$	245.00	•	\$			\$
60" Reinforced Concrete Pipe		LF	S	286 00	~	\$	•		\$
66" Reinforced Concrete Pipe		LF	S	332 00	=	\$			\$
72" Reinforced Concrete Pipe		LF	S	360,00	•	\$			\$
18" Corrugated Steel Pipe		LF	5	84.00	•	\$			\$
24" Corrugated Steel Pipe		LF	S	96,00	•	\$	•		\$
30" Corrugated Steel Pipe		LF	\$	122.00	e	\$			\$
36" Corrugated Steel Pipe		UF	\$	147.00	=	\$] :	\$
42" Corrugated Steel Pipe		LF	5	168.00	•	\$] :	\$
48" Corrugated Steel Pipe		LF	\$	178.00	=	\$	•	:	\$
S4" Corrugated Steel Pipe		UF.	\$	260,00	=	5		:	\$
60" Corrugated Steel Pipe		LF	5	280.00	=	5	•	1 :	\$
66" Corrugated Steel Pipe		ŁF	5	340.00	=	\$	•	:	\$
72" Corrugated Steel Pipe		LF	\$	400 00	=	5		l :	\$
78" Corrugated Steel Pipe		LF	5	460,00	*	\$	•	1 1:	\$
84" Corrugated Steel Pipe		LF	\$	550.00	1	5		l !:	\$
Flored End Section (FES) RCP Size = 385/24"		_	\$	800.00		\$	3,200.00	1 1.	\$ 3,200
	•	EA	•	000.00		•	5,220,00		
Fitered End Section (FES) CSP Size =		EA				\$	•	:	\$
End Treatment- Headwall		EA			=	5]],	5
End Treatment- Wingwall		EA				5			\$
End Treatment - Cutoff Wall		EA				Š	*		•
Curb inlet (Type R) L=5'. Depth < 5'		EA	s	5,542.00	=	\$			\$
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10"		EA	Š	7,186.00		\$			•
Curb intel (Type R) L =5', 10' \leq Depth \leq 15'		EA	2	8,345.00		Š	*		, 5
Curb Inlet (Type R) L = 10", Depth < 5"		EA	Š	7,627.00	ی	\$	•	1	5
		EA	Š	7.861.00		Š			•
Curb inlet (Type R) L =10", 5" ≤ Depth < 10" Curb inlet (Type R) L =10", 10" ≤ Depth < 15"		EA	s	9,841.00		\$, ,	\$
Curb Inlet (Type R) L =15', Depth < 5'		EA	Š	9,918.00		5		1 :	5
		EA	-	10,633 00	_	Š		1	Š
Curb Inlet (Type R) L =15, 5 ≤ Depth < 10' Curb Inlet (Type R) L =15, 10' ≤ Depth < 15'		EA		11,627 00		5	4	1 1	Š
Curb Inlet (Type R) L =20', Depth < 5'		EA		10,570.00	• .	5		1 1	\$
		EA		11,667.00	2	s		1 1	•
		EA	Š	4,640.00	24	\$		1	B
Grated inlet (Type C), Depth < 5' Grated inlet (Type D), Depth < 5'		EA	Š	5,731.00	=	\$		1 5	, \$
Storm Sewer Manhole, Box Bese		EA	•	11.627 00		5		1	\$
Storm Sewer Menhole, Slab Base		EA	Š	6.395.00	=	\$			•
		SY	Š	6 00		\$		3	•
Geotextile (Erosion Control)	35	Tons	Š	80.00	-	5	2,800.00		2,800
Rip Rep, d50 size from 6" to 24"	33	Tons	5	95 00	-	\$		1	.
Rip Rep, Grouted		LF	•	~ ~	_	Š			• \$
Drainage Chennel Construction, Size (W x H)		CY	s	570.00	-	5	•	1	5
Drainage Charmel Lining, Concrete			\$	112 00	•	\$	· · · · · · · · · · · · · · · · · · ·		, \$
Drainage Chennel Lining, Rip Rap		CY AC	3	1,469,00	•	5	•) 5
Drainage Channel Lining, Grass		AU	•	UU. BOP, I	7	-	-	1 1	
Drainage Channel Lining, Other Stabilization						\$	•		\$
					2	\$	-	1 1	\$
						\$		1	

	PROJECT INFORMATION	
Wyoming Estates Subdivision	3/11/2021	M5-196
Project Name	Date	PCD File No.

					Unit				(with Pr	-Ptal (Construction)
Description	Quantity	1	Units		Cost			Total	% Complete		Remaining
			Section	on 2	Subtotal	=	\$	99,370.00		\$	99,370.00
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	lvab	e or Di	stric	and NOT	Maint	ined b	y EPC)""			
						=	\$			\$	
						=	\$			\$	
						=	\$,		\$	•
						=	\$			\$	
						-	\$	•		\$	*
						=	\$			\$	*
STORM DRAIN IMPROVEMENTS				20.00							
24" CMP	6 5		LF	\$	96.00	=	\$	6,240.00		S	6,240.00
24" CMP FES	2		EA	\$	500.00	=	\$	1,000.00		5	1,000.00
Rip Rep, d50 size from 6" to 24"	65	i	Tons	\$	80.00	=	\$	5,200.00		\$	5,200.00
						-	\$	•		5	•
						=	\$			\$	
						=	\$			\$	
WATER SYSTEM IMPROVEMENTS											
Water Main Pipe (PVC), Size 8°			LF	\$	64.00	=	\$			\$	•
Water Main Pipe (Ductile Iron), Size 6"			LF	\$	75.00	=	S			\$	•
Gate Valves, 8"			EA	\$	1,858.00	=	\$			\$	•
Fire Hydrant Assembly, w/ all valves			EA	\$	6,597.00	=	\$	•		\$	
Water Service Line Installation, inc. tap and valves			EA	\$	1,324.00	=	\$			\$	
Fire Cistem Installation, complete			EA			=	\$	•		\$	
						=	s			\$	
						=	\$	-		\$	•
SANITARY SEWER IMPROVEMENTS											
Sewer Main Pipe (PVC), Size 8"			LF	\$	64.00	200	\$	•		\$	•
Sanilary Sawer Manhole, Depth < 15 feet			EA	S	4,396.00	-	\$			\$	
Sanitary Service Line Installation, complete			EA	\$	1,402.00	=	\$	•		\$	
Sanitary Sewer Lift Station, complete			EA			=	\$			\$	•
						=	\$	·		\$	
						=	\$			5	
LANDSCAPING IMPROVEMENTS											
			EA			=	\$			\$	•
			EA			==	\$			\$	
			EA			=	\$	•		\$	·
			EA			-	\$			\$	
			EA			=	\$	•	l	1 2	•

	PROJECT INFORMATION	
Wyoming Estates Subdivision	3/11/2021	MS-195
Project Name	Date	PCD File No.

			Unit				(with Pre-Pi	at Construction)
Description Quantity	Units		Cost			Total	% Complete	Remaining
	Secti	on 3	Subtotal	=	\$	12,440.00		12,440.00
AS-BUILT PLANS (Public improvements Inc. Permanent WQCV BMPs)	LS	\$	1,500.00	=	\$	1,500.00	\$	1,500.00
POND/BMP CERTIFICATION (inc. elevations and volume calculations)	LS	\$	1,000.00	*	\$	1,000.00	\$	1,000.00
				Tota	i Const	ruction Financia	I Assurance S	279,468.44
		(Sum of all seci			is-bulks and pond/Bl	طس ب	
Total Pame	inina Can	atr ii	rtion Financ	rial Acc	uranco	(with Pre-Plat C	onstruction) s	279,468.44
						as-builts and pond/8		273,408.44
(dan er								
				Tatal D	ofosk thi	erranty Financia	Acqueenee .	47,733.00

Total Defect Warranty Financial Assurance _\$ (20% of all items identified as (*) To be collateralized at time of preliminary acceptance)

Approvals on the Grading and Erosion Control Plan and Construction Drawings associated with the Project. hereby certify that this is an accurate 3-11-2021 Date Approved by El Paso County Engineer / ECM Administrator