2019 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 6/7/2019 PROJECT INFORMATION PCD File No. PPR2030 PCD File No. CLAREMONT BUSINESS PARK 2 Fil. 1 - Lot 7 7/17/2020 Project Name: Date

				Unit				(with Pro	e-Plat C	onou douon,
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 1 - GRADING AND EROSION CONTRO	OL (Construction	and Perma	nent	BMPs)						
* Earthwork										
less than 1,000; \$5,300 min	600	CY	\$	8.00	=	\$	5,300.00		\$	5,300.00
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min 20,001-50,000; \$100,000 min		CY	\$	5.00 3.50	=	\$	-		\$	-
		CY	\$	2.50	=	\$			\$	
50,001-200,000; \$175,000 min greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$			\$	
* Permanent Seeding (inc. noxious weed mgmnt.)		AC	\$	800.00	=	\$			\$	-
* Mulching		AC	\$	750.00		\$			\$	
* Permanent Erosion Control Blanket		SY	\$	6.00		\$			\$	-
* Permanent Pond/BMP Construction		CY	\$	3.00		\$			\$	
* Permanent Pond/BMP (Spillway)		EA	\$	2,500.00		\$			\$	
* Permanent Pond/BMP (Outlet Structure)		EA	\$	15,500.00	=	\$			\$	
Safety Fence		LF	\$	3.00	=	\$	_		\$	_
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-
Vehicle Tracking Control	1	EA	\$	2,370.00	=	\$	2,370.00		\$	2,370.00
Silt Fence	370	LF	\$	2.50	=	\$	925.00		\$	925.00
Temporary Seeding	1	AC	\$	628.00	=	\$	552.64		\$	552.64
Temporary Mulch	1	AC	\$	750.00	=	\$	660.00		\$	660.00
Erosion Bales	-	EA	\$	25.00	=	\$	-		\$	-
Erosion Logs/Straw Waddle		LF	\$	5.00	=	\$	-		\$	-
Rock Check Dams		EA	\$	500.00	=	\$	-		\$	-
Inlet Protection		EA	\$	167.00	=	\$	-		\$	-
Sediment Basin-Temp. Sediment Basin North (TSB-N)		EA	\$	1,762.00	=	\$	-		\$	-
Concrete Washout Basin	1	EA	\$	900.00	=	\$	900.00		\$	900.00
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
						4	1,892.67		\$	1,892.67
1	MAINTENANCE (3	5% of Con	struct	ion BMPs)	=	\$	1,032.07		Ψ	
- Subject to defect warranty financial assurance. A minimum of 20% shall be	-			ion BMPs) 1 Subtotal						12.600.31
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)	-			-	=	\$	12,600.31		\$	12,600.31
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS *	-			-						12,600.31
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS	-	Sec		-	=	\$	12,600.31		\$,
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control	-	Sec	tion	1 Subtotal	=	\$	12,600.31		\$	- -
- Subject to defect warranty financial assurance. A minimum of 20% shall be stained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS * ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)	-	LS Tons	tion s	1 Subtotal	=	\$	12,600.31		\$ \$ \$	-
- Subject to defect warranty financial assurance. A minimum of 20% shall be stained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)	-	LS Tons CY	s \$	28.00 50.00	=	\$	12,600.31		\$ \$ \$	-
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)	-	LS Tons CY SY	\$ \$ \$	28.00 50.00 14.00	=	\$ \$ \$ \$ \$	12,600.31		\$ \$ \$ \$	- - - - -
- subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	-	LS Tons CY SY SY	\$ \$ \$ \$ \$	28.00 50.00 14.00 19.00	=	\$ \$ \$ \$ \$	12,600.31 - - - - -		\$ \$ \$ \$ \$	- - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	-	LS Tons CY SY SY SY	\$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00	= = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - -		\$ \$ \$ \$ \$	- - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgragate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)	-	LS Tons CY SY SY SY Tons	\$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00	= = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - -		\$ \$ \$ \$ \$ \$	- - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	-	LS Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 8.00	= = = =	\$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$	- - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be etained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (14T lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	-	LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - - - -		\$	- - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be stained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	-	LS Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 8.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROL Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	-	LS Tons CY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 8.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFO CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	-	LS Tons CY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 8.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	-	LS Tons CY SY SY Tons SF EA EA SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type I	-	LS Tons CY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 20.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	-	LS Tons CY SY SY Tons SF EA EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00 24.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall betained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONITO Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	-	LS Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 - - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall betained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS ROADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (7" thick) Asphalt Pavement (8" thick) Asphalt Pavement	-	LS Tons CY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 8.00 300.00 23.00 200.00 24.00 30.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 48.00 60.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31 		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be stained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	-	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTRO Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SF EA LF LF LF SY SY SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 20.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROL Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	-	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SF EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROI Aggregate Base Course (135 lbs/cf) Asplate Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, coal (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	-	LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 48.00 60.00 72.00 96.00 61.00 92.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		* * * * * * * * * * * * * * * * * * *	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARRIFIC CONTROI Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase	-	LS Tons CY SY SY SY Tons SF EA EA LF LF SY SY SY SY LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 92.00 1,480.00 49.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$	
- Subject to defect warranty financial assurance. A minimum of 20% shall betained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)	-	LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 20.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROL Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (8" Vertical) Curde Inde Gutter, Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	-	LS Tons CY SY SY Tons EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 20.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00 2,098.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		* * * * * * * * * * * * * * * * * * * *	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTRO Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (8" thick) Asphalt Pavement (9" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	-	LS Tons CY SY SY Tons EA EA LF LF LF SY SY SY LF LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00 61.00 92.00 1,480.00 49.00 72.00 2,098.00 3,767.00 78.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
- Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) SECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TARTIFIC CONTROL Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (8" Vertical) Curde Inde Gutter, Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	-	LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 200.00 24.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00 2,098.00 3,767.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	12,600.31		* * * * * * * * * * * * * * * * * * * *	

PROJECT INFORMATION						
CLAREMONT BUSINESS PARK 2 Fil. 1 - Lot 7	7/17/2020					
Project Name:	Date	PCD File No.				

Description	O	ll-it-		Unit			Total	,	e-Plat Construction) Remaining	
Description	Quantity	Units	_	Cost		-	Total	% Complete		
[insert items not listed but part of construction	nlono!				=	\$			\$ - \$ -	
TORM DRAIN IMPROVEMENTS	piarisj				=	\$	-		\$ -	
Concrete Box Culvert (M Standard), Size (W	v H)	LF			=	\$			\$ -	
18" Reinforced Concrete Pipe	х п)	LF	\$	65.00	_	\$			\$ -	
24" Reinforced Concrete Pipe		LF	\$	78.00	=	\$			\$ -	
30" Reinforced Concrete Pipe		LF	\$	97.00	=	\$			\$ -	
36" Reinforced Concrete Pipe		LF	\$	120.00	=	\$			\$ -	
42" Reinforced Concrete Pipe		LF	\$	160.00	=	\$	-		\$ -	
48" Reinforced Concrete Pipe		LF	\$	195.00	=	\$	-		\$ -	
54" Reinforced Concrete Pipe		LF	\$	245.00	=	\$	-		\$ -	
60" Reinforced Concrete Pipe		LF	\$	288.00	=	\$	-		\$ -	
66" Reinforced Concrete Pipe		LF	\$	332.00	=	\$	-		\$ -	
72" Reinforced Concrete Pipe		LF	\$	380.00	=	\$	-		\$ -	
18" Corrugated Steel Pipe		LF	\$	84.00	=	\$	-		\$ -	
24" Corrugated Steel Pipe		LF	\$	96.00	=	\$	-		\$ -	
30" Corrugated Steel Pipe		LF	\$	122.00	=	\$	-		\$ -	
36" Corrugated Steel Pipe		LF	\$	147.00	=	\$	-		\$ -	
42" Corrugated Steel Pipe		LF	\$	168.00	=	\$	-		\$ -	
48" Corrugated Steel Pipe		LF	\$	178.00	=	\$	-		\$ -	
54" Corrugated Steel Pipe		LF	\$	260.00	=	\$	-		\$ -	
60" Corrugated Steel Pipe		LF	\$	280.00	=	\$	-		\$ -	
66" Corrugated Steel Pipe		LF	\$	340.00	=	\$	-		\$ -	
72" Corrugated Steel Pipe		LF	\$	400.00	=	\$	-		\$ -	
78" Corrugated Steel Pipe		LF	\$	460.00	=	\$	-		\$ -	
84" Corrugated Steel Pipe		LF	\$	550.00	=	\$	-		\$ -	
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA			=	\$	-		\$ -	
Flared End Section (FES) CSP Size =										
(unit cost = 6x pipe unit cost)	24"	EA	\$	520.00	=	\$	-		\$ -	
Flared End Section (FES) CSP TSB-N Size										
= (unit cost = 6x pipe unit cost)	24"	EA	\$	520.00	=	\$	-		\$ -	
End Treatment- Headwall	24	EA			=	\$			\$ -	
End Treatment- Wingwall		EA			=	\$			\$ -	
End Treatment - Cutoff Wall		EA			=	\$			\$ -	
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$	5,542.00	=	\$			\$ -	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10)'	EA	\$	7,188.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15		EA	\$	8,345.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$	7,627.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10)'	EA	\$	7,861.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15		EA	\$	9,841.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$	9,918.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10)'	EA	\$	10,633.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15	5'	EA	\$	11,627.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$	10,570.00	=	\$	-		\$ -	
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10)'	EA	\$	11,667.00	=	\$	-		\$ -	
Grated Inlet (Type C), Depth < 5'		EA	\$	4,640.00	=	\$	-		\$ -	
Grated Inlet (Type D), Depth < 5'		EA	\$	5,731.00	=	\$	-		\$ -	
Storm Sewer Manhole, Box Base (Type I)		EA	\$	11,627.00	=	\$	-		\$ -	
Storm Sewer Manhole, Slab Base (Type II)		EA	\$	6,395.00	=	\$	-		\$ -	
Storm Sewer Manhole, Slab Base (Type II) TS	SB-N	EA	\$	6,395.00	=	\$	-		\$ -	
Geotextile (Erosion Control) TSB-N		SY	\$	6.00	=	\$	-		\$ -	
Geotextile (Erosion Control)		SY	\$	6.00	=	\$	-		\$ -	
Rip Rap, d50 size from 6" to 24"		Tons	\$	80.00	=	\$	-		\$ -	
Rip Rap, Grouted		Tons	\$	95.00	=	\$	-		\$ -	
Drainage Channel Construction, Size (W x	H)	LF			=	\$	-		\$ -	
Drainage Channel Lining, Concrete		CY	\$	570.00	=	\$	-		\$ -	
Drainage Channel Lining, Rip Rap		CY	\$	112.00	=	\$	-		\$ -	
Drainage Channel Lining, Grass		AC	\$	1,469.00	=	\$	-		\$ -	
Drainage Channel Lining, Other Stabilization					=	\$	-		\$ -	
18" PP		LF	\$	40.00	=	\$	-		\$ -	
24" PP TCP N		LF	\$	48.00		\$	-		\$ -	
24" PP TSB-N		LF	\$	48.00		\$	-		\$ -	
						I &	-		- \$	
30" PP		LF	\$	65.00		\$			· · · · · · · · · · · · · · · · · · ·	
30" PP [insert items not listed but part of construction - Subject to defect warranty financial assurance. A minimum.		LF	Ф	65.00	=	\$	-		\$ -	

PROJECT INFORMATION							
CLAREMONT BUSINESS PARK 2 Fil. 1 - Lot 7	7/17/2020						
Project Name:	Date	PCD File No.					

				Unit			(with Pr	e-Plat Construction)
Description	Quantity	Units		Cost		Total	% Complete	Remaining
SECTION 3 - COMMON DEVELOPMENT	IMPROVEMENTS (Pri	vate or Di	strict	and NOT	Maintair	ned by EPC)**		
ROADWAY IMPROVEMENTS								
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
STORM DRAIN IMPROVEMENTS	(Exception: Permanent Pon	id/BMP shall l	be iten	nized under S	ection 1)	'		
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
					=	\$ -		\$ -
WATER SYSTEM IMPROVEMENTS								
Water Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$ -		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	75.00	=	\$ -		\$ -
Gate Valves, 8"		EA	\$	1,858.00	=	\$ -		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	6,597.00	=	\$ -		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,324.00	=	\$ -		\$ -
3" Fire Line w/ valve		EA	\$	1,500.00	=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans	s]				=	\$ -		\$ -
SANITARY SEWER IMPROVEMENTS								
Sewer Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$ -		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,386.00	=	\$ -		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,402.00	=	\$ -		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$ -		\$ -
					=	\$ -		\$ -
[insert items not listed but part of construction plans	•				=	\$ -		\$ -
LANDSCAPING IMPROVEMENTS	(For subdivision spe		of ap	proval, or PUI	D)			
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
		EA			=	\$ -		\$ -
* - Section 3 is not subject to defect warranty requirements		Sec	tion :	3 Subtotal	=	\$ -		\$ -

PROJECT INFORMATION							
CLAREMONT BUSINESS PARK 2 Fil. 1 - Lot 7	7/17/2020						
Project Name:	Date	PCD File No.					

			Unit			(with Pre	-Plat Construction)
Description	Quantity	Units	Cost		Total	% Complete	Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent Wo	QCV BMPs)	LS		=	\$ -		\$ -
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS		=	\$ -		\$ -
				Total	Construction Financia	al Assurance	\$ 12,600.31
(Sum of all section subtotals plus as-builts and pond/BMP certification)							
	Total Rem	naining Con	struction Final	ncial Assui	rance (with Pre-Plat C	onstruction)	\$ 12,600.31
(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)							

Total Defect Warranty Financial Assurance \$ 1,060.00 (20% of all items identified as (*). To be collateralized at time of preliminary acceptance)

Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.



Engineer (P.E. Seal Required)

7-17-2020

Approved by Owner / Applicant

Date

Approved by El Paso County Engineer / ECM Administrator

Date

Financial Assurance Forms _V1.pdf Markup Summary

Engineer (1)



Subject: Engineer Page Label: 1 Author: JPatton

Date: 10/12/2020 10:25:10 AM

Status: Color: ■ Layer: Space: PCD File No. PPR2030