

Planning and Community Development Department 2880 International Circle Colorado Springs, Colorado 80910

DEVIATION REQUEST AND DECISION FORM

Updated: 6/26/2019

Phone: 719.520.6300 Fax: 719.520.6695

Website www.elpasoco.com

PROJECT INFORMATION		
Project Name :	Peaceful Ridge at Fountain Valley	
Schedule No.(s):	5515400002	
Legal Description :		
	Project Name : Schedule No.(s) :	

APPLICANT INFORMATION

Company: Widefield Investment Group

Name: Ryan Watson

Mailing Address: 3 Widefield Blvd, Colorado Springs, CO 80911

Phone Number: 719-392-0194

FAX Number:

Email Address: ryan@widefieldinvestmentgroup.com

ENGINEER INFORMATION

Company: HR Green

Name : Colleen Monahan Colorado P.E. Number : 0056067

Mailing Address: 1975 Research Parkway, Suite 230, Colorado Springs, CO 80920

Phone Number: 720-602-4999

FAX Number:

Email Address: cmonahan@hrgreen.com

OWNER, APPLICANT, AND ENGINEER DECLARATION

To the best of my knowledge, the information on this application and all additional or supplemental documentation is true, factual and complete. I am fully aware that any misrepresentation of any information on this application may be grounds for denial. I have familiarized myself with the rules, regulations and procedures with respect to preparing and filing this application. I also understand that an incorrect submittal will be cause to have the project removed from the agenda of the Planning Commission, Board of County Commissioners and/or Board of Adjustment or delay review until corrections are made, and that any approval of this application is based on the representations made in the application and may be revoked on any breach of representation or condition(s) of approval.

condition(s) of approval.	Collen Monahan	6/28/2023	
Signature of owner (or aut	horized representative)	Date	
Engineer's Seal Signature	TOO RADOLICENS 7		

Engineer's Seal, Signature And Date of Signature



DEVIATION REQUEST (Attach diagrams, figures, and other documentation to clarify request)

A deviation from the standards of or in Section Detail SD 2-75 and SD-2-78, Section 2.3.8 of the Engineering Criteria Manual (ECM) is requested. Identify the specific ECM standard which a deviation is requested: Cul-de-sacs shall have a minimum radius of 45 feet and a maximum length of 750 feet. State the reason for the requested deviation: Peaceful Ridge at Fountain Valley subdivision was previously platted. In order to avoid a re-platting of the site, modified cul-de-sac and knuckle designs are proposed. The modifications to the EPC knuckle and cul-de-sac design will keep public improvements within eh platted right-of-way. Explain the proposed alternative and compare to the ECM standards (May provide applicable regional or national standards used as basis): Meeting the standard would result in right-of-way being constructed on personal property within an easement and not in public right-of-way.

LIMITS OF CONSIDERATION (At least one of the conditions listed below must be met for this deviation request to be considered.)				
 □ The ECM standard is inapplicable to the particular situation. □ Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship and an equivalent alternative that can accomplish the same design objective is available and does not compromise public safety or accessibility. ☑ A change to a standard is required to address a specific design or construction problem, and if not modified, the standard will impose an undue hardship on the applicant with little or no material benefit to the public. 				
Provide justification:				
The subdivision has been recorded and construction drawings were previously approved. The subdivision has been modified to meet all applicable MS4 permit requirements. Revising the road layout would result in the plat needing to be vacated and replatted.				
CRITERIA FOR APPROVAL				
Per ECM section 5.8.7 the request for a deviation may be considered if the request is not based exclusively on financial considerations . The deviation must not be detrimental to public safety or surrounding property. The applicant must include supporting information demonstrating compliance with all of the following criteria :				
The deviation will achieve the intended result with a comparable or superior design and quality of improvement. The deviation request will result in a comparable design. The deviation will allow for safe travel of passenger vehicles as well as emergency response vehicles.				
The deviation will not adversely affect safety or operations.				
Emergency vehicles will be able to navigate the knuckles.				

he deviation will not have an impact on maintenance.	
he deviation will not adversely affect aesthetic appearance.	
he deviation will have no impact on aesthetics.	
"Leader inting grounds the planting intent and grown and of the FOM standards	
ne deviation meets the design intent and durpose of the ECIVI standards.	
The deviation meets the design intent and purpose of the ECM standards.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he deviation meets the design intent and purpose of the ECM standards. he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	
he design and intent purposes of the ECM standards are to allow for safe travel and to allow for ongoing maintenance. The deviation will ave no impact on the intent. The deviation meets the control measure requirements of Part I.E.3 and Part I.E.4 of the County's MS4 permit, as applicable.	

REVIEW AND RECOMMENDATION:

Approved by the ECM Administrator		
This request has been determined to have met the criteria for approval hereby granted based on the justification provided.	. A deviation from Section	of the ECM is
Γ	1	
L	L	
Denied by the ECM Administrator		
This request has been determined not to have met criteria for approval hereby denied.	. A deviation from Section	of the ECM is
Γ	٦	
L	L	
ECM ADMINISTRATOR COMMENTS/CONDITIONS:		

1.1. PURPOSE

The purpose of this resource is to provide a form for documenting the findings and decision by the ECM Administrator concerning a deviation request. The form is used to document the review and decision concerning a requested deviation. The request and decision concerning each deviation from a specific section of the ECM shall be recorded on a separate form.

1.2. BACKGROUND

A deviation is a critical aspect of the review process and needs to be documented to ensure that the deviations granted are applied to a specific development application in conformance with the criteria for approval and that the action is documented as such requests can point to potential needed revisions to the ECM.

1.3. APPLICABLE STATUTES AND REGULATIONS

Section 5.8 of the ECM establishes a mechanism whereby an engineering design standard can be modified when if strictly adhered to, would cause unnecessary hardship or unsafe design because of topographical or other conditions particular to the site, and that a departure may be made without destroying the intent of such provision.

1.4. APPLICABILITY

All provisions of the ECM are subject to deviation by the ECM Administrator provided that one of the following conditions is met:

- The ECM standard is inapplicable to a particular situation.
- Topography, right-of-way, or other geographical conditions or impediments impose an undue hardship
 on the applicant, and an equivalent alternative that can accomplish the same design objective is
 available and does not compromise public safety or accessibility.
- A change to a standard is required to address a specific design or construction problem, and if not
 modified, the standard will impose an undue hardship on the applicant with little or no material benefit to
 the public.

1.5. TECHNICAL GUIDANCE

The review shall ensure all criteria for approval are adequately considered and that justification for the deviation is properly documented.

1.6. LIMITS OF APPROVAL

Whether a request for deviation is approved as proposed or with conditions, the approval is for project-specific use and shall not constitute a precedent or general deviation from these Standards.

1.7. REVIEW FEES

A Deviation Review Fee shall be paid in full at the time of submission of a request for deviation. The fee for Deviation Review shall be as determined by resolution of the BoCC.