### Steve Schleiker El Paso County, CO 02/01/2023 03:40:28 PM Doc \$0.00 8 Rec \$0.00 Pages 223009618 SUBDIVISION IMPROVEMENTS AGREEMENT

SF. 22.6

Boch

ž i

ŵ

THIS AGREEMENT, made between **The Citizen on Constitution**, **LLC**, hereinafter called the "Subdivider," and El Paso County by and through the Board of County Commissioners of El Paso County, Colorado, hereinafter called the "County," shall become effective the date of approval of the Final Plat by the Board of County Commissioners.

### WITNESSETH:

WHEREAS, the Subdivider, as a condition of approval of the final plat of **CITIZEN ON CONSTITUTION FILING NO. 1** Subdivision wishes to enter into a Subdivision Improvements Agreement, as provided for by Section 30-28-137 (C.R.S.), Chapter 5 of the El Paso County Engineering Criteria Manual and Chapter 8 of the El Paso County Land Development Code incorporated herein; and

WHEREAS, pursuant to the same authority, the Subdivider is obligated to provide security or collateral sufficient in the judgment of the Board of County Commissioners to make reasonable provision for completion of certain public improvements set forth on **Exhibit A** attached hereto and incorporated herein; and

WHEREAS, the Subdivider wishes to provide collateral to guarantee performance of this Agreement including construction of the above-referenced improvements by means of a performance or property bond.

NOW, THEREFORE, in consideration of the following mutual covenants and agreements, the Subdivider and the County agree as follows:

- 1. The Subdivider agrees to construct and install, at his sole expense, all of those improvements as set forth on **Exhibit A** attached hereto. To secure and guarantee performance of its obligations as set forth herein, the Subdivider agrees to provide collateral to remain in effect at all times until the improvements are completed and accepted in accordance with Chapter 5 of the ECM. Security and collateral shall be posted in the form of a performance or property bond: issued by (Great Midwest Insurance Company) as corporate surety in the amount of \$1,441,141.00.
- 2. Subdivider is responsible for providing any renewals of collateral to ensure that there is never a lapse in security coverage. Subdivider shall procure renewal/extension/replacement collateral at least fifteen (15) days prior to the expiration of the original or renewal/extension/replacement collateral then in effect. Failure to procure renewal/extension/replacement collateral within this time limit shall be a default under this Agreement and shall allow the County to execute on the collateral. In addition, if Subdivider allows collateral to lapse at any time, no lots in the subdivision may be sold, conveyed or transferred, whether by Deed or Contract, after the expiration date of such collateral until the improvements identified on Exhibit A have been completed and final acceptance is received from the County. If replacement collateral is used for renewal, approval by Board of County Commissioners is required.
- 3. No lots in the subdivision shall be sold, conveyed or transferred, whether by Deed or by Contract, nor shall building permits be issued until and unless the required improvements for the subdivision have been constructed and completed in accordance with the approved construction plans and preliminary acceptance is received from the County. In the alternative, lots within the subdivision may be sold, conveyed or transferred and / or have building permits issued upon receipt of collateral acceptable to the County, pursuant to this Agreement, which is sufficient to guarantee construction of the improvements in the attached Exhibit A.
- 4. The Subdivider agrees that all of those certain public improvements to be completed as identified on **Exhibit A** shall be constructed in compliance with the following:
  - a. All laws, resolutions and regulations of the United States, State of Colorado, El


Paso County and its various agencies, affected special districts and/or servicing authorities.

- b. Such other designs, drawings, maps, specifications, sketches and other matter submitted to and approved by any of the above-stated governmental entities.
- All improvements shall be completed by the Subdivider, meeting all applicable standards for 5. preliminary acceptance, within 24 (twenty-four) months from the date of notice to proceed in the Construction Permit for the Subdivision. If the Subdivider determines that the completion date needs to be extended, the Subdivider shall submit a written request for a change in the completion date to the ECM Administrator at least 90 days in advance of the required completion date. The request shall include the reasons for the requested change in completion date, the proposed new completion date, and prove collateral is in place to cover the extension time requested. The completion date for the Subdivision may be extended one time, for a period no longer than 6 months at the discretion of the ECM Administrator. Any additional requests for extension of the completion date will be scheduled for hearing by the Board of County Commissioners. The ECM Administrator or the Board of County Commissioners may require an adjustment in the amount of collateral to take into account any increase in cost due to the delay including inflation. It is mutually agreed pursuant to the provisions of Section 30-28-137 (3) C.R.S. that the County or any purchaser of any lot, lots, tract or tracts of land subject to a plat restriction which is the security portion of a Subdivision Improvements Agreement shall have the authority to bring an action in any District Court to compel the enforcement of any Subdivision Improvements Agreement on the sale, conveyance, or transfer of any such lot, lots, tract or tracts of land or of any other provision of this article. Such authority shall include the right to compel rescission of any sale, conveyance, or transfer of any lot, lots, tract or tracts of land contrary to the provisions of any such restrictions set forth on the plat or in any separate recorded instrument, but any such action shall be commenced prior to the issuance of a building permit by the County where so required or otherwise prior to commencement of construction on any such lot, lots, tract or tracts of land.
- 6. It is further mutually agreed that, pursuant to the provisions of Section 30-28-137 (2) C.R.S. and Chapter 5 of the County's Engineering Criteria Manual, as improvements are completed, the Subdivider may apply to the Board of County Commissioners for a release of part or all of the collateral deposited with said Board. Upon inspection and approval, the Board shall release said collateral. The County agrees to respond to an inspection request in a reasonable time upon receipt of the request. If the Board determines that any of such improvements are not constructed in substantial compliance with specifications it shall furnish the Subdivider a list of specific deficiencies and shall be entitled to withhold collateral sufficient to ensure such substantial compliance. If the Board of County Commissioners determines that the Subdivider will not construct any or all of the improvements in accordance with all of the specifications, the Board of County Commissioners may withdraw and employ from the deposit of collateral such funds as may be necessary to construct the improvements in accordance with the specifications.
- 7. The Subdivider agrees, and both parties acknowledge that the construction of the improvements identified and guaranteed through this Subdivision Improvements Agreement shall follow the inspection, collateral, and acceptance process that is identified in Chapter 5 of the County's Engineering Criteria Manual. This is to include among other things, a Preliminary Acceptance process, replacement of performance collateral with appropriate Warranty collateral at that time, and a 2-year warranty period prior to final acceptance. Where any inconsistency exists between Chapter 5 of the Engineering Criteria Manual and the Land Development Code with respect to these inspections, collateral and acceptance processes, the Engineering Criteria Manual is the controlling document.
- 8. The Subdivider agrees to provide the County with a title insurance commitment at time of final platting evidencing that fee simple title of all lands in the subdivision is vested with the subdivider.
- 9. The County agrees to approval of the final plat of CITIZEN ON CONSTITUTION FILING NO.

1 Subdivision subject to the terms and conditions of this Agreement.

- 10. Parties hereto mutually agree that this Agreement may be amended from time to time provided that such amendment be in writing and signed by all parties hereto.
- 11. This Agreement shall take effect on the date of approval of the Final Plat by the Board of County Commissioners.
- 12. The Subdivider agrees for itself and its successors and assigns that Subdivider and/or its said successors and assigns shall be required to pay road impact fees in accordance with the El Paso County Road Impact Fee Program at or prior to the time of building permit submittals.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year below written.



Subdivider
THE CITIZEN ON CONSTITUTION, LLC A DELAWARE LIMITED LIABILITY COMPANY By: Garrett Partners XXXVII, LLC an Indiana limited liability company Its managing member
By:
Eric Garrett, Manager
Subscribed, sworn to and acknowledged before me this <u>add</u> day of <u>December</u> , 20 <u>22</u> by the parties above named.
11

ay 10,2028 My commission expires: Tuch RACHEL MCNICHOLAS Notary Public - Seal Johnson County - State of Indiana Commission Number NP0726701 My Commission Expires May 10, 2028 1 Notary Public

# 2022 Financial Assurance Estimate Form

## (with pre-plat construction)

tizen on Constitution			10/26/	2022		SF226				
oject Name			Date		-	PCD File No.				
escription	Quantity	Units	Un Cos				Total	(with Pre-F % Complete	Plat Construction) Remaining	
ECTION 1 - GRADING AND EROSION CONTRO	L (Construction	and Perma	nent BMP	Ps)						
* Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-	\$	-	
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-	\$		
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-	\$		
20,001-50,000; \$100,000 min	35,800	CY	\$	3.50	=	\$	125,300.00	\$	125,300.0	
50,001-200,000; \$175,000 min		CY	\$	2.50	-	\$	-	\$		
greater than 200,000; \$500,000 min		CY	S	2.00	=	\$		\$		
* Permanent Seeding (inc. noxious weed mgmnt.)	5	AC		86.00	=	\$	4,430.00	\$		
* Mulching	5	AC		31.00	=	\$	4,155.00	Ś		
* Permanent Erosion Control Blanket		SY	\$ 0.	7.00	=		4,155.00	5		
	2 720					\$	50 040 00	-		
* Permanent Pond/BMP Construction	2,720	CY	\$ 3	22.00	=	\$	59,840.00	4	59,840.0	
		EA			=	\$	-	\$	-	
		EA			=	\$	-	\$	-	
Safety Fence	3,410	LF	\$	3.00	=	\$	10,230.00	\$	10,230.0	
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-	\$	-	
Vehicle Tracking Control	2	EA		25.00	=	\$	5,250.00	\$	5,250.	
Silt Fence	1,422	LF	\$	3.00	=	\$	4,266.00	s		
Femporary Seeding	5	AC		95.00	-	\$	3,475.00	Ś		
	5	AC		31.00	-					
Temporary Mulch	5					\$	4,155.00			
Erosion Bales		EA		28.00	=	\$		\$		
Erosion Logs/Straw Wattles		LF	\$	6.00	=	\$		\$	-	
Rock Check Dams	5	EA	\$ 5	54.00	=	\$	2,770.00	\$	2,770.0	
Inlet/Outlet Protection	23	EA	\$ 1	85.00	=	\$	4,255.00	\$	4,255.0	
Sediment Basin	1	EA	\$ 1,9	52.00	=	\$	1,952.00	\$	1,952.0	
Concrete Washout Basin	1	EA	\$ 9	97.00	=	\$	997.00	s		
					=	\$		s		
					=					
					=	\$	-	5	-	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED)	INTENANCE (35%		ruction Bl		=	\$ \$	9,492.00 <b>240,567.00</b>	\$		
MA Subject to defect warranly financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS *	INTENANCE (359							\$		
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS		Secti	on 1 Sub	ototal	-	\$	240,567.00	\$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control	INTENANCE (35%	Secti	on 1 Sub \$ 5,00	00.00	=	<b>\$</b>		\$	<b>240,567.0</b>	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CONTON 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)	1	Secti LS Tons	on 1 Sub \$ 5,00 \$ 5	00.00 31.00	-	\$ \$ \$	240,567.00 5,000.00 -	\$	5,000.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		Secti LS Tons CY	on 1 Sub \$ 5,00 \$ 3	00.00 31.00 56.00	=	\$ \$ \$	240,567.00	\$	<b>240,567.0</b> 5,000. 30,800.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CONTON 2 - PUBLIC IMPROVEMENTS * Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)	1 550	Secti LS Tons CY SY	on 1 Sub \$ 5,00 \$ 5 \$	00.00 31.00 56.00 16.00	=	<b>\$</b> \$ \$ \$	<b>240,567.00</b> 5,000.00 - 30,800.00 -	\$	<b>240,567.0</b> 5,000.0 30,800.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	1	Secti LS Tons CY	on 1 Sub \$ 5,00 \$ 5 \$	00.00 31.00 56.00	=	\$ \$ \$	240,567.00 5,000.00 -	\$	<b>240,567.0</b> 5,000.0 30,800.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall teained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	1 550	Secti LS Tons CY SY	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00	=	<b>\$</b> \$ \$ \$	<b>240,567.00</b> 5,000.00 - 30,800.00 -	\$	<b>240,567.0</b> 5,000.0 30,800.0	
MA Subject to defect warranly financial assurance. A minimum of 20% shall teained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CONTON 2 - PUBLIC IMPROVEMENTS * ADDWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	1 550	LS Tons CY SY SY	on 1 Sub \$ 5,00 \$ \$ \$ \$ \$ \$	00.00 31.00 56.00 16.00 21.00	=	<b>\$</b> \$ \$ \$ \$	<b>240,567.00</b> 5,000.00 - 30,800.00 -	\$	<b>240,567.0</b> 5,000.0 30,800.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall teained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * PADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)	1 550	LS Tons CY SY SY SY	on 1 Sub \$ 5,00 \$ \$ \$ \$ \$ \$	00.00 31.00 56.00 16.00 21.00 32.00	=	\$ \$ \$ \$ \$ \$ \$	<b>240,567.00</b> 5,000.00 - 30,800.00 -	\$	<b>240,567.0</b> 5,000.0 30,800.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (WAXIMUM OF 80% COMPLETE OWED) COTTON 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved	1 550 3,200	LS Tons CY SY SY SY Tons	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00	-	\$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00	\$	240,567.0 5,000. 30,800. 67,200. 27,684.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall elained until final acceptance (WAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign	1 550 3,200 3,076 14	Secti LS Tons CY SY SY SY SY Tons SF EA	s 5,00 \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 33.00	-	<b>\$</b> * * * * * * * *	<b>240,567.00</b> 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00	\$ 4 \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA bubject to defect warranty financial assurance. A minimum of 20% shall elained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign	1 550 3,200 3,076 14 3	Secti LS Tons CY SY SY SY Tons SF EA EA	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 33.00 33.00	-	<b>\$</b> * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00	\$	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CONTROL 2 - PUBLIC IMPROVEMENTS * VADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	1 550 3,200 3,076 14 3 1,980	Secti LS Tons CY SY SY SY Tons SF EA EA SF	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 33.00 33.00 33.00 15.00		<b>\$</b>	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00	\$ 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999. 29,700.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	1 550 3,200 3,076 14 3	Secti LS Tons CY SY SY SY Tons SF EA EA SF SF	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 33.00 33.00 33.00 15.00 26.00		*****	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00	\$ 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999. 29,700. 19,500.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Reised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3	1 550 3,200 3,076 14 3 1,980	LS Tons CY SY SY SY SY SF EA EA SF EA	s 33 \$ 34 \$ 34 \$ 35 \$ 34 \$ 35 \$ 34 \$ 34 \$ 34 \$ 34 \$ 34 \$ 34 \$ 34 \$ 34	00.00 31.00 56.00 21.00 32.00 97.00 9.00 33.00 33.00 15.00 26.00 21.00		<b>\$</b> * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999. 29,700. 19,500.	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type I	1 550 3,200 3,076 14 3 1,980 750	LS Tons CY SY SY SY SY SY SF EA EA SF EA EA EA	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 33.00 33.00 33.00 15.00 26.00		******	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00	\$ 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type I	1 550 3,200 3,076 14 3 1,980	LS Tons CY SY SY SY SY SF EA EA SF EA	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 33 \$ 33 \$ 33	00.00 31.00 56.00 21.00 32.00 97.00 9.00 33.00 33.00 15.00 26.00 21.00		<b>\$</b> * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * VADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 1 Curb and Gutter, Type A (6" Vertical)	1 550 3,200 3,076 14 3 1,980 750	LS Tons CY SY SY SY SY SY SF EA EA SF EA EA EA	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 33 \$ 5 \$ 33 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 33.00 33.00 15.00 26.00 21.00 27.00		******	<b>240,567.00</b> 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * VADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Baricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	1 550 3,200 3,076 14 3 1,980 750 1,202	LS Tons CY SY SY SY SY SF EA EA EA EA EA LF	on 1 Sub \$ 5,00 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 933.00 33.00 33.00 23.00 21.00 21.00 21.00 21.00 21.00 22.00		* * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * VADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25	Secti LS Tons CY SY SY SY Tons SF EA EA EA EA EA LF LF LF	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 33.00 33.00 33.00 26.00 21.00 221.00 32.00 32.00 32.00		* * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332	Secti LS Tons CY SY SY SY Tons SF EA EA EA EA EA LF LF LF SY	on 1 Sub \$ 5,00 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 33.00 33.00 33.00 15.00 26.00 21.00 22.00 32.00 32.00 32.00 53.00		* * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA bubject to defect warranty financial assurance. A minimum of 20% shall estained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTON 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Suide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA LF LF LF SY SY	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 33.00 15.00 26.00 21.00 27.00 32.00 32.00 32.00 53.00 66.00		* * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999. 29,700. 19,500. 38,464. 38,464. 42,624. 800. 76,320.	
MA bubiect to defect warranty financial assurance. A minimum of 20% shall balaned until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTON 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Saphalt Pavement (147 lbs/cf)" thick Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Enernoplastic Pavement Marking Barricade - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 5" Sidewalk	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA EA EA LF LF LF SY SY SY	on 1 Sub \$ 5,00 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 9.00 33.00 33.00 15.00 26.00 21.00 27.00 32.00 32.00 32.00 53.00 66.00 80.00		* * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA bubject to defect warranty financial assurance. A minimum of 20% shall estained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Bioude/Street Name Sign Epoxy Pavement Marking Barricade - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 5" Sidewalk 3" Sidewalk 3" Sidewalk	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440	Secti LS Tons CY SY SY SY SY SY EA EA EA EA EA LF LF LF SY SY SY SY	on 1 Sub \$ 5,00 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 33.00 15.00 26.00 21.00 27.00 32.00 32.00 32.00 32.00 32.00 32.00 83.00 66.00 80.00 06.00		* * * * * * * * * * * * * * * * * * * *	<b>240,567.00</b> 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00 76,320.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA whighed to defect warranty financial assurance. A minimum of 20% shall elained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Category Pavement Marking District Pavement (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) "Sidewalk "Sidewalk "Sidewalk "Sidewalk Padestrian Ramp	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA LF LF LF LF SY SY SY SY EA	on 1 Sub \$ 5,00 \$ 3 \$ 4 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 33.00 15.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 80.00 06.00 73.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) COTION 2 - PUBLIC IMPROVEMENTS * ADUAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 5" Sidewalk 5" Sidewalk 5" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA LF LF LF SY SY SY SY SY EA LF	on 1 Sub \$ 5,00 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 93.00 33.00 33.00 15.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 66.00 73.00 67.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - - 38,464.00 42,624.00 800.00 76,320.00 - - - - 22,914.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA ubject to defect warranty financial assurance. A minimum of 20% shall estained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Segulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) I" Sidewalk "S Sidewalk "Coms Pan, local (8" thick, 6' wide to include return)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA LF LF LF LF SY SY SY SY EA	on 1 Sub \$ 5,00 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 33.00 15.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 80.00 06.00 73.00		* * * * * * * * * * * * * * * * * * * *	<b>240,567.00</b> 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00 76,320.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA ubject to defect warranty financial assurance. A minimum of 20% shall tained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Sayalat Pavement (6" thick) Sayalat Pavement (6" thick) Sayalat Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Suide/Street Name Sign Epoxy Pavement Marking Samicade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) I" Sidewalk S" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, arterial (9" thick, 10' wide to include return)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA LF LF LF SY SY SY SY SY EA LF	on 1 Sub \$ 5,00 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 93.00 33.00 33.00 15.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 66.00 73.00 67.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - - 38,464.00 42,624.00 800.00 76,320.00 - - - - 22,914.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA while to defect warranty financial assurance. A minimum of 20% shall elained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Sayhalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Suide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440	Secti LS Tons CY SY SY SY SY Tons SF EA EA EA LF LF SY SY SY SY EA LF LF	on 1 Sub \$ 5,00 \$ 5 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 33.00 33.00 33.00 15.00 26.00 221.00 221.00 221.00 221.00 32.00 20.00 32.00 200		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999. 29,700. 19,500. 38,464. 42,624. 800. 76,320. - - - - - - - - - - - - - - - - - - -	
MA whighed to defect warranty financial assurance. A minimum of 20% shall estained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Suide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 3" Side	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY SY SF EA EA EA EA EA LF LF SY SY SY SY EA LF LF EA LF	on 1 Sub \$ 5,00 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 33.00 15.00 26.00 21.00 27.00 32.00 32.00 53.00 66.00 80.00 66.00 80.00 73.00 67.00 20.00 39.00 55.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - - 67,200.00 - - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 19,500.00 - - - 38,464.00 42,624.00 800.00 76,320.00 - - - - 22,914.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0 5,000. 30,800. 67,200. 27,684. 4,662. 999. 29,700. 19,500. 38,464. 42,624. 800. 76,320. 76,320. 22,914. 9,600.	
MA whighed to defect warranty financial assurance. A minimum of 20% shall elained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Saphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 3" Side	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY SY EA EA EA EA EA LF LF SY SY SY SY EA LF EA LF EA LF	on 1 Sub \$ 5,00 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 33.00 13.00 26.00 21.00 27.00 32.00 32.00 32.00 32.00 32.00 55.00 80.00 06.00 73.00 67.00 20.00 39.00 55.00 80.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA whighed to defect warranty financial assurance. A minimum of 20% shall elained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (14" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Forware (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) \$" Sidewalk \$"	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY SY EA EA EA EA EA LF LF SY SY SY SY SY EA LF LF EA LF LF EA LF EA	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 13.00 23.00 23.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 80.00 67.00 20.00 55.00 80.00 22.00 20.000		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 - - 38,464.00 42,624.00 800.00 76,320.00 - - 22,914.00 - 9,600.00 - 12,925.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OVED) COTION 2 - PUBLIC IMPROVEMENTS * ADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement Marking Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" sidewalk 6" Sidewalk 8" Sidewalk 9 Conse Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) 9 Concrete) 9	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY SY EA EA EA EA LF LF LF SY SY SY SY EA LF LF EA LF LF EA LF LF EA EA	on 1 Sub \$ 5,00 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5 \$ 5	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 97.00 33.00 33.00 23.00 23.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 80.00 66.00 73.00 67.00 20.00 39.00 55.00 80.00 24.00 72.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall etained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CTION 2 - PUBLIC IMPROVEMENTS * MADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Baricade Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk 9 Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY SY EA EA EA EA EA LF LF SY SY SY SY SY SY EA LF LF EA LF EA LF EA LF EA LF EA	on 1 Sub \$ 5,00 \$ 5 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 221.00 32.00 97.00 97.00 97.00 33.00 33.00 23.00 23.00 23.00 21.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 66.00 73.00 67.00 20.00 39.00 55.00 80.00 24.00 72.00 87.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 19,200.00 19,500.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00 76,320.00 - - 22,914.00 - 12,925.00 - 12,925.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
MA Subject to defect warranty financial assurance. A minimum of 20% shall relained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CONSTRUCTION 2 - PUBLIC IMPROVEMENTS * ADUMAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk 8" Sidewalk 9" Sidewalk 9	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY Tons SF EA EA EA EA LF LF LF SY SY SY SY SY SY SY SY SY EA LF LF EA LF LF EA LF LF EA LF LF EA LF LF EA LF LF EA LF LF LF LF LF LF LF LF LF LF LF LF LF	on 1 Sub \$ 5,00 \$ 5 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 21.00 32.00 97.00 97.00 9.00 33.00 33.00 33.00 26.00 221.00 221.00 221.00 221.00 32.		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 - 27,684.00 4,662.00 999.00 29,700.00 19,500.00 - - 38,464.00 42,624.00 800.00 76,320.00 - - 22,914.00 - 9,600.00 - 12,925.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0	
Subject to defect warranty financial assurance. A minimum of 20% shall retained until final acceptance (MAXIMUM OF 80% COMPLETE OWED) CONTON 2 - PUBLIC IMPROVEMENTS * DADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type M (6" Vertical) Curb and Gutter, Type B (Median)	1 550 3,200 3,076 14 3 1,980 750 1,202 1,332 25 1,440 18 80	Secti LS Tons CY SY SY SY SY EA EA EA EA EA LF LF SY SY SY SY SY SY EA LF LF EA LF EA LF EA LF EA LF EA	on 1 Sub \$ 5,00 \$ 5 \$ 2 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3 \$ 3	00.00 31.00 56.00 16.00 221.00 32.00 97.00 97.00 97.00 33.00 33.00 23.00 23.00 23.00 21.00 22.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 32.00 53.00 66.00 66.00 73.00 67.00 20.00 39.00 55.00 80.00 24.00 72.00 87.00		* * * * * * * * * * * * * * * * * * * *	240,567.00 5,000.00 - 30,800.00 - 67,200.00 19,200.00 19,500.00 19,500.00 19,500.00 - - 38,464.00 42,624.00 800.00 76,320.00 - - 22,914.00 - 12,925.00 - 12,925.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	240,567.0 5,000. 30,800. 67,200. 67,200. 27,584. 4,662. 999. 29,700. 19,500. 19,500. 38,464. 42,624. 800. 76,320. - - - - - - - - - - - - - - - - - - -	

Updated: 11/4/2021

litizen on Constitution				10/26/2022			SF226					
roject Name			Date			PCD File No.						
				Juit								
				Unit				(with Pre-	Plat C	onstruction)		
escription		Quantity	Units	Cost			Total	% Complete		Remaining		
RAB Central Island Cover	-	1,818	SF	\$ 9.00	=	\$	16,362.00		\$	16,362.0		
RAB Concrete Truck Apron		286	SY	\$ 80.00	=	\$	22,880.00	-	\$	22,880.0		
FORM DRAIN IMPROVEMENTS						+			т			
Concrete Box Culvert (M Standard), Size (	WxH)		LF		=	\$	-		\$	-		
18" Reinforced Concrete Pipe		284	LF	\$ 70.00	=	\$	19,880.00		\$	19,880.0		
24" Reinforced Concrete Pipe		102	LF	\$ 83.00	=	\$	8,466.00		\$	8,466.0		
30" Reinforced Concrete Pipe			LF	\$ 104.00	=	\$	-		\$	-		
36" Reinforced Concrete Pipe			LF	\$ 128.00	=	\$	-		\$	-		
42" Reinforced Concrete Pipe			LF	\$ 171.00	=	\$	-		\$	-		
48" Reinforced Concrete Pipe			LF	\$ 209.00	=	\$	-		\$	-		
54" Reinforced Concrete Pipe			LF	\$ 272.00	=	\$	-		\$	-		
60" Reinforced Concrete Pipe			LF	\$ 319.00	=	\$	-		\$	-		
66" Reinforced Concrete Pipe			LF	\$ 368.00	=	\$	-		\$	-		
72" Reinforced Concrete Pipe			LF	\$ 421.00	=	\$	-		\$	-		
18" Corrugated Steel Pipe			LF	\$ 90.00	=	\$	-		\$	-		
24" Corrugated Steel Pipe			LF	\$ 103.00	=	\$	-		\$	-		
30" Corrugated Steel Pipe			LF	\$ 131.00	=	\$	-		\$	-		
36" Corrugated Steel Pipe			LF	\$ 157.00	=	\$	-		\$	-		
42" Corrugated Steel Pipe			LF	\$ 180.00	=	\$	-		\$	-		
48" Corrugated Steel Pipe			LF	\$ 190.00	=	\$	-		\$	-		
54" Corrugated Steel Pipe			LF	\$ 278.00	=	\$	-		\$	-		
60" Corrugated Steel Pipe			LF	\$ 300.00	=	\$	-		\$	-		
66" Corrugated Steel Pipe			LF	\$ 364.00	=	\$	· .		\$	-		
72" Corrugated Steel Pipe			LF	\$ 428.00	=	\$	-		\$	-		
78" Corrugated Steel Pipe			LF	\$ 492.00	=	\$	-		\$	-		
84" Corrugated Steel Pipe			LF	\$ 588.00	=	\$	-		\$	-		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)	18	1	EA	\$ 420.00	=	\$	420.00		\$	420.0		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)	24	1	EA	\$ 498.00	=	\$	498.00		\$	498.0		
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)			EA		÷	\$	-		\$	-		
End Treatment- Headwall			EA		=	\$	-		\$	-		
End Treatment- Wingwall			EA		=	\$	-	_	\$	_		
End Treatment - Cutoff Wall			EA		=	\$			\$	_		
Curb Inlet (Type R) L=5', Depth <	5'	2	EA	\$ 6,138.00	105	\$	12,276.00		\$	12,276.0		
Curb Inlet (Type R) L=5', 5' ≤ Depth <		2	EA	\$ 7,981.00	=	\$	15,962.00		\$	15,962.0		
Curb Inlet (Type R) L =5', 10' ≤ Depth <			EA	\$ 9,242.00	=	\$	-		\$			
Curb Inlet (Type R) L =10', Depth <			EA	\$ 8,447.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =10', 5' ≤ Depth <			EA	\$ 8,706.00	=	\$			\$	-		
Curb Inlet (Type R) L =10', 10' ≤ Depth <			EA	\$ 10,898.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =15', Depth <		1	EA	\$ 10,984.00	=	\$	10,984.00		\$	10,984.0		
Curb Inlet (Type R) L =15', 5' ≤ Depth <			EA	\$ 11,775.00	=	\$	-		\$			
Curb Inlet (Type R) L =15', 10' ≤ Depth <			EA	\$ 12,876.00	=	\$	-		\$	_		
Curb Inlet (Type R) L =20', Depth <			EA	\$ 11,706.00	=	\$	-		\$	-		
Curb Inlet (Type R) L =20', 5' ≤ Depth <			EA	\$ 12,920.00	=	\$	-		\$	-		
Grated Inlet (Type C), Depth <		1	EA	\$ 5,138.00	=	\$	5,138.00		\$	5,138.		
Grated Inlet (Type D), Depth <			EA	\$ 6,347.00	=	\$	-		\$	-		
Storm Sewer Manhole, Box Base			EA	\$ 12,875.00	*	\$	-		\$	-		
Storm Sewer Manhole, Slab Base			EA	\$ 7,082.00	=	\$	-		\$	-		
Geotextile (Erosion Control)			SY	\$ 7.00	=	\$	-		\$	-		
Soil Rip Rap, Type L, size from 3" to 15"		102	Tons	\$ 75.00	=	\$	7,650.00		\$	7,650.		
Rip Rap, Grouted			Tons	\$ 105.00	=	\$	-		\$	-		
Drainage Channel Construction, Size ( W	xH)		LF	\$ -	=	\$	-		\$	-		
Drainage Channel Lining, Concrete			CY	\$ 631.00	=	\$	-		\$	-		
Drainage Channel Lining, Rip Rap			CY	\$ 124.00	-	\$	-		\$			
Drainage Channel Lining, Grass			AC	\$ 1,626.00	=	\$	-		\$	-		
Drainage Channel Lining, Other Stabilizatio	n				=	\$	-		\$	-		
					=	\$	-		\$	-		
Insert items not listed but part of construct	ion plans)				=	\$	-		\$	-		
Subject to defect warranty financial assurance. A min	imum of 20% shall											
retained until final acceptance (MAXIMUM OF 80% C			Sectio	on 2 Subtotal	=	\$	509,708.00		\$	509,708.0		

	P	ROJECT	INFORMATIO	N					
Citizen on Constitution			10/26/2022				-	SF226	
Project Name			Date		_		PCD File No.		
			Unit		-		(with Pre-P	lat Construction)	)
Description	Quantity	Units	Cost		-	Total	% Complete	Remaining	
SECTION 3 - COMMON DEVELOPMENT IMP	<b>ROVEMENTS</b> (Priva	ate or Di	strict and NO	T Mainta	ined b	y EPC)**			-
ROADWAY IMPROVEMENTS									
Relocated Emergency Access Road	1	EA	\$ 10,000.00	=	\$	10,000.00	\$	10,0	00.00
Retaining Wall	520	SF	\$ 75.00	=	\$	39,000.00	\$	39,0	00.00
				=	\$	-	\$		-
				=	\$	-	\$		-
				=	\$	-	\$		-
				=	\$	-	\$		-
STORM DRAIN IMPROVEMENTS (Ex	ception: Permanent Pond	BMP shal	l be itemized unde	r Section 1	)				
12" Reinforced Concrete Pipe (or HDPE Pipe)	988	LF	\$ 60.00	=	\$	59,280.00	\$	59,2	280.00
18" Reinforced Concrete Pipe (or HDPE Pipe)	1,034	LF	\$ 65.00	=	\$	67,210.00	\$	67,2	210.00
24" Reinforced Concrete Pipe (or HDPE Pipe)	633	LF	\$ 78.00	=	\$	49,374.00	\$	49,3	374.00
30" Reinforced Concrete Pipe (or HDPE Pipe)	150	LF	\$ 97.00	=	\$	14,550.00	\$	14,5	550.00
Curb Inlet (Type R) L=5'	10	EA	\$ 7,440.00	=	\$	74,400.00	5		100.00
Grated Inlet (Type 13)	6	EA	\$ 4,640.00	=	\$	27,840.00	\$	27,8	840.00
Storm Sewer Manhole, Slab Base	8	EA	\$ 6,395.00		\$	51,160.00	\$	51,1	160.00
WATER SYSTEM IMPROVEMENTS									
Water Main Pipe (PVC), Size 8"	2,030	LF	\$ 71.00	=	\$	144,130.00	\$	144,1	130.00
Water Main Pipe (Ductile Iron), Size 8"		LF	\$ 83.00	=	\$	-	\$		-
Gate Valves, 8"	15	EA	\$ 2,058.00	=	\$	30,870.00	\$		870.00
Fire Hydrant Assembly, w/ all valves	4	EA	\$ 7,306.00	=	\$	29,224.00	5		224.00
Water Service Line Installation, inc. tap and valves	4	EA	\$ 1,466.00	=	\$	5,864.00	\$		364.00
Fire Cistern Installation, complete		EA		=	\$		\$		-
				=	\$		\$		-
[insert items not listed but part of construction plans]				=	\$	-	5		-
SANITARY SEWER IMPROVEMENTS									
Sewer Main Pipe (PVC), Size 8"	832	LF	\$ 71.00	=	\$	59,072.00	5	59,0	072.00
Sanitary Sewer Manhole, Depth < 15 feet	3	EA	\$ 4,858.00	=	\$	14,574.00	s		574.00
Sanitary Service Line Installation, complete	6	EA	\$ 1,553.00	=	\$	9,318.00	s		318.00
Sanitary Sewer Lift Station, complete		EA	,	=	\$	-	5		-
				=	\$	-	4		-
[insert items not listed but part of construction plans]				=	\$	-	4		-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	cific conditi	on of approval, or	PUD)					
		EA		=	\$		4		-
		EA		=	\$		4		-
		EA		=	\$				-
		EA		=	\$		4		-
		EA		=	\$	-			-
** - Section 3 is not subject to defect warranty requirements			ion 3 Subtotal	=	\$	685,866.00	1 1 1	685,866	6.00

		PROJECT	INF	ORMATION	N.					
Citizen on Constitution	***********	10	/26/2022					SF	226	
Project Name			Di	ate				PCD File No.		
			-	Unit				(with Pre	-Plat	Construction)
Description	Quantity	Units	1	Cost			Total	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Perman	ent WQCV BMPs)	LS	s	3,500.00		\$	3,500.00		S	3,500.00
POND/BMP CERTIFICATION (inc. elevations and vol	ume calculations)	LS	\$	1,500.00	=	\$	1,500.00		S	1,500.00
					Tot	al Const	ruction Financia	Assurance	\$	1,441,141.00
			(5	Sum of all sec	tion subt	totals plus	as-builts and pond/B	MP certification)		
	Total Remai	ining Cons	struc	tion Financ	ial As	surance	(with Pre-Plat C	onstruction)	\$	1,441,141.00
	(Sum of a	all section tota	als les	s credit for ite	ms com	plete plus	as-builts and pond/B	MP cartification)		
					Total D	Defect W	arranty Financia	Assurance	\$	140,686.60
		(20% of all its	ems id	dentified as (*)	To be o	collateralize	ed at time of prelimin	ary acceptance)	-	And the second s

#### Approvals

I hereby certify that this is an accurate and complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.

Si 53918 10/28-2022 Engineer (P.E. Seal Required) 10/25/22 APPROVED Engineering Department Approved by 11/21/2022 5:19:11 PM asdnijkama Approved by El Paso County Engineer / ECM Administrator EPC Pla Develo unity artment