

REVISION TO:  
MASTER DEVELOPMENT  
DRAINAGE PLAN  
MERIDIAN RANCH  
EL PASO COUNTY, COLORADO



# MERIDIAN RANCH

---

A GOLF & RECREATIONAL COMMUNITY

August 2017

Prepared For:

**GTL DEVELOPMENT, INC.  
P.O. Box 80036  
San Diego, CA 92138**

Prepared By:  
Tech Contractors  
11886 Stapleton Drive  
Falcon, CO 80831  
719.495.7444

PCD Project No.

## CERTIFICATIONS

### **Design Engineer's Statement:**

The attached drainage plan and report were prepared under my direction and supervision and are correct to the best of my knowledge and belief. Said drainage report has been prepared according to the criteria established by the County for drainage reports and said report is in conformity with the applicable master plan of the drainage basin. I accept responsibility for any liability caused by any negligent acts, errors or omissions on my part in preparing this report.

---

Thomas A. Kerby, P.E. #31429

---

Date

### **Owner/Developer's Statement:**

I, the owner/developer have read and will comply with all of the requirements specified in this drainage report and plan.

---

Raul Guzman, Vice President  
GTL Development, Inc.  
P.O. Box 80036  
San Diego, CA 92138

---

Date

### **El Paso County:**

Filed in accordance with the requirements of the Drainage Criteria Manual, Volumes 1 & 2, El Paso County Engineering Criteria Manual and Land Development Code as amended.

---

Jennifer Irvine, P.E.  
County Engineer / ECM Administrator

---

Date

# Stonebridge Filing 3 at Meridian Ranch Final Drainage Plan

## *Table of Contents*

<b>EXECUTIVE SUMMARY</b>	<i>i</i>
<b>INTRODUCTION</b>	<i>2</i>
<b>Purpose</b>	<i>2</i>
<b>Scope</b>	<i>2</i>
<b>Background</b>	<i>2</i>
<b>EXISTING CONDITIONS</b>	<i>3</i>
<b>General Location</b>	<i>3</i>
<b>Land Use</b>	<i>3</i>
<b>Topography and Floodplains</b>	<i>3</i>
<b>Geology</b>	<i>5</i>
Columbine series	<i>5</i>
Pring series	<i>5</i>
Stapleton series	<i>7</i>
<b>Climate</b>	<i>7</i>
<b>Natural Hazards Analysis</b>	<i>9</i>
<b>DRAINAGE BASINS AND SUB-BASINS</b>	<i>9</i>
<b>Falcon Basin</b>	<i>9</i>
<b>Bennett Ranch Basin</b>	<i>9</i>
<b>Haegler Ranch Basin</b>	<i>9</i>
<b>Gieck Ranch Basin</b>	<i>10</i>
<b>DRAINAGE DESIGN CRITERIA</b>	<i>10</i>
<b>SCS Hydrograph Procedure</b>	<i>10</i>
<b>Channel Improvements</b>	<i>11</i>
<b>Detention Storage Criteria</b>	<i>11</i>
<b>DRAINAGE CALCULATIONS</b>	<i>12</i>
<b>General Concept</b>	<i>12</i>
<b>Existing Drainage Characteristics</b>	<i>12</i>
Falcon Basin	<i>12</i>
Bennett Ranch Basin	<i>12</i>
Haegler Ranch Basin	<i>13</i>
Gieck Ranch Basin	<i>13</i>
<b>Proposed Design Drainage Characteristics</b>	<i>16</i>
Falcon Basin	<i>16</i>
Bennett Ranch Basin	<i>16</i>
Gieck Ranch Basin	<i>16</i>
Haegler Ranch Basin	<i>22</i>
<b>MAJOR DRAINAGE STRUCTURES</b>	<i>23</i>
<b>EROSION CONTROL DESIGN</b>	<i>24</i>
<b>General Concept</b>	<i>24</i>
<b>Four Step Process</b>	<i>24</i>
<b>Detention Pond</b>	<i>25</i>
<b>Silt Fence</b>	<i>25</i>
<b>Erosion Bales</b>	<i>25</i>
<b>Miscellaneous</b>	<i>25</i>
<b>REFERENCES</b>	<i>26</i>

### ***Figures***

Figure 1: Vicinity Map .....	4
Figure 2: FEMA Floodplain Map.....	6
Figure 3: Soils Map .....	7
Figure 4 - Meridian Ranch SCS Method – Historic Basin Map.....	BACK POCKET
Figure 5 - Meridian Ranch SCS Method – Future Basin Map .....	BACK POCKET

### ***Tables***

Table 1: Master Plan Land Use .....	3
Table 2: SCS Runoff Curve Numbers .....	11
Table 3 - Historic Condition Peak Flow Rates.....	13
Table 4 - Developed Condition Peak Flow Rates.....	17
Table 5 - Allowable Discharge Rates from Meridian Ranch .....	22
Table 6 - Detention Pond Summary .....	22
Table 7 - Major Drainage Structures .....	23

### ***Appendices:***

Appendix A - SCS Input Data (HEC-HMS)	
Appendix B - HEC-HMS Results	
Appendix C - Detention Pond Information	

## **EXECUTIVE SUMMARY**

The purpose of the revision to the following Master Development Drainage Plan is to present updated conceptual drainage improvements for the Meridian Ranch Development based upon the proposed sketch plan amendment, ZCP and up to date data from within the development. Runoff quantities and proposed facilities have been calculated using the current City of Colorado Springs/El Paso County Drainage Criteria Manual (DCM) (1994 version) and the City of Colorado Springs Drainage Criteria Manual, Volume 1 (DCM-1) ((2014 version). Concepts presented in this report will be refined and specific improvements addressed during the Final Plat process.

The revisions included within this report include the density increase as proposed with this sketch plan amendment. The previous revision to the MDDP (2015) included the removal of the regional park land mass from the Meridian Ranch developed property and the relocation of the detention ponds originally located along Eastonville Road to locations upstream and immediately adjacent to the parklands. The relocation of the detention ponds designated as Ponds G and I result in a change in the release rate at that location. The historic calculations remain the same from the 2015 MDDP revision. The developed calculations reflect the density increase sought in this revision.

On November 16, 2000 the El Paso County Board of County Commissioners approved the rezoning of the Meridian Ranch project (PUD-00-010) from A-35 to PUD with several conditions. Condition number seven stated in part that “drainage plans shall release and/or retain at approximately eight percent (80%) of historic rates.” This report seeks to remove this condition and allow the project to release developed flow at historic rates as outlined in the current City of Colorado Springs/El Paso County Drainage Criteria Manual (DCM) (1994 version) and those portions of the City of Colorado Springs Drainage Criteria Manual, Volume 1 (DCM-1) ((2014 version) adopted by the El Paso County Board of County Commissioners by Resolution No. 15-042.

The original boundary limits of Meridian Ranch encompassed 2620 acre proposed development and is located approximately 12 miles northeast of the City of Colorado Springs, 2.5 miles north of the town of Falcon and immediately north of the Woodmen Hills development.

The Sketch Plan amendment includes all the remaining 850 acres of undeveloped portion of Meridian Ranch. Of the undeveloped land it is proposed to have 415 acres of residential development; 3 acres of metropolitan district facilities; 255 acres of open space, drainage/detention facilities and park sites; 53 acres dedicated to school sites; and 124 acres of R.O.W.

The calculated developed flows in excess of the existing runoff discharge will be mitigated with the use of full spectrum detention facilities to be located within the project and along eastern boundary of the project. The Meridian Ranch Development will not adversely impact the downstream properties.



## **INTRODUCTION**

### **Purpose**

The purpose of the revision to the following Master Development Drainage Plan is to present updated conceptual drainage improvements for the Meridian Ranch Development based upon the proposed sketch plan and up to date construction within the development. The calculated developed flows in excess of the historic runoff discharge across eastern boundary of the project will be mitigated with the use of full spectrum detention facilities to be located within the project and along eastern project boundary. Concepts presented in this report will be refined and specific improvements addressed during the Final Plat process.

### **Scope**

The scope of this report includes:

- Location and description of the proposed development stating the proposed land use, density, acreage and adjacent features to the site.
- Calculations for design peak flows from all off-site tributary drainage areas.
- Calculations for design peak flows within the proposed development for all drainage areas.
- Discussion of major drainage facilities required as a result of the development.
- Discussion and analysis of existing and proposed facilities.

Runoff quantities and proposed facilities have been calculated using the current City of Colorado Springs/El Paso County Drainage Criteria Manual (DCM) (1994 version) and the City of Colorado Springs Drainage Criteria Manual, Volume 1 (DCM-1) ((2014 version)).

### **Background**

On November 16, 2000 the El Paso County Board of County Commissioners approved the rezoning of the Meridian Ranch project (PUD-00-010) from A-35 to PUD with several conditions. Condition number seven stated in part that “drainage plans shall release and/or retain at approximately eight percent (80%) of historic rates.” At the time of the initial approvals there were no drainage improvements downstream of the Meridian Ranch project and the existing natural channels were shallow and undefined.

Since the time of the original approvals development has occurred downstream of Meridian Ranch with drainage facilities designed and constructed of sufficient size to safely convey the historic flow rates off of Meridian Ranch further downstream. The 4-Way Ranch development located adjacent and downstream of Meridian Ranch has processed a Letter of Map Revision (LOMR) and constructed storm drainage improvements downstream of the existing Pond E outlets. The LOMR was processed and the improvements constructed assuming historic flow rates from Meridian Ranch. Storm drain improvements near the intersection of Stapleton Drive and Eastonville have also been designed and constructed to convey the historic flow rates from Meridian Ranch. The design of these improvements and the downstream system anticipated 87 CFS to be collected near outlet of the future Pond H from Meridian Ranch. The preliminary design of Pond H has yielded a 100-year flow rate of 61 CFS, well below the anticipated 87 CFS figure.

Current estimates show the design discharge to 4-Way are near or below 90% of historic flow rates, with the 5-year discharge at or slightly above historic. It is anticipated the future design of Ponds G & I will yield similar results with discharge rates near 90% of historic for most storms.

## **EXISTING CONDITIONS**

### ***General Location***

Meridian Ranch encompasses 2620 acres of proposed residential development and is located approximately 12 miles northeast of the City of Colorado Springs, 2.5 miles north of the town of Falcon and immediately north of the Woodmen Hills development in El Paso County. Please see Figure 1: Vicinity Map.

### ***Land Use***

In the past farming and ranching dominated the area surrounding Meridian Ranch. However, urbanization has been occurring in the general vicinity for several years. Most notably, urbanization is occurring within the Meridian Ranch Development with the completion of several filings, Woodmen Hills to the south, to the west is the Paint Brush Hills subdivision, 4 Way Ranch to the east and Latigo Trails and Antlers Ridge to the north.

The Sketch Plan amendment includes all the remaining 850 acres of undeveloped portion of Meridian Ranch. Of the undeveloped land it is proposed to have 415 acres of residential development; 3 acres of metropolitan district facilities; 255 acres of open space, drainage/detention facilities and park sites; 53 acres dedicated to school sites; and 124 acres of R.O.W.

**Table 1: Master Plan Land Use**


<b>Land Use</b>	<b>Original Acres</b>	<b>Amended</b>	<b>Notes</b>
Single Family Residential	1115	415	4400 DU
Commercial/Business	15	0	
Dedicated School Sites	128	53	
Metro District Facilities	46	3	
Wastewater Facility	14	0	
Right of Way	387	124	
Park/Open Space/Det. Fac.	875	255	
<b>Total</b>	<b>2620</b>	<b>850</b>	

### ***Topography and Floodplains***

The topography of the site is typical of a high desert, short grass prairie with relatively flat slopes generally ranging from 2% to 4%. The area drains generally from northwest to southeast being tributary to the Bennett Ranch, Haegler Ranch and Gieck Ranch Drainage Basins, all of which are tributary to Black Squirrel Creek.

The Federal Emergency Management Agency (FEMA) has established floodplain along portions of the tributary streams located in the Gieck Ranch Basin. A LOMR was processed through FEMA in 2014, becoming effective on March 24, 2015 over the eastern portion of the site within the Gieck Ranch Drainage Basin. See Figure 2: FEMA Floodplain Map

Figure 1: Vicinity Map



## ***Geology***

Soil Conservation Service soil survey records indicate that the service area is predominately covered by soils classified in the Stapleton series (83) with portions classified from the Pring series (71), both categorized in the Hydrological Group B, areas of Columbine soils (19) are also found on the site, categorized in the Hydrological Group A. For the purposes of this report all soils were assumed to be from the Hydrological Group B, producing a higher runoff value. Typically, these soils are well drained, gravelly sandy loams that form on alluvial terraces and fans and exhibit high permeability and low available water capacity with depth to bedrock greater than 6 feet.

### **Columbine series**

The Columbine series consists of deep, well drained to excessively drained soils that formed in very gravelly ar-kosic alluvium. These soils are on terraces, flood plains, and alluvial fans and in drainageways. They have slopes of 0 to 3 percent. Average annual precipitation is about 15 inches, and average annual air temperature is about 47 degrees F.

Columbine soils are similar to Chaseville soils and are near Ellicott and Pring soils. Chaseville soils have hue of 5YR to 10YR. Ellicott soils have a light colored surface layer. Pring soils are less than 35 percent gravel and have a mean annual soil temperature of less than 47 degrees F.

Typical pedon of Columbine gravelly sandy loam, 0 to 3 percent slopes, approximately 1/2 mile northeast of the Black Squirrel bridge on U. S. Highway 24, near center of sec. 13, T. 12 S., R. 64 W.:

A11-0 to 6 inches; grayish brown (10YR 5/2) gravelly sandy loam, very dark grayish brown (10YR 3/2) moist; moderate fine granular structure; soft, very friable; 20 percent fine angular gravel; neutral; gradual smooth boundary.

A12-6 to 14 inches; brown (10YR 5/3) very gravelly loamy sand, dark brown (10YR 3/3) moist; weak medium granular structure; slightly hard; very friable; 40 percent fine angular gravel; neutral; gradual wavy boundary.

C-14 to 60 inches; light yellowish brown (2.5Y 6/4) very gravelly loamy sand, light olive brown (2.5Y 5/4) moist; massive; hard, very friable; 60 percent fine angular gravel; neutral.


The solum ranges from 10 to 20 inches in thickness, The control section is 35 to 75 percent coarse fragments. It ranges from slightly acid to mildly alkaline. The A1 horizon is grayish bl"OW11, brown, or dark grayish brown. The C horizon is light yellowish brown to yellowish brown.

### **Pring series**

The Pring series consists of deep, well drained soils that formed in arkosic sandy sediment, These soils are on valley side slopes and uplands, They have slopes of 3 to 30 percent, Average annual precipitation is about 17 inches, and average annual air temperature is about 43 degrees F.

Pring soils are similar to Kutler and Stapleton soils and are near Elbeth, Peyton, and Tomah soils, Kutler soils have a paralithic contact at a depth of 20 to 40 inches, Stapleton soils have warmer soil temperatures, Elbeth soils have A2 and B2t horizons, Peyton soils have a B2t horizon, Tomah soils have an A2 horizon and a B2t horizon in which clay is accumulating in lamellae and thin bands.

Figure 2: FEMA Floodplain Map



Typical pedon of Pring coarse sandy loam, 8 to 15 percent slopes, about 950 feet south and 300 feet east of the northwest corner of the NW 1/4SE1/4 of sec. 17, T. 11 S., R. 63 W.:

A1-0 to 4 inches; dark grayish brown (10YR 4/2) coarse sandy loam, very dark brown (10YR 2/2) moist; moderate fine granular structure; soft, very friable; slightly acid; clear smooth boundary.

AC-4 to 14 inches; dark grayish brown (10YR 4/2) coarse sandy loam, very dark brown (10YR 2/2) moist; weak coarse prismatic structure parting to moderate medium subangular blocky; hard, very friable; neutral; clear smooth boundary.

C-14 to 60 inches; pale brown (10YR 6/3) gravelly sandy loam, brown (10YR 5/3) moist; massive; very hard, very friable; 15 percent fine and medium gravel; neutral.

The solum ranges from 10 to 20 inches in thickness. It is 0 to 15 percent coarse fragments. It is slightly acid or neutral. The A1 horizon is dark grayish brown to very dark grayish brown. The C horizon is pale brown or brown.

#### Stapleton series

The Stapleton series consists of deep, well drained soils that formed in sandy alluvium derived from arkosic bedrock. These soils are on uplands. They have slopes of 3 to 20 percent. Average annual precipitation is about 15 inches, and average annual air temperature is about 47 degrees F.

Stapleton soils are similar to Columbine and Pring soils. They are near Bresser and Truckton soils. Columbine soils have more than 35 percent coarse fragments. Pring soils have mean annual soil temperatures of less than 47 degrees F. Bresser soils have a B2t horizon of sandy clay loam. Truckton soils have a B2t horizon of sandy loam.

Typical pedon of Stapleton sandy loam, 3 to 8 percent slopes, about 800 feet north and 300 feet east of the southwest corner of sec. 16, T. 12 S., R. 64 W.:

A1-O to 11 inches; grayish brown (10YR 5/2) sandy loam, very dark grayish brown (10YR 3/2) moist; moderate fine granular structure; soft, very friable; 5 percent gravel; neutral; clear smooth boundary.

B2-11 to 17 inches; grayish brown (10YR 5/2) gravelly sandy loam, dark grayish brown (10YR 4/2) moist; moderate medium subangular structure; slightly hard, very friable, slightly sticky; 15 percent fine gravel; neutral; gradual smooth boundary.

C1-17 to 26 inches; pale brown (10YR 6/3) gravelly sandy loam, brown (10YR 4/3) moist; massive; very hard, very friable; 15 percent fine gravel; neutral; gradual smooth boundary.

C2-26 to 60 inches; pale brown (10YR 6/3) gravelly loamy sand, brown (10YR 5/3) moist; massive; 30 percent gravel; neutral.



The solum ranges from 12 to 20 inches in thickness. It is 0 to 35 percent coarse fragments. It is slightly acid or neutral. The A1 horizon is grayish brown or dark grayish brown sandy loam or gravelly sandy loam. The B horizon is brown or grayish brown gravelly sandy loam or coarse sandy loam. The C horizon is pale brown or light brownish gray.

Note: (#) indicates Soil Conservation Survey soil classification number. See Figure 3: Soils Map.

#### ***Climate***

Mild summers and winters, light precipitation, high evaporation and moderately high wind velocities characterize the climate of the study area.

#### **Figure 3: Soils Map**



N.T.S.

MERIDIAN RANCH  
MDDP  
SOILS MAP  
FIGURE 3

TECH CONTRACTORS  
11886 STAPLETON DR  
FALCON, CO 80831  
TELEPHONE: 719.495.7444

The average annual monthly temperature is 48.4 F with an average monthly low of 30.3 F in the winter and an average monthly high of 68.1 F in the summer. Two years in ten will have a maximum temperature higher than 98 F and a minimum temperature lower than -16 F. Precipitation averages 15.73 inches annually, with 80% of this occurring during the months of April through September. The average annual Class A pan evaporation is 45 inches.

### ***Natural Hazards Analysis***

Natural hazards analysis indicates that no unusual surface or subsurface hazards are located near the vicinity. However, because the soils are cohesionless, sloughing of steep banks during drilling and/or excavation could occur. By placing improvements in a manner that provides an opportunity to lay the banks of excavations back at a slope greater than 1:1 during construction, the problems associated with sloughing soils can be minimized.

### **DRAINAGE BASINS AND SUB-BASINS**

El Paso County has identified four major drainage basins within Meridian Ranch. Please see Figure 4: Existing Condition Major Drainage Basin Map.

#### ***Falcon Basin***

El Paso County processed a Drainage Basin Planning Study (DBPS) for the Falcon Basin (CHWS1400).

The southwestern corner of Meridian Ranch (44 ac.) was located within the Falcon Drainage Basin, accepting drainage from the eastern portion of Meridian Road and draining south by southeast onto the Woodmen Hill Development.

As a result of the development of this property; runoff from this portion of the Falcon Basin has been redirected easterly along Stapleton Drive to the main channel of the Bennett Ranch Basin and thus removed from the Falcon Drainage Basin. Therefore, this basin was studied for the historic condition only.

#### ***Bennett Ranch Basin***

The western third of Meridian Ranch is within the Bennett Ranch Basin and accepts flow from Falcon Hills and Paint Brush Hills to the west and from unplatted areas north of Paint Brush Hills and Antlers Ridge north of Meridian Ranch. Runoff from this basin flows southerly to the Stapleton Drive where it enters the Woodmen Hills Development at Design Point B26. This basin consists of two channels, the main branch flows southeasterly from Meridian Road north of Londonderry Drive toward the confluence point with the second branch at Design Point B19. The second branch runs from the northwestern portion of the site near Meridian Road and Rex Road southerly toward DP B19 where it joins the main branch north of Stapleton Drive. The Bennett Ranch Basin flow exits Meridian Ranch at DP26 crossing under Stapleton Drive.

A Drainage Basin Planning Study for the Bennett Ranch Basin (CHWS1200) has been completed and adopted per El Paso County regulations.

#### ***Haegler Ranch Basin***

The Haegler Ranch Drainage Basin has been studied and during the process it was determined that the existing boundary line between the Gieck Ranch Basin and the Haegler Ranch Basin should be shifted south. With the approval of the Haegler Ranch Basin Study, the basin boundary was moved (Figure 4: Existing Condition Major Drainage Basin Map).

The Haegler Ranch Basin is located within the extreme southeast corner of Meridian Ranch. The Haegler Ranch Basin begins within Meridian Ranch and flows in a southeasterly direction toward the intersection of Stapleton Drive and Eastonville Road.

A Drainage Basin Planning Study for the Haegler Ranch Basin (CHMS0200) has been completed and adopted per El Paso County regulations.

### ***Gieck Ranch Basin***

Approximately 1,300 acres of Meridian Ranch is located within the Gieck Ranch Basin. Surface runoff enters the site unplatted land, Antlers Ridge and Latigo Trails located to the north and continues in a southeasterly direction toward the El Paso County Regional Park along easterly boundary of the site and Eastonville Road. There are several points along the eastern boundary of the project and Eastonville Road that discharge the runoff off the site.

Information obtained from the Latigo Trails MDDP completed in October 2001 identifies several acres that discharge un-detained developed flow onto Meridian Ranch property; these areas are modeled as developed 2.5 acre density in both the Existing and Developed models. Those areas that drain un-detained directly onto Meridian Ranch were modeled using a Curve Number (CN) of 66.

Additionally, the Latigo MDDP used higher CN values for the existing condition, therefore the existing detention facilities located on the Latigo property release at a higher rate than the original Meridian Ranch MDDP had modeled. The calculations within these areas of Latigo were re-modeled with the 2015 Revised MDDP; this report makes no changes to the Latigo calculations from the 2015 Revised MDDP. Latigo run off that is released through a detention pond onto Meridian Ranch has been modeled using the higher Latigo undeveloped pasture CN value of 65 in both models.

The Gieck Ranch Drainage Basin has been approved by the County, during the process it was determined that the existing boundary line between the Gieck Ranch Basin and the Haegler Ranch Basin should be shifted south. (Figure 4: Existing Condition Major Drainage Basin Map).

### **DRAINAGE DESIGN CRITERIA**

#### ***SCS Hydrograph Procedure***

The Soil Conservation Service (SCS) Hydrograph (HEC-HMS) procedure was used to determine final design parameters for the major drainage facilities within the project. Onsite basin areas were calculated using aerial topography of the site and approved final design data. Times of concentration were estimated using the SCS procedures described in the DCM. Based upon the hydrologic soil type, the natural conditions found in the basins and the runoff curve numbers (CN) chart from Table 6-9 for Pre-development Thunderstorm Conditions (ARCI) and Table 6-10 for Frontal Storms & Thunderstorms for Developed Conditions (ARCII), the following CN values were used for the given conditions.

**Table 2: SCS Runoff Curve Numbers**

Condition	CN*	
Residential Lots (5 acre)	63	School
Residential Lots (2.5 acre)	66	Parks/Open Space
Residential Lots (1 acre)	68	Commercial
Residential Lots (1/2 acre)	70	Roadways
Residential Lots (1/3 acre)	72	Golf Course
Residential Lots (1/4 acre)	75	Latigo (undetained)
Residential Lots (1/5 acre)	78	Latigo (detained)
Residential Lots (1/6 acre)	80	Undeveloped

\*Curve Numbers were interpolated and based on amount of impervious area per lot. The 24 hour storm precipitation values were selected from the NOAA Atlas 14, Volume 8, Version 2 for the Meridian Ranch location (Latitude 38.9783°, Longitude -104.5842°, Elevation 7054 ft). These numbers along with SCS information were used as input to the U.S. Army Corp of Engineers HEC-HMS computer model to determine design runoffs.

### ***Channel Improvements***

It has always been the intent that the existing channels shall be preserved as natural as possible outside the limits of the proposed detention facilities and the proposed golf course. The channels will be analyzed using the methods outlined in the DCM to determine if protection will be necessary due to the increased flows as a result of development. Riprap grade control structures will be used where needed to maintain proper velocities in grass-lined channels. It is recommended that storm sewer discharge points be limited to within the pond areas whenever possible to help preserve the natural channel and to avoid erosion of a low flow channel.

### ***Detention Storage Criteria***

Preliminary detention storage requirements were estimated graphically using the SCS method for single stage structure routing. The relationship between allowable outflow ( $Q_{out}$ ) and inflow ( $Q_{in}$ ) to the pond is directly correlated to the volume of direct runoff ( $V_r$ ) and volume of storage ( $V_{stor}$ ) to obtain a graphic solution. These estimates were then refined using the HEC-HMS model.

Preliminary storage volumes and outflow quantities have been provided for each of the detention facilities to be located within the development. The actual storage volumes and discharge rates will be determined upon a complete analysis for each detention facility prior to construction. The values given for discharge and volume are estimates for planning purposes only. The future detention ponds are to be designed as identified in those portions of the City of Colorado Springs Drainage Criteria Manual (DCMV1), Volume 1 dated May 2014 as adopted by El Paso County by Resolution 15-042 on January 28, 2015. Section 3.2.1 of Chapter 13 of the DCMV1 states detention ponds are to be designed to meet the Full Spectrum Design (FSD) concept introduced by the Urban Drainage and Flood Control District. The concept of FSD is for the detention pond to discharge the developed flow at a rate less than or equal to the historic rate for each design storm as identified in Chapter 6 (Hydrology) of the DCMV1. There are six existing detention facilities located within Meridian Ranch, the storage volumes and discharge rates for these ponds were calculated using as-built information. No modifications are proposed for any existing detention pond that has been designed and constructed prior to the effective date of Resolution 15-042.

Water Quality Capture Volume (WQCV) is to be included with the detention volume calculated to provide for water quality, allowing sediment to settle out and accumulate over time to improve the quality of the discharged flow from the project site. To maintain full volume for detention during the

life of the facility regular maintenance must be performed to remove sediment. The WQCV is to be based on the equations found in Volume 2, City of Colorado Springs/El Paso County Drainage Criteria Manual. Detention of the WQCV is used to meet El Paso County criteria for a storm water quality discharge. The release rates from the WQCV are generally small, which help minimize downstream impacts. Detaining the WQCV also serves to cleanse the “first flush” of runoff from the higher initial concentration of sediment and pollutants by allowing for sedimentation. This greatly improves the quality of runoff leaving the facilities and reduces the potential for erosion. The positive impact on water quality is expected to be significant, particularly during construction. WQCV is required for all detention facilities within the Meridian Ranch development.

## **DRAINAGE CALCULATIONS**

### ***General Concept***

Drainage patterns on the project site generally flow in south or southeasterly direction. The project site has been analyzed with the SCS method for both the historic and the developed conditions for the design storms outlined in the adopted sections of the City of Colorado Springs Hydrology Chapter of the Drainage Criteria Manual, Volume 1. Detention ponds will be placed or have been placed within the development or at the downstream boundary of the project such that the release rate for each design storm will be at or below the historic flow rates as determined by the historic model. The exception is the Bennett Basin where regional detention and water quality has been provided for Meridian Ranch at the Bennett Ranch Regional Detention Pond located within Woodmen Hills adjacent and north of Eastonville Road.

### ***Existing Drainage Characteristics***

Table 3: Historic Condition Peak Flows summarizes existing condition peak flows for the subbasins.

#### **Falcon Basin**

The Falcon Basin covered approximately 44 acres of the southwest corner of the development. The area was bounded by Meridian Road to the west, Bennett Ranch Basin along the northeast boundary and the extension of Stapleton Drive to the south. In the past the land was used as pasture and covered with native grasses, the land gently slopes to the south. Surface runoff from this area ( $Q_{100} = 37 \text{ cfs}$ ) exited the site to the south and was intercepted by a natural channel and then conveyed south through Bennett Basin.

#### **Bennett Ranch Basin**

Runoff from the Paint Brush Hills development and open range/pasture land comprising a total of approximately 1,000 acres discharged onto Meridian Road via triple 48" RCPs at Design Point B14, where it enters the site approximately 0.5 mi. north of Stapleton Drive. A composite curve number of 62.9 was used for the offsite area tributary to the site, combining the pasture land with that of Paint Brush Hills development, consisting of 2.5 to 5.0 acre single family residential lots, and Falcon Hills Subdivision made up of 0.5-acre lots. Falcon Hills installed detention facilities in order to reduce the developed peak runoff rate. The offsite tributary area generates a peak flow rate of approximately 55 cfs for the 5-year storm event and 757 cfs for the 100-year event across Meridian Road as it enters the site. The runoff then continues south toward DP B19 where it joins easterly branch.

The runoff from Branch 2 originates offsite from areas north of Meridian Ranch. These offsite tributary areas were open range/pasture lands totaling more than 355 acres. Surface flow entered the site at three separate locations. The combined flow from the two channels at DP19 ( $Q_5 = 105 \text{ cfs}$ ,  $Q_{100} = 1563 \text{ cfs}$ ) continues south to DP 26 where it exits the site under Stapleton Drive. Meridian Ranch discharges 113 cfs under existing conditions during the 5-year storm event and 1737 cfs during the 100-year storm event to the south. The surface flow continues southerly toward Eastonville Road (DP32,  $Q_5 = 115 \text{ cfs}$ ,  $Q_{100} = 1782 \text{ cfs}$ ) and Judge Orr Road (DP37,  $Q_5 = 131 \text{ cfs}$ ,  $Q_{100} = 2117 \text{ cfs}$ ).

#### Haegler Ranch Basin

The Haegler Ranch Basin comprises approximately 63 acres of area in the southeast corner of Meridian Ranch. The Haegler Ranch Basin begins within Meridian Ranch and flows in a southeasterly direction toward the intersection of Stapleton Drive and Eastonville Road.

#### Gieck Ranch Basin

Most of the eastern half of Meridian Ranch lies within the Gieck Ranch Basin. Surface runoff enters the site via overland flow from Antlers Ridge and Latigo Trails subdivisions and unplatted land located to the north. Runoff is generally southeasterly, there are several culvert crossings under Eastonville Road to discharge runoff from the site.

**Table 3 - Historic Condition Peak Flow Rates**

HISTORIC MDDP (Full Spectrum)							
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	PEAK DISCHARGE Q50 (CFS)	PEAK DISCHARGE Q25 (CFS)	PEAK DISCHARGE Q10 (CFS)	PEAK DISCHARGE Q5 (CFS)	PEAK DISCHARGE Q2 (CFS)
OS02	0.2219	148	102	65	30	13	3
B01	0.2219	148	102	65	30	13	3
B01-B07	0.2219	148	102	65	30	13	3
OS03	0.1984	130	88	55	23	9	2
B02-B03	0.1984	129	88	55	23	9	2
HB01	0.0234	19	13	8	3	1	0
B03	0.2218	140	95	59	25	10	2
B03-B07	0.2218	140	94	59	25	10	2
OS04	0.1359	83	54	32	12	4	1
B04-B05	0.1359	82	54	32	12	4	1
HB03	0.1266	103	68	41	15	5	1
B05	0.2625	144	91	52	20	7	1
B05-B07	0.2625	144	91	52	20	7	1
HB02	0.1063	77	51	30	11	4	0
HB04	0.0609	47	31	19	7	2	0
B07	0.8734	519	344	207	86	33	6
B07-B12	0.8734	518	343	207	86	33	6
HB05	0.1375	102	67	40	15	5	1
HB06	0.1641	111	73	43	16	5	1
B12	1.175	679	440	259	103	40	7
B12-PB	1.175	677	440	259	103	39	7
HB07	0.0313	29	19	12	4	1	0
POND B	1.2063	688	446	262	105	40	7
PB-19	1.2063	687	444	261	104	40	7
OS01	1.5594	757	510	316	136	55	11
OS01-B19	1.5594	756	509	315	136	55	11
HB08	0.1344	81	53	32	12	4	1
HB09	0.3047	138	90	54	21	7	1
B19	3.2048	1563	1041	635	266	105	20
B19-B26	3.2048	1563	1039	634	266	105	20
HB10	0.3047	172	113	67	26	9	1
HB12	0.0797	54	36	21	8	3	0
HB12-B26	0.0797	54	35	21	8	3	0
B26	3.5892	1737	1147	693	288	113	21
26-32	3.5892	1734	1146	693	287	113	21
B-11	0.1125	60	40	23	9	3	0
32	3.7017	1782	1177	709	293	115	22
32-37	3.7017	1782	1175	708	293	115	22
B-14	0.4039	178	117	70	27	10	2
B-13	0.2813	127	83	50	19	7	1
36	0.6852	306	200	119	47	17	3
36-37	0.6852	305	200	119	47	17	3
B-15	0.075	39	26	15	6	2	0
37	4.4619	2117	1391	834	338	131	25
OS06	0.1313	87	57	34	13	4	1
OS06-G02	0.1313	86	57	34	13	4	1
OS05	0.0578	48	32	19	7	2	0

HISTORIC MDDP (Full Spectrum)							
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	PEAK DISCHARGE Q50 (CFS)	PEAK DISCHARGE Q25 (CFS)	PEAK DISCHARGE Q10 (CFS)	PEAK DISCHARGE Q5 (CFS)	PEAK DISCHARGE Q2 (CFS)
OS05-G01	0.0578	47	31	19	7	2	0
HG01	0.0547	35	23	14	5	2	0
G01	0.1125	82	54	32	12	4	0
G01-G02	0.1125	81	53	32	12	4	0
HG02	0.0906	49	32	19	7	2	0
G02	0.3344	216	142	85	32	10	1
G02-G03	0.3344	215	141	84	32	10	1
HG03	0.1828	82	54	32	13	5	1
OS07	0.0328	28	19	12	5	2	0
OS07-G03	0.0328	27	19	12	5	2	0
G03	0.55	323	213	127	49	16	2
G03-G04	0.55	322	212	127	49	16	2
OS09	0.1547	96	67	43	20	9	2
OS09-G04	0.1547	96	67	43	20	9	2
HG04	0.0891	42	28	17	6	2	0
HG05	0.1125	52	34	20	8	3	0
OS08	0.0406	39	27	18	9	4	1
OS08-G04	0.0406	38	27	18	8	4	1
G04	0.9469	551	367	223	89	32	5
G04-G05	0.9469	548	366	222	88	31	5
HG06A	0.1375	51	34	20	8	3	1
G05	1.0844	596	399	242	96	34	6
G05-G06	1.0844	596	397	241	96	34	6
HG06B	0.1031	35	23	14	6	2	0
G06	1.1875	628	418	254	101	36	6
HG07	0.0984	50	32	19	7	3	0
HG07-G11	0.0984	50	32	19	7	3	0
HG08	0.1328	77	51	30	11	4	1
G11	0.2312	122	79	47	18	6	1
G11-G12	0.2312	121	79	47	18	6	1
HG09	0.1781	76	50	30	12	4	1
G12	0.4093	196	128	76	29	10	2
G12-H08	0.4093	196	128	76	29	10	2
HG10	0.1375	40	26	16	7	3	1
H08	0.5468	227	149	89	35	13	2
HG14	0.2297	83	55	33	13	5	1
HG13	0.0844	59	40	25	11	4	1
G07	0.0844	59	40	25	11	4	1
G07-G08	0.0844	59	40	25	11	4	1
G08	0.3141	122	81	49	20	8	1
HG15	0.2563	71	47	28	12	5	1
H13	0.2563	71	47	28	12	5	1
HG11	0.2047	80	53	31	13	5	1
H09	0.2047	80	53	31	13	5	1
HH01	0.0984	70	46	27	10	3	0
H12	0.0984	70	46	27	10	3	0
HG12	0.1297	60	39	23	9	3	1
H10	0.1297	60	39	23	9	3	1

There are three main drainage courses through the Gieck Basin, the first drainage course begins at offsite Basin OS-6, and traverses the Gieck Ranch Basin to Eastonville Road. Approximately 240 Acres north of the main drainage way also discharge from the site via two other minor crossings of Eastonville Road. The drainage ways in these areas are not as well defined as the main drainage way, and in some cases are virtually nonexistent.

The second main drainage way through the Gieck Ranch Basin accepts runoff off-site from roughly 270 acres of land along the northern property boundary from Antlers Ridge, unplatted land and Latigo Trails. The drainage course collects surface runoff from approximately 490 acres within Meridian

Ranch. The channel flow traverses southeasterly toward Eastonville Road where a total flow of  $Q_5=36$  cfs,  $Q_{100}=6248$ cfs exits the site at DP G06.

The final main channel, begins within Meridian Ranch and conveys it southeasterly through the site to Eastonville Road where a total flow of  $Q_5=13$  cfs,  $Q_{100}=227$  cfs exits the site at DP-H08 .

#### ***Proposed Design Drainage Characteristics***

Figure 5: Developed Condition Subbasins illustrates the subbasin boundaries used for the hydrologic analysis for each of the major basins. Note that the existing condition subbasin boundaries, design points, and numbers do not necessarily correspond to those used for developed conditions. Table 4: Developed Condition Peak Flow summarizes developed condition peak flows for the subbasins.

#### Falcon Basin

When the site was developed, the area that was formerly within the Falcon Basin was redirected easterly toward DP B26, just north of Stapleton Drive and east of the wastewater treatment plant. Please refer to the discussion of the Bennett Ranch Basin below.

#### Bennett Ranch Basin

As discussed earlier in this report, the southwest corner of Meridian Ranch, which was originally part of the Falcon Basin, has been diverted to the Bennett Ranch Basin due to development via storm drain where it joins the remainder of the surface flow from the Bennett Basin at DP26

Runoff from the Bennett Ranch Basin is directed to DP B26 where the surface flow discharges under Stapleton Drive. The overall drainage pattern in the rest of Bennett Ranch Basin remains essentially unchanged, utilizing storm drains as necessary to convey runoff to the main channels. The major drainage ways in the Bennett Ranch Basin are used as part of the golf course. The channel remained in its natural state with the exception of the golf cart crossings, drop/grade control structures and two detention ponds.

Three detention ponds are located within the Bennett Ranch Basin in Meridian Ranch: near Design Points B6, B12 and B16. A summary of peak runoff rates is found in Table 4: Developed Condition Peak Flow

The surface flow continues south of Stapleton Drive where it enters the Bennett Ranch Regional Detention Pond. The regional pond is designed to anticipate the future developed runoff from Meridian Ranch and provide water quality for the area tributary to the pond.

#### Gieck Ranch Basin

Originally, there were several unstudied FEMA floodplains within the Gieck Basin. The channels are very poorly defined, and have been redefined by CLOMR/LOMR process. Storm drains are used to convey runoff through the basin due to the development.

The Gieck Ranch Basin accepts surface runoff from the Latigo Trails Subdivision located to the north of Meridian Ranch. Runoff is generally southeasterly; there are several culvert crossings under Eastonville Road to discharge runoff from the site. The Offsite and onsite flows for developed subbasins are summarized in Table 4: Developed Condition Peak Flow.

Runoff begins offsite and flows southeasterly toward Eastonville Road. The runoff will be collected in a combination of storm sewers and open channels and conveyed southeasterly toward the proposed detention Pond G where the pond will discharge to the El Paso County Falcon Regional Park. The detention facility will release near DP G12 at a rate equal to or below the existing flow rate for the

full spectrum of design storms into the existing drainage course within the Regional Park and drain southeasterly to Eastonville Road near DP G06.

**Table 4 - Developed Condition Peak Flow Rates**

FUTURE MDDP (Full Spectrum)							
	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	PEAK DISCHARGE Q50 (CFS)	PEAK DISCHARGE Q25 (CFS)	PEAK DISCHARGE Q10 (CFS)	PEAK DISCHARGE Q5 (CFS)	PEAK DISCHARGE Q2 (CFS)
OS01	1.5594	757	510	316	136	55	11
DB16	0.0578	92	72	54	35	23	13
B10	1.6172	793	537	335	147	62	13
B10-B11	1.6172	793	537	335	147	62	13
DB17	0.0048	15	13	11	9	7	6
B11	1.6220	795	538	336	148	63	15
B11-POND C	1.6220	794	538	336	148	62	15
DB21	0.0519	54	38	25	12	5	1
DB18	0.0346	64	50	39	26	18	10
DB19	0.0281	36	27	20	11	7	3
DB20	0.0147	24	19	15	9	6	3
POND C	1.7513	749	507	310	128	50	11
POND C-B16	1.7513	749	507	309	128	50	11
DB25	0.0211	45	35	27	18	12	7
B16	1.7724	754	511	313	130	51	11
B16-B17	1.7724	754	510	312	130	51	11
DB26	0.0682	136	110	88	62	46	29
B17	1.8406	778	529	326	138	56	34
B17-B26	1.8406	778	529	326	138	56	34
OS03	0.1984	130	88	55	23	9	2
DB01	0.0719	90	66	46	25	14	5
B01	0.2703	199	138	89	42	19	5
B01-B02	0.2703	199	138	89	42	19	5
OS02	0.2219	148	102	65	30	13	3
DB02	0.0516	71	52	36	20	10	3
B02	0.5438	380	263	169	79	36	9
B02-POND A	0.5438	379	263	169	79	36	9
OS04	0.1359	83	54	32	12	4	1
DB03	0.0703	70	49	32	16	7	2
B03	0.2062	145	98	61	26	10	2
B03-B04	0.2062	145	98	60	25	10	2
DB04	0.0422	44	31	21	10	5	1
DB05	0.0384	37	27	18	9	5	1
B04	0.2868	218	149	94	42	18	4
B04-B05	0.2868	218	149	94	42	18	4
DB06	0.0219	44	35	28	19	14	9
B05	0.3087	253	176	115	55	25	10
B05-POND A	0.3087	252	176	114	55	25	10
DB07	0.0254	35	26	18	10	6	2
DB08	0.0297	32	22	15	7	3	0
POND A	0.9076	557	401	244	98	34	6
POND A-B06	0.9076	557	400	244	98	34	6
DB09	0.0189	34	26	19	12	8	4
B06	0.9265	565	407	248	100	35	6
B06-B07	0.9265	564	406	247	99	35	6
DB11	0.0969	114	85	60	35	20	8
DB10	0.0364	56	43	32	19	12	6
B07	1.0598	652	469	286	116	42	15
B07-B09	1.0598	651	468	285	116	42	14
DB12	0.0453	81	63	48	31	21	11
B09	1.1051	677	486	296	121	45	19
B09-POND B	1.1051	676	485	296	121	45	19
DB15	0.1234	105	75	50	25	12	3
DB13	0.0703	89	67	49	29	18	8
DB14	0.0556	93	72	54	35	23	12
POND B	1.3544	688	539	337	140	69	30

FUTURE MDDP (Full Spectrum)							
	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	PEAK DISCHARGE Q50 (CFS)	PEAK DISCHARGE Q25 (CFS)	PEAK DISCHARGE Q10 (CFS)	PEAK DISCHARGE Q5 (CFS)	PEAK DISCHARGE Q2 (CFS)
POND B-B12	1.3544	688	539	336	140	69	30
DB22	0.0516	91	72	55	36	25	14
DB23	0.0172	45	38	31	23	18	13
B12	1.4232	714	562	352	148	83	38
B12-B14	1.4232	714	562	352	148	83	38
DB24	0.0531	94	73	56	36	24	13
B14	1.4763	743	577	363	162	92	46
B14-B15	1.4763	742	576	362	162	92	46
DB28	0.0741	69	51	35	19	11	4
B15	1.5504	802	606	381	180	103	49
B15-B26	1.5504	800	605	380	179	102	49
DB29	0.1697	145	105	71	37	19	6
DB27	0.0508	68	53	40	25	17	9
B26	3.6115	1623	1179	736	316	175	87
B26-27	3.6115	1623	1179	736	316	174	87
FB-02	0.0500	87	68	52	34	23	13
FB-01	0.0373	64	50	38	24	16	8
FB01-B19	0.0373	64	50	37	24	16	8
B19	0.0873	151	118	89	57	38	21
B19-27	0.0873	149	117	89	57	38	21
FB-03	0.0078	23	19	15	11	9	6
27	3.7066	1652	1201	751	324	195	97
27-32	3.7066	1652	1200	751	324	194	96
WH-24	0.1325	217	170	129	84	56	31
WH-26	0.0839	49	33	20	8	3	0
WH-27	0.0217	23	16	10	4	1	0
30	0.2381	271	205	150	91	59	31
30-31	0.2381	270	205	149	91	59	31
WH-28	0.0398	60	47	36	23	15	8
31	0.2779	330	252	185	114	74	39
31-32	0.2779	329	251	185	113	73	39
WH-29	0.0495	77	60	45	29	19	10
WH-31	0.0406	75	59	46	30	21	12
WH-30	0.0159	26	19	13	7	4	1
32	4.0905	1796	1293	812	428	263	126
WH32	0.0458	54	38	24	10	4	0
BEN POND	4.1363	1399	991	600	256	102	45
WH-33	0.0064	12	9	7	5	3	2
33	4.1427	1400	992	601	256	102	46
33-37	4.1427	1400	991	601	256	102	46
WH35	0.1550	171	124	84	44	22	6
WH34	0.0450	68	52	38	23	15	7
B34-36	0.0450	68	52	38	23	15	7
36	0.2000	239	176	122	67	37	13
36-37	0.2000	238	174	121	66	37	13
WH36	0.0750	63	43	27	11	4	1
37	4.4177	1439	1021	621	266	107	49
FG01	0.1127	58	40	25	11	5	1
OS05	0.0578	43	29	17	6	2	0
G1	0.1705	83	55	34	14	6	1
G1-G2	0.1705	83	55	34	14	6	1
OS06	0.1313	87	57	34	13	4	1
G1a	0.1313	87	57	34	13	4	1
G1a-G2	0.1313	87	57	34	13	4	1
FG02	0.0391	35	24	16	7	3	1
G2	0.3409	200	132	80	32	12	2
G2-G3	0.3409	199	132	80	32	12	2

FUTURE MDDP (Full Spectrum)							
	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	PEAK DISCHARGE Q50 (CFS)	PEAK DISCHARGE Q25 (CFS)	PEAK DISCHARGE Q10 (CFS)	PEAK DISCHARGE Q5 (CFS)	PEAK DISCHARGE Q2 (CFS)
FG03	0.0203	26	19	13	7	1	1
FG04	0.0172	23	16	11	6	3	1
G3	0.3784	222	147	89	36	13	3
G3-POND F	0.3784	221	147	89	36	13	3
FG05	0.0922	65	46	30	15	7	2
FG06	0.0188	21	15	10	5	3	1
POND F	0.4894	181	126	65	17	8	2
POND F-G7	0.4894	181	126	65	17	8	2
FG21	0.0656	55	39	26	13	6	2
OS07	0.0328	28	19	12	5	2	0
OS07-G7	0.0328	27	19	12	5	2	0
G7	0.5878	223	151	77	22	10	3
G7-G8	0.5878	223	151	77	22	10	3
FG22	0.0641	46	33	22	11	5	1
G8	0.6519	261	172	87	29	12	3
G8-G8A	0.6519	261	171	87	29	12	3
FG23	0.0813	59	42	27	13	6	2
OS08	0.0406	39	27	18	9	4	1
OS11-G8A	0.0406	39	27	18	9	4	1
G8A	0.7738	331	209	105	46	21	6
G8A-G9	0.7738	331	209	105	46	21	6
FG25	0.0219	19	14	10	6	3	1
G9	0.7957	348	219	115	51	24	7
G9-G11	0.7957	348	219	115	51	24	7
OS09	0.1547	96	67	43	20	9	2
OS09-G10	0.1547	96	67	43	20	9	2
FG24	0.1047	77	54	34	16	7	1
G10	0.2594	166	115	74	34	15	3
G10-G11	0.2594	166	115	73	34	15	3
FG26	0.0813	81	61	43	25	15	6
FG27B	0.0508	61	48	35	22	14	7
FG27A	0.0259	16	11	7	3	2	0
FG27A-G11	0.0259	16	11	7	3	2	0
G11	1.2131	632	399	258	125	62	18
FG28	0.0203	18	13	8	4	2	0
POND G	1.2334	548	347	187	66	31	9
G12	1.2334	548	347	187	66	31	9
G12-G06	1.2334	547	347	187	66	31	9
FG29	0.1031	60	40	24	9	3	0
FG32	0.0402	74	58	45	29	20	11
FG32-G06	0.0402	73	58	44	29	20	11
G06	1.3767	591	373	203	73	35	12
FG10	0.0963	71	53	37	21	12	5
FG08A	0.0750	125	97	73	46	30	15
FG08A-G05	0.0750	125	97	72	45	30	15
FG08B	0.0630	94	72	54	34	22	11
FG08B-G05	0.0630	93	72	54	34	22	11
FG11	0.0625	81	63	47	30	20	11
FG09	0.0484	52	39	27	16	9	4
FG09-G05	0.0484	52	39	27	16	9	4
G05	0.3452	385	295	217	133	84	42
FG13	0.0656	44	31	20	10	5	1
FG12	0.0328	55	44	33	22	15	8
POND D	0.4436	126	85	48	18	11	4
POND D-G17	0.4436	126	85	48	18	11	4
FG15	0.1217	84	62	44	25	15	6
FG14	0.0359	49	38	29	18	12	6

FUTURE MDDP (Full Spectrum)							
	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	PEAK DISCHARGE Q50 (CFS)	PEAK DISCHARGE Q25 (CFS)	PEAK DISCHARGE Q10 (CFS)	PEAK DISCHARGE Q5 (CFS)	PEAK DISCHARGE Q2 (CFS)
FG14-G17a	0.0359	49	38	29	18	12	6
G17a	0.1576	117	88	64	38	23	11
FG15a	0.0156	30	23	18	12	8	4
G17	0.6168	222	153	88	50	28	14
G17-G18	0.6168	222	153	88	50	28	14
FG16	0.0773	135	105	79	51	34	18
G18	0.6941	249	182	131	81	52	26
G18-POND E	0.6941	249	181	131	80	51	26
FG31	0.0922	123	97	74	48	33	19
FG30	0.0400	82	65	50	33	23	13
FG30-PONDHS	0.0400	81	64	49	33	22	13
POND HS	0.1322	159	113	63	37	27	16
FG17a	0.0694	117	91	69	44	29	16
FG17a-POND E	0.0694	116	90	68	44	29	16
FG18	0.0644	59	45	32	19	11	5
FG18-POND E	0.0644	59	44	32	19	11	5
FG19	0.0527	92	73	56	37	25	15
FG17c	0.0313	34	24	16	7	3	1
FG17b	0.0214	42	33	26	17	12	7
POND E	1.0655	284	172	97	35	18	12
FG20	0.0109	31	26	21	16	13	9
H08-H09	1.0764	286	174	98	35	19	12
FG34	0.0922	64	43	27	12	5	1
G13	0.0922	64	43	27	12	5	1
POND I	0.0922	49	33	19	8	4	4
G14	0.0922	49	33	19	8	4	4
G14-G15	0.0922	49	33	19	8	4	4
FG35	0.0566	39	26	16	7	3	0
G15	0.1488	77	49	28	11	5	4
G15-G08	0.1488	77	49	28	11	5	4
FG37	0.0797	48	31	19	7	2	0
FG36	0.0281	15	10	6	2	1	0
FG36-G08	0.0281	15	10	6	2	1	0
G08	0.2566	129	80	46	18	7	4
FH01	0.1344	226	174	129	81	52	26
POND H	0.1344	61	33	19	8	4	2

A second major tributary begins onsite and flows across the southwestern part of the basin toward Eastonville Road. The runoff will be collected in storm sewers and conveyed southeasterly toward Eastonville Road to the proposed detention Pond E. The detention facility will release at rates equal to or below the existing flow rate for the full spectrum of design storms into the existing drainage courses southeast of Eastonville Road. The detention pond discharges into two existing FEMA mapped drainage courses with in the 4-Way Ranch subdivision located on the southeast side of Eastonville Road near DPs H08 and H09.

A smaller channel in the northeast corner of Meridian Ranch will be collected in a combination of storm sewers and open channels and conveyed southeasterly toward the proposed detention Pond I where the pond will discharge to the El Paso County Falcon Regional Park. The detention facility will release near DP G14 at a rate equal to or below the existing flow rate for the full spectrum of design storms into the existing drainage course within the Regional Park and drain southeasterly to Eastonville Road near DP G08.

**Table 5 - Allowable Discharge Rates from Meridian Ranch**

MERIDIAN RANCH DISCHARGE KEY DESIGN POINTS						
		PEAK DISCHARGE Q <sub>100</sub> (CFS)	PEAK DISCHARGE Q <sub>50</sub> (CFS)	PEAK DISCHARGE Q <sub>25</sub> (CFS)	PEAK DISCHARGE Q <sub>10</sub> (CFS)	PEAK DISCHARGE Q <sub>5</sub> (CFS)
37 - JUDGE ORR ROAD (Downstream of Bennett Pond)	Historic	2117	1391	834	338	131
	Developed	1439	1021	621	266	107
	% of Historic	68.0%	73.4%	74.5%	78.7%	81.7%
G12 - POND G OUTLET REGIONAL PARK	Historic	596	399	242	96	34
	Developed <sup>3</sup>	596	399	242	96	34
	% of Historic	100.0%	100.0%	100.0%	100.0%	100.0%
H08 - EASTONVILLE ROAD	Historic	227	149	89	35	13
	Developed	211	142	79	27	12
	% of Historic	93.0%	95.6%	89.0%	77.6%	93.7%
H09 - EASTONVILLE ROAD	Historic	80	53	31	13	5
	Developed	73	30	18	8	5
	% of Historic	91.2%	55.8%	57.4%	60.2%	100.0%
G14 - POND I OUTLET REGIONAL PARK	Historic	59	40	25	11	4
	Developed <sup>3</sup>	59	40	25	11	4
	% of Historic	100.0%	100.0%	100.0%	100.0%	100.0%
H12 - STAPLETON DRIVE EASTONVILLE ROAD	Historic	70	46	27	10	3
	Developed <sup>2</sup>	61	33	19	8	4
	% of Historic	87.1%	71.7%	70.4%	80.0%	133.3%

<sup>1</sup> Flow rate at Eastonville Rd. listed for reference only

<sup>2</sup> Preliminary design estimate, listed for reference only, actual value to be determined at final design.

<sup>3</sup> Flow rate estimated as historic flow rate not to be exceeded and listed for reference only, actual value to be

Haegler Ranch Basin

Reduce to 90%

The runoff begins near the south east corner of Meridian Ranch within FH1. The runoff will be conveyed through the proposed development to the proposed Pond H. The outlet structure discharges through a 36" RCP. The discharge at DP H12 is not to exceed the existing flow rate for the full spectrum of design storms.

adjust viewport. Portion of  
footnote is not visible.

**Table 6 - Detention Pond Summary**

POND	BASIN	PEAK INFLOW CFS	PEAK OUTFLOW CFS	STORAGE ELEV. FT	STORAGE VOL. AC-FT
EXPOND A	BENNETT	675	557	7144.0	10.7
EXPOND B	BENNETT	879	688	7082.9	13.2
EXPOND C	BENNETT	848	749	7073.7	19.7
EXPOND D	GIECK	473	126	7056.9	24.5
EXPOND E	GIECK	632	284 <sup>2</sup>	6973.4 <sup>2</sup>	40.8 <sup>2</sup>
EXPOND F	GIECK	299	181	7136.2	8.8
PR POND G	GIECK	642	596 <sup>1</sup>	7033.3 <sup>2</sup>	14.3 <sup>2</sup>
PR POND H	HAEGLER	186	61 <sup>2</sup>	6973.5 <sup>2</sup>	7.8 <sup>2</sup>
PR POND I	GIECK	64	59 <sup>1</sup>	7071.6 <sup>2</sup>	1.1 <sup>2</sup>
EX BENNETT	BENNETT	1803	1399	6973.8	86.4

<sup>1</sup> Approximate discharge rate = historic peak rate

<sup>2</sup> Estimated value, actual value based on final design

## **MAJOR DRAINAGE STRUCTURES**

Several major drainage crossings exist along Eastonville Road either are or were undersized for the historic flow rates generated upstream. Ten locations were identified in the original Meridian Ranch MDDP in 2000 at the beginning of the project as existing road crossings along Eastonville Road that were undersized to convey existing flow. Several of the crossings have been replaced to date, while several others will require replacement with improvements to Eastonville Road. Please see Table 7: Major Drainage Structures for the status of the several crossings and a summary of the estimated equivalent pipe size necessary for each crossing. The actual size and type of conduit will be determined during final design.

**Table 7 - Major Drainage Structures**

DESIGN POINT	ROAD NAME	BASIN	100-YR PEAK FLOW RATE	PROPOSED CULVERT TYPE	ESTIMATED EQUIVALENT CULVERT SIZE <sup>3</sup>
B10	LONDONDERRY ROAD	BENNETT	793	EXISTING	EX CONSPAN
POND B	LONDONDERRY ROAD	BENNETT	688	EXISTING	EX CONSPAN
POND C	MERIDIAN RANCH BLVD	BENNETT	749	EXISTING	EX CONSPAN
B26	STAPLETON DRIVE	BENNETT	1623	EXISTING	EX DBL 9'x9' & 10'x10' BOX RCB
B19	STAPLETON DRIVE	BENNETT	151	EXISTING	EX 48" RCP
H08	EASTONVILLE ROAD	GIECK	211	EXISTING	EX 3-48" RCP
H09	EASTONVILLE ROAD	GIECK	73	EXISTING	EX 2-36" RCP
H12	EASTONVILLE ROAD	HAEGLER	70	EXISTING	EX 4'x2' RCB
G08A <sup>1</sup>	REX ROAD	GIECK	331	BOX	2-8'x4' RCB
G10 <sup>1</sup>	REX ROAD	GIECK	166	BOX	10'x4' RCB
H13 <sup>2</sup>	EASTONVILLE ROAD	GIECK	71	CULVERT	2-30" RCP
G6 <sup>2</sup>	EASTONVILLE ROAD	GIECK	628	BOX	3-7'x3' RCB
G8 <sup>2</sup>	EASTONVILLE ROAD	GIECK	122	BOX	2-5'x3' RCB
G15 <sup>2</sup>	REX ROAD	GIECK	77	CULVERT	2-36" RCP

<sup>1</sup> FUTURE INTERIOR CULVERT CROSSING

<sup>2</sup> OFFSITE CULVERT BY OTHERS (FOR REFERENCE ONLY)

<sup>3</sup> ACTUAL CULVERT SIZE AND TYPE DETERMINED AT FINAL DESIGN.

The proposed structures located along Eastonville Road will require large multiple cell box culverts or pipes. The flows also justify requiring that the pipes be upgraded to convey the flow under Eastonville Road. The outlet for Pond H is an existing 4' x 2' reinforced concrete box. The existing Pond E requires two outlet control structures to the discharge. Temporary CMP riser structures will be replaced with permanent concrete structures the permanent concrete outlet pipes have been installed along with the appropriate culverts under Eastonville Road. The culvert crossing under Eastonville Road downstream of Pond G may require a triple 7' x 3' reinforced concrete box, or equivalent. The culvert crossing under Eastonville Road downstream of Pond I may require a double 5' x 3' reinforced concrete box, or equivalent.

## **EROSION CONTROL DESIGN**

### ***General Concept***

Historically, erosion on this property has been held to a minimum by a variety of natural features and agricultural practices including:

- Substantial prairie grass growth
- Construction of drainage arresting berms
- Construction of multiple stock ponds along drainage courses

Existing detention ponds will also help to minimize erosion by reducing both the volume and velocity of the peak runoff.

During construction, best management practices (BMP) for erosion control will be employed based on El Paso county Criteria. BMP's will be utilized as deemed necessary by the contractor and/or engineer and are not limited to the measures shown on the construction drawing set. The contractor shall minimize the amount of area disturbed during all construction activities. Final erosion control plans will be prepared with final plat submittal.

In general the following shall be applied in developing the sequence of major activities:

- Install down-slope and side-slope perimeter BMP's before the land disturbing activity occurs.
- Do not disturb an area until it is necessary for the construction activity to proceed
- Cover or stabilize as soon as possible.
- Time the construction activities to reduce the impacts from seasonal climatic changes or weather events.
- The construction of filtration BMP's should wait until the end of the construction project when upstream drainage areas have been stabilized.
- Do not remove the temporary perimeter controls until after all upstream areas are stabilized.

### ***Four Step Process***

The following four step process is recommended for selecting structural BMP's in developing urban areas:

#### **Step 1: Employ Runoff Reduction Practices**

This development incorporates wider rights-of-way than other developments, thus decreasing the amount area devoted to pavement. The rights-of-way within Meridian Ranch are 20% wider, 60 ft. instead of 50 ft., creating more landscaped area within the development.

The project has over ten acres of open space, accounting for over 20% of the entire project, creating a lower density development.

Home owners and builders are encouraged to direct roof drains to the sideyards where the runoff will travel overland to the streets and creating an opportunity to allow the runoff to infiltrate into the ground.

#### **Step 2: Stabilize Drainageways**

The drainage swale located adjacent and south of the project was designed to have a wide flat bottom and slope reducing the velocity of the concentrated flow traveling along the drainageway. The construction of the swale also included erosion control mat along the entire length of the swale. At steeper sections of the swale straw logs or rip-rap has been installed to reduce velocities and erosion.

**Step 3: Provide Water Quality Capture Volume (WQCV)**

An existing extended detention pond with water quality capture volume is located to the east of the project that was designed to accommodate the runoff from this development.

**Step 4: Consider Need for Industrial and Commercial BMP's**

This project is neither industrial nor commercial and therefore this section does not apply.

***Detention Pond***

The existing detention ponds will act as the primary sedimentation control facility for the areas upstream. Runoff will be diverted into the detention pond where practical. The pond will serve a dual purpose: first, by facilitating the settling of sediment in runoff during and after construction (by means of the WQCV) and, second, by maintaining runoff at or below existing levels.

***Silt Fence***

Silt fence will be place along downstream limits of disturbed areas. This will prevent suspended sediment from leaving the site during infrastructure construction. Silt fencing is to remain in place until vegetation is reestablished.

***Erosion Bales***

Erosion bales will be placed ten (10) feet from the inlet of all culverts during construction to prevent culverts from filling with sediment. Erosion bales will remain in place until vegetation is reestablished. Erosion bale checks will be used on slopes greater than 1 percent to reduce flow velocities until vegetation is reestablished.

***Miscellaneous***

Best erosion control practices will be utilized as deemed necessary by the Contractor or Engineer and are not limited to the measures described above.

## **REFERENCES**

1. "City of Colorado Springs/El Paso County Drainage Criteria Manual" September 1987, Revised November 1991, Revised October 1994.
2. Chapter 6, Hydrology and Chapter 11, Storage, Section 3.2.1 of the "City of Colorado Springs Drainage Criteria Manual" May 2014.
3. "Volume 2, El Paso County/City of Colorado Springs Drainage Criteria Manual- Stormwater Quality Policies, Procedures and Best Management Practices" November 1, 2002.
4. Flood Insurance Rate Study for El Paso County, Colorado and Incorporated Areas. Federal Emergency Management Agency, Revised March 17, 1997.
5. Soils Survey of El Paso County area, Natural Resources Conservation Services of Colorado.
6. Master Development Drainage Plan Meridian Ranch. August 2000. Prepared by URS Corp.
7. Revision to Master Development Drainage Plan Meridian Ranch. May 2012. Prepared by Tech Contractors.
8. Revision to Master Development Drainage Plan Meridian Ranch. May 2015. Prepared by Tech Contractors.
9. Master Development Drainage Plan Latigo Trails. October 2001. Prepared by URS Corp.
10. Final Drainage Report for Meridian Ranch Filing 1. November 2001. Prepared by URS Corp.
11. Preliminary Drainage Plan for Meridian Ranch Phase II. September 2003. Prepared by URS.
12. Final Drainage Plan for The Trails Filing No.7. March 2005. Prepared by URS.
13. Final Drainage Report for Meridian Ranch Filing 3. August 2011. Prepared by Tech Contractors.
14. Preliminary and Final Drainage Report for Meridian Ranch Filing 7. June 2012. Prepared by Tech Contractors.
15. Final Drainage Report for Meridian Ranch Estates Filing 2. July 2013. Prepared by Tech Contractors.
16. Final Drainage Report for Meridian Ranch Filing 11A. March 2014. Prepared by Tech Contractors.

17. Preliminary and Final Drainage Report for Meridian Ranch Filing 8. December 2014.  
Prepared by Tech Contractors.
18. Preliminary and Final Drainage Report for Meridian Ranch Filing 4B. April 2014.  
Prepared by Tech Contractors.
19. Final Drainage Report for Stonebridge Filing 1 at Meridian Ranch. June 2014. Prepared  
by Tech Contractors.
20. Final Drainage Report for Meridian Ranch Filing 9. May 2015. Prepared by Tech  
Contractors.
21. Final Drainage Report for Meridian Ranch Estates Filing 3. October 2015. Prepared by  
Tech Contractors.
22. Final Drainage Report for the Vistas Filing 1 at Meridian Ranch. July 2016. Prepared by  
Tech Contractors.
23. Final Drainage Report for Stonebridge Filing 2 at Meridian Ranch. September 2016.  
Prepared by Tech Contractors.
24. Final Drainage Report for Stonebridge Filing 3 at Meridian Ranch. April 2017.  
Prepared by Tech Contractors.

## **Appendices**

## Appendix A - SCS Input Data (HEC-HMS)

**Input Data**  
**Meridian Ranch 2017 MDDP UPDATE**

BASIN	AREA		CURVE NO.	LAG TIME (min)
	(acre)	(mi <sup>2</sup> )		
HISTORIC				
OS01	998	1.5594	62.9	35.5
OS02	142	0.2219	64.5	25.5
OS03	127	0.1984	63.2	23.6
OS04	87	0.1359	61.0	21.4
HB01	15	0.0234	61.0	12.6
HB02	68	0.1063	61.0	16.2
HB03	81	0.1266	61.0	13.2
HB04	39	0.0609	61.0	14.4
HB05	88	0.1375	61.0	15.6
HB06	105	0.1641	61.0	18.0
HB07	20	0.0313	61.0	10.2
HB08	86	0.1344	61.0	21.6
HB09	195	0.3047	61.0	33.0
HB10	195	0.3047	61.0	24.0
HB12	51	0.0797	61.0	18.0
B-11	72	0.1125	61.0	25.8
B-13	180	0.2813	61.0	33.0
B-14	258.5	0.4039	61.0	34.2
B-15	48	0.0750	61.0	27.0

\* From approved Meridian Ranch MDDP dated Aug 2015

OS05	37	0.0578	61.0	15.2
OS06	84	0.1313	61.0	18.7
OS07	21	0.0328	63.1	15.4
OS08	26	0.0406	65.7	15.9
OS09	99	0.1547	65.0	29.5
OS10	152	0.2375	65.0	27.9
OS11	64	0.1000	64.1	30.0
HG01	35	0.0547	61.0	19.6
HG02	58	0.0906	61.0	25.4
HG03	117	0.1828	61.1	33.8
HG04	57	0.0891	61.0	30.7
HG05	72	0.1125	61.0	31.8
HG06A	88	0.1375	61.0	43.2
HG06B	66	0.1031	61.0	49.5
HG07	63	0.0984	61.0	28.3
HG08	85	0.1328	61.0	22.9
HG09	114	0.1781	61.0	35.6
HG10	88	0.1375	61.0	61.4
HG11	131	0.2047	61.0	40.4
HG12	83	0.1297	61.0	32.0
HG13	54	0.0844	63.1	21.2
HG14	147	0.2297	61.0	45.1
HG15	164	0.2563	61.0	65.1
HG17	85	0.1328	61.9	29.9
HG18	21	0.0328	61.0	14.1
HG19	3	0.0047	61.0	6.1
HG20	1	0.0016	61.0	6.9
HG21	14	0.0219	61.0	13.8
HH01	63	0.0984	61.0	16.6

BASIN	AREA		CURVE NO.	LAG TIME (min)
	(acre)	(mi <sup>2</sup> )		
FUTURE				
OS01	998	1.5594	62.9	35.5
OS02	142	0.2219	64.5	25.5
OS03	127	0.1984	63.2	23.6
OS04	87	0.1359	61.0	21.4
DB01	46	0.0719	69.7	13.7
DB02	33	0.0516	69.0	10.5
DB03	45	0.0703	65.8	15.0
DB04	27	0.0422	66.8	15.3
DB05	25	0.0384	68.0	19.1
DB06	14	0.0219	84.0	14.6
DB07	16	0.0254	70.0	11.7
DB08	19	0.0297	64.9	11.9
DB09	12	0.0189	75.0	9.6
DB10	23	0.0364	75.0	13.7
DB11	62	0.0969	72.0	18.4
DB12	29	0.0453	78.2	12.7
DB13	45	0.0703	73.9	18.6
DB14	36	0.0556	78.0	14.6
DB15	79	0.1234	67.1	21.8
DB16	37	0.0578	78.5	16.4
DB17	3	0.0048	98.0	7.4
DB18	22	0.0346	80.0	13.4
DB19	18	0.0281	72.6	16.2
DB20	9	0.0147	78.7	15.2
DB21	33	0.0519	65.6	13.6
DB22	33	0.0516	80.0	14.8
DB23	11	0.0172	91.6	11.3
DB24	34	0.0531	78.5	13.3
DB25	14	0.0211	80.0	9.7
DB26	44	0.0692	85.8	16.1
DB27	33	0.0508	78.1	21.9
DB28	47	0.0741	70.7	24.7
DB29	109	0.1697	68.5	23.9
FB01	24	0.0373	77.7	13.3
FB02	32	0.0500	79.1	14.5
FB03	5	0.0078	90.1	7.7
WH-24	85	0.1325	79.0	16.0
WH-26	54	0.0839	62.0	25.1
WH-27	14	0.0217	62.0	8.6
WH-28	26	0.0398	78.3	17.7
WH-29	32	0.0495	78.0	16.6
WH-30	10	0.0159	68.6	6.0
WH-31	26	0.0406	80.0	13.2
WH-32	29	0.0458	62.0	6.0
WH-33	4	0.0064	80.0	13.0
WH-34	29	0.0453	75.0	14.4
WH-35	99	0.1547	68.0	15.0
WH-36	48	0.0750	63.0	15.6

\* From approved Meridian Ranch MDDP dated Aug 2015


+ From approved Meridian Ranch Final Drainage Reports (Stonebridge Filing 2, Oct 2016)

\*\* From Retrofit Drainage Analysis for Bennett Regional Detention Pond, Jun 2014)


BASIN	AREA		CURVE NO.	LAG TIME (min)
	(acre)	(mi <sup>2</sup> )		
FUTURE				
OS05	37	0.0578	61.0	15.2
OS06	84	0.1313	61.0	18.7
OS07	21	0.0328	63.1	15.4
OS08	26	0.0406	65.7	15.9
OS09	99	0.1547	65.0	29.5
FG01	72	0.1127	63.4	33.8
FG02	25	0.0391	64.6	16.1
FG03	13	0.0203	68.0	11.6
FG04	11	0.0172	68.0	7.6
FG05	59	0.0922	66.9	28.7
FG06	12	0.0188	68.0	15.3
FG08A	48	0.0750	76.8	13.3
FG08B	40	0.0630	76.7	16.6
FG09	31	0.0484	71.7	20.8
FG10	62	0.0963	72.0	37.7
FG11	40	0.0625	78.2	23.2
FG12	21	0.0328	80.0	16.1
FG13	42	0.0656	66.3	29.6
FG14	23	0.0359	78.0	20.9
FG15	78	0.1217	72.4	42.8
FG15a	10	0.0156	78.7	11.2
FG16	50	0.0773	78.8	13.0
FG17a	44	0.0694	78.1	14.4
FG17b	14	0.0214	79.9	11.4
FG17c	20	0.0313	65.2	11.8
<b>FG18</b>	41	0.0644	73.5	29.9
<b>FG19</b>	34	0.0527	80.3	15.3
FG20	7	0.0109	92.9	10.1
FG21	42	0.0656	66.9	22.0
FG22	41	0.0641	66.9	27.4
FG23	52	0.0813	66.5	26.5
FG24	67	0.1041	64.9	22.7
FG25	14	0.0219	70.8	26.6
FG26	52	0.0813	72.5	24.8
FG27a	17	0.0259	65.5	31.4
FG27b	33	0.0508	77.2	24.3
FG28	13	0.0203	65.6	17.5
FG29	66	0.1031	61.3	23.3
FG30	26	0.0400	80.0	10.4
FG31	59	0.0922	80.0	24.0
FG32	26	0.0402	80.0	13.6
FG33	19	0.0302	71.2	12.7
FG34	59	0.0922	63.7	22.7
FG35	36	0.0566	62.7	20.7
FG36	18	0.0281	61.0	24.9
FG37	51	0.0797	61.0	21.8
FH01	86	0.1344	76.2	12.6
FH02	6	0.0091	71.3	7.7


## Appendix B - HEC-HMS Results

HISTORIC MDDP (100-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q100 (CFS)	TIME OF PEAK	TOTAL VOLUME Q100 (AC. FT.)
OS02	0.2219	148	01Jul2015, 12:20	18.8
B01	0.2219	148	01Jul2015, 12:20	18.8
B01-B07	0.2219	148	01Jul2015, 12:24	18.7
OS03	0.1984	130	01Jul2015, 12:18	15.8
B02-B03	0.1984	129	01Jul2015, 12:20	15.8
HB01	0.0234	19	01Jul2015, 12:08	1.7
B03	0.2218	140	01Jul2015, 12:20	17.4
B03-B07	0.2218	140	01Jul2015, 12:22	17.4
OS04	0.1359	83	01Jul2015, 12:16	9.7
B04-B05	0.1359	82	01Jul2015, 12:24	9.6
HB03	0.1266	103	01Jul2015, 12:08	9.1
B05	0.2625	144	01Jul2015, 12:16	18.7
B05-B07	0.2625	144	01Jul2015, 12:16	18.7
HB02	0.1063	77	01Jul2015, 12:12	7.6
HB04	0.0609	47	01Jul2015, 12:10	4.4
B07	0.8734	519	01Jul2015, 12:18	66.8
B07-B12	0.8734	518	01Jul2015, 12:24	66.2
HB05	0.1375	102	01Jul2015, 12:10	9.9
HB06	0.1641	111	01Jul2015, 12:14	11.8
B12	1.175	679	01Jul2015, 12:20	87.9
B12-PB	1.175	677	01Jul2015, 12:22	87.8
HB07	0.0313	29	01Jul2015, 12:06	2.3
POND B	1.2063	688	01Jul2015, 12:22	90
PB-19	1.2063	687	01Jul2015, 12:26	89.3
OS01	1.5594	757	01Jul2015, 12:32	121.7
OS01-B19	1.5594	756	01Jul2015, 12:38	120.6
HB08	0.1344	81	01Jul2015, 12:16	9.6
HB09	0.3047	138	01Jul2015, 12:30	21.7
B19	3.2048	1563	01Jul2015, 12:30	241.2
B19-B26	3.2048	1563	01Jul2015, 12:32	240.9
HB10	0.3047	172	01Jul2015, 12:20	21.8
HB12	0.0797	54	01Jul2015, 12:14	5.7
HB12-B26	0.0797	54	01Jul2015, 12:16	5.7
B26	3.5892	1737	01Jul2015, 12:30	268.4
26-32	3.5892	1734	01Jul2015, 12:34	266.9
B-11	0.1125	60	01Jul2015, 12:22	8
32	3.7017	1782	01Jul2015, 12:34	274.9
32-37	3.7017	1782	01Jul2015, 12:36	273.4
B-14	0.4039	178	01Jul2015, 12:32	28.7
B-13	0.2813	127	01Jul2015, 12:30	20
36	0.6852	306	01Jul2015, 12:30	48.7
36-37	0.6852	305	01Jul2015, 12:34	48.5
B-15	0.075	39	01Jul2015, 12:22	5.4
37	4.4619	2117	01Jul2015, 12:36	327.3
OS06	0.1313	87	01Jul2015, 12:14	9.4
OS06-G02	0.1313	86	01Jul2015, 12:20	9.3
OS05	0.0578	48	01Jul2015, 12:08	4.2
OS05-G01	0.0578	47	01Jul2015, 12:12	4.1
HG01	0.0547	35	01Jul2015, 12:14	3.9
G01	0.1125	82	01Jul2015, 12:12	8.1
G01-G02	0.1125	81	01Jul2015, 12:20	7.9
HG02	0.0906	49	01Jul2015, 12:22	6.5
G02	0.3344	216	01Jul2015, 12:20	23.7
G02-G03	0.3344	215	01Jul2015, 12:26	23.3
HG03	0.1828	82	01Jul2015, 12:30	13.1
OS07	0.0328	28	01Jul2015, 12:10	2.6



HISTORIC MDDP (100-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q100 (CFS)	TIME OF PEAK	TOTAL VOLUME Q100 (AC. FT.)
G03	0.55	323	01Jul2015, 12:28	38.9
G03-G04	0.55	322	01Jul2015, 12:30	38.6
OS09	0.1547	96	01Jul2015, 12:24	13.4
OS09-G04	0.1547	96	01Jul2015, 12:32	13.2
HG04	0.0891	42	01Jul2015, 12:28	6.4
HG05	0.1125	52	01Jul2015, 12:28	8
OS08	0.0406	39	01Jul2015, 12:10	3.6
OS08-G04	0.0406	38	01Jul2015, 12:30	3.6
G04	0.9469	551	01Jul2015, 12:30	69.7
G04-G05	0.9469	548	01Jul2015, 12:32	69.4
HG06A	0.1375	51	01Jul2015, 12:42	9.7
G05	1.0844	596	01Jul2015, 12:34	79.2
G05-G06	1.0844	596	01Jul2015, 12:36	78.8
HG06B	0.1031	35	01Jul2015, 12:50	7.3
G06	1.1875	628	01Jul2015, 12:36	86
HG07	0.0984	50	01Jul2015, 12:24	7
HG07-G11	0.0984	50	01Jul2015, 12:28	7
HG08	0.1328	77	01Jul2015, 12:18	9.5
G11	0.2312	122	01Jul2015, 12:22	16.5
G11-G12	0.2312	121	01Jul2015, 12:26	16.3
HG09	0.1781	76	01Jul2015, 12:32	12.7
G12	0.4093	196	01Jul2015, 12:28	29
G12-H08	0.4093	196	01Jul2015, 12:38	28.4
HG10	0.1375	40	01Jul2015, 13:04	9.6
H08	0.5468	227	01Jul2015, 12:40	38
HG14	0.2297	83	01Jul2015, 12:44	16.2
HG13	0.0844	59	01Jul2015, 12:16	6.7
G07	0.0844	59	01Jul2015, 12:16	6.7
G07-G08	0.0844	59	01Jul2015, 12:20	6.6
G08	0.3141	122	01Jul2015, 12:30	22.9
HG15	0.2563	71	01Jul2015, 13:08	17.9
H13	0.2563	71	01Jul2015, 13:08	17.9
HG11	0.2047	80	01Jul2015, 12:38	14.5
H09	0.2047	80	01Jul2015, 12:38	14.5
HH01	0.0984	70	01Jul2015, 12:12	7.1
H12	0.0984	70	01Jul2015, 12:12	7.1
HG12	0.1297	60	01Jul2015, 12:28	9.2
H10	0.1297	60	01Jul2015, 12:28	9.2





HISTORIC MDDP (50-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q50 (CFS)	TIME OF PEAK	TOTAL VOLUME Q50 (AC. FT.)
OS02	0.2219	102	01Jul2015, 12:22	13.5
B01	0.2219	102	01Jul2015, 12:22	13.5
B01-B07	0.2219	102	01Jul2015, 12:24	13.5
OS03	0.1984	88	01Jul2015, 12:20	11.3
B02-B03	0.1984	88	01Jul2015, 12:22	11.3
HB01	0.0234	13	01Jul2015, 12:08	1.2
B03	0.2218	95	01Jul2015, 12:20	12.4
B03-B07	0.2218	94	01Jul2015, 12:24	12.4
OS04	0.1359	54	01Jul2015, 12:18	6.8
B04-B05	0.1359	54	01Jul2015, 12:26	6.7
HB03	0.1266	68	01Jul2015, 12:08	6.4
B05	0.2625	91	01Jul2015, 12:18	13.1
B05-B07	0.2625	91	01Jul2015, 12:20	13.1
HB02	0.1063	51	01Jul2015, 12:12	5.4
HB04	0.0609	31	01Jul2015, 12:10	3.1
B07	0.8734	344	01Jul2015, 12:20	47.4
B07-B12	0.8734	343	01Jul2015, 12:26	47
HB05	0.1375	67	01Jul2015, 12:12	6.9
HB06	0.1641	73	01Jul2015, 12:14	8.3
B12	1.175	440	01Jul2015, 12:22	62.2
B12-PB	1.175	440	01Jul2015, 12:24	62.1
HB07	0.0313	19	01Jul2015, 12:06	1.6
POND B	1.2063	446	01Jul2015, 12:24	63.6
PB-19	1.2063	444	01Jul2015, 12:28	63.1
OS01	1.5594	510	01Jul2015, 12:34	86.7
OS01-B19	1.5594	509	01Jul2015, 12:40	85.8
HB08	0.1344	53	01Jul2015, 12:18	6.8
HB09	0.3047	90	01Jul2015, 12:32	15.2
B19	3.2048	1041	01Jul2015, 12:34	170.8
B19-B26	3.2048	1039	01Jul2015, 12:34	170.6
HB10	0.3047	113	01Jul2015, 12:20	15.3
HB12	0.0797	36	01Jul2015, 12:14	4
HB12-B26	0.0797	35	01Jul2015, 12:18	4
B26	3.5892	1147	01Jul2015, 12:34	189.8
26-32	3.5892	1146	01Jul2015, 12:36	188.6
B-11	0.1125	40	01Jul2015, 12:22	5.6
32	3.7017	1177	01Jul2015, 12:36	194.2
32-37	3.7017	1175	01Jul2015, 12:40	193
B-14	0.4039	117	01Jul2015, 12:32	20.2
B-13	0.2813	83	01Jul2015, 12:32	14
36	0.6852	200	01Jul2015, 12:32	34.2
36-37	0.6852	200	01Jul2015, 12:36	34
B-15	0.075	26	01Jul2015, 12:24	3.8
37	4.4619	1391	01Jul2015, 12:38	230.8
OS06	0.1313	57	01Jul2015, 12:14	6.6
OS06-G02	0.1313	57	01Jul2015, 12:22	6.5
OS05	0.0578	32	01Jul2015, 12:08	2.9
OS05-G01	0.0578	31	01Jul2015, 12:12	2.9
HG01	0.0547	23	01Jul2015, 12:16	2.8
G01	0.1125	54	01Jul2015, 12:14	5.6
G01-G02	0.1125	53	01Jul2015, 12:20	5.6
HG02	0.0906	32	01Jul2015, 12:22	4.5
G02	0.3344	142	01Jul2015, 12:22	16.6
G02-G03	0.3344	141	01Jul2015, 12:30	16.4
HG03	0.1828	54	01Jul2015, 12:32	9.2
OS07	0.0328	19	01Jul2015, 12:10	1.9
OS07-G03	0.0328	19	01Jul2015, 12:30	1.8

HISTORIC MDDP (50-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q50 (CFS)	TIME OF PEAK	TOTAL VOLUME Q50 (AC. FT.)
G03	0.55	213	01Jul2015, 12:30	27.4
G03-G04	0.55	212	01Jul2015, 12:34	27.1
OS09	0.1547	67	01Jul2015, 12:26	9.7
OS09-G04	0.1547	67	01Jul2015, 12:34	9.5
HG04	0.0891	28	01Jul2015, 12:28	4.5
HG05	0.1125	34	01Jul2015, 12:30	5.6
OS08	0.0406	27	01Jul2015, 12:10	2.6
OS08-G04	0.0406	27	01Jul2015, 12:34	2.6
G04	0.9469	367	01Jul2015, 12:32	49.3
G04-G05	0.9469	366	01Jul2015, 12:36	49.1
HG06A	0.1375	34	01Jul2015, 12:44	6.8
G05	1.0844	399	01Jul2015, 12:36	55.9
G05-G06	1.0844	397	01Jul2015, 12:40	55.6
HG06B	0.1031	23	01Jul2015, 12:52	5.1
G06	1.1875	418	01Jul2015, 12:40	60.7
HG07	0.0984	32	01Jul2015, 12:26	4.9
HG07-G11	0.0984	32	01Jul2015, 12:30	4.9
HG08	0.1328	51	01Jul2015, 12:20	6.7
G11	0.2312	79	01Jul2015, 12:24	11.6
G11-G12	0.2312	79	01Jul2015, 12:28	11.4
HG09	0.1781	50	01Jul2015, 12:34	8.9
G12	0.4093	128	01Jul2015, 12:30	20.3
G12-H08	0.4093	128	01Jul2015, 12:42	19.8
HG10	0.1375	26	01Jul2015, 13:06	6.7
H08	0.5468	149	01Jul2015, 12:42	26.6
HG14	0.2297	55	01Jul2015, 12:46	11.4
HG13	0.0844	40	01Jul2015, 12:16	4.8
G07	0.0844	40	01Jul2015, 12:16	4.8
G07-G08	0.0844	40	01Jul2015, 12:22	4.7
G08	0.3141	81	01Jul2015, 12:32	16.1
HG15	0.2563	47	01Jul2015, 13:10	12.5
H13	0.2563	47	01Jul2015, 13:10	12.5
HG11	0.2047	53	01Jul2015, 12:40	10.2
H09	0.2047	53	01Jul2015, 12:40	10.2
HH01	0.0984	46	01Jul2015, 12:12	5
H12	0.0984	46	01Jul2015, 12:12	5
HG12	0.1297	39	01Jul2015, 12:30	6.5
H10	0.1297	39	01Jul2015, 12:30	6.5

HISTORIC MDDP (25-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q25 (CFS)	TIME OF PEAK	TOTAL VOLUME Q25 (AC. FT.)
OS02	0.2219	65	01Jul2015, 12:22	9.3
B01	0.2219	65	01Jul2015, 12:22	9.3
B01-B07	0.2219	65	01Jul2015, 12:26	9.2
OS03	0.1984	55	01Jul2015, 12:20	7.7
B02-B03	0.1984	55	01Jul2015, 12:24	7.6
HB01	0.0234	8	01Jul2015, 12:08	0.8
B03	0.2218	59	01Jul2015, 12:22	8.4
B03-B07	0.2218	59	01Jul2015, 12:26	8.4
OS04	0.1359	32	01Jul2015, 12:18	4.5
B04-B05	0.1359	32	01Jul2015, 12:28	4.4
HB03	0.1266	41	01Jul2015, 12:10	4.2
B05	0.2625	52	01Jul2015, 12:24	8.7
B05-B07	0.2625	52	01Jul2015, 12:26	8.7
HB02	0.1063	30	01Jul2015, 12:12	3.6
HB04	0.0609	19	01Jul2015, 12:10	2
B07	0.8734	207	01Jul2015, 12:24	31.9
B07-B12	0.8734	207	01Jul2015, 12:30	31.5
HB05	0.1375	40	01Jul2015, 12:12	4.6
HB06	0.1641	43	01Jul2015, 12:14	5.5
B12	1.175	259	01Jul2015, 12:26	41.6
B12-PB	1.175	259	01Jul2015, 12:28	41.5
HB07	0.0313	12	01Jul2015, 12:06	1
POND B	1.2063	262	01Jul2015, 12:28	42.6
PB-19	1.2063	261	01Jul2015, 12:34	42.1
OS01	1.5594	316	01Jul2015, 12:36	58.6
OS01-B19	1.5594	315	01Jul2015, 12:44	57.8
HB08	0.1344	32	01Jul2015, 12:20	4.5
HB09	0.3047	54	01Jul2015, 12:34	10.1
B19	3.2048	635	01Jul2015, 12:38	114.5
B19-B26	3.2048	634	01Jul2015, 12:38	114.3
HB10	0.3047	67	01Jul2015, 12:22	10.1
HB12	0.0797	21	01Jul2015, 12:14	2.7
HB12-B26	0.0797	21	01Jul2015, 12:20	2.6
B26	3.5892	693	01Jul2015, 12:38	127
26-32	3.5892	693	01Jul2015, 12:42	126
B-11	0.1125	23	01Jul2015, 12:24	3.7
32	3.7017	709	01Jul2015, 12:42	129.8
32-37	3.7017	708	01Jul2015, 12:44	128.7
B-14	0.4039	70	01Jul2015, 12:34	13.3
B-13	0.2813	50	01Jul2015, 12:34	9.3
36	0.6852	119	01Jul2015, 12:34	22.6
36-37	0.6852	119	01Jul2015, 12:38	22.5
B-15	0.075	15	01Jul2015, 12:26	2.5
37	4.4619	834	01Jul2015, 12:44	153.7
OS06	0.1313	34	01Jul2015, 12:16	4.4
OS06-G02	0.1313	34	01Jul2015, 12:24	4.3
OS05	0.0578	19	01Jul2015, 12:08	1.9
OS05-G01	0.0578	19	01Jul2015, 12:14	1.9
HG01	0.0547	14	01Jul2015, 12:16	1.8
G01	0.1125	32	01Jul2015, 12:14	3.7
G01-G02	0.1125	32	01Jul2015, 12:24	3.7
HG02	0.0906	19	01Jul2015, 12:24	3
G02	0.3344	85	01Jul2015, 12:24	11
G02-G03	0.3344	84	01Jul2015, 12:32	10.8
HG03	0.1828	32	01Jul2015, 12:34	6.1
OS07	0.0328	12	01Jul2015, 12:12	1.3

HISTORIC MDDP (25-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q25 (CFS)	TIME OF PEAK	TOTAL VOLUME Q25 (AC. FT.)
G03	0.55	127	01Jul2015, 12:34	18.1
G03-G04	0.55	127	01Jul2015, 12:38	17.9
OS09	0.1547	43	01Jul2015, 12:26	6.7
OS09-G04	0.1547	43	01Jul2015, 12:36	6.6
HG04	0.0891	17	01Jul2015, 12:30	2.9
HG05	0.1125	20	01Jul2015, 12:32	3.7
OS08	0.0406	18	01Jul2015, 12:12	1.8
OS08-G04	0.0406	18	01Jul2015, 12:36	1.8
G04	0.9469	223	01Jul2015, 12:38	33
G04-G05	0.9469	222	01Jul2015, 12:40	32.8
HG06A	0.1375	20	01Jul2015, 12:46	4.5
G05	1.0844	242	01Jul2015, 12:40	37.3
G05-G06	1.0844	241	01Jul2015, 12:44	37
HG06B	0.1031	14	01Jul2015, 12:54	3.4
G06	1.1875	254	01Jul2015, 12:44	40.4
HG07	0.0984	19	01Jul2015, 12:28	3.3
HG07-G11	0.0984	19	01Jul2015, 12:32	3.2
HG08	0.1328	30	01Jul2015, 12:20	4.4
G11	0.2312	47	01Jul2015, 12:24	7.6
G11-G12	0.2312	47	01Jul2015, 12:32	7.5
HG09	0.1781	30	01Jul2015, 12:36	5.9
G12	0.4093	76	01Jul2015, 12:32	13.4
G12-H08	0.4093	76	01Jul2015, 12:46	13.1
HG10	0.1375	16	01Jul2015, 13:08	4.5
H08	0.5468	89	01Jul2015, 12:48	17.6
HG14	0.2297	33	01Jul2015, 12:48	7.5
HG13	0.0844	25	01Jul2015, 12:18	3.2
G07	0.0844	25	01Jul2015, 12:18	3.2
G07-G08	0.0844	25	01Jul2015, 12:24	3.2
G08	0.3141	49	01Jul2015, 12:34	10.7
HG15	0.2563	28	01Jul2015, 13:12	8.3
H13	0.2563	28	01Jul2015, 13:12	8.3
HG11	0.2047	31	01Jul2015, 12:42	6.7
H09	0.2047	31	01Jul2015, 12:42	6.7
HH01	0.0984	27	01Jul2015, 12:14	3.3
H12	0.0984	27	01Jul2015, 12:14	3.3
HG12	0.1297	23	01Jul2015, 12:32	4.3
H10	0.1297	23	01Jul2015, 12:32	4.3

HISTORIC MDDP (10-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q10 (CFS)	TIME OF PEAK	TOTAL VOLUME Q10 (AC. FT.)
OS02	0.2219	30	01Jul2015, 12:26	5.1
B01	0.2219	30	01Jul2015, 12:26	5.1
B01-B07	0.2219	30	01Jul2015, 12:30	5
OS03	0.1984	23	01Jul2015, 12:24	4.1
B02-B03	0.1984	23	01Jul2015, 12:26	4
HB01	0.0234	3	01Jul2015, 12:10	0.4
B03	0.2218	25	01Jul2015, 12:26	4.4
B03-B07	0.2218	25	01Jul2015, 12:30	4.4
OS04	0.1359	12	01Jul2015, 12:22	2.3
B04-B05	0.1359	12	01Jul2015, 12:34	2.2
HB03	0.1266	15	01Jul2015, 12:12	2.1
B05	0.2625	20	01Jul2015, 12:30	4.4
B05-B07	0.2625	20	01Jul2015, 12:32	4.4
HB02	0.1063	11	01Jul2015, 12:16	1.8
HB04	0.0609	7	01Jul2015, 12:12	1
B07	0.8734	86	01Jul2015, 12:30	16.6
B07-B12	0.8734	86	01Jul2015, 12:38	16.4
HB05	0.1375	15	01Jul2015, 12:14	2.3
HB06	0.1641	16	01Jul2015, 12:18	2.8
B12	1.175	103	01Jul2015, 12:36	21.5
B12-PB	1.175	103	01Jul2015, 12:38	21.4
HB07	0.0313	4	01Jul2015, 12:08	0.5
POND B	1.2063	105	01Jul2015, 12:38	22
PB-19	1.2063	104	01Jul2015, 12:46	21.7
OS01	1.5594	136	01Jul2015, 12:38	30.9
OS01-B19	1.5594	136	01Jul2015, 12:48	30.4
HB08	0.1344	12	01Jul2015, 12:22	2.3
HB09	0.3047	21	01Jul2015, 12:38	5.1
B19	3.2048	266	01Jul2015, 12:46	59.4
B19-B26	3.2048	266	01Jul2015, 12:48	59.2
HB10	0.3047	26	01Jul2015, 12:26	5.1
HB12	0.0797	8	01Jul2015, 12:18	1.3
HB12-B26	0.0797	8	01Jul2015, 12:24	1.3
B26	3.5892	288	01Jul2015, 12:48	65.7
26-32	3.5892	287	01Jul2015, 12:52	65
B-11	0.1125	9	01Jul2015, 12:28	1.9
32	3.7017	293	01Jul2015, 12:52	66.9
32-37	3.7017	293	01Jul2015, 12:58	66.1
B-14	0.4039	27	01Jul2015, 12:38	6.7
B-13	0.2813	19	01Jul2015, 12:38	4.7
36	0.6852	47	01Jul2015, 12:38	11.4
36-37	0.6852	47	01Jul2015, 12:42	11.3
B-15	0.075	6	01Jul2015, 12:30	1.3
37	4.4619	338	01Jul2015, 12:56	78.7
OS06	0.1313	13	01Jul2015, 12:18	2.2
OS06-G02	0.1313	13	01Jul2015, 12:30	2.2
OS05	0.0578	7	01Jul2015, 12:10	1
OS05-G01	0.0578	7	01Jul2015, 12:18	1
HG01	0.0547	5	01Jul2015, 12:20	0.9
G01	0.1125	12	01Jul2015, 12:18	1.9
G01-G02	0.1125	12	01Jul2015, 12:30	1.9
HG02	0.0906	7	01Jul2015, 12:28	1.5
G02	0.3344	32	01Jul2015, 12:30	5.6
G02-G03	0.3344	32	01Jul2015, 12:42	5.5
HG03	0.1828	13	01Jul2015, 12:38	3.1
OS07	0.0328	5	01Jul2015, 12:12	0.7

HISTORIC MDDP (10-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q10 (CFS)	TIME OF PEAK	TOTAL VOLUME Q10 (AC. FT.)
G03	0.55	49	01Jul2015, 12:42	9.2
G03-G04	0.55	49	01Jul2015, 12:48	9.1
OS09	0.1547	20	01Jul2015, 12:30	3.7
OS09-G04	0.1547	20	01Jul2015, 12:42	3.6
HG04	0.0891	6	01Jul2015, 12:34	1.5
HG05	0.1125	8	01Jul2015, 12:36	1.9
OS08	0.0406	9	01Jul2015, 12:12	1
OS08-G04	0.0406	8	01Jul2015, 12:46	1.1
G04	0.9469	89	01Jul2015, 12:48	17.1
G04-G05	0.9469	88	01Jul2015, 12:52	16.9
HG06A	0.1375	8	01Jul2015, 12:52	2.3
G05	1.0844	96	01Jul2015, 12:52	19.2
G05-G06	1.0844	96	01Jul2015, 12:56	19
HG06B	0.1031	6	01Jul2015, 13:02	1.7
G06	1.1875	101	01Jul2015, 12:56	20.7
HG07	0.0984	7	01Jul2015, 12:30	1.6
HG07-G11	0.0984	7	01Jul2015, 12:38	1.6
HG08	0.1328	11	01Jul2015, 12:24	2.2
G11	0.2312	18	01Jul2015, 12:30	3.9
G11-G12	0.2312	18	01Jul2015, 12:38	3.8
HG09	0.1781	12	01Jul2015, 12:40	3
G12	0.4093	29	01Jul2015, 12:38	6.8
G12-H08	0.4093	29	01Jul2015, 12:56	6.5
HG10	0.1375	7	01Jul2015, 13:18	2.2
H08	0.5468	35	01Jul2015, 12:58	8.8
HG14	0.2297	13	01Jul2015, 12:54	3.8
HG13	0.0844	11	01Jul2015, 12:20	1.7
G07	0.0844	11	01Jul2015, 12:20	1.7
G07-G08	0.0844	11	01Jul2015, 12:28	1.7
G08	0.3141	20	01Jul2015, 12:36	5.5
HG15	0.2563	12	01Jul2015, 13:24	4.2
H13	0.2563	12	01Jul2015, 13:24	4.2
HG11	0.2047	13	01Jul2015, 12:48	3.4
H09	0.2047	13	01Jul2015, 12:48	3.4
HH01	0.0984	10	01Jul2015, 12:16	1.7
H12	0.0984	10	01Jul2015, 12:16	1.7
HG12	0.1297	9	01Jul2015, 12:36	2.2
H10	0.1297	9	01Jul2015, 12:36	2.2


HISTORIC MDDP (5-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q5 (CFS)	TIME OF PEAK	TOTAL VOLUME Q5 (AC. FT.)
OS02	0.2219	13	01Jul2015, 12:28	2.8
B01	0.2219	13	01Jul2015, 12:28	2.8
B01-B07	0.2219	13	01Jul2015, 12:34	2.8
OS03	0.1984	9	01Jul2015, 12:28	2.2
B02-B03	0.1984	9	01Jul2015, 12:32	2.2
HB01	0.0234	1	01Jul2015, 12:14	0.2
B03	0.2218	10	01Jul2015, 12:32	2.4
B03-B07	0.2218	10	01Jul2015, 12:36	2.4
OS04	0.1359	4	01Jul2015, 12:28	1.2
B04-B05	0.1359	4	01Jul2015, 12:44	1.1
HB03	0.1266	5	01Jul2015, 12:14	1.1
B05	0.2625	7	01Jul2015, 12:42	2.2
B05-B07	0.2625	7	01Jul2015, 12:44	2.2
HB02	0.1063	4	01Jul2015, 12:20	0.9
HB04	0.0609	2	01Jul2015, 12:16	0.5
B07	0.8734	33	01Jul2015, 12:38	8.9
B07-B12	0.8734	33	01Jul2015, 12:48	8.7
HB05	0.1375	5	01Jul2015, 12:18	1.2
HB06	0.1641	5	01Jul2015, 12:22	1.4
B12	1.175	40	01Jul2015, 12:48	11.3
B12-PB	1.175	39	01Jul2015, 12:52	11.3
HB07	0.0313	1	01Jul2015, 12:10	0.3
POND B	1.2063	40	01Jul2015, 12:52	11.5
PB-19	1.2063	40	01Jul2015, 13:00	11.3
OS01	1.5594	55	01Jul2015, 12:46	16.6
OS01-B19	1.5594	55	01Jul2015, 12:58	16.3
HB08	0.1344	4	01Jul2015, 12:28	1.2
HB09	0.3047	7	01Jul2015, 12:46	2.6
B19	3.2048	105	01Jul2015, 13:00	31.4
B19-B26	3.2048	105	01Jul2015, 13:02	31.3
HB10	0.3047	9	01Jul2015, 12:32	2.6
HB12	0.0797	3	01Jul2015, 12:22	0.7
HB12-B26	0.0797	3	01Jul2015, 12:30	0.7
B26	3.5892	113	01Jul2015, 13:02	34.6
26-32	3.5892	113	01Jul2015, 13:08	34
B-11	0.1125	3	01Jul2015, 12:34	1
32	3.7017	115	01Jul2015, 13:08	35
32-37	3.7017	115	01Jul2015, 13:14	34.5
B-14	0.4039	10	01Jul2015, 12:48	3.4
B-13	0.2813	7	01Jul2015, 12:46	2.4
36	0.6852	17	01Jul2015, 12:46	5.8
36-37	0.6852	17	01Jul2015, 12:54	5.8
B-15	0.075	2	01Jul2015, 12:36	0.6
37	4.4619	131	01Jul2015, 13:14	40.9
OS06	0.1313	4	01Jul2015, 12:24	1.1
OS06-G02	0.1313	4	01Jul2015, 12:40	1.1
OS05	0.0578	2	01Jul2015, 12:14	0.5
OS05-G01	0.0578	2	01Jul2015, 12:24	0.5
HG01	0.0547	2	01Jul2015, 12:24	0.5
G01	0.1125	4	01Jul2015, 12:24	1
G01-G02	0.1125	4	01Jul2015, 12:40	0.9
HG02	0.0906	2	01Jul2015, 12:34	0.8
G02	0.3344	10	01Jul2015, 12:38	2.8
G02-G03	0.3344	10	01Jul2015, 12:56	2.8
HG03	0.1828	5	01Jul2015, 12:46	1.6
OS07	0.0328	2	01Jul2015, 12:16	0.4

HISTORIC MDDP (5-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q5 (CFS)	TIME OF PEAK	TOTAL VOLUME Q5 (AC. FT.)
G03	0.55	16	01Jul2015, 12:56	4.7
G03-G04	0.55	16	01Jul2015, 13:06	4.6
OS09	0.1547	9	01Jul2015, 12:32	2.1
OS09-G04	0.1547	9	01Jul2015, 12:48	2
HG04	0.0891	2	01Jul2015, 12:42	0.8
HG05	0.1125	3	01Jul2015, 12:44	1
OS08	0.0406	4	01Jul2015, 12:14	0.6
OS08-G04	0.0406	4	01Jul2015, 12:58	0.6
G04	0.9469	32	01Jul2015, 13:04	8.9
G04-G05	0.9469	31	01Jul2015, 13:10	8.8
HG06A	0.1375	3	01Jul2015, 13:02	1.2
G05	1.0844	34	01Jul2015, 13:10	10
G05-G06	1.0844	34	01Jul2015, 13:18	9.9
HG06B	0.1031	2	01Jul2015, 13:12	0.9
G06	1.1875	36	01Jul2015, 13:18	10.7
HG07	0.0984	3	01Jul2015, 12:38	0.8
HG07-G11	0.0984	3	01Jul2015, 12:48	0.8
HG08	0.1328	4	01Jul2015, 12:30	1.1
G11	0.2312	6	01Jul2015, 12:40	2
G11-G12	0.2312	6	01Jul2015, 12:54	1.9
HG09	0.1781	4	01Jul2015, 12:50	1.5
G12	0.4093	10	01Jul2015, 12:52	3.4
G12-H08	0.4093	10	01Jul2015, 13:16	3.3
HG10	0.1375	3	01Jul2015, 13:30	1.1
H08	0.5468	13	01Jul2015, 13:18	4.4
HG14	0.2297	5	01Jul2015, 13:04	1.9
HG13	0.0844	4	01Jul2015, 12:24	0.9
G07	0.0844	4	01Jul2015, 12:24	0.9
G07-G08	0.0844	4	01Jul2015, 12:34	0.9
G08	0.3141	8	01Jul2015, 12:50	2.8
HG15	0.2563	5	01Jul2015, 13:36	2.1
H13	0.2563	5	01Jul2015, 13:36	2.1
HG11	0.2047	5	01Jul2015, 12:58	1.7
H09	0.2047	5	01Jul2015, 12:58	1.7
HH01	0.0984	3	01Jul2015, 12:20	0.9
H12	0.0984	3	01Jul2015, 12:20	0.9
HG12	0.1297	3	01Jul2015, 12:44	1.1
H10	0.1297	3	01Jul2015, 12:44	1.1


HISTORIC MDDP (2-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q2 (CFS)	TIME OF PEAK	TOTAL VOLUME Q2 (AC. FT.)
OS02	0.2219	3	01Jul2015, 12:46	1.1
B01	0.2219	3	01Jul2015, 12:46	1.1
B01-B07	0.2219	3	01Jul2015, 12:56	1.1
OS03	0.1984	2	01Jul2015, 13:02	0.8
B02-B03	0.1984	2	01Jul2015, 13:08	0.8
HB01	0.0234	0	01Jul2015, 13:08	0.1
B03	0.2218	2	01Jul2015, 13:08	0.9
B03-B07	0.2218	2	01Jul2015, 13:16	0.8
OS04	0.1359	1	01Jul2015, 13:30	0.4
B04-B05	0.1359	1	01Jul2015, 13:58	0.3
HB03	0.1266	1	01Jul2015, 13:10	0.3
B05	0.2625	1	01Jul2015, 13:42	0.7
B05-B07	0.2625	1	01Jul2015, 13:46	0.7
HB02	0.1063	0	01Jul2015, 13:22	0.3
HB04	0.0609	0	01Jul2015, 13:16	0.2
B07	0.8734	6	01Jul2015, 13:26	3.1
B07-B12	0.8734	6	01Jul2015, 13:44	3
HB05	0.1375	1	01Jul2015, 13:20	0.4
HB06	0.1641	1	01Jul2015, 13:24	0.4
B12	1.175	7	01Jul2015, 13:42	3.8
B12-PB	1.175	7	01Jul2015, 13:46	3.8
HB07	0.0313	0	01Jul2015, 13:06	0.1
POND B	1.2063	7	01Jul2015, 13:46	3.9
PB-19	1.2063	7	01Jul2015, 14:02	3.7
OS01	1.5594	11	01Jul2015, 13:24	5.9
OS01-B19	1.5594	11	01Jul2015, 13:44	5.7
HB08	0.1344	1	01Jul2015, 13:30	0.4
HB09	0.3047	1	01Jul2015, 13:50	0.8
B19	3.2048	20	01Jul2015, 13:44	10.6
B19-B26	3.2048	20	01Jul2015, 13:48	10.6
HB10	0.3047	1	01Jul2015, 13:34	0.8
HB12	0.0797	0	01Jul2015, 13:24	0.2
HB12-B26	0.0797	0	01Jul2015, 13:38	0.2
B26	3.5892	21	01Jul2015, 13:46	11.6
26-32	3.5892	21	01Jul2015, 13:58	11.3
B-11	0.1125	0	01Jul2015, 13:38	0.3
32	3.7017	22	01Jul2015, 13:58	11.6
32-37	3.7017	22	01Jul2015, 14:10	11.3
B-14	0.4039	2	01Jul2015, 13:52	1.1
B-13	0.2813	1	01Jul2015, 13:50	0.7
36	0.6852	3	01Jul2015, 13:50	1.8
36-37	0.6852	3	01Jul2015, 14:02	1.8
B-15	0.075	0	01Jul2015, 13:40	0.2
37	4.4619	25	01Jul2015, 14:10	13.2
OS06	0.1313	1	01Jul2015, 13:24	0.4
OS06-G02	0.1313	1	01Jul2015, 13:54	0.3
OS05	0.0578	0	01Jul2015, 13:10	0.2
OS05-G01	0.0578	0	01Jul2015, 13:26	0.2
HG01	0.0547	0	01Jul2015, 13:26	0.1
G01	0.1125	0	01Jul2015, 13:26	0.3
G01-G02	0.1125	0	01Jul2015, 13:54	0.3
HG02	0.0906	0	01Jul2015, 13:38	0.2
G02	0.3344	1	01Jul2015, 13:52	0.9
G02-G03	0.3344	1	01Jul2015, 14:22	0.8
HG03	0.1828	1	01Jul2015, 13:50	0.5
OS07	0.0328	0	01Jul2015, 12:52	0.1
OS07-G03	0.0328	0	01Jul2015, 14:08	0.1

HISTORIC MDDP (2-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	DISCHARGE PEAK Q2 (CFS)	TIME OF PEAK	TOTAL VOLUME Q2 (AC. FT.)
G03	0.55	2	01Jul2015, 14:16	1.4
G03-G04	0.55	2	01Jul2015, 14:34	1.4
OS09	0.1547	2	01Jul2015, 12:46	0.8
OS09-G04	0.1547	2	01Jul2015, 13:10	0.8
HG04	0.0891	0	01Jul2015, 13:46	0.2
HG05	0.1125	0	01Jul2015, 13:48	0.3
OS08	0.0406	1	01Jul2015, 12:20	0.2
OS08-G04	0.0406	1	01Jul2015, 13:32	0.2
G04	0.9469	5	01Jul2015, 14:22	2.9
G04-G05	0.9469	5	01Jul2015, 14:34	2.9
HG06A	0.1375	1	01Jul2015, 14:10	0.4
G05	1.0844	6	01Jul2015, 14:32	3.2
G05-G06	1.0844	6	01Jul2015, 14:44	3.1
HG06B	0.1031	0	01Jul2015, 14:22	0.3
G06	1.1875	6	01Jul2015, 14:44	3.4
HG07	0.0984	0	01Jul2015, 13:42	0.3
HG07-G11	0.0984	0	01Jul2015, 13:58	0.3
HG08	0.1328	1	01Jul2015, 13:32	0.4
G11	0.2312	1	01Jul2015, 13:46	0.6
G11-G12	0.2312	1	01Jul2015, 14:08	0.6
HG09	0.1781	1	01Jul2015, 13:54	0.5
G12	0.4093	2	01Jul2015, 14:04	1
G12-H08	0.4093	2	01Jul2015, 14:50	0.9
HG10	0.1375	1	01Jul2015, 14:40	0.3
H08	0.5468	2	01Jul2015, 14:48	1.3
HG14	0.2297	1	01Jul2015, 14:14	0.6
HG13	0.0844	1	01Jul2015, 12:58	0.3
G07	0.0844	1	01Jul2015, 12:58	0.3
G07-G08	0.0844	1	01Jul2015, 13:18	0.3
G08	0.3141	1	01Jul2015, 13:52	0.9
HG15	0.2563	1	01Jul2015, 14:46	0.6
H13	0.2563	1	01Jul2015, 14:46	0.6
HG11	0.2047	1	01Jul2015, 14:04	0.5
H09	0.2047	1	01Jul2015, 14:04	0.5
HH01	0.0984	0	01Jul2015, 13:22	0.3
H12	0.0984	0	01Jul2015, 13:22	0.3
HG12	0.1297	1	01Jul2015, 13:48	0.3
H10	0.1297	1	01Jul2015, 13:48	0.3


FUTURE MDDP (100-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	TIME OF PEAK	TOTAL VOLUME Q100 (AC. FT.)
OS01	1.5594	757	01Jul2015, 12:32	121.7
DB16	0.0578	92	01Jul2015, 12:10	8.4
B10	1.6172	793	01Jul2015, 12:30	130.1
B10-B11	1.6172	793	01Jul2015, 12:32	130
DB17	0.0048	15	01Jul2015, 12:02	1.2
B11	1.6220	795	01Jul2015, 12:32	131.2
B11-POND C	1.6220	794	01Jul2015, 12:34	130.7
DB21	0.0519	54	01Jul2015, 12:08	4.6
DB18	0.0346	64	01Jul2015, 12:08	5.3
DB19	0.0281	36	01Jul2015, 12:10	3.3
DB20	0.0147	24	01Jul2015, 12:08	2.2
POND C	1.7513	749	01Jul2015, 12:46	141.3
POND C-B16	1.7513	749	01Jul2015, 12:48	140.9
DB25	0.0211	45	01Jul2015, 12:04	3.2
B16	1.7724	754	01Jul2015, 12:48	144.2
B16-B17	1.7724	754	01Jul2015, 12:50	143.6
DB26	0.0682	136	01Jul2015, 12:10	12.4
B17	1.8406	778	01Jul2015, 12:50	156
B17-B26	1.8406	778	01Jul2015, 12:52	155.5
OS03	0.1984	130	01Jul2015, 12:18	15.8
DB01	0.0719	90	01Jul2015, 12:08	7.6
B01	0.2703	199	01Jul2015, 12:14	23.4
B01-B02	0.2703	199	01Jul2015, 12:14	23.4
OS02	0.2219	148	01Jul2015, 12:20	18.8
DB02	0.0516	71	01Jul2015, 12:06	5.3
B02	0.5438	380	01Jul2015, 12:14	47.5
B02-POND A	0.5438	379	01Jul2015, 12:16	47.4
OS04	0.1359	83	01Jul2015, 12:16	9.7
DB03	0.0703	70	01Jul2015, 12:10	6.3
B03	0.2062	145	01Jul2015, 12:12	16.1
B03-B04	0.2062	145	01Jul2015, 12:18	15.9
DB04	0.0422	44	01Jul2015, 12:10	4
DB05	0.0384	37	01Jul2015, 12:14	3.8
B04	0.2868	218	01Jul2015, 12:16	23.7
B04-B05	0.2868	218	01Jul2015, 12:16	23.7
DB06	0.0219	44	01Jul2015, 12:08	3.8
B05	0.3087	253	01Jul2015, 12:14	27.5
B05-POND A	0.3087	252	01Jul2015, 12:16	27.4
DB07	0.0254	35	01Jul2015, 12:06	2.7
DB08	0.0297	32	01Jul2015, 12:06	2.6
POND A	0.9076	557	01Jul2015, 12:26	77.2
POND A-B06	0.9076	557	01Jul2015, 12:26	77.1
DB09	0.0189	34	01Jul2015, 12:04	2.4
B06	0.9265	565	01Jul2015, 12:26	79.5
B06-B07	0.9265	564	01Jul2015, 12:30	79
DB11	0.0969	114	01Jul2015, 12:12	11.2
DB10	0.0364	56	01Jul2015, 12:08	4.7
B07	1.0598	652	01Jul2015, 12:26	94.9
B07-B09	1.0598	651	01Jul2015, 12:28	94.5
DB12	0.0453	81	01Jul2015, 12:06	6.5
B09	1.1051	677	01Jul2015, 12:26	101
B09-POND B	1.1051	676	01Jul2015, 12:28	101
DB15	0.1234	105	01Jul2015, 12:16	11.7
DB13	0.0703	89	01Jul2015, 12:12	8.7
DB14	0.0556	93	01Jul2015, 12:08	8
POND B	1.3544	688	01Jul2015, 12:42	128.6




FUTURE MDDP (100-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	TIME OF PEAK	TOTAL VOLUME Q100 (AC. FT.)
POND B-B12	1.3544	688	01Jul2015, 12:44	128.4
DB22	0.0516	91	01Jul2015, 12:08	7.9
DB23	0.0172	45	01Jul2015, 12:04	3.7
B12	1.4232	714	01Jul2015, 12:36	140
B12-B14	1.4232	714	01Jul2015, 12:38	139.7
DB24	0.0531	94	01Jul2015, 12:08	7.7
B14	1.4763	743	01Jul2015, 12:28	147.4
B14-B15	1.4763	742	01Jul2015, 12:28	147.2
DB28	0.0741	69	01Jul2015, 12:18	8.1
B15	1.5504	802	01Jul2015, 12:28	155.4
B15-B26	1.5504	800	01Jul2015, 12:34	154.1
DB29	0.1697	145	01Jul2015, 12:18	17.1
DB27	0.0508	68	01Jul2015, 12:16	7.3
B26	3.6115	1623	01Jul2015, 12:46	333.9
B26-27	3.6115	1623	01Jul2015, 12:48	333
FB-02	0.0500	87	01Jul2015, 12:08	7.4
FB-01	0.0373	64	01Jul2015, 12:08	5.3
FB01-B19	0.0373	64	01Jul2015, 12:08	5.3
B19	0.0873	151	01Jul2015, 12:08	12.7
B19-27	0.0873	149	01Jul2015, 12:10	12.7
FB-03	0.0078	23	01Jul2015, 12:02	1.6
27	3.7066	1652	01Jul2015, 12:48	347.3
27-32	3.7066	1652	01Jul2015, 12:48	346.7
WH-24	0.1325	217	01Jul2015, 12:10	19.6
WH-26	0.0839	49	01Jul2015, 12:20	6.3
WH-27	0.0217	23	01Jul2015, 12:04	1.6
30	0.2381	271	01Jul2015, 12:10	27.5
30-31	0.2381	270	01Jul2015, 12:12	27.5
WH-28	0.0398	60	01Jul2015, 12:12	5.7
31	0.2779	330	01Jul2015, 12:12	33.2
31-32	0.2779	329	01Jul2015, 12:14	33.2
WH-29	0.0495	77	01Jul2015, 12:10	7.1
WH-31	0.0406	75	01Jul2015, 12:06	6.2
WH-30	0.0159	26	01Jul2015, 12:02	1.6
32	4.0905	1796	01Jul2015, 12:38	394.8
WH32	0.0458	54	01Jul2015, 12:02	3.5
BEN POND	4.1363	1399	01Jul2015, 13:18	378.5
WH-33	0.0064	12	01Jul2015, 12:06	1
33	4.1427	1400	01Jul2015, 13:18	379.5
33-37	4.1427	1400	01Jul2015, 13:20	377.5
WH35	0.1550	171	01Jul2015, 12:10	15.3
WH34	0.0450	68	01Jul2015, 12:08	5.8
B34-36	0.0450	68	01Jul2015, 12:10	5.8
36	0.2000	239	01Jul2015, 12:10	21.1
36-37	0.2000	238	01Jul2015, 12:12	21
WH36	0.0750	63	01Jul2015, 12:10	5.9
37	4.4177	1439	01Jul2015, 13:20	404.5
FG01	0.1127	58	01Jul2015, 12:30	9
OS05	0.0578	43	01Jul2015, 12:10	4.2
G1	0.1705	83	01Jul2015, 12:18	13.2
G1-G2	0.1705	83	01Jul2015, 12:20	13.2
OS06	0.1313	87	01Jul2015, 12:14	9.4
G1a	0.1313	87	01Jul2015, 12:14	9.4
G1a-G2	0.1313	87	01Jul2015, 12:18	9.4
FG02	0.0391	35	01Jul2015, 12:10	3.3
G2	0.3409	200	01Jul2015, 12:16	25.8
S2-C3	0.5409	199	01Jul2015, 12:20	29.7



FUTURE MDDP (100-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	TIME OF PEAK	TOTAL VOLUME Q100 (AC. FT.)
FG03	0.0203	26	01Jul2015, 12:06	2
FG04	0.0172	23	01Jul2015, 12:06	1.7
G3	0.3784	222	01Jul2015, 12:18	29.4
G3-POND F	0.3784	221	01Jul2015, 12:18	29.4
FG05	0.0922	65	01Jul2015, 12:24	8.7
FG06	0.0188	21	01Jul2015, 12:10	1.9
POND F	0.4894	181	01Jul2015, 12:44	37.7
POND F-G7	0.4894	181	01Jul2015, 12:46	37.5
FG21	0.0656	55	01Jul2015, 12:16	6.2
OS07	0.0328	28	01Jul2015, 12:10	2.6
OS07-G7	0.0328	27	01Jul2015, 12:20	2.6
G7	0.5878	223	01Jul2015, 12:36	46.3
G7-G8	0.5878	223	01Jul2015, 12:36	46.2
FG22	0.0641	46	01Jul2015, 12:22	6
G8	0.6519	261	01Jul2015, 12:34	52.2
G8-G8A	0.6519	261	01Jul2015, 12:34	52.1
FG23	0.0813	59	01Jul2015, 12:22	7.5
OS08	0.0406	39	01Jul2015, 12:10	3.6
OS11-G8A	0.0406	39	01Jul2015, 12:14	3.6
G8A	0.7738	331	01Jul2015, 12:30	63.3
G8A-G9	0.7738	331	01Jul2015, 12:30	63.3
FG25	0.0219	19	01Jul2015, 12:20	2.4
G9	0.7957	348	01Jul2015, 12:28	65.7
G9-G11	0.7957	348	01Jul2015, 12:34	65.1
OS09	0.1547	96	01Jul2015, 12:24	13.4
OS09-G10	0.1547	96	01Jul2015, 12:28	13.3
FG24	0.1047	77	01Jul2015, 12:18	9
G10	0.2594	166	01Jul2015, 12:22	22.3
G10-G11	0.2594	166	01Jul2015, 12:26	22.2
FG26	0.0813	81	01Jul2015, 12:18	9.5
FG27B	0.0508	61	01Jul2015, 12:18	7
FG27A	0.0259	16	01Jul2015, 12:26	2.3
FG27A-G11	0.0259	16	01Jul2015, 12:30	2.3
G11	1.2131	632	01Jul2015, 12:30	106.2
FG28	0.0203	18	01Jul2015, 12:12	1.8
POND G	1.2334	548	01Jul2015, 12:42	105
G12	1.2334	548	01Jul2015, 12:42	105
G12-G06	1.2334	547	01Jul2015, 12:46	104.5
FG29	0.1031	60	01Jul2015, 12:18	7.5
FG32	0.0402	74	01Jul2015, 12:08	6.1
FG32-G06	0.0402	73	01Jul2015, 12:08	6.1
G06	1.3767	591	01Jul2015, 12:44	118.1
FG10	0.0963	71	01Jul2015, 12:32	11
FG08A	0.0750	125	01Jul2015, 12:08	10.3
FG08A-G05	0.0750	125	01Jul2015, 12:10	10.3
FG08B	0.0630	94	01Jul2015, 12:10	8.6
FG08B-G05	0.0630	93	01Jul2015, 12:12	8.6
FG11	0.0625	81	01Jul2015, 12:16	9
FG09	0.0484	52	01Jul2015, 12:14	5.5
FG09-G05	0.0484	52	01Jul2015, 12:16	5.5
G05	0.3452	385	01Jul2015, 12:14	44.4
FG13	0.0656	44	01Jul2015, 12:24	6
FG12	0.0328	55	01Jul2015, 12:10	5
POND D	0.4436	126	01Jul2015, 13:04	45.3
POND D-G17	0.4436	126	01Jul2015, 13:06	45.2
FG15	0.1217	84	01Jul2015, 12:38	14.1
FG14	0.0359	49	01Jul2015, 12:14	5.1



FUTURE MDDP (100-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q100 (CFS)	TIME OF PEAK	TOTAL VOLUME Q100 (AC. FT.)
FG14-G17a	0.0359	49	01Jul2015, 12:18	5.1
G17a	0.1576	117	01Jul2015, 12:28	19.2
FG15a	0.0156	30	01Jul2015, 12:06	2.3
G17	0.6168	222	01Jul2015, 12:42	66.7
G17-G18	0.6168	222	01Jul2015, 12:42	66.7
FG16	0.0773	135	01Jul2015, 12:06	11
G18	0.6941	249	01Jul2015, 12:34	77.6
G18-POND E	0.6941	249	01Jul2015, 12:34	77.6
FG31	0.0922	123	01Jul2015, 12:18	14
FG30	0.0400	82	01Jul2015, 12:04	6.1
FG30-PONDHS	0.0400	81	01Jul2015, 12:10	6.1
POND HS	0.1322	159	01Jul2015, 12:22	20
FG17a	0.0694	117	01Jul2015, 12:08	10
FG17a-POND E	0.0694	116	01Jul2015, 12:08	10
FG18	0.0644	59	01Jul2015, 12:24	7.8
FG18-POND E	0.0644	59	01Jul2015, 12:24	7.8
FG19	0.0527	92	01Jul2015, 12:08	8.1
FG17c	0.0313	34	01Jul2015, 12:06	2.7
FG17b	0.0214	42	01Jul2015, 12:06	3.3
POND E	1.0655	284	01Jul2015, 13:20	107.6
FG20	0.0109	31	01Jul2015, 12:04	2.4
H08-H09	1.0764	286	01Jul2015, 13:18	110
FG34	0.0922	64	01Jul2015, 12:18	7.5
G13	0.0922	64	01Jul2015, 12:18	7.5
POND I	0.0922	49	01Jul2015, 12:30	7.5
G14	0.0922	49	01Jul2015, 12:30	7.5
G14-G15	0.0922	49	01Jul2015, 12:34	7.5
FG35	0.0566	39	01Jul2015, 12:16	4.4
G15	0.1488	77	01Jul2015, 12:26	11.9
G15-G08	0.1488	77	01Jul2015, 12:32	11.8
FG37	0.0797	48	01Jul2015, 12:18	5.7
FG36	0.0281	15	01Jul2015, 12:20	2
FG36-G08	0.0281	15	01Jul2015, 12:26	2
G08	0.2566	129	01Jul2015, 12:28	19.5
FH01	0.1344	226	01Jul2015, 12:06	18.1
POND H	0.1344	61	01Jul2015, 12:30	15.8



FUTURE MDDP (50-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q50 (CFS)	TIME OF PEAK	TOTAL VOLUME Q50 (AC. FT.)
OS01	1.5594	510	01Jul2015, 12:34	86.7
DB16	0.0578	72	01Jul2015, 12:10	6.6
B10	1.6172	537	01Jul2015, 12:32	93.3
B10-B11	1.6172	537	01Jul2015, 12:32	93.2
DB17	0.0048	13	01Jul2015, 12:02	1
B11	1.6220	538	01Jul2015, 12:32	94.2
B11-POND C	1.6220	538	01Jul2015, 12:36	93.8
DB21	0.0519	38	01Jul2015, 12:08	3.4
DB18	0.0346	50	01Jul2015, 12:08	4.2
DB19	0.0281	27	01Jul2015, 12:10	2.5
DB20	0.0147	19	01Jul2015, 12:08	1.7
POND C	1.7513	507	01Jul2015, 12:48	101.1
POND C-B16	1.7513	507	01Jul2015, 12:50	100.8
DB25	0.0211	35	01Jul2015, 12:04	2.5
B16	1.7724	511	01Jul2015, 12:50	103.4
B16-B17	1.7724	510	01Jul2015, 12:54	102.9
DB26	0.0682	110	01Jul2015, 12:10	10
B17	1.8406	529	01Jul2015, 12:52	112.9
B17-B26	1.8406	529	01Jul2015, 12:54	112.5
OS03	0.1984	88	01Jul2015, 12:20	11.3
DB01	0.0719	66	01Jul2015, 12:08	5.7
B01	0.2703	138	01Jul2015, 12:14	17
B01-B02	0.2703	138	01Jul2015, 12:16	16.9
OS02	0.2219	102	01Jul2015, 12:22	13.5
DB02	0.0516	52	01Jul2015, 12:06	4
B02	0.5438	263	01Jul2015, 12:16	34.4
B02-POND A	0.5438	263	01Jul2015, 12:16	34.4
OS04	0.1359	54	01Jul2015, 12:18	6.8
DB03	0.0703	49	01Jul2015, 12:10	4.6
B03	0.2062	98	01Jul2015, 12:14	11.4
B03-B04	0.2062	98	01Jul2015, 12:18	11.3
DB04	0.0422	31	01Jul2015, 12:10	2.9
DB05	0.0384	27	01Jul2015, 12:14	2.8
B04	0.2868	149	01Jul2015, 12:16	17.1
B04-B05	0.2868	149	01Jul2015, 12:16	17
DB06	0.0219	35	01Jul2015, 12:08	3
B05	0.3087	176	01Jul2015, 12:16	20.1
B05-POND A	0.3087	176	01Jul2015, 12:16	20.1
DB07	0.0254	26	01Jul2015, 12:06	2
DB08	0.0297	22	01Jul2015, 12:06	1.9
POND A	0.9076	401	01Jul2015, 12:26	55.5
POND A-B06	0.9076	400	01Jul2015, 12:26	55.4
DB09	0.0189	26	01Jul2015, 12:04	1.9
B06	0.9265	407	01Jul2015, 12:26	57.3
B06-B07	0.9265	406	01Jul2015, 12:30	56.9
DB11	0.0969	85	01Jul2015, 12:12	8.5
DB10	0.0364	43	01Jul2015, 12:08	3.6
B07	1.0598	469	01Jul2015, 12:28	69
B07-B09	1.0598	468	01Jul2015, 12:30	68.6
DB12	0.0453	63	01Jul2015, 12:06	5.1
B09	1.1051	486	01Jul2015, 12:30	73.7
B09-POND B	1.1051	485	01Jul2015, 12:30	73.7
DB15	0.1234	75	01Jul2015, 12:16	8.6
DB13	0.0703	67	01Jul2015, 12:12	6.7
DB14	0.0556	72	01Jul2015, 12:08	6.2
POND B	1.3544	539	01Jul2015, 12:38	94.5



FUTURE MDDP (50-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q50 (CFS)	TIME OF PEAK	TOTAL VOLUME Q50 (AC. FT.)
POND B-B12	1.3544	539	01Jul2015, 12:40	94.4
DB22	0.0516	72	01Jul2015, 12:08	6.2
DB23	0.0172	38	01Jul2015, 12:04	3.1
B12	1.4232	562	01Jul2015, 12:38	103.6
B12-B14	1.4232	562	01Jul2015, 12:40	103.4
DB24	0.0531	73	01Jul2015, 12:08	6
B14	1.4763	577	01Jul2015, 12:40	109.4
B14-B15	1.4763	576	01Jul2015, 12:40	109.3
DB28	0.0741	51	01Jul2015, 12:20	6.1
B15	1.5504	606	01Jul2015, 12:38	115.4
B15-B26	1.5504	605	01Jul2015, 12:44	114.3
DB29	0.1697	105	01Jul2015, 12:18	12.6
DB27	0.0508	53	01Jul2015, 12:16	5.7
B26	3.6115	1179	01Jul2015, 12:48	245.1
B26-27	3.6115	1179	01Jul2015, 12:50	244.3
FB-02	0.0500	68	01Jul2015, 12:08	5.8
FB-01	0.0373	50	01Jul2015, 12:08	4.1
FB01-B19	0.0373	50	01Jul2015, 12:08	4.1
B19	0.0873	118	01Jul2015, 12:08	9.9
B19-27	0.0873	117	01Jul2015, 12:10	9.9
FB-03	0.0078	19	01Jul2015, 12:02	1.3
27	3.7066	1201	01Jul2015, 12:50	255.6
27-32	3.7066	1200	01Jul2015, 12:52	255.1
WH-24	0.1325	170	01Jul2015, 12:10	15.4
WH-26	0.0839	33	01Jul2015, 12:22	4.5
WH-27	0.0217	16	01Jul2015, 12:04	1.2
30	0.2381	205	01Jul2015, 12:10	21
30-31	0.2381	205	01Jul2015, 12:12	20.9
WH-28	0.0398	47	01Jul2015, 12:12	4.5
31	0.2779	252	01Jul2015, 12:12	25.4
31-32	0.2779	251	01Jul2015, 12:14	25.4
WH-29	0.0495	60	01Jul2015, 12:10	5.5
WH-31	0.0406	59	01Jul2015, 12:08	4.9
WH-30	0.0159	19	01Jul2015, 12:02	1.2
32	4.0905	1293	01Jul2015, 12:50	292.1
WH32	0.0458	38	01Jul2015, 12:02	2.5
BEN POND	4.1363	991	01Jul2015, 13:16	277.3
WH-33	0.0064	9	01Jul2015, 12:06	0.8
33	4.1427	992	01Jul2015, 13:16	278
33-37	4.1427	991	01Jul2015, 13:20	276.3
WH35	0.1550	124	01Jul2015, 12:10	11.3
WH34	0.0450	52	01Jul2015, 12:08	4.5
B34-36	0.0450	52	01Jul2015, 12:10	4.5
36	0.2000	176	01Jul2015, 12:10	15.8
36-37	0.2000	174	01Jul2015, 12:14	15.7
WH36	0.0750	43	01Jul2015, 12:10	4.2
37	4.4177	1021	01Jul2015, 13:20	296.3
FG01	0.1127	40	01Jul2015, 12:32	6.4
OS05	0.0578	29	01Jul2015, 12:10	2.9
G1	0.1705	55	01Jul2015, 12:20	9.4
G1-G2	0.1705	55	01Jul2015, 12:22	9.3
OS06	0.1313	57	01Jul2015, 12:14	6.6
G1a	0.1313	57	01Jul2015, 12:14	6.6
G1a-G2	0.1313	57	01Jul2015, 12:18	6.6
FG02	0.0391	24	01Jul2015, 12:12	2.4
G2	0.3409	132	01Jul2015, 12:18	18.3
G2-G3	0.3409	132	01Jul2015, 12:22	18.3



FUTURE MDDP (50-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q50 (CFS)	TIME OF PEAK	TOTAL VOLUME Q50 (AC. FT.)
FG03	0.0203	19	01Jul2015, 12:06	1.5
FG04	0.0172	16	01Jul2015, 12:06	1.3
G3	0.3784	147	01Jul2015, 12:20	20.9
G3-POND F	0.3784	147	01Jul2015, 12:20	20.9
FG05	0.0922	46	01Jul2015, 12:24	6.3
FG06	0.0188	15	01Jul2015, 12:10	1.4
POND F	0.4894	126	01Jul2015, 12:44	26.9
POND F-G7	0.4894	126	01Jul2015, 12:48	26.8
FG21	0.0656	39	01Jul2015, 12:16	4.5
OS07	0.0328	19	01Jul2015, 12:10	1.9
OS07-G7	0.0328	19	01Jul2015, 12:22	1.8
G7	0.5878	151	01Jul2015, 12:44	33.1
G7-G8	0.5878	151	01Jul2015, 12:44	33
FG22	0.0641	33	01Jul2015, 12:22	4.4
G8	0.6519	172	01Jul2015, 12:42	37.4
G8-G8A	0.6519	171	01Jul2015, 12:42	37.4
FG23	0.0813	42	01Jul2015, 12:22	5.5
OS08	0.0406	27	01Jul2015, 12:10	2.6
OS11-G8A	0.0406	27	01Jul2015, 12:14	2.6
G8A	0.7738	209	01Jul2015, 12:38	45.5
G8A-G9	0.7738	209	01Jul2015, 12:38	45.5
FG25	0.0219	14	01Jul2015, 12:22	1.8
G9	0.7957	219	01Jul2015, 12:38	47.3
G9-G11	0.7957	219	01Jul2015, 12:42	46.9
OS09	0.1547	67	01Jul2015, 12:26	9.7
OS09-G10	0.1547	67	01Jul2015, 12:28	9.6
FG24	0.1047	54	01Jul2015, 12:18	6.5
G10	0.2594	115	01Jul2015, 12:24	16.2
G10-G11	0.2594	115	01Jul2015, 12:28	16
FG26	0.0813	61	01Jul2015, 12:20	7.2
FG27B	0.0508	48	01Jul2015, 12:18	5.5
FG27A	0.0259	11	01Jul2015, 12:28	1.7
FG27A-G11	0.0259	11	01Jul2015, 12:30	1.7
G11	1.2131	399	01Jul2015, 12:26	77.3
FG28	0.0203	13	01Jul2015, 12:12	1.3
POND G	1.2334	347	01Jul2015, 12:50	76.1
G12	1.2334	347	01Jul2015, 12:50	76.1
G12-G06	1.2334	347	01Jul2015, 12:52	75.7
FG29	0.1031	40	01Jul2015, 12:20	5.3
FG32	0.0402	58	01Jul2015, 12:08	4.8
FG32-G06	0.0402	58	01Jul2015, 12:10	4.8
G06	1.3767	373	01Jul2015, 12:52	85.8
FG10	0.0963	53	01Jul2015, 12:32	8.3
FG08A	0.0750	97	01Jul2015, 12:08	8
FG08A-G05	0.0750	97	01Jul2015, 12:10	8
FG08B	0.0630	72	01Jul2015, 12:10	6.7
FG08B-G05	0.0630	72	01Jul2015, 12:12	6.7
FG11	0.0625	63	01Jul2015, 12:16	7
FG09	0.0484	39	01Jul2015, 12:16	4.2
FG09-G05	0.0484	39	01Jul2015, 12:16	4.2
G05	0.3452	295	01Jul2015, 12:14	34.2
FG13	0.0656	31	01Jul2015, 12:26	4.4
FG12	0.0328	44	01Jul2015, 12:10	3.9
POND D	0.4436	85	01Jul2015, 13:12	33.4
POND D-G17	0.4436	85	01Jul2015, 13:14	33.3
FG15	0.1217	62	01Jul2015, 12:38	10.7
FG14	0.0359	38	01Jul2015, 12:14	4

FUTURE MDDP (50-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q50 (CFS)	TIME OF PEAK	TOTAL VOLUME Q50 (AC. FT.)
FG14-G17a	0.0359	38	01Jul2015, 12:18	4
G17a	0.1576	88	01Jul2015, 12:28	14.7
FG15a	0.0156	23	01Jul2015, 12:06	1.8
G17	0.6168	153	01Jul2015, 12:46	49.8
G17-G18	0.6168	153	01Jul2015, 12:48	49.8
FG16	0.0773	105	01Jul2015, 12:08	8.6
G18	0.6941	182	01Jul2015, 12:10	58.3
G18-POND E	0.6941	181	01Jul2015, 12:12	58.3
FG31	0.0922	97	01Jul2015, 12:18	11.1
FG30	0.0400	65	01Jul2015, 12:04	4.8
FG30-PONDHS	0.0400	64	01Jul2015, 12:12	4.8
POND HS	0.1322	113	01Jul2015, 12:26	15.8
FG17a	0.0694	91	01Jul2015, 12:08	7.8
FG17a-POND E	0.0694	90	01Jul2015, 12:08	7.8
FG18	0.0644	45	01Jul2015, 12:24	6
FG18-POND E	0.0644	44	01Jul2015, 12:24	6
FG19	0.0527	73	01Jul2015, 12:08	6.4
FG17c	0.0313	24	01Jul2015, 12:06	2
FG17b	0.0214	33	01Jul2015, 12:06	2.6
POND E	1.0655	172	01Jul2015, 13:48	77.9
FG20	0.0109	26	01Jul2015, 12:04	2
H08-H09	1.0764	174	01Jul2015, 13:48	79.9
FG34	0.0922	43	01Jul2015, 12:18	5.4
G13	0.0922	43	01Jul2015, 12:18	5.4
POND I	0.0922	33	01Jul2015, 12:32	5.4
G14	0.0922	33	01Jul2015, 12:32	5.4
G14-G15	0.0922	33	01Jul2015, 12:36	5.4
FG35	0.0566	26	01Jul2015, 12:16	3.1
G15	0.1488	49	01Jul2015, 12:30	8.5
G15-G08	0.1488	49	01Jul2015, 12:36	8.5
FG37	0.0797	31	01Jul2015, 12:18	4
FG36	0.0281	10	01Jul2015, 12:22	1.4
FG36-G08	0.0281	10	01Jul2015, 12:28	1.4
G08	0.2566	80	01Jul2015, 12:30	13.9
FH01	0.1344	174	01Jul2015, 12:06	14
POND H	0.1344	33	01Jul2015, 12:40	11.9

FUTURE MDDP (25-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q25 (CFS)	TIME OF PEAK	TOTAL VOLUME Q25 (AC. FT.)
OS01	1.5594	316	01Jul2015, 12:36	58.6
DB16	0.0578	54	01Jul2015, 12:10	5
B10	1.6172	335	01Jul2015, 12:34	63.6
B10-B11	1.6172	335	01Jul2015, 12:34	63.5
DB17	0.0048	11	01Jul2015, 12:02	0.9
B11	1.6220	336	01Jul2015, 12:34	64.4
B11-POND C	1.6220	336	01Jul2015, 12:38	64
DB21	0.0519	25	01Jul2015, 12:08	2.3
DB18	0.0346	39	01Jul2015, 12:08	3.2
DB19	0.0281	20	01Jul2015, 12:10	1.9
DB20	0.0147	15	01Jul2015, 12:10	1.3
POND C	1.7513	310	01Jul2015, 12:52	68.6
POND C-B16	1.7513	309	01Jul2015, 12:54	68.4
DB25	0.0211	27	01Jul2015, 12:04	2
B16	1.7724	313	01Jul2015, 12:54	70.3
B16-B17	1.7724	312	01Jul2015, 12:58	69.9
DB26	0.0682	88	01Jul2015, 12:10	8
B17	1.8406	326	01Jul2015, 12:58	77.9
B17-B26	1.8406	326	01Jul2015, 13:00	77.5
OS03	0.1984	55	01Jul2015, 12:20	7.7
DB01	0.0719	46	01Jul2015, 12:08	4.1
B01	0.2703	89	01Jul2015, 12:14	11.7
B01-B02	0.2703	89	01Jul2015, 12:16	11.7
OS02	0.2219	65	01Jul2015, 12:22	9.3
DB02	0.0516	36	01Jul2015, 12:06	2.8
B02	0.5438	169	01Jul2015, 12:16	23.8
B02-POND A	0.5438	169	01Jul2015, 12:18	23.8
OS04	0.1359	32	01Jul2015, 12:18	4.5
DB03	0.0703	32	01Jul2015, 12:10	3.2
B03	0.2062	61	01Jul2015, 12:14	7.7
B03-B04	0.2062	60	01Jul2015, 12:20	7.6
DB04	0.0422	21	01Jul2015, 12:10	2
DB05	0.0384	18	01Jul2015, 12:14	2
B04	0.2868	94	01Jul2015, 12:18	11.7
B04-B05	0.2868	94	01Jul2015, 12:18	11.7
DB06	0.0219	28	01Jul2015, 12:08	2.4
B05	0.3087	115	01Jul2015, 12:16	14
B05-POND A	0.3087	114	01Jul2015, 12:18	14
DB07	0.0254	18	01Jul2015, 12:06	1.5
DB08	0.0297	15	01Jul2015, 12:08	1.3
POND A	0.9076	244	01Jul2015, 12:28	37.8
POND A-B06	0.9076	244	01Jul2015, 12:30	37.8
DB09	0.0189	19	01Jul2015, 12:04	1.4
B06	0.9265	248	01Jul2015, 12:30	39.2
B06-B07	0.9265	247	01Jul2015, 12:34	38.8
DB11	0.0969	60	01Jul2015, 12:12	6.2
DB10	0.0364	32	01Jul2015, 12:08	2.7
B07	1.0598	286	01Jul2015, 12:32	47.7
B07-B09	1.0598	285	01Jul2015, 12:36	47.4
DB12	0.0453	48	01Jul2015, 12:06	3.9
B09	1.1051	296	01Jul2015, 12:36	51.3
B09-POND B	1.1051	296	01Jul2015, 12:36	51.2
DB15	0.1234	50	01Jul2015, 12:18	6.1
DB13	0.0703	49	01Jul2015, 12:12	4.9
DB14	0.0556	54	01Jul2015, 12:08	4.7
POND B	1.3544	337	01Jul2015, 12:42	66.5



FUTURE MDDP (25-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q25 (CFS)	TIME OF PEAK	TOTAL VOLUME Q25 (AC. FT.)
POND B-B12	1.3544	336	01Jul2015, 12:44	66.3
DB22	0.0516	55	01Jul2015, 12:08	4.8
DB23	0.0172	31	01Jul2015, 12:04	2.5
B12	1.4232	352	01Jul2015, 12:42	73.6
B12-B14	1.4232	352	01Jul2015, 12:44	73.4
DB24	0.0531	56	01Jul2015, 12:08	4.6
B14	1.4763	363	01Jul2015, 12:44	78
B14-B15	1.4763	362	01Jul2015, 12:46	77.9
DB28	0.0741	35	01Jul2015, 12:20	4.4
B15	1.5504	381	01Jul2015, 12:44	82.3
B15-B26	1.5504	380	01Jul2015, 12:50	81.3
DB29	0.1697	71	01Jul2015, 12:20	9
DB27	0.0508	40	01Jul2015, 12:16	4.3
B26	3.6115	736	01Jul2015, 12:54	172.2
B26-27	3.6115	736	01Jul2015, 12:56	171.5
FB-02	0.0500	52	01Jul2015, 12:08	4.4
FB-01	0.0373	38	01Jul2015, 12:08	3.1
FB01-B19	0.0373	37	01Jul2015, 12:08	3.1
B19	0.0873	89	01Jul2015, 12:08	7.6
B19-27	0.0873	89	01Jul2015, 12:10	7.6
FB-03	0.0078	15	01Jul2015, 12:02	1.1
27	3.7066	751	01Jul2015, 12:56	180.1
27-32	3.7066	751	01Jul2015, 12:58	179.7
WH-24	0.1325	129	01Jul2015, 12:10	11.7
WH-26	0.0839	20	01Jul2015, 12:22	3
WH-27	0.0217	10	01Jul2015, 12:04	0.8
30	0.2381	150	01Jul2015, 12:10	15.5
30-31	0.2381	149	01Jul2015, 12:12	15.5
WH-28	0.0398	36	01Jul2015, 12:12	3.4
31	0.2779	185	01Jul2015, 12:12	18.9
31-32	0.2779	185	01Jul2015, 12:14	18.8
WH-29	0.0495	45	01Jul2015, 12:10	4.2
WH-31	0.0406	46	01Jul2015, 12:08	3.8
WH-30	0.0159	13	01Jul2015, 12:02	0.9
32	4.0905	812	01Jul2015, 12:56	207.3
WH32	0.0458	24	01Jul2015, 12:02	1.6
BEN POND	4.1363	600	01Jul2015, 13:26	196
WH-33	0.0064	7	01Jul2015, 12:08	0.6
33	4.1427	601	01Jul2015, 13:26	196.6
33-37	4.1427	601	01Jul2015, 13:30	195.1
WH35	0.1550	84	01Jul2015, 12:10	8
WH34	0.0450	38	01Jul2015, 12:08	3.3
B34-36	0.0450	38	01Jul2015, 12:10	3.3
36	0.2000	122	01Jul2015, 12:10	11.4
36-37	0.2000	121	01Jul2015, 12:14	11.3
WH36	0.0750	27	01Jul2015, 12:12	2.9
37	4.4177	621	01Jul2015, 13:30	209.2
FG01	0.1127	25	01Jul2015, 12:32	4.4
OS05	0.0578	17	01Jul2015, 12:12	1.9
G1	0.1705	34	01Jul2015, 12:22	6.3
G1-G2	0.1705	34	01Jul2015, 12:24	6.3
OS06	0.1313	34	01Jul2015, 12:16	4.4
G1a	0.1313	34	01Jul2015, 12:16	4.4
G1a-G2	0.1313	34	01Jul2015, 12:20	4.3
FG02	0.0391	16	01Jul2015, 12:12	1.7
G2	0.3409	80	01Jul2015, 12:20	12.3



FUTURE MDDP (25-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q25 (CFS)	TIME OF PEAK	TOTAL VOLUME Q25 (AC. FT.)
FG03	0.0203	13	01Jul2015, 12:06	1.1
FG04	0.0172	11	01Jul2015, 12:06	0.9
G3	0.3784	89	01Jul2015, 12:22	14.1
G3-POND F	0.3784	89	01Jul2015, 12:22	14.1
FG05	0.0922	30	01Jul2015, 12:26	4.5
FG06	0.0188	10	01Jul2015, 12:10	1
POND F	0.4894	65	01Jul2015, 12:56	18.3
POND F-G7	0.4894	65	01Jul2015, 13:00	18.2
FG21	0.0656	26	01Jul2015, 12:18	3.2
OS07	0.0328	12	01Jul2015, 12:12	1.3
OS07-G7	0.0328	12	01Jul2015, 12:24	1.2
G7	0.5878	77	01Jul2015, 12:56	22.6
G7-G8	0.5878	77	01Jul2015, 12:58	22.5
FG22	0.0641	22	01Jul2015, 12:24	3.1
G8	0.6519	87	01Jul2015, 12:56	25.6
G8-G8A	0.6519	87	01Jul2015, 12:58	25.6
FG23	0.0813	27	01Jul2015, 12:22	3.8
OS08	0.0406	18	01Jul2015, 12:12	1.8
OS11-G8A	0.0406	18	01Jul2015, 12:14	1.8
G8A	0.7738	105	01Jul2015, 12:26	31.3
G8A-G9	0.7738	105	01Jul2015, 12:28	31.3
FG25	0.0219	10	01Jul2015, 12:22	1.3
G9	0.7957	115	01Jul2015, 12:26	32.6
G9-G11	0.7957	115	01Jul2015, 12:34	32.2
OS09	0.1547	43	01Jul2015, 12:26	6.7
OS09-G10	0.1547	43	01Jul2015, 12:30	6.6
FG24	0.1047	34	01Jul2015, 12:20	4.5
G10	0.2594	74	01Jul2015, 12:24	11.1
G10-G11	0.2594	73	01Jul2015, 12:30	11
FG26	0.0813	43	01Jul2015, 12:20	5.3
FG27B	0.0508	35	01Jul2015, 12:18	4.1
FG27A	0.0259	7	01Jul2015, 12:28	1.1
FG27A-G11	0.0259	7	01Jul2015, 12:32	1.1
G11	1.2131	258	01Jul2015, 12:30	53.9
FG28	0.0203	8	01Jul2015, 12:14	0.9
POND G	1.2334	187	01Jul2015, 12:56	53.4
G12	1.2334	187	01Jul2015, 12:56	53.4
G12-G06	1.2334	187	01Jul2015, 13:02	53.1
FG29	0.1031	24	01Jul2015, 12:22	3.5
FG32	0.0402	45	01Jul2015, 12:08	3.7
FG32-G06	0.0402	44	01Jul2015, 12:10	3.7
G06	1.3767	203	01Jul2015, 12:58	60.3
FG10	0.0963	37	01Jul2015, 12:34	6.1
FG08A	0.0750	73	01Jul2015, 12:08	6
FG08A-G05	0.0750	72	01Jul2015, 12:10	6
FG08B	0.0630	54	01Jul2015, 12:10	5
FG08B-G05	0.0630	54	01Jul2015, 12:14	5
FG11	0.0625	47	01Jul2015, 12:18	5.3
FG09	0.0484	27	01Jul2015, 12:16	3
FG09-G05	0.0484	27	01Jul2015, 12:18	3
G05	0.3452	217	01Jul2015, 12:14	25.5
FG13	0.0656	20	01Jul2015, 12:26	3.1
FG12	0.0328	33	01Jul2015, 12:10	3
POND D	0.4436	48	01Jul2015, 13:30	24.1
POND D-G17	0.4436	48	01Jul2015, 13:32	24
FG15	0.1217	44	01Jul2015, 12:40	7.8
FG14	0.0359	29	01Jul2015, 12:14	3

FUTURE MDDP (25-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q25 (CFS)	TIME OF PEAK	TOTAL VOLUME Q25 (AC. FT.)
FG14-G17a	0.0359	29	01Jul2015, 12:18	3
G17a	0.1576	64	01Jul2015, 12:28	10.9
FG15a	0.0156	18	01Jul2015, 12:06	1.4
G17	0.6168	88	01Jul2015, 12:50	36.3
G17-G18	0.6168	88	01Jul2015, 12:50	36.2
FG16	0.0773	79	01Jul2015, 12:08	6.5
G18	0.6941	131	01Jul2015, 12:10	42.7
G18-POND E	0.6941	131	01Jul2015, 12:12	42.7
FG31	0.0922	74	01Jul2015, 12:18	8.5
FG30	0.0400	50	01Jul2015, 12:04	3.7
FG30-PONDHS	0.0400	49	01Jul2015, 12:12	3.7
POND HS	0.1322	63	01Jul2015, 12:34	12.1
FG17a	0.0694	69	01Jul2015, 12:08	5.9
FG17a-POND E	0.0694	68	01Jul2015, 12:10	5.9
FG18	0.0644	32	01Jul2015, 12:24	4.4
FG18-POND E	0.0644	32	01Jul2015, 12:26	4.4
FG19	0.0527	56	01Jul2015, 12:10	4.9
FG17c	0.0313	16	01Jul2015, 12:08	1.4
FG17b	0.0214	26	01Jul2015, 12:06	2
POND E	1.0655	97	01Jul2015, 14:18	54.2
FG20	0.0109	21	01Jul2015, 12:04	1.7
H08-H09	1.0764	98	01Jul2015, 14:16	55.9
FG34	0.0922	27	01Jul2015, 12:20	3.7
G13	0.0922	27	01Jul2015, 12:20	3.7
POND I	0.0922	19	01Jul2015, 12:34	3.8
G14	0.0922	19	01Jul2015, 12:34	3.8
G14-G15	0.0922	19	01Jul2015, 12:40	3.8
FG35	0.0566	16	01Jul2015, 12:18	2.1
G15	0.1488	28	01Jul2015, 12:34	6
G15-G08	0.1488	28	01Jul2015, 12:42	6
FG37	0.0797	19	01Jul2015, 12:20	2.7
FG36	0.0281	6	01Jul2015, 12:24	0.9
FG36-G08	0.0281	6	01Jul2015, 12:30	0.9
G08	0.2566	46	01Jul2015, 12:34	9.6
FH01	0.1344	129	01Jul2015, 12:06	10.5
POND H	0.1344	19	01Jul2015, 12:54	8.7

FUTURE MDDP (10-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q10 (CFS)	TIME OF PEAK	TOTAL VOLUME Q10 (AC. FT.)
OS01	1.5594	136	01Jul2015, 12:38	30.9
DB16	0.0578	35	01Jul2015, 12:10	3.3
B10	1.6172	147	01Jul2015, 12:36	34.2
B10-B11	1.6172	147	01Jul2015, 12:38	34.1
DB17	0.0048	9	01Jul2015, 12:02	0.7
B11	1.6220	148	01Jul2015, 12:38	34.8
B11-POND C	1.6220	148	01Jul2015, 12:42	34.5
DB21	0.0519	12	01Jul2015, 12:10	1.3
DB18	0.0346	26	01Jul2015, 12:08	2.1
DB19	0.0281	11	01Jul2015, 12:12	1.1
DB20	0.0147	9	01Jul2015, 12:10	0.8
POND C	1.7513	128	01Jul2015, 13:02	36.3
POND C-B16	1.7513	128	01Jul2015, 13:06	36.1
DB25	0.0211	18	01Jul2015, 12:04	1.3
B16	1.7724	130	01Jul2015, 13:06	37.4
B16-B17	1.7724	130	01Jul2015, 13:10	37.1
DB26	0.0682	62	01Jul2015, 12:10	5.6
B17	1.8406	138	01Jul2015, 13:08	42.7
B17-B26	1.8406	138	01Jul2015, 13:12	42.4
OS03	0.1984	23	01Jul2015, 12:24	4.1
DB01	0.0719	25	01Jul2015, 12:10	2.4
B01	0.2703	42	01Jul2015, 12:14	6.5
B01-B02	0.2703	42	01Jul2015, 12:16	6.5
OS02	0.2219	30	01Jul2015, 12:26	5.1
DB02	0.0516	20	01Jul2015, 12:06	1.7
B02	0.5438	79	01Jul2015, 12:18	13.2
B02-POND A	0.5438	79	01Jul2015, 12:20	13.1
OS04	0.1359	12	01Jul2015, 12:22	2.3
DB03	0.0703	16	01Jul2015, 12:12	1.8
B03	0.2062	26	01Jul2015, 12:16	4.1
B03-B04	0.2062	25	01Jul2015, 12:22	4
DB04	0.0422	10	01Jul2015, 12:12	1.2
DB05	0.0384	9	01Jul2015, 12:16	1.1
B04	0.2868	42	01Jul2015, 12:20	6.3
B04-B05	0.2868	42	01Jul2015, 12:20	6.3
DB06	0.0219	19	01Jul2015, 12:08	1.6
B05	0.3087	55	01Jul2015, 12:18	8
B05-POND A	0.3087	55	01Jul2015, 12:20	8
DB07	0.0254	10	01Jul2015, 12:08	0.9
DB08	0.0297	7	01Jul2015, 12:08	0.7
POND A	0.9076	98	01Jul2015, 12:38	20.1
POND A-B06	0.9076	98	01Jul2015, 12:38	20.1
DB09	0.0189	12	01Jul2015, 12:04	0.9
B06	0.9265	100	01Jul2015, 12:38	21
B06-B07	0.9265	99	01Jul2015, 12:46	20.7
DB11	0.0969	35	01Jul2015, 12:14	3.8
DB10	0.0364	19	01Jul2015, 12:08	1.7
B07	1.0598	116	01Jul2015, 12:44	26.2
B07-B09	1.0598	116	01Jul2015, 12:48	26
DB12	0.0453	31	01Jul2015, 12:08	2.5
B09	1.1051	121	01Jul2015, 12:48	28.5
B09-POND B	1.1051	121	01Jul2015, 12:48	28.5
DB15	0.1234	25	01Jul2015, 12:20	3.4
DB13	0.0703	29	01Jul2015, 12:14	3.1
DB14	0.0556	35	01Jul2015, 12:08	3.1
POND B	1.3544	140	01Jul2015, 12:56	37.8



FUTURE MDDP (10-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q10 (CFS)	TIME OF PEAK	TOTAL VOLUME Q10 (AC. FT.)
POND B-B12	1.3544	140	01Jul2015, 12:58	37.7
DB22	0.0516	36	01Jul2015, 12:08	3.2
DB23	0.0172	23	01Jul2015, 12:06	1.8
B12	1.4232	148	01Jul2015, 12:26	42.7
B12-B14	1.4232	148	01Jul2015, 12:28	42.5
DB24	0.0531	36	01Jul2015, 12:08	3
B14	1.4763	162	01Jul2015, 12:26	45.6
B14-B15	1.4763	162	01Jul2015, 12:28	45.5
DB28	0.0741	19	01Jul2015, 12:22	2.6
B15	1.5504	180	01Jul2015, 12:28	48.1
B15-B26	1.5504	179	01Jul2015, 12:36	47.4
DB29	0.1697	37	01Jul2015, 12:20	5.2
DB27	0.0508	25	01Jul2015, 12:16	2.8
B26	3.6115	316	01Jul2015, 13:08	97.9
B26-27	3.6115	316	01Jul2015, 13:12	97.3
FB-02	0.0500	34	01Jul2015, 12:08	2.9
FB-01	0.0373	24	01Jul2015, 12:08	2
FB01-B19	0.0373	24	01Jul2015, 12:10	2
B19	0.0873	57	01Jul2015, 12:08	5
B19-27	0.0873	57	01Jul2015, 12:10	5
FB-03	0.0078	11	01Jul2015, 12:02	0.8
27	3.7066	324	01Jul2015, 13:12	103.1
27-32	3.7066	324	01Jul2015, 13:14	102.8
WH-24	0.1325	84	01Jul2015, 12:10	7.7
WH-26	0.0839	8	01Jul2015, 12:26	1.5
WH-27	0.0217	4	01Jul2015, 12:06	0.4
30	0.2381	91	01Jul2015, 12:10	9.7
30-31	0.2381	91	01Jul2015, 12:12	9.7
WH-28	0.0398	23	01Jul2015, 12:12	2.2
31	0.2779	114	01Jul2015, 12:12	11.9
31-32	0.2779	113	01Jul2015, 12:14	11.9
WH-29	0.0495	29	01Jul2015, 12:10	2.7
WH-31	0.0406	30	01Jul2015, 12:08	2.5
WH-30	0.0159	7	01Jul2015, 12:02	0.5
32	4.0905	428	01Jul2015, 12:24	120.4
WH32	0.0458	10	01Jul2015, 12:04	0.9
BEN POND	4.1363	256	01Jul2015, 13:52	113
WH-33	0.0064	5	01Jul2015, 12:08	0.4
33	4.1427	256	01Jul2015, 13:52	113.4
33-37	4.1427	256	01Jul2015, 13:58	112.3
WH35	0.1550	44	01Jul2015, 12:10	4.6
WH34	0.0450	23	01Jul2015, 12:10	2.1
B34-36	0.0450	23	01Jul2015, 12:12	2.1
36	0.2000	67	01Jul2015, 12:12	6.7
36-37	0.2000	66	01Jul2015, 12:16	6.7
WH36	0.0750	11	01Jul2015, 12:14	1.5
37	4.4177	266	01Jul2015, 13:56	120.5
FG01	0.1127	11	01Jul2015, 12:36	2.3
OS05	0.0578	6	01Jul2015, 12:14	1
G1	0.1705	14	01Jul2015, 12:30	3.3
G1-G2	0.1705	14	01Jul2015, 12:32	3.3
OS06	0.1313	13	01Jul2015, 12:18	2.2
G1a	0.1313	13	01Jul2015, 12:18	2.2
G1a-G2	0.1313	13	01Jul2015, 12:24	2.2
FG02	0.0391	7	01Jul2015, 12:14	0.9
G2	0.3409	32	01Jul2015, 12:24	6.4
G2-G3	0.3409	32	01Jul2015, 12:28	6.4



FUTURE MDDP (10-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q10 (CFS)	TIME OF PEAK	TOTAL VOLUME Q10 (AC. FT.)
FG03	0.0203	7	01Jul2015, 12:08	0.6
FG04	0.0172	6	01Jul2015, 12:06	0.5
G3	0.3784	36	01Jul2015, 12:28	7.4
G3-POND F	0.3784	36	01Jul2015, 12:28	7.4
FG05	0.0922	15	01Jul2015, 12:28	2.5
FG06	0.0188	5	01Jul2015, 12:12	0.6
POND F	0.4894	17	01Jul2015, 13:50	9.6
POND F-G7	0.4894	17	01Jul2015, 13:56	9.6
FG21	0.0656	13	01Jul2015, 12:20	1.8
OS07	0.0328	5	01Jul2015, 12:12	0.7
OS07-G7	0.0328	5	01Jul2015, 12:28	0.6
G7	0.5878	22	01Jul2015, 12:54	12
G7-G8	0.5878	22	01Jul2015, 12:58	12
FG22	0.0641	11	01Jul2015, 12:26	1.8
G8	0.6519	29	01Jul2015, 12:32	13.8
G8-G8A	0.6519	29	01Jul2015, 12:34	13.7
FG23	0.0813	13	01Jul2015, 12:26	2.2
OS08	0.0406	9	01Jul2015, 12:12	1
OS11-G8A	0.0406	9	01Jul2015, 12:16	1
G8A	0.7738	46	01Jul2015, 12:32	16.9
G8A-G9	0.7738	46	01Jul2015, 12:32	16.9
FG25	0.0219	6	01Jul2015, 12:24	0.8
G9	0.7957	51	01Jul2015, 12:32	17.7
G9-G11	0.7957	51	01Jul2015, 12:40	17.5
OS09	0.1547	20	01Jul2015, 12:30	3.7
OS09-G10	0.1547	20	01Jul2015, 12:34	3.6
FG24	0.1047	16	01Jul2015, 12:22	2.5
G10	0.2594	34	01Jul2015, 12:28	6.1
G10-G11	0.2594	34	01Jul2015, 12:34	6
FG26	0.0813	25	01Jul2015, 12:20	3.3
FG27B	0.0508	22	01Jul2015, 12:18	2.7
FG27A	0.0259	3	01Jul2015, 12:32	0.6
FG27A-G11	0.0259	3	01Jul2015, 12:36	0.6
G11	1.2131	125	01Jul2015, 12:30	30.1
FG28	0.0203	4	01Jul2015, 12:14	0.5
POND G	1.2334	66	01Jul2015, 13:18	29.7
G12	1.2334	66	01Jul2015, 13:18	29.7
G12-G06	1.2334	66	01Jul2015, 13:24	29.5
FG29	0.1031	9	01Jul2015, 12:24	1.8
FG32	0.0402	29	01Jul2015, 12:08	2.5
FG32-G06	0.0402	29	01Jul2015, 12:10	2.5
G06	1.3767	73	01Jul2015, 13:18	33.8
FG10	0.0963	21	01Jul2015, 12:36	3.7
FG08A	0.0750	46	01Jul2015, 12:08	3.9
FG08A-G05	0.0750	45	01Jul2015, 12:12	3.9
FG08B	0.0630	34	01Jul2015, 12:12	3.2
FG08B-G05	0.0630	34	01Jul2015, 12:14	3.2
FG11	0.0625	30	01Jul2015, 12:18	3.5
FG09	0.0484	16	01Jul2015, 12:16	1.8
FG09-G05	0.0484	16	01Jul2015, 12:18	1.8
G05	0.3452	133	01Jul2015, 12:14	16.1
FG13	0.0656	10	01Jul2015, 12:30	1.7
FG12	0.0328	22	01Jul2015, 12:10	2
POND D	0.4436	18	01Jul2015, 14:28	14.3
POND D-G17	0.4436	18	01Jul2015, 14:30	14.3
FG15	0.1217	25	01Jul2015, 12:42	4.8
FG14	0.0359	18	01Jul2015, 12:16	2

FUTURE MDDP (10-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q10 (CFS)	TIME OF PEAK	TOTAL VOLUME Q10 (AC. FT.)
FG14-G17a	0.0359	18	01Jul2015, 12:20	2
G17a	0.1576	38	01Jul2015, 12:28	6.8
FG15a	0.0156	12	01Jul2015, 12:06	0.9
G17	0.6168	50	01Jul2015, 12:36	22
G17-G18	0.6168	50	01Jul2015, 12:38	21.9
FG16	0.0773	51	01Jul2015, 12:08	4.2
G18	0.6941	81	01Jul2015, 12:10	26.2
G18-POND E	0.6941	80	01Jul2015, 12:12	26.1
FG31	0.0922	48	01Jul2015, 12:18	5.7
FG30	0.0400	33	01Jul2015, 12:06	2.5
FG30-PONDHS	0.0400	33	01Jul2015, 12:12	2.4
POND HS	0.1322	37	01Jul2015, 12:38	8.1
FG17a	0.0694	44	01Jul2015, 12:08	3.9
FG17a-POND E	0.0694	44	01Jul2015, 12:10	3.9
FG18	0.0644	19	01Jul2015, 12:26	2.7
FG18-POND E	0.0644	19	01Jul2015, 12:26	2.7
FG19	0.0527	37	01Jul2015, 12:10	3.3
FG17c	0.0313	7	01Jul2015, 12:08	0.8
FG17b	0.0214	17	01Jul2015, 12:06	1.3
POND E	1.0655	35	01Jul2015, 16:36	29.5
FG20	0.0109	16	01Jul2015, 12:04	1.2
H08-H09	1.0764	35	01Jul2015, 16:32	30.8
FG34	0.0922	12	01Jul2015, 12:22	2
G13	0.0922	12	01Jul2015, 12:22	2
POND I	0.0922	8	01Jul2015, 12:42	2.1
G14	0.0922	8	01Jul2015, 12:42	2.1
G14-G15	0.0922	8	01Jul2015, 12:50	2.2
FG35	0.0566	7	01Jul2015, 12:20	1.1
G15	0.1488	11	01Jul2015, 12:42	3.3
G15-G08	0.1488	11	01Jul2015, 12:50	3.3
FG37	0.0797	7	01Jul2015, 12:22	1.3
FG36	0.0281	2	01Jul2015, 12:26	0.5
FG36-G08	0.0281	2	01Jul2015, 12:36	0.5
G08	0.2566	18	01Jul2015, 12:42	5.1
FH01	0.1344	81	01Jul2015, 12:08	6.7
POND H	0.1344	8	01Jul2015, 13:28	5.3

FUTURE MDDP (5-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q5 (CFS)	TIME OF PEAK	TOTAL VOLUME Q5 (AC. FT.)
OS01	1.5594	55	01Jul2015, 12:46	16.6
DB16	0.0578	23	01Jul2015, 12:12	2.3
B10	1.6172	62	01Jul2015, 12:42	18.9
B10-B11	1.6172	62	01Jul2015, 12:42	18.9
DB17	0.0048	7	01Jul2015, 12:02	0.6
B11	1.6220	63	01Jul2015, 12:42	19.4
B11-POND C	1.6220	62	01Jul2015, 12:48	19.2
DB21	0.0519	5	01Jul2015, 12:12	0.7
DB18	0.0346	18	01Jul2015, 12:08	1.5
DB19	0.0281	7	01Jul2015, 12:12	0.7
DB20	0.0147	6	01Jul2015, 12:10	0.6
POND C	1.7513	50	01Jul2015, 13:28	19.4
POND C-B16	1.7513	50	01Jul2015, 13:32	19.2
DB25	0.0211	12	01Jul2015, 12:04	0.9
B16	1.7724	51	01Jul2015, 13:32	20.1
B16-B17	1.7724	51	01Jul2015, 13:36	19.9
DB26	0.0682	46	01Jul2015, 12:10	4.1
B17	1.8406	56	01Jul2015, 12:12	24
B17-B26	1.8406	56	01Jul2015, 12:16	23.8
OS03	0.1984	9	01Jul2015, 12:28	2.2
DB01	0.0719	14	01Jul2015, 12:10	1.5
B01	0.2703	19	01Jul2015, 12:14	3.7
B01-B02	0.2703	19	01Jul2015, 12:18	3.7
OS02	0.2219	13	01Jul2015, 12:28	2.8
DB02	0.0516	10	01Jul2015, 12:06	1
B02	0.5438	36	01Jul2015, 12:18	7.6
B02-POND A	0.5438	36	01Jul2015, 12:22	7.5
OS04	0.1359	4	01Jul2015, 12:28	1.2
DB03	0.0703	7	01Jul2015, 12:14	1
B03	0.2062	10	01Jul2015, 12:16	2.2
B03-B04	0.2062	10	01Jul2015, 12:26	2.2
DB04	0.0422	5	01Jul2015, 12:14	0.7
DB05	0.0384	5	01Jul2015, 12:18	0.7
B04	0.2868	18	01Jul2015, 12:22	3.5
B04-B05	0.2868	18	01Jul2015, 12:24	3.5
DB06	0.0219	14	01Jul2015, 12:08	1.2
B05	0.3087	25	01Jul2015, 12:22	4.7
B05-POND A	0.3087	25	01Jul2015, 12:22	4.7
DB07	0.0254	6	01Jul2015, 12:08	0.5
DB08	0.0297	3	01Jul2015, 12:10	0.4
POND A	0.9076	34	01Jul2015, 12:58	10.7
POND A-B06	0.9076	34	01Jul2015, 13:00	10.7
DB09	0.0189	8	01Jul2015, 12:06	0.6
B06	0.9265	35	01Jul2015, 13:00	11.3
B06-B07	0.9265	35	01Jul2015, 13:08	11.1
DB11	0.0969	20	01Jul2015, 12:14	2.4
DB10	0.0364	12	01Jul2015, 12:08	1.1
B07	1.0598	42	01Jul2015, 13:06	14.7
B07-B09	1.0598	42	01Jul2015, 13:12	14.5
DB12	0.0453	21	01Jul2015, 12:08	1.7
B09	1.1051	45	01Jul2015, 12:16	16.2
B09-POND B	1.1051	45	01Jul2015, 12:18	16.2
DB15	0.1234	12	01Jul2015, 12:22	2
DB13	0.0703	18	01Jul2015, 12:14	2
DB14	0.0556	23	01Jul2015, 12:10	2.1
POND B	1.3544	69	01Jul2015, 12:30	22.2



FUTURE MDDP (5-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q5 (CFS)	TIME OF PEAK	TOTAL VOLUME Q5 (AC. FT.)
POND B-B12	1.3544	69	01Jul2015, 12:32	22.1
DB22	0.0516	25	01Jul2015, 12:10	2.2
DB23	0.0172	18	01Jul2015, 12:06	1.4
B12	1.4232	83	01Jul2015, 12:28	25.7
B12-B14	1.4232	83	01Jul2015, 12:30	25.6
DB24	0.0531	24	01Jul2015, 12:08	2.1
B14	1.4763	92	01Jul2015, 12:26	27.7
B14-B15	1.4763	92	01Jul2015, 12:28	27.6
DB28	0.0741	11	01Jul2015, 12:22	1.7
B15	1.5504	103	01Jul2015, 12:26	29.3
B15-B26	1.5504	102	01Jul2015, 12:36	28.8
DB29	0.1697	19	01Jul2015, 12:24	3.2
DB27	0.0508	17	01Jul2015, 12:16	1.9
B26	3.6115	175	01Jul2015, 12:24	57.7
B26-27	3.6115	174	01Jul2015, 12:26	57.3
FB-02	0.0500	23	01Jul2015, 12:10	2
FB-01	0.0373	16	01Jul2015, 12:08	1.4
FB01-B19	0.0373	16	01Jul2015, 12:10	1.4
B19	0.0873	38	01Jul2015, 12:10	3.4
B19-27	0.0873	38	01Jul2015, 12:10	3.4
FB-03	0.0078	9	01Jul2015, 12:02	0.6
27	3.7066	195	01Jul2015, 12:26	61.3
27-32	3.7066	194	01Jul2015, 12:28	61
WH-24	0.1325	56	01Jul2015, 12:10	5.4
WH-26	0.0839	3	01Jul2015, 12:32	0.8
WH-27	0.0217	1	01Jul2015, 12:08	0.2
30	0.2381	59	01Jul2015, 12:10	6.4
30-31	0.2381	59	01Jul2015, 12:12	6.4
WH-28	0.0398	15	01Jul2015, 12:12	1.5
31	0.2779	74	01Jul2015, 12:12	7.9
31-32	0.2779	73	01Jul2015, 12:16	7.9
WH-29	0.0495	19	01Jul2015, 12:12	1.9
WH-31	0.0406	21	01Jul2015, 12:08	1.8
WH-30	0.0159	4	01Jul2015, 12:02	0.3
32	4.0905	263	01Jul2015, 12:26	72.9
WH32	0.0458	4	01Jul2015, 12:04	0.5
BEN POND	4.1363	102	01Jul2015, 14:48	67
WH-33	0.0064	3	01Jul2015, 12:08	0.3
33	4.1427	102	01Jul2015, 14:48	67.3
33-37	4.1427	102	01Jul2015, 14:56	66.5
WH35	0.1550	22	01Jul2015, 12:12	2.8
WH34	0.0450	15	01Jul2015, 12:10	1.4
B34-36	0.0450	15	01Jul2015, 12:12	1.4
36	0.2000	37	01Jul2015, 12:12	4.2
36-37	0.2000	37	01Jul2015, 12:18	4.1
WH36	0.0750	4	01Jul2015, 12:16	0.8
37	4.4177	107	01Jul2015, 14:54	71.5
FG01	0.1127	5	01Jul2015, 12:42	1.3
OS05	0.0578	2	01Jul2015, 12:18	0.5
G1	0.1705	6	01Jul2015, 12:38	1.8
G1-G2	0.1705	6	01Jul2015, 12:40	1.8
OS06	0.1313	4	01Jul2015, 12:24	1.1
G1a	0.1313	4	01Jul2015, 12:24	1.1
G1a-G2	0.1313	4	01Jul2015, 12:32	1.1
FG02	0.0391	3	01Jul2015, 12:16	0.5
G2	0.3409	12	01Jul2015, 12:32	3.4
G2-G3	0.3409	12	01Jul2015, 12:40	3.4



FUTURE MDDP (5-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q5 (CFS)	TIME OF PEAK	TOTAL VOLUME Q5 (AC. FT.)
FG03	0.0203	1	01Jul2015, 12:10	0.2
FG04	0.0172	3	01Jul2015, 12:08	0.3
G3	0.3784	13	01Jul2015, 12:38	3.8
G3-POND F	0.3784	13	01Jul2015, 12:40	3.8
FG05	0.0922	7	01Jul2015, 12:30	1.5
FG06	0.0188	3	01Jul2015, 12:12	0.3
POND F	0.4894	8	01Jul2015, 14:16	5
POND F-G7	0.4894	8	01Jul2015, 14:22	5
FG21	0.0656	6	01Jul2015, 12:22	1.1
OS07	0.0328	2	01Jul2015, 12:16	0.4
OS07-G7	0.0328	2	01Jul2015, 12:36	0.4
G7	0.5878	10	01Jul2015, 14:04	6.4
G7-G8	0.5878	10	01Jul2015, 14:08	6.4
FG22	0.0641	5	01Jul2015, 12:28	1
G8	0.6519	12	01Jul2015, 12:36	7.4
G8-G8A	0.6519	12	01Jul2015, 12:38	7.4
FG23	0.0813	6	01Jul2015, 12:28	1.3
OS08	0.0406	4	01Jul2015, 12:14	0.6
OS11-G8A	0.0406	4	01Jul2015, 12:20	0.6
G8A	0.7738	21	01Jul2015, 12:26	9.3
G8A-G9	0.7738	21	01Jul2015, 12:28	9.3
FG25	0.0219	3	01Jul2015, 12:26	0.5
G9	0.7957	24	01Jul2015, 12:28	9.8
G9-G11	0.7957	24	01Jul2015, 12:38	9.6
OS09	0.1547	9	01Jul2015, 12:32	2.1
OS09-G10	0.1547	9	01Jul2015, 12:38	2.1
FG24	0.1047	7	01Jul2015, 12:24	1.4
G10	0.2594	15	01Jul2015, 12:32	3.5
G10-G11	0.2594	15	01Jul2015, 12:40	3.4
FG26	0.0813	15	01Jul2015, 12:22	2.1
FG27B	0.0508	14	01Jul2015, 12:20	1.8
FG27A	0.0259	2	01Jul2015, 12:34	0.4
FG27A-G11	0.0259	2	01Jul2015, 12:38	0.4
G11	1.2131	62	01Jul2015, 12:34	17.3
FG28	0.0203	2	01Jul2015, 12:16	0.3
POND G	1.2334	31	01Jul2015, 13:34	17.1
G12	1.2334	31	01Jul2015, 13:34	17.1
G12-G06	1.2334	31	01Jul2015, 13:42	17
FG29	0.1031	3	01Jul2015, 12:30	0.9
FG32	0.0402	20	01Jul2015, 12:08	1.7
FG32-G06	0.0402	20	01Jul2015, 12:10	1.7
G06	1.3767	35	01Jul2015, 13:36	19.6
FG10	0.0963	12	01Jul2015, 12:38	2.4
FG08A	0.0750	30	01Jul2015, 12:08	2.6
FG08A-G05	0.0750	30	01Jul2015, 12:12	2.6
FG08B	0.0630	22	01Jul2015, 12:12	2.2
FG08B-G05	0.0630	22	01Jul2015, 12:16	2.2
FG11	0.0625	20	01Jul2015, 12:18	2.4
FG09	0.0484	9	01Jul2015, 12:18	1.2
FG09-G05	0.0484	9	01Jul2015, 12:20	1.2
G05	0.3452	84	01Jul2015, 12:16	10.7
FG13	0.0656	5	01Jul2015, 12:32	1
FG12	0.0328	15	01Jul2015, 12:10	1.4
POND D	0.4436	11	01Jul2015, 14:44	8.8
POND D-G17	0.4436	11	01Jul2015, 14:46	8.8
FG15	0.1217	15	01Jul2015, 12:44	3.1
FG14	0.0359	12	01Jul2015, 12:16	1.4

FUTURE MDDP (5-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q5 (CFS)	TIME OF PEAK	TOTAL VOLUME Q5 (AC. FT.)
FG14-G17a	0.0359	12	01Jul2015, 12:20	1.4
G17a	0.1576	23	01Jul2015, 12:30	4.4
FG15a	0.0156	8	01Jul2015, 12:06	0.6
G17	0.6168	28	01Jul2015, 12:28	13.8
G17-G18	0.6168	28	01Jul2015, 12:30	13.8
FG16	0.0773	34	01Jul2015, 12:08	2.9
G18	0.6941	52	01Jul2015, 12:10	16.7
G18-POND E	0.6941	51	01Jul2015, 12:12	16.7
FG31	0.0922	33	01Jul2015, 12:18	4
FG30	0.0400	23	01Jul2015, 12:06	1.7
FG30-PONDHS	0.0400	22	01Jul2015, 12:14	1.7
POND HS	0.1322	27	01Jul2015, 12:38	5.7
FG17a	0.0694	29	01Jul2015, 12:10	2.7
FG17a-POND E	0.0694	29	01Jul2015, 12:10	2.7
FG18	0.0644	11	01Jul2015, 12:28	1.8
FG18-POND E	0.0644	11	01Jul2015, 12:28	1.8
FG19	0.0527	25	01Jul2015, 12:10	2.3
FG17c	0.0313	3	01Jul2015, 12:10	0.4
FG17b	0.0214	12	01Jul2015, 12:06	0.9
POND E	1.0655	18	01Jul2015, 18:36	17.7
FG20	0.0109	13	01Jul2015, 12:04	1
H08-H09	1.0764	19	01Jul2015, 12:08	18.6
FG34	0.0922	5	01Jul2015, 12:26	1.1
G13	0.0922	5	01Jul2015, 12:26	1.1
POND I	0.0922	4	01Jul2015, 00:00	1.2
G14	0.0922	4	01Jul2015, 00:00	1.2
G14-G15	0.0922	4	01Jul2015, 00:08	1.3
FG35	0.0566	3	01Jul2015, 12:24	0.6
G15	0.1488	5	01Jul2015, 12:52	1.9
G15-G08	0.1488	5	01Jul2015, 13:04	2
FG37	0.0797	2	01Jul2015, 12:28	0.7
FG36	0.0281	1	01Jul2015, 12:32	0.2
FG36-G08	0.0281	1	01Jul2015, 12:46	0.2
G08	0.2566	7	01Jul2015, 12:58	2.9
FH01	0.1344	52	01Jul2015, 12:08	4.5
POND H	0.1344	4	01Jul2015, 14:18	3.5

FUTURE MDDP (2-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q2 (CFS)	TIME OF PEAK	TOTAL VOLUME Q2 (AC. FT.)
OS01	1.5594	11	01Jul2015, 13:24	5.9
DB16	0.0578	13	01Jul2015, 12:12	1.3
B10	1.6172	13	01Jul2015, 12:12	7.3
B10-B11	1.6172	13	01Jul2015, 12:14	7.2
DB17	0.0048	6	01Jul2015, 12:02	0.4
B11	1.6220	15	01Jul2015, 12:12	7.7
B11-POND C	1.6220	15	01Jul2015, 12:20	7.5
DB21	0.0519	1	01Jul2015, 12:18	0.3
DB18	0.0346	10	01Jul2015, 12:08	0.9
DB19	0.0281	3	01Jul2015, 12:14	0.4
DB20	0.0147	3	01Jul2015, 12:10	0.3
POND C	1.7513	11	01Jul2015, 15:00	6.3
POND C-B16	1.7513	11	01Jul2015, 15:06	6.2
DB25	0.0211	7	01Jul2015, 12:06	0.6
B16	1.7724	11	01Jul2015, 15:06	6.7
B16-B17	1.7724	11	01Jul2015, 15:16	6.6
DB26	0.0682	29	01Jul2015, 12:10	2.7
B17	1.8406	34	01Jul2015, 12:14	9.3
B17-B26	1.8406	34	01Jul2015, 12:20	9.1
OS03	0.1984	2	01Jul2015, 13:02	0.8
DB01	0.0719	5	01Jul2015, 12:12	0.7
B01	0.2703	5	01Jul2015, 12:14	1.5
B01-B02	0.2703	5	01Jul2015, 12:18	1.5
OS02	0.2219	3	01Jul2015, 12:46	1.1
DB02	0.0516	3	01Jul2015, 12:08	0.5
B02	0.5438	9	01Jul2015, 12:18	3.1
B02-POND A	0.5438	9	01Jul2015, 12:22	3.1
OS04	0.1359	1	01Jul2015, 13:30	0.4
DB03	0.0703	2	01Jul2015, 12:20	0.4
B03	0.2062	2	01Jul2015, 12:20	0.8
B03-B04	0.2062	2	01Jul2015, 12:36	0.8
DB04	0.0422	1	01Jul2015, 12:18	0.3
DB05	0.0384	1	01Jul2015, 12:22	0.3
B04	0.2868	4	01Jul2015, 12:32	1.4
B04-B05	0.2868	4	01Jul2015, 12:34	1.4
DB06	0.0219	9	01Jul2015, 12:10	0.8
B05	0.3087	10	01Jul2015, 12:12	2.2
B05-POND A	0.3087	10	01Jul2015, 12:14	2.1
DB07	0.0254	2	01Jul2015, 12:10	0.3
DB08	0.0297	0	01Jul2015, 12:16	0.2
POND A	0.9076	6	01Jul2015, 15:32	3.3
POND A-B06	0.9076	6	01Jul2015, 15:34	3.3
DB09	0.0189	4	01Jul2015, 12:06	0.3
B06	0.9265	6	01Jul2015, 15:32	3.6
B06-B07	0.9265	6	01Jul2015, 15:48	3.5
DB11	0.0969	8	01Jul2015, 12:16	1.2
DB10	0.0364	6	01Jul2015, 12:10	0.6
B07	1.0598	15	01Jul2015, 12:22	5.4
B07-B09	1.0598	14	01Jul2015, 12:30	5.3
DB12	0.0453	11	01Jul2015, 12:08	1
B09	1.1051	19	01Jul2015, 12:20	6.3
B09-POND B	1.1051	19	01Jul2015, 12:22	6.3
DB15	0.1234	3	01Jul2015, 12:28	0.9
DB13	0.0703	8	01Jul2015, 12:16	1.1
DB14	0.0556	12	01Jul2015, 12:10	1.2
POND B	1.3544	30	01Jul2015, 12:34	9.4



FUTURE MDDP (2-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q2 (CFS)	TIME OF PEAK	TOTAL VOLUME Q2 (AC. FT.)
POND B-B12	1.3544	30	01Jul2015, 12:38	9.3
DB22	0.0516	14	01Jul2015, 12:10	1.3
DB23	0.0172	13	01Jul2015, 12:06	1
B12	1.4232	38	01Jul2015, 12:28	11.7
B12-B14	1.4232	38	01Jul2015, 12:32	11.6
DB24	0.0531	13	01Jul2015, 12:08	1.2
B14	1.4763	46	01Jul2015, 12:16	12.8
B14-B15	1.4763	46	01Jul2015, 12:18	12.8
DB28	0.0741	4	01Jul2015, 12:26	0.8
B15	1.5504	49	01Jul2015, 12:18	13.6
B15-B26	1.5504	49	01Jul2015, 12:30	13.2
DB29	0.1697	6	01Jul2015, 12:28	1.5
DB27	0.0508	9	01Jul2015, 12:18	1.1
B26	3.6115	87	01Jul2015, 12:28	25
B26-27	3.6115	87	01Jul2015, 12:32	24.7
FB-02	0.0500	13	01Jul2015, 12:10	1.2
FB-01	0.0373	8	01Jul2015, 12:08	0.8
FB01-B19	0.0373	8	01Jul2015, 12:10	0.8
B19	0.0873	21	01Jul2015, 12:10	2
B19-27	0.0873	21	01Jul2015, 12:12	2
FB-03	0.0078	6	01Jul2015, 12:02	0.4
27	3.7066	97	01Jul2015, 12:32	27.1
27-32	3.7066	96	01Jul2015, 12:34	26.9
WH-24	0.1325	31	01Jul2015, 12:12	3.2
WH-26	0.0839	0	01Jul2015, 13:18	0.3
WH-27	0.0217	0	01Jul2015, 12:50	0.1
30	0.2381	31	01Jul2015, 12:12	3.5
30-31	0.2381	31	01Jul2015, 12:14	3.5
WH-28	0.0398	8	01Jul2015, 12:14	0.9
31	0.2779	39	01Jul2015, 12:14	4.4
31-32	0.2779	39	01Jul2015, 12:16	4.4
WH-29	0.0495	10	01Jul2015, 12:12	1.1
WH-31	0.0406	12	01Jul2015, 12:08	1.1
WH-30	0.0159	1	01Jul2015, 12:04	0.1
32	4.0905	126	01Jul2015, 12:34	33.6
WH32	0.0458	0	01Jul2015, 12:48	0.2
BEN POND	4.1363	45	01Jul2015, 13:46	29
WH-33	0.0064	2	01Jul2015, 12:08	0.2
33	4.1427	46	01Jul2015, 13:46	29.2
33-37	4.1427	46	01Jul2015, 13:58	28.7
WH35	0.1550	6	01Jul2015, 12:16	1.3
WH34	0.0450	7	01Jul2015, 12:10	0.8
B34-36	0.0450	7	01Jul2015, 12:14	0.8
36	0.2000	13	01Jul2015, 12:14	2
36-37	0.2000	13	01Jul2015, 12:22	2
WH36	0.0750	1	01Jul2015, 12:52	0.3
37	4.4177	49	01Jul2015, 13:54	31
FG01	0.1127	1	01Jul2015, 13:16	0.5
OS05	0.0578	0	01Jul2015, 13:20	0.2
G1	0.1705	1	01Jul2015, 13:16	0.6
G1-G2	0.1705	1	01Jul2015, 13:20	0.6
OS06	0.1313	1	01Jul2015, 13:24	0.4
G1a	0.1313	1	01Jul2015, 13:24	0.4
G1a-G2	0.1313	1	01Jul2015, 13:40	0.3
FG02	0.0391	1	01Jul2015, 12:24	0.2
G2	0.3409	2	01Jul2015, 13:22	1.2



FUTURE MDDP (2-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q2 (CFS)	TIME OF PEAK	TOTAL VOLUME Q2 (AC. FT.)
FG03	0.0203	1	01Jul2015, 12:10	0.2
FG04	0.0172	1	01Jul2015, 12:10	0.1
G3	0.3784	3	01Jul2015, 13:28	1.4
G3-POND F	0.3784	3	01Jul2015, 13:32	1.4
FG05	0.0922	2	01Jul2015, 12:38	0.7
FG06	0.0188	1	01Jul2015, 12:16	0.2
POND F	0.4894	2	01Jul2015, 17:02	1.9
POND F-G7	0.4894	2	01Jul2015, 17:12	1.9
FG21	0.0656	2	01Jul2015, 12:28	0.5
OS07	0.0328	0	01Jul2015, 12:52	0.1
OS07-G7	0.0328	0	01Jul2015, 13:26	0.1
G7	0.5878	3	01Jul2015, 16:40	2.5
G7-G8	0.5878	3	01Jul2015, 16:46	2.5
FG22	0.0641	1	01Jul2015, 12:36	0.5
G8	0.6519	3	01Jul2015, 12:36	2.9
G8-G8A	0.6519	3	01Jul2015, 12:38	2.9
FG23	0.0813	2	01Jul2015, 12:36	0.5
OS08	0.0406	1	01Jul2015, 12:20	0.2
OS11-G8A	0.0406	1	01Jul2015, 12:28	0.2
G8A	0.7738	6	01Jul2015, 12:36	3.7
G8A-G9	0.7738	6	01Jul2015, 12:38	3.7
FG25	0.0219	1	01Jul2015, 12:28	0.2
G9	0.7957	7	01Jul2015, 12:36	3.9
G9-G11	0.7957	7	01Jul2015, 12:52	3.9
OS09	0.1547	2	01Jul2015, 12:46	0.8
OS09-G10	0.1547	2	01Jul2015, 12:52	0.8
FG24	0.1047	1	01Jul2015, 12:34	0.6
G10	0.2594	3	01Jul2015, 12:50	1.4
G10-G11	0.2594	3	01Jul2015, 13:02	1.4
FG26	0.0813	6	01Jul2015, 12:24	1.1
FG27B	0.0508	7	01Jul2015, 12:22	1
FG27A	0.0259	0	01Jul2015, 12:46	0.2
FG27A-G11	0.0259	0	01Jul2015, 12:52	0.1
G11	1.2131	18	01Jul2015, 12:48	7.5
FG28	0.0203	0	01Jul2015, 12:24	0.1
POND G	1.2334	9	01Jul2015, 14:24	7.4
G12	1.2334	9	01Jul2015, 14:24	7.4
G12-G06	1.2334	9	01Jul2015, 14:36	7.4
FG29	0.1031	0	01Jul2015, 13:28	0.3
FG32	0.0402	11	01Jul2015, 12:08	1
FG32-G06	0.0402	11	01Jul2015, 12:12	1
G06	1.3767	12	01Jul2015, 12:12	8.7
FG10	0.0963	5	01Jul2015, 12:42	1.2
FG08A	0.0750	15	01Jul2015, 12:10	1.5
FG08A-G05	0.0750	15	01Jul2015, 12:14	1.5
FG08B	0.0630	11	01Jul2015, 12:12	1.3
FG08B-G05	0.0630	11	01Jul2015, 12:16	1.2
FG11	0.0625	11	01Jul2015, 12:20	1.4
FG09	0.0484	4	01Jul2015, 12:20	0.6
FG09-G05	0.0484	4	01Jul2015, 12:24	0.6
G05	0.3452	42	01Jul2015, 12:18	5.9
FG13	0.0656	1	01Jul2015, 12:40	0.4
FG12	0.0328	8	01Jul2015, 12:12	0.9
POND D	0.4436	4	01Jul2015, 18:10	3.8
POND D-G17	0.4436	4	01Jul2015, 18:12	3.8
FG15	0.1217	6	01Jul2015, 12:48	1.6
FG14	0.0359	6	01Jul2015, 12:18	0.8

FUTURE MDDP (2-YEAR)				
HYDROLOGIC ELEMENT	DRAINAGE AREA (SQ. MI.)	PEAK DISCHARGE Q2 (CFS)	TIME OF PEAK	TOTAL VOLUME Q2 (AC. FT.)
FG14-G17a	0.0359	6	01Jul2015, 12:22	0.8
G17a	0.1576	11	01Jul2015, 12:30	2.4
FG15a	0.0156	4	01Jul2015, 12:06	0.4
G17	0.6168	14	01Jul2015, 12:28	6.5
G17-G18	0.6168	14	01Jul2015, 12:30	6.5
FG16	0.0773	18	01Jul2015, 12:08	1.7
G18	0.6941	26	01Jul2015, 12:12	8.2
G18-POND E	0.6941	26	01Jul2015, 12:12	8.2
FG31	0.0922	19	01Jul2015, 12:20	2.4
FG30	0.0400	13	01Jul2015, 12:06	1
FG30-PONDHS	0.0400	13	01Jul2015, 12:16	1
POND HS	0.1322	16	01Jul2015, 12:40	3.4
FG17a	0.0694	16	01Jul2015, 12:10	1.6
FG17a-POND E	0.0694	16	01Jul2015, 12:10	1.5
FG18	0.0644	5	01Jul2015, 12:30	0.9
FG18-POND E	0.0644	5	01Jul2015, 12:32	0.9
FG19	0.0527	15	01Jul2015, 12:10	1.4
FG17c	0.0313	1	01Jul2015, 12:16	0.2
FG17b	0.0214	7	01Jul2015, 12:06	0.6
POND E	1.0655	12	01Jul2015, 16:42	12.2
FG20	0.0109	9	01Jul2015, 12:04	0.7
H08-H09	1.0764	12	01Jul2015, 16:30	12.9
FG34	0.0922	1	01Jul2015, 12:54	0.4
G13	0.0922	1	01Jul2015, 12:54	0.4
POND I	0.0922	4	01Jul2015, 00:00	0.6
G14	0.0922	4	01Jul2015, 00:00	0.6
G14-G15	0.0922	4	01Jul2015, 00:08	0.6
FG35	0.0566	0	01Jul2015, 13:02	0.2
G15	0.1488	4	01Jul2015, 00:08	0.8
G15-G08	0.1488	4	01Jul2015, 00:18	0.9
FG37	0.0797	0	01Jul2015, 13:30	0.2
FG36	0.0281	0	01Jul2015, 13:36	0.1
FG36-G08	0.0281	0	01Jul2015, 13:56	0.1
G08	0.2566	4	01Jul2015, 00:18	1.2
FH01	0.1344	26	01Jul2015, 12:08	2.6
POND H	0.1344	2	01Jul2015, 14:20	2.3

## Appendix C - Detention Pond Information

**EXISTING DETENTION PONDS**  
**FINAL FUTURE CONDITION**  
**Simulation Run: F-100 YR Reservoir: POND A**  
**BENNETT RANCH BASIN**

Start of Run: 01Jul2015, 00:00 Basin Model: Future SCS  
End of Run: 02Jul2015, 00:00 Meteorologic Model: SCS TYPE IIA 100YR  
Compute Time: 16Jul2017 13:22:15 Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow: 675 (CFS)	Date/Time of Peak Inflow: 01Jul2015, 12:14
Peak Outflow: 557(CFS)	Date/Time of Peak Outflow: 01Jul2015, 12:26
Total Inflow : 80.1 (AC-FT)	Peak Storage: 10.7 (AC-FT)
Total Outflow: 77.2 (AC-FT)	Peak Elevation: 7144.0 (FT)

**Simulation Run: F-100 YR Reservoir: POND B**  
**BENNETT RANCH BASIN**

Start of Run: 01Jul2015, 00:00 Basin Model: Future SCS  
End of Run: 02Jul2015, 00:00 Meteorologic Model: SCS TYPE IIA 100YR  
Compute Time: 16Jul2017 13:22:15 Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow: 879 (CFS)	Date/Time of Peak Inflow: 01Jul2015, 12:22
Peak Outflow: 688(CFS)	Date/Time of Peak Outflow: 01Jul2015, 12:42
Total Inflow : 129.4 (AC-FT)	Peak Storage: 13.2 (AC-FT)
Total Outflow: 128.6 (AC-FT)	Peak Elevation: 7082.9 (FT)

**Simulation Run: F-100 YR Reservoir: POND C**  
**BENNETT RANCH BASIN**

Start of Run: 01Jul2015, 00:00 Basin Model: Future SCS  
End of Run: 02Jul2015, 00:00 Meteorologic Model: SCS TYPE IIA 100YR  
Compute Time: 16Jul2017 13:22:15 Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow: 848 (CFS)	Date/Time of Peak Inflow: 01Jul2015, 12:32
Peak Outflow: 749(CFS)	Date/Time of Peak Outflow: 01Jul2015, 12:46
Total Inflow : 146.1 (AC-FT)	Peak Storage: 19.7 (AC-FT)
Total Outflow: 141.3 (AC-FT)	Peak Elevation: 7073.7 (FT)

**Simulation Run: F-100 YR Reservoir: POND D**  
**GIECK RANCH BASIN**

Start of Run: 01Jul2015, 00:00  
End of Run: 02Jul2015, 00:00  
Compute Time: 16Jul2017 13:22:15

Basin Model: Future SCS  
Meteorologic Model: SCS TYPE IIA 100YR  
Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow: 473 (CFS)  
Peak Outflow: 126(CFS)  
Total Inflow : 55.4 (AC-FT)  
Total Outflow: 45.3 (AC-FT)

Date/Time of Peak Inflow: 01Jul2015, 12:14  
Date/Time of Peak Outflow: 01Jul2015, 13:04  
Peak Storage: 24.5 (AC-FT)  
Peak Elevation: 7056.9 (FT)

**Simulation Run: F-100 YR Reservoir: POND E**  
**GIECK RANCH BASIN**

Start of Run: 01Jul2015, 00:00  
End of Run: 02Jul2015, 00:00  
Compute Time: 16Jul2017 13:22:15

Basin Model: Future SCS  
Meteorologic Model: SCS TYPE IIA 100YR  
Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow: 632 (CFS)  
Peak Outflow: 284(CFS)  
Total Inflow : 129.5 (AC-FT)  
Total Outflow: 107.6 (AC-FT)

Date/Time of Peak Inflow: 01Jul2015, 12:16  
Date/Time of Peak Outflow: 01Jul2015, 13:20  
Peak Storage: 40.8 (AC-FT)  
Peak Elevation: 6973.4 (FT)

**Simulation Run: F-100 YR Reservoir: POND F**  
**GIECK RANCH BASIN**

Start of Run: 01Jul2015, 00:00  
End of Run: 02Jul2015, 00:00  
Compute Time: 16Jul2017 13:22:15

Basin Model: Future SCS  
Meteorologic Model: SCS TYPE IIA 100YR  
Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow: 299 (CFS)  
Peak Outflow: 181(CFS)  
Total Inflow : 39.9 (AC-FT)  
Total Outflow: 37.7 (AC-FT)

Date/Time of Peak Inflow: 01Jul2015, 12:18  
Date/Time of Peak Outflow: 01Jul2015, 12:44  
Peak Storage: 8.8 (AC-FT)  
Peak Elevation: 7136.2 (FT)

**Simulation Run: F-100 YR Reservoir: BENNET REGIONAL POND  
BENNETT RANCH BASIN**

Start of Run: 01Jul2015, 00:00  
End of Run: 02Jul2015, 00:00  
Compute Time: 16Jul2017 13:22:15

Basin Model: Future SCS  
Meteorologic Model: SCS TYPE IIA 100YR  
Control Specifications: 24 HR-2 MIN.  
Volume Units: AC-FT

**Computed Results:**

Peak Inflow:	1803 (CFS)	Date/Time of Peak Inflow:	01Jul2015, 12:38
Peak Outflow:	1399(CFS)	Date/Time of Peak Outflow:	01Jul2015, 13:18
Total Inflow :	398.2 (AC-FT)	Peak Storage:	86.4 (AC-FT)
Total Outflow:	378.5 (AC-FT)	Peak Elevation:	6973.8 (FT)

**FUTURE POND ESTIMATES**

POND G	GIECK RANCH BASIN	14.3 AC-FT	7033.3
POND H	HAEGLER RANCH BASIN	7.8 AC-FT	6973.5
POND I	GIECK RANCH BASIN	1.1 AC-FT	7071.6

# STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

## Meridian Ranch Proposed Detention Pond A-Final Existing Bennett Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	1741
embankment elev =	7147
spillway length =	67
spillway elevation =	7144

100 year storage elev.=	7143.2
100 year storage vol.=	9.1

Data for outlet pipe and grate:

Type	Dimensions			(sqft)
	Width (ft.)	X Height (ft.)	Dia.(in)	
None Selected	Orifice 1:			Area = 0.000 Elev to cl = 7049.33
None Selected	Orifice 2:			Area = 0.000 Elev to cl = 7052.25
None Selected	Orifice 3:			Area = 0.000 Elev to cl = 7053.25
None Selected	Orifice 4:			Area = 0.000 Elev to cl =

Stand Pipe Dimensions

Rec Grate	13	x	4	Elev =	7140
Circ. Grate		dia.		Elev =	

Outlet Culvert Dimensions

Type	Width (ft.)	Height (ft.)	Dia. (ft.)
	Outlet Culvert	x	4
Circular	Area	12.6	TOP
	Outlet I. E.	7048.5	7052.9
	Wall Thick.	5	in.

STAGE		STORAGE		DISCHARGE											
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)			RATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW
		sqft	acre	acft	cum acft			1	2	3		Rectangular	1	2	
7135	0	0.0	0.0	0.0	0.0	-	-	-	-	-	-	-	-	-	-
7136	0	37610	0.9	0.0	0.0	-	-	-	-	-	-	-	-	-	-
7137	0	47367	1.1	0.0	0.0	-	-	-	-	-	-	-	-	-	-
7138	0	57125	1.3	0.0	0.0	-	-	-	-	-	-	-	-	-	-
7139	1	65490	1.5	1.4	1.4	-	-	-	-	-	-	-	-	-	-
7139.5	1.5	69672	1.6	0.8	2.2	-	-	-	-	-	-	-	-	-	-
7139.75	1.75	71764	1.6	0.4	2.6	-	-	-	-	-	9	9	9	9.0	9.0
7140	2	73855	1.7	0.4	3.0	-	-	-	-	-	24	24	24	24.0	24.0
7141	3	78958	1.8	1.8	4.8	-	-	-	-	-	127	127	127	127.0	127.0
7142	4	84060	1.9	1.9	6.6	-	-	-	-	-	273	273	273	273.0	273.0
7143	5	90914	2.1	2.0	8.6	-	-	-	-	-	452	452	452	452.0	452.0
7144	6	97767	2.2	2.2	10.8	-	-	-	-	-	562	562	562	562.0	562.0
7145	7	98418	2.3	2.3	13.1	-	201	-	-	-	594.0	594	594	594	795
7146	8	114466	2.6	2.4	15.5	-	569	-	-	-	624	624	624	624	1,193
7147	9	121399	2.8	2.7	18.2	-	1,044	-	-	-	653	653	653	653	1,697

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )

2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{.5}$  ( $C=.6$ )

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

# STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

## Meridian Ranch Proposed Detention Pond B-Final Existing

Bennett Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	2650
embankment elev =	7086
spillway length =	125
spillway elevation =	7083
100 year storage elev.=	7081.9
100 year storage vol.=	9.7

Data for outlet pipe and grate:

Type	Dimensions			(sqft)
	Width (ft.)	X Height (ft.)	Dia.(in)	
None Selected	Orifice 1:			0.000
None Selected	Orifice 2:			0.000
None Selected	Orifice 3:			0.000
None Selected	Orifice 4:			0.000

Stand Pipe Dimensions

Rec Grate	20	x	5	Elev =	7078
Circ. Grate		dia.		Elev =	

Outlet Culvert Dimensions

Type	Width (ft.)	Height (ft.)	Dia. (ft.)
	Outlet Culvert	x	4
Circular	Area	12.6	TOP
	Outlet I. E.	7048.5	7052.9
	Wall Thick.	5	in.

STAGE		STORAGE		DISCHARGE									REALIZED CULVERT OUTFLOW	TOTAL FLOW		
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)			PIPE	REALIZED CULVERT OUTFLOW				
		sqft	acre	acft	cum acft			1	2	3	4					
7076	0	42087.0	1.0	0.0	0.0	-	-	-	-	-	-	-	-	-		
7077	0	52527	1.2	0.0	0.0	-	-	-	-	-	-	-	-	-		
7078	0	78591	1.8	0.0	0.0	-	-	-	-	-	-	-	-	-		
7079	1	86907	2.0	1.9	1.9	-	-	-	-	-	-	90	-	90.0		
7080	2	112342	2.6	2.3	4.2	-	-	-	-	-	-	255	-	255		
7081	3	122196	2.8	2.7	6.9	-	-	-	-	-	-	468	-	468		
7082	4	150288	3.5	3.1	10.0	-	-	-	-	-	-	654	-	654		
7083	5	170995	3.9	3.7	13.7	-	-	-	-	-	-	693	-	693		
7084	6	191702	4.4	4.2	17.9	-	375	-	-	-	-	731	-	731		
7085	7	202821	4.7	4.5	22.4	-	1,061	-	-	-	-	767	-	1,106		
															1,828	

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  (C=3.0)

2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{.5}$  (C=.6)

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

# STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

## Meridian Ranch Proposed Detention Pond C-Final Existing Bennett Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	2300
embankment elev =	7076
spillway length =	150
spillway elevation =	7074

100 year storage elev.=	7072.9
100 year storage vol.=	16.4

Data for outlet pipe and grate:

Type	Dimensions			(sqft)
	Width (ft.)	X Height (ft.)	Dia.(in)	
None Selected	Orifice 1:			Area = 0.000
None Selected	Orifice 2:			Elev to cl= 7049.33
None Selected	Orifice 3:			Area = 0.000
None Selected	Orifice 4:			Elev to cl= 7052.25
None Selected				Area = 0.000
None Selected				Elev to cl= 7053.25
None Selected				Area = 0.000
None Selected				Elev to cl= 7054.25

Stand Pipe Dimensions

Rec Grate	15	x	5	Elev =	7069
Circ. Grate		dia.		Elev =	

Outlet Culvert Dimensions

Type	Width (ft.)	Height (ft.)	Dia. (ft.)
	Outlet Culvert	x	4
Circular	Area	12.6	TOP
	Outlet I. E.	7048.5	7052.9
	Wall Thick.	5	in.

STAGE		STORAGE		DISCHARGE											
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)			GRATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW
		sqft	acre	acft	cum acft			1	2	3		Rectangular	1	2	
7066	0	105904	2.4	0.0	0.0			-	-	-	-	-	-	-	-
7067	0	111316	2.6	0.0	0.0	-	-	-	-	-	-	-	-	-	-
7068	0	126526	2.9	0.0	0.0	-	-	-	-	-	-	-	-	-	-
7069	1	132999	3.1	3.0	3.0	-	-	-	-	-	-	-	-	-	-
7070	2	139472	3.2	3.1	6.1	-	-	-	-	-	-	75	-	75	75
7071	3	149282	3.4	3.3	9.4	-	-	-	-	-	-	212	-	212	212
7072	4	159091	3.7	3.5	13.0	-	-	-	-	-	-	390	-	390	390
7073	5	170326	3.9	3.8	16.7	-	-	-	-	-	-	6,000	-	6,000	6,000
7074	6	181560	4.2	4.0	20.8	-	-	-	-	-	-	693	-	693	693
7075	7	199844	4.6	4.4	25.2	-	450	-	-	-	-	731	-	731	1,181
7076	8	218128	5.0	4.8	30.0	-	1,273	-	-	-	-	767	-	767	2,040

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )

2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{0.5}$  ( $C=0.6$ )

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

## STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

### Meridian Ranch Proposed Detention Pond D - Future AS-BUILT

Geick Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	710
embankment elev =	7060
spillway length =	100
spillway elevation =	7058
100 year storage elev.=	7056.5
100 year storage vol.=	21.5
100 year discharge=	102
5 year storage elev.=	7054.1
5 year storage vol.=	8.4
5 year discharge=	14
WQCV storage vol.=	1.0
WQCV depth =	2.42
1/2 WQCV storage vol.=	0.50

Data for outlet pipe and grate:

Type	Dimensions			(sqft)	Elev to cl =	7050.21
	Width (ft.)	X Height (ft.)	Dia.(in)			
Rectangular	Orifice 1:	0.03	2.42			
Circular	Orifice 2:			8		
Rectangular	Orifice 3:	5	0.5			
None Selected	Orifice 4:					
				Area =	0.072	
				Area =	0.349	
				Area =	2.500	
				Area =	0.000	Elev to cl =
						7053.35

Stand Pipe Dimensions

Rec Grate	6	x	4.25	Elev =	7054.9
Circ. Grate		dia.		Elev =	

Outlet Culvert Dimensions

Outlet Culvert	Width (ft.)	Height (ft.)	Dia. (ft.)	Type
Area	12.6	TOP		Circular
Outlet I. E.	7048.1	7052.5		
Wall Thick.	5	in.		

STAGE		STORAGE				DISCHARGE									
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)			PIPE	REALIZED CULVERT	TOTAL FLOW		
		sqft	acre	acft	cum acft			1	2	3					
7049	0	0	0.0	0.00	0.00	-	-	-	-	-	-	13		0.15	
7050	1	10705	0.2	0.1	0.12	-	-	0.2	-	-	-			0.2	0.15
7051	2	36676	0.8	0.5	0.67	-	-	0.3	-	-	-	33		0.3	0.31
7052	3	71989	1.7	1.2	1.91	-	-	0.5	1.3	-	-	60		1.8	1.8
7053	4	133440	3.1	2.4	4.27	-	-	0.6	2.1	-	-	90		2.7	2.7
7054	5	178828	4.1	3.6	7.86	-	-	0.7	2.7	9.7	-	119		13.1	13
7055	6	221269	5.1	4.6	12.45	-	-	0.8	3.2	15.5	-	139		21	21
7055.5	6.5	245509	5.6	2.7	15.13	-	-	0.8	3.4	17.7	-	20.2	148	42	42
7056	7	269749	6.2	5.6	18.08	-	-	0.8	3.6	20	-	50	157	74	74
7058	9	337508	7.7	13.9	32.03	-	-	1.0	4.3	26	-	216	188	188	188
7060	11	405520	9.3	31.0	49.09	-	848.5	1.1	4.9	31	-	277	214	214	1,063

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q = CLH^{1.5}$  ( $C=3.0$ )

2) Orifice flows are also from section 11.3.1.  $Q = CA(2gH)^{0.5}$  ( $C=.6$ )

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q = 3PH^{1.5}/F$ , Orifice Flow  $Q = 4.815 * AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

## STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

### Meridian Ranch Existing Detention Pond E- FINAL FUTURE (TOTAL FLOWS)

Gieck Basin - El Paso County, Colorado

embankment length =	1860
embankment elev =	6976
spillway length =	200
spillway elevation =	6974.5
100 year storage elev.=	6973.4
100 year storage vol.=	40.8
100 year discharge=	284
5 year storage elev.=	6971.1
5 year storage vol.=	15.1
5 year discharge=	18
WQCV storage elev.=	6968.4
WQCV storage vol.=	1.2
WQCV depth =	1.4
1/2 WQCV storage elev.=	6968.1
1/2 WQCV storage vol.=	0.6

50 year storage elev.=	6973.0
50 year storage vol.=	35.2
50 year discharge=	172
25 year storage elev.=	6972.4
25 year storage vol.=	28.9
25 year discharge=	97
10 year storage elev.=	6971.7
10 year storage vol.=	21.1
10 year discharge=	35
2 year storage elev.=	6970.0
2 year storage vol.=	6.6
2 year discharge=	12

STAGE		STORAGE				TOTAL DISCHARGE										
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)				GRATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW
		sqft	acre	acft	cum acft			1	2	3	4		Rectangular	1	2	
6967	0	1808	0.04	0.0	0.00	-	-	-	-	-	-	1.4	-	-	-	-
6968	1	30465	0.70	0.4	0.37	-	-	0.4	-	-	-	26	-	0.4	0.394	
6969	2	131592	3.02	1.9	2.23	-	-	1.0	-	6.6	-	77	-	7.6	7.621	
6970	3	270997	6.22	4.6	6.85	-	-	1.3	-	10.8	-	146	-	12.1	12.140	
6970.5	3.5	329360	7.56	3.4	10.30	-	-	1.5	-	12.4	-	183	-	14	13.851	
6971	4	387722	8.90	7.6	14.41	-	-	1.6	1.6	13.8	-	218	-	17	16.945	
6971.25	4.25	408751	9.38	2.3	16.70	-	-	1.7	4.3	14.4	0.2	236	-	21	20.572	
6971.5	4.5	429780	9.87	4.7	19.10	-	-	1.7	7.8	15.0	3.0	252	-	28	27.546	
6971.75	4.75	450809	10.35	2.5	21.63	-	-	1.8	12.0	15.6	7.3	266	-	37	36.781	
6972	5	471838	10.83	5.2	24.28	-	-	1.8	16.8	16.2	14.2	2.4	-	51	51.396	
6972.25	5.25	482595.75	11.08	2.7	27.02	-	-	1.9	21.6	16.7	20.6	15.5	-	76	76.399	
6972.5	5.5	493354	11.33	5.5	29.82	-	-	1.9	25.1	17.3	26.5	34.9	-	106	105.671	
6973	6	514869	11.82	5.8	35.60	-	-	2.0	31.7	18.3	39.0	86.5	-	327	178	
6973.25	6.25	518272	11.90	3.0	38.57	-	-	2.1	36.8	18.9	48.7	128.5	-	338	235	
6973.5	6.5	521675	11.98	5.9	41.55	-	-	2.2	40.2	19.6	55.1	182.5	-	349	299.558	
6974	7	528481	12.13	12.0	47.58	-	-	2.4	48.8	21.2	71.8	334.6	-	369	369.370	
6976	9	553685	12.71	24.8	72.42	-	1,102	2.6	57.9	23.5	82.8	729.0	-	443	1,545.090	

- Notes:
- 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )
  - 2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{0.5}$  ( $C=6$ )
  - 3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$
  - 4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

## STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

### Meridian Ranch Existing Detention Pond E-FINAL DESIGN (H08)

Gieck Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	1860
embankment elev =	6976
spillway length =	200
spillway elevation =	6974
100 year storage elev.=	6973.4
100 year storage vol.=	40.8
100 year discharge=	211
5 year storage elev.=	6971.07
5 year storage vol.=	15.1
5 year discharge=	12
WQCV storage elev.=	6968.4
WQCV storage vol.=	1.2
1/2 WQCV storage elev.=	6968.1
1/2 WQCV storage vol.=	0.6

Data for outlet pipe and grate:

Type	Dimensions			(sqft)
	H or V	Width (ft.) X Height (ft.)	Dia.(in)	
Rectangular	Orifice 1: V	0.0657	1.40	
Rectangular	Orifice 2: V	3	1.2	
Circular	Orifice 3: H			15
Rectangular	Orifice 4: V	6	0.7	

Stand Pipe Dimensions

Rec Grate	11	x	7	Elev =	6971.90	50 year storage elev.=	6973.0
Circ. Grate		dia.		Elev =	6971.90	50 year discharge=	142

Outlet Culvert Dimensions

Outlet Culvert	Width (ft.)	Height (ft.)	Dia. (ft.)	Type	Circular	
					Area	x
	9.6		TOP			
Outlet I. E.	6966.8		6970.58			
Wall Thick.	4	in.				

STAGE		STORAGE		DISCHARGE												
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)			RATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW	
		sqft	acre	acft	cumacft			1	2	3		Rectangular	1	2		
6967	0	1808	0.04	0.0	0.0			-	-	-	-		1	-	-	-
6968	1	30465	0.70	0.4	0.4			0.2	-	-	-		18		0.2	0.20
6969	2	131592	3.02	1.9	2.2			0.5	-	4.6	-		52		5.1	5.08
6970	3	270997	6.22	4.6	6.9			0.7	-	7.5	-		97		8	8.15
6970.5	3.5	329359.5	7.56	3.4	10			0.7	-	8.6	-		122		9	9.30
6971	4	387722	8.90	7.6	14			0.8	1.5	9.5	-		146		12	11.81
6971.25	4.25	408751	9.38	2.3	17			0.8	3.7	10.0	0.2		157		15	14.68
6971.5	4.5	429780	9.87	4.7	19			0.9	6.4	10.4	3.0		167		21	20.66
6971.75	4.75	450809	10.35	2.5	22			0.9	9.7	10.8	7.3		176		29	28.73
6972	5	471838	10.83	5.2	24			0.9	13.3	11.2	12.9	2	185		41	40.72
6972.25	5.25	482595.75	11.08	2.7	27			0.9	16.9	11.6	16.9	16	193		62	61.88
6972.5	5.5	493354	11.33	5.5	30			1.0	19.0	12.0	19.7	35	201		86	86.49
6973	6	514869	11.82	5.8	36			1.0	22.6	12.7	24.4	87	217		147	147.17
6973.25	6.25	518272	11.90	3.0	39			1.0	24.2	13.0	26.4	118	224		182	182.27
6973.5	6.5	521675	11.98	5.9	42			1.1	25.7	13.3	28.2	152	231		220	220.15
6974	7	528481	12.13	12.0	48			1.1	28.5	14.0	31.7	228	244		244	244.06
6976	9	553685	12.71	24.8	72			1.3	37.6	16.3	42.7	623	291		291	291.42

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )

2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{0.5}$  ( $C=.6$ )

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

## STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

### Meridian Ranch Existing Detention Pond E-FINAL DESIGN (H09)

Gleck Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	1860
embankment elev =	6976
spillway length =	200
spillway elevation =	6974.5
100 year storage elev.=	6973.4
100 year storage vol.=	40.8
100 year discharge=	73
5 year storage elev.=	6971.07
5 year storage vol.=	15.1
5 year discharge=	5
WQCV storage elev.=	6968.4
WQCV storage vol.=	1.2
1/2 WQCV storage elev.=	6968.1
1/2 WQCV storage vol.=	0.6

Data for outlet pipe and grate:

Type	Dimensions			(sqft)
	H or V	Width (ft.)	X Height (ft.)	
Rectangular	Orifice 1:	V	0.0657	1.40
Rectangular	Orifice 2:	V	1	2.1
Circular	Orifice 3:	H		10
Rectangular	Orifice 4:	V	3.5	1.25

Stand Pipe Dimensions

Rec Grate	4.25	x	3	Elev =	6973.00	50 year storage elev.=	6972.96
Circ. Grate		dia.		Elev =	6973.00	50 year discharge=	30

Outlet Culvert Dimensions

Outlet Culvert	Width (ft.)	Height (ft.)	Dia. (ft.)	Type	Circular
	Area	9.6	TOP		
	Outlet I. E.	6966.8	6970.7		
Wall Thick.	5	in.			

STAGE		STORAGE			DISCHARGE											
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)				RATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW
		sqft	acre	acft	cum acft			1	2	3	4		Rectangular	1	2	
6967	0	1808	0.04	0.0	0.0			-	-	-	-	0.5		-	-	-
6968	1	30465	0.70	0.4	0.4			0.2	-	-	-	8.8		0.2	0.20	
6969	2	131592	3.02	1.9	2.2			0.5	-	2.0	-	26		2.5	2.54	
6970	3	270997	6.22	4.6	6.9			0.7	-	3.3	-	48		4.0	3.99	
6970.5	3.5	329359.5	7.56	3.4	10.3			0.7	-	3.8	-	61		4.5	4.55	
6971	4	387722	8.90	7.6	14.4			0.8	0.1	4.2	-	73		5.1	5.13	
6971.25	4.25	408751	9.38	2.3	16.7			0.8	0.6	4.4	-	79		5.9	5.89	
6971.5	4.5	429780	9.87	4.7	19.1			0.9	1.4	4.6	-	85		6.9	6.88	
6971.75	4.75	450809	10.35	2.5	21.6			0.9	2.4	4.8	-	90		8.0	8.05	
6972	5	471838	10.83	5.2	24.3			0.9	3.5	5.0	1.3	95		10.7	10.67	
6972.25	5.25	482595.75	11.08	2.7	27.0			0.9	4.7	5.2	3.7	99		14.5	14.52	
6972.5	5.5	493354	11.33	5.5	29.8			1.0	6.1	5.3	6.8	103		19.2	19.18	
6973	6	514869	11.82	5.8	35.6			1.0	9.1	5.6	14.7	111		30.5	30.46	
6973.25	6.25	518272	11.90	3.0	38.6			1.1	12.6	5.9	22.3	11	114	52.8	52.79	
6973.5	6.5	521675	11.98	5.9	41.6			1.1	14.5	6.2	26.9	31	118	79.4	79.41	
6974	7	528481	12.13	12.0	47.6			1.3	20.3	7.2	40.1	106	125	125.3	125.31	
6976	9	553685	12.71	24.8	72.4			1.3	20.3	7.2	40.1	106	151	151.4	151.40	

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )

2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{0.5}$  ( $C=.6$ )

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

# STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

## Meridian Ranch Proposed Detention Pond F-Final

Geick Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	285
embankment elev =	7138.5
spillway length =	87
spillway elevation =	7137.5

Data for outlet pipe and grate:

Type	Orifice 1:	H or V	Dimensions			(sqft)	Area =	Elev to cl =	7128.45
			Width (ft.)	X Height (ft.)	Dia.(in)				
Rectangular	Orifice 2:	V	4	0.5			2.000	Elev to cl =	7130.75
Circular	Orifice 3:	H			8		0.349	Elev to cl =	7129.20
None Selected	Orifice 4:						0.000	Elev to cl =	

Stand Pipe Dimensions

Rec Grate	6	x	3	Elev =	7133
Circ. Grate		dia.		Elev =	7133

Outlet Culvert Dimensions

Type	Width (ft.)	Height (ft.)	Dia. (ft.)	Outlet Culvert	x	4	Circular
				Area	12.6	TOP	
				Outlet I. E.	7126.6	7131.0	
				Wall Thick.	5	in.	

		STORAGE				DISCHARGE										
ELEV	HEIGHT	AREA		VOLUME		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)				RATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW
		sqft	acre	acft	cum acft			1	2	3	4		1	2		
7127.7	0	0	0.00	0.00	0.00			-	-	-	-					
7128	0.3	2170	0.05	0.01	0.01	-	-	0.0	-	-	-		11		0.0	0.0
7129	1.3	17730	0.41	0.23	0.24	-	-	0.1	-	-	-		31		0.1	0.1
7130	2.3	33290	0.76	0.59	0.82	-	-	0.1	-	1.5	-		57		1.6	1.6
7131	3.3	39060	0.90	0.83	1.65	-	-	0.1	4.2	2.3	-		117		6.6	6.6
7132	4.3	44830	1.03	0.96	2.61	-	-	0.1	10.8	2.8	-		117		14	14
7133	5.3	55137.5	1.27	1.15	3.76	-	-	0.2	14.4	3.3	-		142		18	18
7134	6.3	65445	1.50	1.38	5.15	-	-	0.2	17.4	3.7	-	36	162		57	57
7135	7.3	79535	1.83	1.66	6.81	-	-	0.2	19.9	4.0	-	102	175		126	126
7136	8.3	93625	2.15	1.99	8.80	-	-	0.2	22.1	4.4	-	150	187		177	177
7137	9.3	111620	2.56	2.36	11.15	-	-	0.2	24.1	4.7	-	173	200		200	200
7138	10.3	129615	2.98	2.77	13.92	-	92.3	0.2	25.9	5.0	-	194	211		211	303
7138.5	10.8					261.0		0.3	26.8	5.1	-	203	211	-		261

Notes: 1) Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )

2) Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{0.5}$  ( $C=.6$ )

3) Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=(3PH^{1.5})/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$

4) Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

# STAGE/STORAGE/DISCHARGE CURVES FOR DETENTION POND ANALYSIS

## Bennett Ranch Regional Pond - As Built Bennett Basin - El Paso County, Colorado

Data for spillway and embankment:

embankment length =	1900
embankment elev =	6976
spillway length =	300
spillway elevation =	6974
100 year storage elev.=	6973.0
100 year storage vol.=	70.8
100 year discharge=	1128
5 year storage elev.=	6970.3
5 year storage vol.=	24.5
5 year discharge=	159
WQCV 100-yr storage elev.	6966.3
WQCV 100-yr storage vol.	0.7
WQCV 100-yr depth =	1.3
WQCV 5-yr storage elev.=	6966.9
WQCV 5-yr storage vol.=	1.4
WQCV 5-yr depth =	1.9

Data for outlet pipe and grate:

Type	H or V	Dimensions			(sqft)	Area =	Elev to cl =	6966.20
		Width (ft.)	X Height (ft.)	Dia.(in)				
Rectangular	Orifice 1:	V	0.1253	3.00				
Rectangular	Orifice 2:	V	15	1				
Circular	Orifice 3:	H			12			
None Selected	Orifice 4:	V						

Stand Pipe Dimensions

Rec Grate	20	x	20	Elev =	6969.95	100-YR	1128	6,973.0
Circ. Grate		dia.		Elev =	6969.95	50-YR	786	6,972.3
						25-YR	549	6,971.7
						10-YR	326	6,971.1
						5-YR	159	6,970.3
						2-YR	66	6,969.2


Outlet Culvert Dimensions

Outlet Culvert	Width (ft.)	Height (ft.)	Dia. (ft.)	Type
				Rectangular
Area	8	x	6	
Outlet I. E.	48.0		TOP	
Wall Thick.	6951.2		6957.87	
	8	in.		

STAGE		STORAGE		DISCHARGE										
ELEV	HEIGHT	AREA		TOP OF BANK	SPILLWAY	ORIFICE (max outflow)			RATE (max outflow)	PIPE		REALIZED CULVERT OUTFLOW	TOTAL FLOW	
		sqft	acre	acft	cum acft	BANK				1	2			
6965	0	0	0.00	0.0	0.00		0.1	-	-	-	-	978	0.1	
6966	1	33200	0.76	0.4	0.38	-	0.6	-	-	-	-	1,043	0.6	
6967	2	69200	1.59	1.2	1.56	-	1.3	-	-	-	-	1,104	1.3	
6968	3	148130	3.40	2.5	4.05	-	2.3	-	1.5	-	-	1,161	3.8	
6969	4	311910	7.16	5.3	9.33	-	3.0	45.0	4.3	-	-	1,216	52	
6969.5	4.5	446080	10.24	4.4	13.68	-	3.3	72.2	5.1	-	-	1,243	81	
6970	5	580250	13.32	10.2	19.57	-	3.5	88.5	5.7	-	2	1,269	100	
6970.5	5.5	661440	15.18	7.1	26.70	-	3.8	102.1	6.3	-	73	1,294	186	
6971	6	742630	17.05	15.2	34.76	-	4.0	114.2	6.9	-	194	1,319	319	
6971.5	6.5	764740	17.56	8.7	43.41	-	4.2	125.1	7.4	-	347	1,343	484	
6972	7	786850	18.06	17.6	52.31	-	4.4	135.1	7.8	-	528	1,368	676	
6972.5	7.5	799770	18.36	9.1	61.42	-	4.5	144.5	8.3	-	733	1,391	890	
6973	8	812690	18.66	18.4	70.67	-	4.7	153.2	8.7	-	959	1,414	1,125	
6974	9	842810	19.35	19.0	89.68	-	5.1	169.4	9.5	-	1,467	1,460	1,460	
6975	10	845000	19.40	19.4	109.05	900.0	5.4	184.1	10.2	-	2,043	1,504	2,404	

- Notes:
- Top-of-bank and spillway flows are weir equations from section 11.3.1 in the DCM.  $Q=CLH^{1.5}$  ( $C=3.0$ )
  - Orifice flows are also from section 11.3.1.  $Q=CA(2gH)^{0.5}$  ( $C=6$ )
  - Grate flows are determined from equations 7-2 and 7-3. Weir Flow  $Q=3PH^{1.5}/F$ , Orifice Flow  $Q=4.815*AH^{0.5}$
  - Pipe flows use the lesser of: 1) Inlet control equations 27 & 28, page 146 of HDS No. 5 - or - 2) Allowable Pipe Flow equation on page 11-9 of the DCM. Use Table 9, page 147-148, HDS No. 5 for formulas 26 & 27.

# MASTER DEVELOPMENT DRAINAGE PLAN MERIDIAN RANCH




AUG 2017

TECH CONTRACTORS  
10305 ANGELES ROAD  
FALCON, CO 80831  
TELEPHONE: 719.495.7444  
FAX: 719.495.7608

FIGURE 4

# MASTER DEVELOPMENT DRAINAGE PLAN MERIDIAN RANCH



\*NOTE: PRELIMINARY STORAGE VOLUMES AND OUTFLOW QUANTITIES HAVE BEEN PROVIDED FOR EACH OF THE FUTURE DETENTION FACILITIES LOCATED WITHIN THE DEVELOPMENT. THE ACTUAL STORAGE VOLUMES AND DISCHARGE RATES WILL BE DETERMINED UPON A COMPLETE ANALYSIS FOR EACH DETENTION FACILITY PRIOR TO CONSTRUCTION. THE VALUES GIVEN FOR DISCHARGE AND VOLUME ARE ESTIMATES FOR PLANNING PURPOSES ONLY.

DEVELOPED CONDITIONS - SCS MAP

AUG 2017

FIGURE 5

TECH CONTRACTORS  
10305 ANGELES ROAD  
FALCON, CO 80831  
TELEPHONE: 719.495.7444  
FAX: 719.495.7608