

POLE BUILDING PLANS

BUILDING OWNER: SHAUN NELMS
 BUILDING LOCATION: 4371 PRAIRIE RANCH VIEW
 PEYTON, CO. 80831
 COUNTY: EL PASO
 BUILDING DIMENSIONS: 40' X 40' X 14' + 40' X 50' X 10' + 6' X 30' X 10' SHED
 ROOF PITCH: VARIES
 BUILDING AREA/CONST. TYPE: 3,792 SF / TYPE V-B
 ROOF FRAMING SYSTEM: PRE-ENGINEERED TRUSSES BY OTHERS
 ROOF ASSEMBLY: METAL
 WALL ASSEMBLY: METAL
 BUILDING USE: RESIDENCE / SHOP

CONTRACTOR/BUILDER: POLE BARNS LLC
 ADDRESS: 458 COLORADO AVE.
 CALHAN, CO. 80808

BUILDING DESIGN CRITERIA

GROUND SNOW LOAD = 30 PSF
 ROOF DEAD LOAD = 3 PSF
 WIND SPEED = 130 MPH (3 SEC. GUST)
 WIND EXPOSURE = C
 SEISMIC DESIGN PARAMETERS:
 $S_s = 0.15$; $S_1 = 0.05$
 SEISMIC DESIGN CATEGORY = B Δ
 RISK CATEGORY = II
 SOIL BEARING CAPACITY = 1,500 PSF

BUILDING CODES & REFERENCES


-2015 IBC Δ
 -ASCE 7-10 Δ
 -NDS 2012

SHT	DRAWING LIST
1	C1.0 COVER SHEET
2	P1.0 PLAN VIEW
3	E1.0 ELEVATION VIEWS
4	S1.0 SECTIONS & DETAILS
5	S2.0 SECTIONS & DETAILS
6	D1.0 POSTHOLE, PURLIN, & GIRT DETAILS
7	D2.0 SHEATHING DETAILS

CONSTRUCTION NOTES

- ALL DRAWINGS SHALL BE REVIEWED AND APPROVED BY OWNER AND/OR CONTRACTOR PRIOR TO BEGINNING OF SITE WORK OR BUILDING CONSTRUCTION. ALL DIMENSIONS AND SPECIFICATIONS SHALL BE VERIFIED AND ANY DISCREPANCIES, ERRORS AND/OR OMISSIONS SHALL BE REPORTED TO SOUTH VALLEY ENGINEERING PRIOR TO MATERIAL PURCHASE AND BEGINNING OF CONSTRUCTION. SOUTH VALLEY ENGINEERING SHALL NOT BE HELD LIABLE FOR ANY COSTS OR DAMAGES INCURRED DUE TO DISCREPANCIES, ERRORS AND/OR OMISSIONS DISCOVERED AFTER CONSTRUCTION HAS BEGUN.
- THE BUILDING OWNER AND OR CONTRACTOR ACCEPTS FULL RESPONSIBILITY FOR ANY WORK DONE THAT IS NOT SHOWN ON OR DOES NOT COMPLY WITH THESE PLANS. REQUESTS FOR ANY CHANGES SHALL BE MADE TO THE ENGINEER IN WRITING, AND SHALL BE RECEIVED FROM THE ENGINEER IN WRITING PRIOR TO IMPLEMENTATION.
- STRUCTURAL CONCRETE FOR SLABS AND FOUNDATIONS SHALL BE A MINIMUM OF 2,500 PSI COMPRESSIVE STRENGTH AT 28 DAYS WITH NO SPECIAL INSPECTION REQUIRED. FOOTINGS AND FOUNDATIONS SHALL BE CAST AGAINST UNDISTURBED NATIVE SOIL UNLESS OTHERWISE NOTED ON THE PLANS.
- ALL DIMENSIONAL LUMBER SHALL BE #2 DF OR BETTER UNLESS OTHERWISE NOTED ON THE PLANS. HIGHER GRADE LUMBER OF SAME SPECIES MAY BE SUBSTITUTED FOR SPECIFIED GRADE.
- ALL WOOD IN CONTACT WITH CONCRETE ABOVE GROUND SHALL BE PRESSURE TREATED FOR ABOVE GROUND CONTACT. ALL WOOD EMBEDDED IN GROUND SHALL BE PRESSURE TREATED FOR BURIAL.
- ROOF & WALL WOOD SHEATHING (IF USED)-UNLESS OTHERWISE NOTED ON THE PLANS:
 ALL ROOF AND WALL WOOD SHEATHING SHALL BE AN APPROVED APA RATED SHEATHING, EXPOSURE I, GRADE C-D, EXTERIOR GLUE, 7/16" THICK (MINIMUM). EXTERIOR GRADE SHEATHING SHALL BE RATED FOR EXTERIOR USE. WOOD ROOF SHEATHING SHALL BE NAILED WITH 8d NAILS AT 6" O.C. EDGES AND 12" O.C. FIELD. 2X BLOCKING IS NOT REQUIRED FOR ROOF SHEATHING. WALL SHEATHING SHALL BE NAILED WITH 8d NAILS AT 6" O.C. EDGES AND 12" O.C. FIELD OR AS SPECIFIED ON THE PLANS. 2X BLOCKING SHALL BE INSTALLED AT ALL PANEL EDGES ON ALL WALLS.
- ALL FASTENERS EXPOSED TO THE ELEMENTS SHALL BE GALVANIZED OR CORROSION RESISTANT. ALL FASTENERS IN PRESSURE TREATED WOOD SHALL BE HOT-DIPPED GALVANIZED OR STAINLESS STEEL.
- IF PLANS SPECIFY GRANULAR BACKFILL IN POSTHOLE, BACKFILL WITH $\frac{3}{4}$ " MINUS CLEAN CRUSHED GRAVEL TO SPECIFIED EMBEDMENT DEPTH. BACKFILL IN 6" LIFTS AND SATURATE AND COMPACT EACH LIFT.
- UNLESS OTHERWISE NOTED, THE 6" THICK PAD AT THE BOTTOM OF THE POST HOLES IS NOT REQUIRED FOR DOOR POSTS NOT SUPPORTING VERTICAL LOADS, AND MAY BE OMITTED FOR STRUCTURAL POSTS BEARING ON SOLID ROCK.
- INSTALL ALL TRUSS BRACING PER TRUSS ENGINEERING. INSTALL TEMPORARY TRUSS BRACING DURING CONSTRUCTION PER BCSI-B10 GUIDELINES FOR POST FRAME TRUSS INSTALLATION, RESTRAINT & BRACING DURING CONSTRUCTION.


REV	DESCRIPTION	DATE
2	REVISED SEISMIC DEISGN CATEGORY	5/5/21
1	REVISED CODE	3/31/21



COVER SHEET		
DRAWING NO.: C1.0	OWNER: SHAUN NELMS	
REV.: 2	SHEET: 1	LOCATION: 4371 PRAIRIE RANCH VIEW PEYTON, CO. 80831
PROJECT NO.: 12006069		
DATE: 13 OCT 2020	SCALE: N/A	DRAWN BY: LD

South Valley Engineering
 4742 Liberty Rd. S #151 • Salem, OR. 97302
 Ph. (503) 302-7020 • Fax (888) 535-6341
 www.southvalleyengineering.com

THE PLANS FOR THIS BUILDING ARE THE PROPERTY OF SOUTH VALLEY ENGINEERING, LLC AND SHALL BE SURRENDERED UPON REQUEST. THIS BUILDING HAS BEEN ENGINEERED TO CONFORM TO THE DIMENSIONS AND BUILDING DESIGN CRITERIA SPECIFIED, AND SHALL BE BUILT ONLY AT THE LOCATION DESIGNATED ON THESE PLANS. ANY CHANGES OR MODIFICATIONS TO THESE PLANS, INCLUDING BUT NOT LIMITED TO BUILDING DIMENSIONS, DESIGN CRITERIA, OR BUILDING LOCATION WITHOUT EXPRESS WRITTEN PERMISSION OR DOCUMENTATION BY THE ENGINEER WHOSE SEAL IS AFFIXED TO THESE PLANS SHALL RENDER THESE PLANS NULL AND VOID, AND THE ENGINEER WHOSE SEAL IS AFFIXED TO THESE PLANS SHALL NOT BE HELD LIABLE FOR THE STRUCTURAL INTEGRITY OR CODE COMPLIANCE OF ANY BUILDING CONSTRUCTED REFERENCING THESE PLANS UNDER THESE CONDITIONS.




GENERAL NOTES

1. ALL POSTS TO BE #2 HF PRESSURE TREATED FOR BURIAL AND ORIENTED AS SHOWN UNLESS OTHERWISE NOTED
2. UNLESS OTHERWISE DIMENSIONED, ALL WINDOWS AND WALK DOORS MAY BE LOCATED BY THE OWNER/CONTRACTOR IN THE WALLS SHOWN
3. EMBED POSTS AND BACKFILL PER DWG D1.0. CONCRETE BACKFILL MAY BE SUBSTITUTED FOR GRANULAR BACKFILL.
4. CONTRACTOR TO VERIFY OVERHEAD DOOR DIMENSIONS AND CLEARANCES PRIOR TO BUILDING CONSTRUCTION AND OVERHEAD DOOR INSTALLATION

TABLE 1

POST	SIZE	HOLE DIMENSIONS		BACKFILL	NOTES
		DIAMETER	DEPTH		
(A)	6X6	18"Ø	4'-0"	CONCRETE	-
(B)	6X6	24"Ø	4'-6"	GRANULAR	-
(C)	6X8	24"Ø	4'-6"	CONCRETE	ORIENT PARALLEL WITH GABLE WALL
(D)	4X6	18"Ø	2'-6"	GRANULAR	INSTALL PER CONSTRUCTION NOTES







2	NO REVISIONS THIS DRAWING	5/5/21
1	NO REVISIONS THIS DRAWING	3/31/21
REV	DESCRIPTION	DATE


PLAN VIEW

DRAWING NO.: P1.0	OWNER: SHAUN NELMS
REV.: 2	SHEET: 2
PROJECT NO.: 12006069	LOCATION: 4371 PRAIRIE RANCH VIEW PEYTON, CO. 80831
DATE: 13 OCT 2020	SCALE: 1/8" = 1'-0" DRAWN BY: LD

South Valley Engineering
 4742 Liberty Rd. S #151 • Salem, OR. 97302
 Ph. (503) 302-7020 • Fax (888) 535-6341
 www.southvalleyengineering.com



2	NO REVISIONS THIS DRAWING	5/5/21
1	NO REVISIONS THIS DRAWING	3/31/21
REV	DESCRIPTION	DATE




ELEVATION VIEWS			
DRAWING NO.: E1.0	OWNER: SHAUN NELMS		
REV.: 2	SHEET: 3	LOCATION: 4371 PRAIRIE RANCH VIEW	
PROJECT NO.: 12006069		PEYTON, CO. 80831	
DATE: 13 OCT 2020	SCALE: 3/32"= 1'-0"	DRAWN BY: LD	




South Valley Engineering
 4742 Liberty Rd. S #151 • Salem, OR. 97302
 Ph. (503) 302-7020 • Fax (888) 535-6341
 www.southvalleyengineering.com


* ROOF PITCH PER ELEVATIONS




SECTION A




SECTION B




SECTION C
GABLE TRUSS CONNECTION W/ FLAT GIRTS




SECTION C
GABLE TRUSS CONNECTION W/ COMMERCIAL GIRTS



DETAIL 1.1
TRUSS ATTACHMENT AT POST



DETAIL 1.2
TRUSS ATTACHMENT AT POSTS



DETAIL 1.3
TRUSS ATTACHMENT AT BEAM MID-SPAN (NO POST)

NOTE: IF COMMERCIAL GIRTS USED, INSTALL BLOCK ON BOTH SIDES OF POST AS SHOWN




REV	DESCRIPTION	DATE
2	NO REVISIONS THIS DRAWING	5/5/21
1	NO REVISIONS THIS DRAWING	3/31/21

SECTIONS & DETAILS			
DRAWING NO.: S1.0	OWNER: SHAUN NELMS		
REV.: 2	SHEET: 4	LOCATION: 4371 PRAIRIE RANCH VIEW	
PROJECT NO.: 12006069		PEYTON, CO. 80831	
DATE: 13 OCT 2020	SCALE: 3/8"= 1'-0"	DRAWN BY: LD	



South Valley Engineering
4742 Liberty Rd. S #151 • Salem, OR. 97302
Ph. (503) 302-7020 • Fax (888) 535-6341
www.southvalleyengineering.com

* ROOF PITCH PER ELEVATIONS



NOTE: INSTALL ALL COMPONENTS NOT SPECIFIED IN THIS SECTION PER DWG S1.0







SECTION D

2	NO REVISIONS THIS DRAWING	5/5/21
1	NO REVISIONS THIS DRAWING	3/31/21
REV	DESCRIPTION	DATE



SECTIONS & DETAILS		
DRAWING NO.: S2.0	OWNER: SHAUN NELMS	
REV.: 2	SHEET: 5	LOCATION: 4371 PRAIRIE RANCH VIEW
PROJECT NO.: 12006069		PEYTON, CO. 80831
DATE: 13 OCT 2020	SCALE: 3/8" = 1'-0"	DRAWN BY: LD

South Valley Engineering
 4742 Liberty Rd. S #151 • Salem, OR. 97302
 Ph. (503) 302-7020 • Fax (888) 535-6341
 www.southvalleyengineering.com



GENERAL NOTES

- ALL NAILS INTO PRESSURE TREATED LUMBER SHALL BE HOT-DIPPED GALVANIZED
- IF PURLIN DEPTH EXCEEDS TRUSS TOP CHORD DEPTH, USE SIMPSON JB TOP FLANGE HANGER OR EQUAL

DETAIL 1.1
POST EMBEDMENT DETAIL
GRANULAR BACKFILL

DETAIL 1.2
POST EMBEDMENT DETAIL
CONCRETE BACKFILL

DETAIL 1.3
PURLIN ATTACHMENT TO TRUSS

DETAIL 1.6
FLAT GIRTS INSTALLATION

DETAIL 1.7
COMMERCIAL GIRTS INSTALLATION

SECTION 1-1
FROM DETAIL 1.7
DETAIL 1.8
ALTERNATE COMMERCIAL GIRTS INSTALLATION


REV	DESCRIPTION	DATE
2	NO REVISIONS THIS DRAWING	5/5/21
1	NO REVISIONS THIS DRAWING	3/31/21




POSTHOLE, PURLIN & GIRTS DETAILS

DRAWING NO.: D1.0	OWNER: SHAUN NELMS
REV.: 2	SHEET: 6
PROJECT NO.: 12006069	LOCATION: 4371 PRAIRIE RANCH VIEW PEYTON, CO. 80831
DATE: 13 OCT 2020	SCALE: NTS
	DRAWN BY: LD


South Valley Engineering
4742 Liberty Rd. S #151 • Salem, OR. 97302
Ph. (503) 302-7020 • Fax (888) 535-6341
www.southvalleyengineering.com




DETAIL 2.1
ROOF SHEATHING



DETAIL 2.2
WALL SHEATHING



DETAIL 2.3
SCALE X2
METAL SHEATHING ATTACHMENT
STANDARD SCREW SCHEDULE




DETAIL 2.4
DIVIDE WALL

GENERAL NOTES

- METAL BUILDING INSULATION IS NOT REQUIRED BUT IS RECOMMENDED TO REDUCE OR PREVENT CONDENSATION
- FLAT GIRTS ARE SHOWN FOR WALL CONSTRUCTION. WALL SHEATHING INSTALLATION IS SIMILAR FOR COMMERCIAL GIRTS.

2	NO REVISIONS THIS DRAWING	5/5/21
1	NO REVISIONS THIS DRAWING	3/31/21
REV	DESCRIPTION	DATE



SHEATHING DETAILS		
DRAWING NO.: D2.0	OWNER: SHAUN NELMS	
REV.: 2	SHEET: 7	LOCATION: 4371 PRAIRIE RANCH VIEW PEYTON, CO. 80831
PROJECT NO.: 12006069	DATE: 13 OCT 2020	SCALE: NTS
		DRAWN BY: LD



South Valley Engineering
4742 Liberty Rd. S #151 • Salem, OR. 97302
Ph. (503) 302-7020 • Fax (888) 535-6341
www.southvalleyengineering.com