# EROSION AND STORMWATER QUALITY CONTROL PERMIT (ESQCP) EL PASO COUNTY APPLICATION AND PERMIT

#### APPLICANT INFORMATION PERMIT NUMBER **Owner Information** Owner COLA, LLC Name (person of responsibility) Kevin Hart Company/Agency COLA, LLC Position of Applicant Manager Address (physical address, not PO Box) 555 Middle Creek Parkway, Suite 380 City **Colorado Springs** State Colorado 80921 Zip Code Mailing address, if different from above Telephone 719.382.9433 FAX number **Email Address** khart@aspenviewhomes.com Cellular Phone number **Contractor/Operator Information** Name (person of responsibility) Unknown Company Unknown Address (physical address, not PO Box) City State Colorado Zip Code Mailing address, if different from above Telephone FAX number Email Address Cellular Phone number Erosion Control Supervisor (ECS)\* ECS Phone number\* ECS Cellular Phone number\*

\*Required for all applicants. May be provided at later date pending securing a contract when applicable.

### **PROJECT INFORMATION**

Fix formatting so no white space on page 2 and 3. Alternative is to state "attached" in the legal description and attach the legal description at the end of the form.	Project Na	me	Trails at Aspen Ridge	
		Alternative is to state "a	ttached" in the legal description and	

Legal Description	LEGAL DESCRIPTION: REMAINDER TRAILS AT ASPEN RIDGE
	A TRACT OF LAND LOCATED IN A PORTION OF THE WEST 1/2 OF SECTION 9, TOWNSHIP 15 SOUTH, RANGE 65 WEST OF THE 6TH P.M., EL PASO COUNTY, COLORADO, MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCING AT THE SOUTH 1/4 CORNER OF SAID SECTION 9;
	THENCE N00°19'32"W ON THE NORTH-SOUTH 1/4 LINE OF SAID SECTION 9, A DISTANCE OF 1,600.02 FEET TO THE POINT OF BEGINNING OF THIS DESCRIPTION;
	<ol> <li>THENCE N90°00'00"W A DISTANCE OF 511.94 FEET TO A POINT OF CURVE TO THE RIGHT;</li> <li>THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF 690.00 FEET, A DELTA ANGLE OF 14°33'21", AN ARC LENGTH OF 175.29 FEET, WHOSE LONG CHORD BEARS N82°43'20"W A DISTANCE OF 174.82 FEET;</li> <li>THENCE S14°33'21"W A DISTANCE OF 123.85 FEET;</li> <li>THENCE S12°47'44"W A DISTANCE OF 80.40 FEET TO A</li> </ol>
	<ul> <li>POINT OF CURVE TO THE RIGHT;</li> <li>5) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF 20.00 FEET, A DELTA ANGLE OF 92°52'44", AN ARC LENGTH OF 32.42 FEET, WHOSE LONG CHORD BEARS S59°14'18"W A DISTANCE OF 28.99 FEET TO A POINT OF COMPOUND CURVE TO THE RIGHT;</li> <li>6) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF</li> </ul>
	<ul> <li>915.00 FEET, A DELTA ANGLE OF 00°20'29", AN ARC LENGTH OF 5.45 FEET, WHOSE LONG CHORD BEARS N74°09'06"W A DISTANCE OF 5.45 FEET;</li> <li>7) THENCE S15°57'58"W A DISTANCE OF 50.00 FEET TO A NON-TANCENT CURVE TO THE RICHT:</li> </ul>
	<ul> <li>TANGENT CURVE TO THE RIGHT;</li> <li>8) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF 965.00 FEET, A DELTA ANGLE OF 06°15'56", AN ARC LENGTH OF 105.53 FEET, WHOSE LONG CHORD BEARS N70°51'04"W A DISTANCE OF 105.47 FEET;</li> </ul>
	<ul> <li>9) THENCE S00°00'00"W A DISTANCE OF 214.74 FEET;</li> <li>10) THENCE S88°42'27"W A DISTANCE OF 110.10 FEET;</li> <li>11) THENCE N01°25'17"W A DISTANCE OF 4.78 FEET;</li> <li>12) THENCE S88°27'00"W A DISTANCE OF 14.57 FEET;</li> <li>14) THENCE S88°27'00"W A DISTANCE OF 14.57 FEET;</li> </ul>
	<ul> <li>13) THENCE S00°08'37"W A DISTANCE OF 44.57 FEET;</li> <li>14) THENCE S02°52'08"W A DISTANCE OF 44.56 FEET;</li> <li>15) THENCE S05°32'45"W A DISTANCE OF 44.55 FEET;</li> <li>16) THENCE S08°16'16"W A DISTANCE OF 44.55 FEET;</li> <li>17) THENCE S10°58'49"W A DISTANCE OF 44.56 FEET;</li> </ul>
	<ul> <li>18) THENCE S13°41'29"W A DISTANCE OF 44.57 FEET;</li> <li>19) THENCE S17°04'35"W A DISTANCE OF 44.59 FEET;</li> <li>20) THENCE S19°47'14"W A DISTANCE OF 44.56 FEET;</li> <li>21) THENCE S22°29'47"W A DISTANCE OF 44.55 FEET;</li> </ul>
	22) THENCE S25°12'20"W A DISTANCE OF 44.55 FEET; 23) THENCE S27°14'20"W A DISTANCE OF 22.28 FEET; 24) THENCE S29°42'04"W A DISTANCE OF 49.02 FEET; 25) THENCE S35°26'44"W A DISTANCE OF 49.01 FEET; 26) THENCE S26°20'56"W A DISTANCE OF 49.01 FEET;
	26) THENCE S36°30'56"W A DISTANCE OF 116.64 FEET; 27) THENCE S32°43'04"W A DISTANCE OF 66.86 FEET;

Γ	
	28) THENCE S14°55'16"W A DISTANCE OF 66.77 FEET;
	29) THENCE S00°26'25"E A DISTANCE OF 193.86 FEET;
	30) THENCE S90°00'00"W A DISTANCE OF 159.90 FEET;
	31) THENCE S00°00'00"E A DISTANCE OF 13.82 FEET;
	32) THENCE S89°33'35"W A DISTANCE OF 110.00 FEET;
	33) THENCE N00°26'25"W A DISTANCE OF 12.59 FEET;
	34) THENCE S89°33'35"W A DISTANCE OF 160.00 FEET;
	35) THENCE S00°26'25"E A DISTANCE OF 55.00 FEET TO A POINT
	OF CURVE TO THE RIGHT;
	36) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF
	20.00 FEET, A DELTA ANGLE OF 90°00'00", AN ARC LENGTH
	OF 31.42 FEET, WHOSE LONG CHORD BEARS S44°33'35"W A
	DISTANCE OF 28.28 FEET;
	37) THENCE S89°33'35"W A DISTANCE OF 358.00 FEET TO A
	POINT OF CURVE TO THE RIGHT;
	38) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF
	27.00 FEET, A DELTA ANGLE OF 89°57'15", AN ARC LENGTH
	OF 42.39 FEET, WHOSE LONG CHORD BEARS N45°27'48"W A
	DISTANCE OF 38.17 FEET;
	39) THENCE N00°29'10"W A DISTANCE OF 20.98 FEET;
	40) THENCE S89°30'50"W A DISTANCE OF 224.98 FEET TO A
	POINT ON THE EASTERLY RIGHT-OF-WAY LINE OF HIGHWAY
	21, AS RECORDED IN BOOK 5307 AT PAGE 1472 OF THE
	RECORDS OF SAID EL PASO COUNTY;
	41) THENCE N00°29'10"W ON SAID RIGHT-OF-WAY LINE, A
	DISTANCE OF 1,691.70 FEET;
	42) THENCE S90°00'00"E A DISTANCE OF 515.00 FEET;
	43) THENCE N00°00'00"E A DISTANCE OF 148.75 FEET TO A NON-
	TANGENT CURVE TO THE LEFT;
	44) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF
	260.00 FEET, A DELTA ANGLE OF 13°32'37", AN ARC LENGTH
	OF 61.46 FEET, WHOSE LONG CHORD BEARS N28°47'53"E A
	45) THENCE N22°01'36"E A DISTANCE OF 538.12 FEET TO A
	POINT OF CURVE TO THE RIGHT;
	46) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF
	410.00 FEET, A DELTA ANGLE OF 52°19'12", AN ARC LENGTH
	OF 374.39 FEET, WHOSE LONG CHORD BEARS N48°11'12"E A
	DISTANCE OF 361.52 FEET;
	47) THENCE N74°20'48"E A DISTANCE OF 525.87 FEET;
	48) THENCE N15°39'12"W A DISTANCE OF 470.00 FEET TO A
	POINT ON THE SOUTHERLY RIGHT-OF-WAY LINE OF
	BRADLEY ROAD AS RECORDED IN BOOK 5307 AT PAGE 1472
	OF THE RECORDS OF SAID EL PASO COUNTY;
	LOWING THREE (3) COURSES FOLLOW SAID SOUTHERLY RIGHT-OF-
	E:
	49) THENCE N74°20'48"E A DISTANCE OF 385.15 FEET TO A
	POINT OF CURVE TO THE RIGHT;
	50) THENCE ON THE ARC OF SAID CURVE, HAVING A RADIUS OF
	2,759.79 FEET, A DELTA ANGLE OF 15°09'41", AN ARC
	LENGTH OF 730.29 FEET, WHOSE LONG CHORD
	BEARS N81°55'39"E A DISTANCE OF 728.16 FEET;
	51) THENCE N89°30'29"E A DISTANCE OF 3.77 FEET TO A POINT
	ON THE NORTH-SOUTH 1/4 LINE OF SAID SECTION 9;

	52) THENCE S00°19'32"E A DISTANCE OF 2,038.35 FEET TO THE POINT OF BEGINNING. THE ABOVE TRACT OF LAND CONTAINS 5,139,369 SQUARE FEET OR 117.984 ACRES, MORE OR LESS.
Address (or nearest major cross streets)	Powers Boulevard and Bradley Road
Acreage (total and disturbed)	Total: 117.98 acres Disturbed: 117.98 acres
Schedule	Start of Construction: November 2019 Completion of Construction: Unknown Final Stabilization: Unknown
Project Purpose	Single Family Lots
Description of Project	Grading, Utilities and drainage for 605 single family lots
Tax Schedule Number	550000412

## FOR OFFICE USE ONLY

The following signature from the ECM Administrator signifies the approval of this ESQCP. All work shall be performed in accordance with the permit, the El Paso County <u>Engineering Criteria Manual</u> (ECM) Standards, City of Colorado Springs <u>Drainage Criteria Manual</u>, Volume 2 (DCM2) as adopted by El Paso County <u>Addendum</u>, approved plans, and any attached conditions. The approved plans are an enforceable part of the ESQCP. Construction activity, except for the installation of initial construction BMPs is not permitted until issuance of a Construction permit and Notice to Proceed.

Signature of ECM Administrator:	Date
---------------------------------	------

### 1.1 REQUIRED SUBMISSIONS

In addition to this completed and signed application, the following items must be submitted to obtain an ESQCP:

- Permit fees
- Stormwater Management Plan (SWMP) meeting the requirements of DCM2 and ECM either as part of the plan set or as a separate document;
- Cost estimates of construction and maintenance of construction and permanent stormwater control measures (Cost estimates shall be provided on a unit cost basis for all stormwater BMPs);
- Financial surety in an amount agreeable to the ECM Administrator based on the cost estimates of the stormwater quality protection measures provided. The financial surety shall be provided in the form of a Letter of Credit, Surety with a Bonding Company, or other forms acceptable to El Paso County;
- Operation and Maintenance Plan for any proposed permanent stormwater control measures; and
- Signed Private Detention Basin/Stormwater Quality Best Management Practice Maintenance Agreement and Easement, if any permanent stormwater control measures are to be located on site.

### 1.2 **RESPONSIBILITY FOR DAMAGE**

The County and its officers and employees, including but not limited to the ECM Administrator, shall not be answerable or accountable in any manner, for injury to or death of any person, including but not limited to a permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder, or for damage to property resulting from any activities undertaken by a permit holder or under the direction of a permit holder. The permit holder shall be responsible for any liability imposed by law and for injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder. The permit holder shall be responsible for any liability imposed by law and for injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder under a permit, or damage to property arising out of work or other activity permitted and done by the permit holder under a permit, or arising out of the failure on the permit holder's part to perform the obligations under any permit in respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work, or other activity, or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit.

To the extent allowed by law, the permit holder shall indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description brought for or on account of injuries to or death of any person, including but not limited to the permit holder, persons employed by the permit holder, persons acting in behalf of the permit holder and the public, or damage to property resulting from the performance of work or other activity under the permit, or arising out of the failure on the permit holder's part to perform his obligations under any permit in respect to maintenance or any other obligations, or resulting from defects or obstructions, or from any cause whatsoever during the progress of the work, or other activity or at any subsequent time work or other activity is being performed under the obligations provided by and contemplated by the permit, except as otherwise provided by state law. The permit holder waives any and all rights to any type of expressed or implied indemnity against the County, its officers or employees.

#### 1.3 APPLICATION CERTIFICATION

We, as the Applicants or the representative of the Applicants, hereby certify that this application is correct and complete as per the requirements presented in this application and the El Paso County <u>Engineering Criteria Manual</u> and <u>Drainage Criteria Manual</u>, Volume 2 and El Paso County Addendum.

We, as the Applicants or the representatives of the Applicants, have read and will comply with all of the requirements of the specified Stormwater Management Plan and any other documents specifying stormwater best management practices to be used on the site including permit conditions that may be required by the ECM Administrator. We understand that the stormwater control measures are to be maintained on the site and revised as necessary to protect stormwater quality as the project progresses. We further understand that a Construction Permit must be obtained and all necessary stormwater quality control measures are to be installed in accordance with the SWMP, the EI Paso County Engineering Criteria Manual, Drainage Criteria Manual, Volume 2 and EI Paso County Addendum before land disturbance begins and that failure to comply will result in a Stop Work Order and may result in other penalties as allowed by law. We further understand and agree to indemnify, save, and hold harmless the County and its officers and employees, including but not limited to the BOCC and ECM Administrator, from all claims, suits or actions of every name, kind and description as outlined in Section 1.2 Responsibility for Damage.

			Date:	
Signature of Owner	or Representative			
Print Name of Owne	er or Representative			
			Date:	
Signature of Operate	or or Representative			
Print Name of Opera	ator or Representative	2		
Permit Fee	\$			
Surcharge	\$			
Financial Surety	\$	Type of Surety		

Total \$