## SUBDIVISION IMPROVEMENTS AGREEMENT

THIS AGREEMENT, made between GTL, Inc. a California Corporation dba GTL Development Inc., hereinafter called the "Subdivider," and El Paso County by and through the Board of County Commissioners of El Paso County, Colorado, hereinafter called the "County," shall become effective the date of approval of the Final Plat by the Board of County Commissioners.

## WITNESSETH:

WHEREAS, the Subdivider, as a condition of approval of the final plat of the Rolling Hills Ranch North Filing 1 at Meridian Ranch Subdivision (the "Subdivision") wishes to enter into a Subdivision Improvements Agreement, as provided for by Section 30-28-137 (C.R.S.), Chapter 5 of the El Paso County Engineering Criteria Manual (the "ECM") and Chapter 8 of the El Paso County Land Development Code incorporated herein; and

WHEREAS, pursuant to the same authority, the Subdivider is obligated to provide security or collateral sufficient in the judgment of the Board of County Commissioners to make reasonable provision for completion of certain public improvements set forth on Exhibit A attached hereto and incorporated herein; and

WHEREAS, the Subdivider wishes to provide collateral to guarantee performance of this Agreement including construction of the above-referenced improvements by means of Performance or property bond.

NOW, THEREFORE, in consideration of the following mutual covenants and agreements, the Subdivider and the County agree as follows:

- 1. The Subdivider agrees to construct and install, at his sole expense, all of those improvements as set forth on Exhibit A attached hereto. To secure and guarantee performance of its obligations as set forth herein, the Subdivider agrees to provide collateral to remain in effect at all times until the improvements are completed and accepted in accordance with Chapter 5 of the ECM. Security and collateral shall be posted in the form of a performance or property bond issued by Sure Tec Insurance Co. as corporate surety in the amount of \$6,092,961.90 as set forth on Exhibit A attached hereto.
- 2. Subdivider is responsible for providing any renewals of collateral to ensure that there is never a lapse in security coverage. Subdivider shall procure renewal/extension/replacement collateral at least fifteen (15) days prior to the expiration of the original or renewal/extension/replacement collateral then in effect. Failure to procure renewal/extension/replacement collateral within this time limit shall be a default under this Agreement and shall allow the County to execute on the collateral. In addition, if Subdivider allows collateral to lapse at any time, no lots in the Subdivision may be sold, conveyed or transferred, whether by Deed or Contract, after the expiration date of such collateral until the improvements identified on Exhibit A have been completed and final acceptance is received from the County. If replacement collateral is used for renewal, approval by Board of County Commissioners is required.
- 3. No lots in the Subdivision shall be sold, conveyed or transferred, whether by Deed or by Contract, nor shall building permits be issued until and unless the required improvements for the Subdivision have been constructed and completed in accordance with the approved construction plans and preliminary acceptance is received from the County. In the alternative, lots within the Subdivision may be sold, conveyed or transferred and / or have building permits issued upon receipt of collateral

- acceptable to the County, pursuant to this Agreement, which is sufficient to guarantee construction of the improvements, in the attached Exhibit A .
- 4. There are no Regional Park Fees due for the Rolling Hills Ranch North Filing 1 at Meridian Ranch, in accordance with the Development and Park Lands Agreement adopted pursuant to Resolution No. 14-313 and recorded in the records of the El Paso County Clerk and Recorders Office at Reception No. 214075741.
- 5. The Subdivider agrees that all of those certain public improvements to be completed as identified on Exhibit A shall be constructed in compliance with the following:
  - a. All laws, resolutions and regulations of the United States, State of Colorado, El Paso County and its various agencies, affected special districts and/or servicing authorities.
  - b. Such other designs, drawings, maps, specifications, sketches and other matter submitted to and approved by any of the above-stated governmental entities.
- 6. All improvements shall be completed by the Subdivider, meeting all applicable standards for preliminary acceptance, within 24 (twenty-four) months from the date of notice to proceed in the Construction Permit for the Subdivision. If the Subdivider determines that the completion date needs to be extended, the Subdivider shall submit a written request for a change in the completion date to the ECM Administrator at least 90 days in advance of the required completion date. The request shall include the reasons for the requested change in completion date, the proposed new completion date, and prove collateral is in place to cover the extension time requested. The completion date for the Subdivision may be extended one time, for a period no longer than 6 months at the discretion of the ECM Administrator. Any additional requests for extension of the completion date will be scheduled for hearing by the Board of County Commissioners. The ECM Administrator or the Board of County Commissioners may require an adjustment in the amount of surety to take into account any increase in cost due to the delay including inflation.
- 7. It is mutually agreed pursuant to the provisions of Section 30-28-137 (3) C.R.S. that the County or any purchaser of any lot, lots, tract or tracts of land subject to a plat restriction which is the security portion of a Subdivision Improvements Agreement shall have the authority to bring an action in any District Court to compel the enforcement of any Subdivision Improvements Agreement on the sale, conveyance, or transfer of any such lot, lots, tract or tracts of land or of any other provision of this article. Such authority shall include the right to compel rescission of any sale, conveyance, or transfer of any lot, lots, tract or tracts of land contrary to the provisions of any such restrictions set forth on the plat or in any separate recorded instrument, but any such action shall be commenced prior to the issuance of a building permit by the County where so required or otherwise prior to commencement of construction on any such lot, lots, tract or tracts of land.
- 8. It is further mutually agreed that, pursuant to the provisions of Section 30-28-137 (2) C.R.S., and Chapter 5 of the ECM, as improvements are completed, the Subdivider may apply to the Board of County Commissioners for a release of part or all of the collateral deposited with said Board. Upon inspection and approval, the Board shall release said collateral. The County agrees to respond to an inspection request in a reasonable time upon receipt of the request. If the Board determines that any of such improvements are not constructed in substantial compliance with specifications it shall furnish the Subdivider a list of specific deficiencies and shall be entitled to withhold collateral sufficient to ensure such substantial compliance. If the Board of County Commissioners determines that the Subdivider will not construct any or all of the improvements in accordance with all of the specifications, the Board of County Commissioners may withdraw and employ from the

- deposit of collateral such funds as may be necessary to construct the improvements in accordance with the specifications.
- 9. Gieck Basin Drainage Fee is \$0.00 and Bridge Fees will be \$0.00.
- 10. The Subdivider agrees, and both parties acknowledge that the construction of the improvements identified and guaranteed through this Subdivision Improvements Agreement shall follow the inspection, collateral, and acceptance process that is identified in Chapter 5 of the County's Engineering Criteria Manual. This is to include among other things, a Preliminary Acceptance process, replacement of performance collateral with appropriate Warranty collateral at that time, and a 2 year warranty period prior to final acceptance. Where any inconsistency exists between Chapter 5 of the ECM and the Land Development Code with respect to these inspections, collateral and acceptance processes, the ECM is the controlling document.
- 11. This Subdivision is included within the boundaries of the Woodmen Road Metropolitan District and shall not be required to participate in the El Paso County Road Impact Fee Program, in accordance with the provisions of the First Amendment to the Intergovernmental Agreement concerning Woodmen Road adopted pursuant to Resolution No. 13-041.
- 12. The Subdivider(s) agrees to provide the County with a title insurance commitment at time of final platting evidencing that fee simple title of all lands in the subdivision is vested with the subdivider(s).
- 13. The County agrees to approval of the final plat of the Rolling Hills Ranch North Filing 1 at Meridian Ranch Subdivision subject to the terms and conditions of this Agreement.
- 14. Parties hereto mutually agree that this Agreement may be amended from time to time provided that such amendment is in writing and signed by all parties hereto.
- 15. This Agreement shall take effect on the date of approval of the Final Plat.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals the day and year below written.

	BOARD OF COUNTY COMMISSIONERS OF EL PASO COUNTY, COLORADO
(Data Final Dist Assessed)	Ву:
(Date Final Plat Approved)	Meggan Herington, AICP, Executive Director Planning and Community Development Department Authorized signatory pursuant to LDC
ATTEST:	APPROVED AS TO FORM:
Steve Schleiker County Clerk and Recorder	County Attorney's Office
	By: Raul Guzman, Vice President
State of California County of San Diego	
Subscribed, sworn to (or affirmed) by Raul Guzman, who proved to moefore me.	before me on this 14th day of October, 2027 are on the basis of satisfactory evidence to be the person who appeared
My commission expires: July	26,2027
NANCY C. LANE Notary Public - California San Diego County Commission # 2451928 My Comm. Expires Jul 26, 202	Notary Public

## 2024 Financial Assurance Estimate Form

(with pre-plat construction)

PROJECT INFORMATION									
Rolling Hills Ranch North Filing No. 1	7/16/2024	SF2411							
Project Name	Date	PCD File No.							

Updated: 10/2023

			Unit				(with Pre	-Plat C	,
Description	Quantity	Units	Cost	_		Total	% Complete		Remaining
ECTION 1 - GRADING AND EROSION CONTRO Earthwork	L (Construction	and Perm	anent BMP	5)					
		CY	\$ 8.0	0 -		+		+	
less than 1,000; \$5,300 min	2500				- '			\$	45.540.00
1,000-5,000; \$8,000 min	2590.	CY	\$ 6.0			\$ 15,540.00		\$	15,540.00
5,001-20,000; \$30,000 min		CY	\$ 5.0			<del>-</del>		\$	-
20,001-50,000; \$100,000 min		CY	\$ 3.	50 =	- 5	<del>-</del>		\$	-
50,001-200,000; \$175,000 min		CY	\$ 2.	50 =	=   9	\$ -		\$	-
greater than 200,000; \$500,000 min		CY	\$ 2.	00 =	=   9	\$ -		\$	-
Permanent Erosion Control Blanket		SY	\$ 9.0	00 =	- 9	\$ -		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	1.	AC	\$ 2,018.	00 =	- 9	\$ 2,018.00		\$	2,018.00
Permanent Pond/BMP (provide engineer's estimate)		EA	, , ,					\$	-
Concrete Washout Basin	1.	EA	\$ 1,172.			\$ 1,172.00		\$	1,172.00
Inlet Protection	11.	EA	\$ 217.0			\$ 2,387.00		\$	2,387.00
Rock Check Dam	11.	EA							2,367.00
						<del>-</del>		\$	-
Safety Fence		LF	\$ 3.0			<b>-</b>		\$	-
Sediment Basin	3.	EA	\$ 2,294.			\$ 6,882.00		\$	6,882.00
Sediment Trap		EA	\$ 538.	00 =	= 5	<b>-</b>		\$	-
Silt Fence		LF	\$ 3.0	00 =	=   9	\$ -		\$	-
Slope Drain		LF	\$ 43.0	00	9	<del>-</del>		\$	-
Straw Bale		EA	\$ 33.0			<del>*</del>		\$	-
Straw Wattle/Rock Sock		LF	\$ 8.0			\$ -		\$	_
Surface Roughening		AC	\$ 269.	-				\$	
Temporary Erosion Control Blanket		SY	\$ 269.					\$	
									-
Temporary Seeding and Mulching		AC	\$ 1,793.			<del>-</del>		\$	-
Vehicle Tracking Control	1.	EA	\$ 3,085.	00 =	- 5	\$ 3,085.00		\$	3,085.00
				-	=   9	\$ -		\$	-
[insert items not listed but part of construction plans]				-	=   \$	\$ -		\$	-
MAIN	TENANCE (35%	of Constr	uction BMP	s) =	- 9	\$ 4,323.90		\$	4,323.90
- Subject to defect warranty financial assurance. A minimum of 20% shall									
e retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	on 1 Subto	al =	=   !	\$ 35,407.90		\$	35,407.90
Construction Traffic Control		LS				<b>t</b> -			
			\$ 37		,			\$	-
Aggregate Base Course (135 lbs/cf)	34801	Tons	\$ 37.1	00 =	= 9	- \$ -		\$	208 806 0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8")	34801.	Tons SY	\$ 6.0	00 =	= 9	\$ - \$ 208,806.00		\$ \$	208,806.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick)		Tons SY SY	\$ 6.0 \$ 18.0	00 =	= 9	\$ - \$ 208,806.00 \$ -		\$ \$	-
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)	34801. 34801.	Tons SY SY SY	\$ 6.0 \$ 18.0 \$ 25.0	00 = 00 00	= 5	\$ - \$ 208,806.00 \$ - \$ 870,025.00		\$ \$ \$	-
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		Tons SY SY SY SY	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0	00 = 00 00 00 00	= 5	5 - 5 208,806.00 5 - 5 870,025.00 5 -		\$ \$ \$ \$	<u> </u>
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		Tons SY SY SY SY SY Tons	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0	00 = 00 0 00 0 00 0 00 =	= \$\frac{9}{2}\$ \$\frac{1}{2}\$	5 - \$ 208,806.00 \$ - \$ 870,025.00 \$ - \$ -		\$ \$ \$ \$ \$ \$	<u> </u>
Aggregate Base Course (135 lbs/cf)  Concrete treated Subgrade (8")  Asphalt Pavement (3" thick)  Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved	34801.	Tons SY SY SY SY Tons SF	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 11.0	00 = 00 00 00 00 00 00 = 00 = 00 = 00	=	5 - \$ 208,806.00 \$ - \$ 870,025.00 \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$	870,025.00 - - -
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		Tons SY SY SY SY SY Tons	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0	00 = 00 00 00 00 00 00 = 00 = 00 = 00	=	5 - \$ 208,806.00 \$ - \$ 870,025.00 \$ - \$ -		\$ \$ \$ \$ \$ \$	870,025.00 - - -
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign	34801.	Tons SY SY SY SY Tons SF	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 11.0	00 = 00 0 00 00 00 00 00 00 00 00 00 00	=	5 - \$ 208,806.00 \$ - \$ 870,025.00 \$ - \$ - \$ -		\$ \$ \$ \$ \$ \$ \$	870,025.00 - - - - 8,232.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)	34801. 21.	Tons SY SY SY SY Tons SF EA	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0	000 = 000   =	=	\$ -08,806.00 \$ -08,806.00 \$ 870,025.00 \$ -08,806.00 \$ -08,807,0025.00 \$ -08,807,0025.00		\$ \$ \$ \$ \$ \$ \$ \$	208,806.00 - 870,025.00 - - - - 8,232.00 4,000.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking	34801. 21. 16.	Tons SY SY SY SY Tons SF EA EA	\$ 6.1 \$ 18.1 \$ 25.1 \$ 38.1 \$ 114.1 \$ 392.1 \$ 250.1 \$ 17.1	000 = 000 000 000 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ 870,025.00 \$ -08,806.00 \$ -09,800,000 \$ 4,000.00 \$ -09,806.00		\$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.01 - - - - 8,232.00 4,000.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf)  —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking	34801. 21. 16. 84.	Tons SY SY SY SY Tons SF EA EA SF SF	\$ 6.0 \$ 18.0 \$ 25.0 \$ 38.0 \$ 114.0 \$ 392.0 \$ 250.0 \$ 17.0 \$ 30.0	000 = 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -09,800,005.00 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,800,000 \$ -09,800,800,000 \$ -09,800,800,800,000 \$ -09,800,800,800,800,800,800,800,800,800,8		* * * * * * * * * *	870,025.00 - - - - 8,232.00 4,000.00 - 2,520.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3	34801. 21. 16.	Tons SY SY SY SY Tons SF EA EA SF SF EA	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 259.	= 000 = 0000	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -09,800,005.00 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,000 \$ -09,800,800,000 \$ -09,800,800,000 \$ -09,800,800,800,800,800,800,800,800,800,8		* * * * * * * * * * *	870,025.0( - - - - 8,232.0( 4,000.0( - 2,520.0(
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I	34801. 21. 16. 84. 2.	Tons SY SY SY SY Tons SF EA EA SF EA EA EA	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 259.	= = = = = = = = = = = = = = = = = = =	=	\$ -08,806.00 \$ -08,806.00 \$ -09,806.00 \$ -09,807.00 \$ -09		* * * * * * * * * * *	870,025.0( - - - 8,232.0( 4,000.0( - 2,520.0( 518.0(
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)	34801. 21. 16. 84.	Tons SY SY SY Tons SF EA EA SF EA LF	\$ 6.1 \$ 18.1 \$ 25.1 \$ 38.1 \$ 114.1 \$ 392.1 \$ 250.1 \$ 250.1 \$ 30.1 \$ 259.1 \$ 31.1 \$ 38.1	= = = = = = = = = = = = = = = = = = =	=	\$ -08,806.00 \$ -08,806.00 \$ 870,025.00 \$ -08,500 \$ -09,500 \$ 4,000.00 \$ -09,500.00 \$ 518.00 \$ 222,414.00		* * * * * * * * * * * *	870,025.00 - - - 8,232.00 4,000.00 - 2,520.00 518.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)	34801. 21. 16. 84. 2. 5853.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 35. \$ 35. \$ 35. \$ 36. \$ 38. \$ 38.	= 000 = 0000	=	\$ -08,806.00 \$ -08,806.00 \$ 870,025.00 \$ -08,806.00 \$ -09,807,000,00 \$ -09,809,809,809,809,809,809,809,809,809,8		* * * * * * * * * * * * *	870,025.0 8,232.0 4,000.0 2,520.0 518.0 - 222,414.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)	34801. 21. 16. 84. 2.	Tons SY SY SY SY Tons EA EA SF EA LF LF	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 12. \$ 392. \$ 250. \$ 250. \$ 30. \$ 35. \$ 38. \$ 38. \$ 38.	= 000 = 0000	=	\$ -08,806.00 \$ -08,806.00 \$ -09,806.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00		* * * * * * * * * * * * *	870,025.0 8,232.0 4,000.0 2,520.0 518.0 - 222,414.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)	34801. 21. 16. 84. 2. 5853.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 11. \$ 392. \$ 250. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38.	000 = 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00		* * * * * * * * * * * * * * *	870,025.00 - 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 509,808.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk	34801. 21. 16. 84. 2. 5853.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 11. \$ 392. \$ 250. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38.	000 = 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -08,800.00 \$		* * * * * * * * * * * * * * * * * * * *	870,025.00 - - 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 - 509,808.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	34801. 21. 16. 84. 2. 5853.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38.	000 = 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00 \$ -09,808.00		* * * * * * * * * * * * * * * * * * * *	870,025.00 - - 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 - 509,808.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf) —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk	34801. 21. 16. 84. 2. 5853.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 11. \$ 392. \$ 250. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38.	000 = 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -08,800.00 \$ -08,800.00 \$ -08,800 \$ -0		* * * * * * * * * * * * * * * * * * * *	870,025.00 - 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 509,808.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk	34801. 21. 16. 84. 2. 5853.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38.	000 = 000 =	=	\$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -08,806.00 \$ -08,800.00 \$ -08,800.00 \$ -08,800 \$ -0		* * * * * * * * * * * * * * * * * * * *	870,025.00 - 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 - 509,808.00 - 815,969.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Reised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38.	000 = 000   =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 14. \$ 392. \$ 259. \$ 17. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38. \$ 17. \$ 17. \$ 18. \$	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.0( 
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 125. \$ 250. \$ 250. \$ 259. \$ 30. \$ 259. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38. \$ 125. \$ 77. \$ 94. \$ 1496. \$ 79.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 9" Selevale (8" thick, 6" wide to include return) Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 11. \$ 392. \$ 250. \$ 250. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38. \$ 38. \$ 125. \$ 17.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 - 815,969.00 - 95,744.00 7,110.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18.1 \$ 25.5 \$ 38.1 \$ 114.1 \$ 392.4 \$ 250.1 \$ 30.1 \$ 30.1 \$ 31.1 \$ 38.1 \$ 38.1 \$ 38.1 \$ 38.1 \$ 125.1 \$ 1,496.1 \$ 79.1 \$ 119.1 \$ 119.2 \$ 1,926.1 \$ 1,926.1	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Bericade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 3 (W-Beam)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18.4 \$ 25.5 \$ 38.4 \$ 114.1 \$ 392.4 \$ 250.0 \$ 259.0 \$ 31.0 \$ 38.1 \$ 38.1 \$ 38.2 \$ 259.1 \$ 125.1 \$ 125.1 \$ 1,926.1 \$ 19.926.1 \$ 19.926.1 \$ 19.926.1	000 = 000 =	=	\$ -000,000,000,000,000,000,000,000,000,00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18.1 \$ 25.1 \$ 38.1 \$ 114.4 \$ 392.1 \$ 250.1 \$ 30.1 \$ 30.1 \$ 38.1 \$ 38.1 \$ 38.1 \$ 38.1 \$ 125.1 \$ 1,926.1 \$ 1,92	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 1446. \$ 125. \$ 1,926. \$ 1,926. \$ 94. \$ 4,902.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18.1 \$ 25.1 \$ 38.1 \$ 114.4 \$ 392.1 \$ 250.1 \$ 30.1 \$ 30.1 \$ 38.1 \$ 38.1 \$ 38.1 \$ 38.1 \$ 125.1 \$ 1,926.1 \$ 1,92	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.0
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 1446. \$ 125. \$ 1,926. \$ 1,926. \$ 94. \$ 4,902.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00 8,232.00 4,000.00 - 2,520.00 518.00 - 222,414.00 - 815,969.00 95,744.00 7,110.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 392. \$ 250. \$ 17. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 62. \$ 77. \$ 94. \$ 1,926. \$ 65. \$ 94. \$ 2,731. \$ 4,902. \$ 4,902.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high) Electrical Conduit, Size =	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 11. \$ 392. \$ 250. \$ 250. \$ 270. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 125. \$ 1496. \$ 79. \$ 1,496. \$ 94. \$ 1,926. \$ 94. \$ 1,926. \$ 94. \$ 1,926. \$ 94. \$ 1,926. \$ 1,731. \$ 1,926. \$ 1,000. \$ 1,000.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00
Aggregate Base Course (135 lbs/cf) Concrete treated Subgrade (8") Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)	34801. 21. 16. 84. 2. 5853. 13416. 10597.	Tons	\$ 6.1 \$ 18. \$ 25. \$ 38. \$ 114. \$ 11. \$ 392. \$ 250. \$ 250. \$ 270. \$ 30. \$ 259. \$ 31. \$ 38. \$ 38. \$ 38. \$ 38. \$ 125. \$ 1496. \$ 79. \$ 1,496. \$ 94. \$ 1,926. \$ 94. \$ 1,926. \$ 94. \$ 1,926. \$ 94. \$ 1,926. \$ 1,731. \$ 1,926. \$ 1,000. \$ 1,000.	000 = 000 =	=	\$ -000,000		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	870,025.00

PROJECT INFORMATION									
Rolling Hills Ranch North Filing No. 1	7/16/2024		SF2411						
Project Name	Date		PCD File No.						

				Unit			(with Pre-	Plat	Construction)
Description		Quantity	Units	Cost		Total	% Complete		Remaining
STORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size ( W	x H )		LF		=	\$ -		\$	-
18" Reinforced Concrete Pipe		785.	LF	\$ 82.00	=	\$ 64,370.00		\$	64,370.00
24" Reinforced Concrete Pipe		775.	LF	\$ 98.00	=	\$ 75,950.00		\$	75,950.00
30" Reinforced Concrete Pipe		1419.	LF	\$ 123.00	=	\$ 174,537.00		\$	174,537.00
36" Reinforced Concrete Pipe		133.	LF	\$ 151.00	-	\$ 20,083.00		\$	20,083.00
42" Reinforced Concrete Pipe		219.	LF	\$ 201.00	=	\$ 44,019.00		\$	44,019.00
48" Reinforced Concrete Pipe		104.	LF	\$ 245.00	-	\$ 25,480.00		\$	25,480.00
54" Reinforced Concrete Pipe			LF	\$ 320.00	-	\$ -		\$	
60" Reinforced Concrete Pipe			LF	\$ 374.00	-	\$ -		\$	-
66" Reinforced Concrete Pipe			LF	\$ 433.00		\$ -		\$	-
72" Reinforced Concrete Pipe			LF	\$ 495.00	=	\$ -		\$	-
	48	2.	EA	\$ 1,140.00	=	\$ 2,280.00		\$	2,280.00
Flared End Section (FES) CSP Size = (unit cost = 6x pipe unit cost)	30	1.	EA	\$ 786.00	=	\$ 786.00		\$	786.00
End Treatment- Headwall			EA		-	\$ 		\$	_
End Treatment- Wingwall			EA		-	\$ 		\$	
End Treatment - Cutoff Wall		2.	EA	\$ 1,200.00		\$ 2,400.00		\$	2,400.00
Curb Inlet (Type R) L=5', Depth < 5'			EA	\$ 7,212.00	_	\$ 		\$	
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'			EA	\$ 9,377.00		\$ 		\$	
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'			EA	\$ 10,859.00		\$ 		\$	
Curb Inlet (Type R) L =10', Depth < 5'		1.	EA	\$ 9,925.00		\$ 9,925.00		\$	9,925.00
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		1.	EA	\$ 10,230.00		\$ 10,230.00		\$	10,230.00
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		1.	EA	\$ 12,805.00		\$ 10,230.00		φ \$	10,230.00
Curb Inlet (Type R) L =15', Depth < 5'		2.	EA	\$ 12,907.00		\$ 25,814.00		\$	25,814.00
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		2.	EA	\$ 13,835.00		\$ 27,670.00		\$	27,670.00
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		2.	EA	\$ 15,130.00		\$ -		\$	27,070.00
Curb Inlet (Type R) L =20', Depth < 5'		5.	EA	\$ 13,755.00		\$ 68,775.00		φ \$	68,775.00
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		J.	EA	\$ 15,181.00		\$ -		\$ \$	
Grated Inlet (Type C), Depth < 5'			EA	\$ 6,037.00		\$ 		φ \$	_
Grated Inlet (Type D), Depth < 5'			EA	\$ 7,458.00		\$ 		\$ \$	
Storm Sewer Manhole, Box Base			EA	\$ 15,130.00		\$ 		₽ \$	
Storm Sewer Manhole, Slab Base		13.	EA	\$ 8,322.00		\$ 108,186,00		⊅ \$	108,186.00
Geotextile (Erosion Control)		15.	SY	\$ 9.00		\$ 100,100.00		₽ \$	100,100.00
Rip Rap, d50 size from 6" to 24"		130.	Tons	\$ 104.00		\$ 13,520.00		⊅ \$	13,520.00
Rip Rap, Grouted		130.	Tons	\$ 104.00		\$ 13,320.00		\$ \$	13,320.00
Drainage Channel Construction, Size ( W x F	н		LF	Ç 124.00		\$ <u>-</u>		⊅ \$	
Drainage Channel Lining, Concrete	,		CY	\$ 741.00		\$ <u> </u>		\$ \$	
Drainage Channel Lining, Concrete  Drainage Channel Lining, Rip Rap			CY	\$ 741.00		\$ 	l .	\$ \$	
Drainage Channel Lining, Rip Rap  Drainage Channel Lining, Grass			AC	\$ 1,911.00		 -		т	-
<u> </u>			AC	\$ 1,911.00	=	\$ -		\$ \$	
Drainage Channel Lining, Other Stabilization						\$			-
finsert items not listed but part of construction p	olanel				=	\$ -		\$ \$	-
<ul> <li>Subject to defect warranty financial assurance. A minimular retained until final acceptance (MAXIMUM OF 80% COM)</li> </ul>	ım of 20% shall		Coot!-	n 2 Subtata		2 410 171 00		·	2 410 171 00
e retained until final acceptance (MAXIMUM OF 80% COMI .LLOWED)	FLETE		Sectio	n 2 Subtota	=	\$ 3,419,171.00		\$	3,419,171.00

PROJECT INFORMATION										
Rolling Hills Ranch North Filing No. 1	7/16/2024	SF2411								
Project Name	Date	PCD File No.								

		Unit						(with Pre-Plat Construction)		
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	OVEMENTS (Pri	vate or D	istr	ict and N	OT Main	taine	d by EPC)**			
ROADWAY IMPROVEMENTS										
6" Sidewalk	490.	SY	\$	80.00	=	\$	39,200.00		\$	39,200.00
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Excep	otion: Permanent Pon	d/BMP shall	be ite	emized unde	er Section 1	)				
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"	7,729	LF	\$	71.00	=	\$	548,759.00		\$	548,759.00
Water Main Pipe (PVC), Size 10"	2,329	LF	\$	78.00		\$	181,662.00		\$	181,662.00
Water Main Pipe (PVC), Size 12"	518	LF	\$	85.00	=	\$	44,030.00		\$	44,030.00
Gate Valves, 8"	34	EA	\$	2,058.00	=	\$	69,972.00		\$	69,972.00
Gate Valves, 10"	11	EA	\$	2,193.00		\$	24,123.00		\$	24,123.00
Gate Valves, 12"	3	EA	\$	2,330.00		\$	6,990.00		\$	6,990.00
Fire Hydrant Assembly, w/ all valves	20	EA	\$	7,306.00	=	\$	146,120.00		\$	146,120.00
Water Service Line Installation, inc. tap and valves	247	EA	\$	1,466.00	=	\$	362,102.00		\$	362,102.00
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"	9657.	LF	\$	71.00	=	\$	685,647.00		\$	685,647.00
Sanitary Sewer Manhole, Depth < 15 feet	30.	EA	\$	4,858.00	=	\$	145,740.00		\$	145,740.00
Sanitary Service Line Installation, complete	246.	EA	\$	1,553.00	=	\$	382,038.00		\$	382,038.00
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	cific condition	on of a	approval, or	PUD)					
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Section	on 3	Subtotal	=	\$	2,636,383.00		\$	2,636,383.00
AS-BUILT PLANS (Public Improvements inc. Permanent	WQCV BMPs)		\$	1.000.00	=	\$	1,000.00		\$	1,000.00
POND/BMP CERTIFICATION (inc. elevations and volume		LS		1.000.00		\$	1,000.00	-	\$	1,000.00
. C.L. Z.II. Z.II. IOATION (III. CICTALIONS AND VOIGING	Ja.Jaiationoj		Ψ	.,000.00		Ψ	1,000.00	-	Ψ	1,000.

Total Construction Financial Assurance \$ 6,092,961.90

(Sum of all section subtotals plus as-builts and pond/BMP certification)

Total Remaining Construction Financial Assurance (with Pre-Plat Construction) \$ 6,092,961.90

(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)

Total Defect Warranty Financial Assurance \_ \$

(20% of all items identified as (\*). To be collateralized at time of preliminary acceptance)

## Approvals

I hereby certify that this is an accurate a nd complete estimate of costs for the work as shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.



(P.E. Seal Required) Engineer

GTL DEVELOPMENT, Inc, Raul Guzman, Vice President

Approved by El Paso County Engineer / ECM Administrator

July 25, 2024

9/03/2024