2019 Financial Assurance Estimate Form

(with pre-plat construction) Updated: 7/16/2019

	PROJECT INFORMATION	
Rocky Top Resources	11/5/2019	PPR-1913
Project Name	Date	PCD File No.

				Unit					-Plat (at Construction)	
escription	Quantity	Units		Cost			Total	% Complete		Remaining	
ECTION 1 - GRADING AND EROSION CONTRO	OL (Construction	and Permai	nent I	BMPs)							
* Earthwork			Ι.								
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-	
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-	
5,001-20,000; \$30,000 min	8,000	CY	\$	5.00	=	\$	40,000.00		\$	40,000.00	
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-	
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-	
* Permanent Seeding (inc. noxious weed mgmnt.)	9.5	AC	\$	800.00	=	\$	7,600.00		\$	7,600.00	
* Mulching	9.5	AC	\$	750.00	=	\$	7,125.00		\$	7,125.00	
* Permanent Erosion Control Blanket		SY	\$	6.00	=	\$	-		\$	-	
* Permanent Pond/BMP Construction	4,200.0	CY	\$	6.00	=	\$	25,200.00		\$	25,200.0	
* Permanent Pond/BMP (Spillway Type M Riprap)	225	CY	\$	100.00	=	\$	22,500.00		\$	22,500.0	
* Permanent Pond/BMP (Outlet Structure)	1	EA	\$	20,000.00	=	\$	20,000.00		\$	20,000.0	
* Permanent Pond/BMP (Trickle channel0	460	LF	\$	32.00	=	\$	14,720.00		\$	14,720.0	
Safety Fence		LF	\$	3.00	=	\$			\$		
Temporary Erosion Control Blanket	0	SY	\$	3.00	=	\$			\$		
Vehicle Tracking Control	1	EA	\$	2,370.00	=	\$	2,370.00		\$	2,370.0	
Silt Fence	1,520	LF	\$	2,570.00		\$	3,800.00		\$	3,800.0	
	1,320					\$	3,000.00		\$	3,000.0	
Temporary Muleb		AC	\$	628.00	=		7.500.00			7.500.0	
Temporary Mulch	10	AC	\$	750.00	=	\$	7,500.00		\$	7,500.0	
Erosion Bales		EA	\$	25.00	=	\$	-		\$	-	
Erosion Logs/Straw Waddle		LF	\$	5.00	=	\$	-		\$	-	
Rock Check Dams		EA	\$	500.00	=	\$	-		\$	-	
Inlet Protection	2	EA	\$	167.00	=	\$	334.00		\$	334.0	
Sediment Basin		EA	\$	1,762.00	=	\$	-		\$	-	
Concrete Washout Basin	1	EA	\$	900.00	=	\$	900.00		\$	900.0	
					=	\$	-		\$	-	
[insert items not listed but part of construction plans]					=	\$			\$		
	MAINTENANCE (35% of Con	struc	tion BMPs)	=	\$	5,216.40		\$	5,216.4	
				•							
Subject to defect warranty financial assurance. A minimum of 20% shall be		Sec	tion	1 Subtotal	_	4	157 265 40		\$	157 265 40	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)		Sec	tion	1 Subtotal	=	\$	157,265.40		\$	157,265.40	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS *		Sec	tion	1 Subtotal	=	\$	157,265.40		\$	157,265.40	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS			tion	1 Subtotal	=		157,265.40			157,265.40	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS *		Sec	tion	1 Subtotal	=	\$	157,265.40		\$	157,265.40	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS			stion \$	1 Subtotal							
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control		LS			=	\$	-		\$	-	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf)		LS Tons	\$	28.00	=	\$	- -		\$	- -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf)		LS Tons CY	\$ \$ \$	28.00 50.00	=	\$ \$ \$	- - - -		\$ \$ \$	-	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS * OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		LS Tons CY SY	\$ \$	28.00 50.00 14.00	=	\$ \$ \$ \$	- - - - -		\$ \$ \$ \$	- - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS OADWAY IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY	\$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00	=	\$ \$ \$ \$			\$ \$ \$ \$	- - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick)		LS Tons CY SY SY SY Tons	\$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00	= =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	- - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Light Traffic Control Light Traffic Co		LS Tons CY SY SY SY Tons SF	\$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 8.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$ \$	- - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign		LS Tons CY SY SY SY Tons SF EA	\$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00	= = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$	- - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		LS Tons CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		LS Tons CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		LS Tons CY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		LS Tons CY SY SY Tons SF EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		LS Tons CY SY SY SY Tons SF EA SF EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		LS Tons CY SY SY Tons SF EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be aimed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION TRAFFIC CONTROI Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		LS Tons CY SY SY SY Tons SF EA SF EA SF EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00 24.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be aimed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical)		LS Tons CY SY SY Tons SF EA EA EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 20.00 24.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -	
Subject to defect warranty financial assurance. A minimum of 20% shall be aimed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		LS Tons CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 200.00 24.00 30.00 30.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be aimed until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		LS Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 30.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 20.00 24.00 30.00 30.00 48.00 60.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY SF SY SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 20.00 24.00 30.00 30.00 48.00 60.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk		LS Tons CY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY SY SY SF EA EA LF LF LF SY SY SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		LS Tons CY SY SY SY Tons SF EA EA SF LF LF SY SY SY SY LF LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be airned until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS CONSTRUCTION Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY SY Tons EA EA LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 30.00 23.00 20.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase		LS Tons CY SY SY Tons EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY SY Tons EA EA LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be airned until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		LS Tons CY SY SY Tons EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be ained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type A (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Chase Guardrail Type 3 (W-Beam)		LS Tons CY SY SY SY Tons EA EA LF LF SY SY SY EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 23.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 7 (Concrete)		LS Tons CY SY SY Tons SF EA EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 13.00 20.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asgregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Guardrail Type 7 (Concrete) Guardrail Type 7 (Concrete) Guardrail End Anchorage		LS Tons CY SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00 2,098.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk 6" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		LS Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY SY LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 20.00 24.00 30.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 2,098.00 3,767.00 78.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
Subject to defect warranty financial assurance. A minimum of 20% shall be tained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED) ECTION 2 - PUBLIC IMPROVEMENTS Construction Traffic Control Aggregate Base Course (135 lbs/cf) Asghalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		LS Tons CY SY SY SY Tons SF EA EA SF SF EA LF LF LF LF LF LF SY SY SY SY EA LF LF LF LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	28.00 50.00 14.00 19.00 29.00 88.00 300.00 23.00 200.00 24.00 30.00 30.00 48.00 60.00 72.00 96.00 1,150.00 61.00 92.00 1,480.00 49.00 72.00 2,098.00 3,767.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		

	PROJECT INFORMATION	
Rocky Top Resources	11/5/2019	PPR-1913
Project Name	Date	PCD File No.

					Unit				-Plat	Construction)
Description		Quantity	Units		Cost		Total	% Complete		Remaining
						=	\$ -		\$	-
[insert items not listed but part of construction plane	ans]					=	\$ -		\$	-
STORM DRAIN IMPROVEMENTS										
Concrete Box Culvert (M Standard), Size (W x	: H)		LF			=	\$		\$	_
18" Reinforced Concrete Pipe	7		LF	\$	65.00	=	\$ -		\$	
24" Reinforced Concrete Pipe	<u> </u>		LF	\$	78.00	=	\$		\$	
30" Reinforced Concrete Pipe	(166) _{LF}	\$	97.00	=	\$ 16,102.00		\$	16,102.00
36" Reinforced Concrete Pipe	\rightarrow		LF	\$	120.00		\$ -		\$	-
42" Reinforced Concrete Pipe			LF	\$	160.00	=	\$ 		\$	
48" Reinforced Concrete Pipe	7		LF	\$	195.00	=	\$ 		\$	
54" Reinforced Concrete Pipe	<u> </u>		-\tr	\$	245.00	=	\$ 		\$	
60" Reinforced Concrete Pipe	(LF	\$	288.00	=	\$ 		\$	
66" Reinforced Concrete Pipe	\rightarrow		LF	\$	332.00	=	\$ 		\$	
72" Reinforced Concrete Pipe			LF	\$	380.00	=	\$ 		\$	
18" Corrugated Steel Pipe			LF	\$	84.00	=	\$ 		\$	
24" Corrugated Steel Pipe	<u> </u>		₹LF	\$	96.00	=	\$ 		\$	
30" Corrugated Steel Pipe	(LF	\$	122.00		\$ 		\$	
36" Corrugated Steel Pipe	\rightarrow		LF	\$	147.00		\$ 		\$	
42" Corrugated Steel Pipe			LF	\$	168.00		\$ 		\$	
48" Corrugated Steel Pipe			LF	\$	178.00	=	\$ 		\$	
54" Corrugated Steel Pipe	<u> </u>		- LF	\$	260.00		\$ 		\$	
60" Corrugated Steel Pipe	(_		LF	\$	280.00		\$ 		\$	-
66" Corrugated Steel Pipe	-		LF	\$	340.00		\$ 		\$	
72" Corrugated Steel Pipe			\LF	\$	400.00		\$ 		\$	
78" Corrugated Steel Pipe			LF	\$	460.00		\$ 		\$	
84" Corrugated Steel Pipe	<u> </u>		LF	\$	550.00	=	\$ 		\$	
	30)	Ф	550.00					
(unit cost = 6x pipe unit cost)	~ >	1	≺ EA	\$	582.00	=	\$ 582.00		\$	582.00
Flared End Section (FES) CSP Size =	(_					=	\$ 		\$	
(unit cost = 6x pipe unit cost)			EA				 -			-
End Treatment- Headwall	<u> </u>		EA			=	\$ -		\$	-
End Treatment- Wingwall	(_)EA			=	\$ -		\$	-
End Treatment - Cutoff Wall	_ >		EA			=	\$ -		\$	-
Curb Inlet (Type R) L=5', Depth < 5'	(_		JEA	\$	5,542.00	=	\$ -		\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'	(_		EA	\$	7,188.00	=	\$ -		\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'			∠ EA	\$	8,345.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', Depth < 5'	(_)EA	\$	7,627.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'	<u></u>		EA	\$	7,861.00	=	\$ -		\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'			EA	\$	9,841.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', Depth < 5'	(_)EA	\$	9,918.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'	<u> </u>		∠ EA	\$	10,633.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'	(_		EA	\$	11,627.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', Depth < 5'	~		EA	\$	10,570.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'			EA	\$	11,667.00	=	\$ -		\$	-
Grated Inlet (Type C), Depth < 5'			EA	\$	4,640.00	=	\$ -		\$	-
Grated Inlet (Type D), Depth < 5'	<u> </u>	2	∠EA	\$	5,731.00	=	\$ 11,462.00		\$	11,462.0
Storm Sewer Manhole, Box Base	(EA	\$	11,627.00	=	\$ -		\$	-
Storm Sewer Manhole, Slab Base	~		EA	\$	6,395.00	=	\$ -		\$	-
Geotextile (Erosion Control)			SY	\$	6.00	=	\$ -		\$	-
Rip Rap, d50 size from 6" to 24"			ons	\$	80.00	=	\$ -		\$	-
Rip Rap, Grouted	>		Tons	\$	95.00	=	\$ -		\$	-
Drainage Channel Construction, Size (W x H) (LF			=	\$ -		\$	-
Drainage Channel Lining, Concrete	7		CY	\$	570.00	=	\$ -		\$	-
Drainage Channel Lining, Rip Rap			CY	\$	112.00	=	\$ -		\$	-
Drainage Channel Lining, Grass	7		AC	\$	1,469.00	=	\$ -		\$	-
J					, ,					
Drainage Channel Lining, Other Stabilization	Y	0.00	≺ CY	\$		=	\$ -		\$	-

These private storm drain improvements should be located in section 3 as done in the previous submittal. Please revise.

PROJECT INFORMATION							
Rocky Top Resources	11/5/2019	PPR-1913					
Project Name	Date	PCD File No.					

				Unit				(with Pre-	Plat Co	onstruction)
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPRO	VEMENTS (Priv	ate or Dis	trict	and NOT I	Vaintaine	ed by E	PC)**			
ROADWAY IMPROVEMENTS										
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Excep	tion: Permanent Por	nd/BMP shall l	be iten	nized under S	ection 1)					
(1)					=	\$	-		\$	
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$	-		\$	
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	75.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	1,858.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$	6,597.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$	1,324.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
· •					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"		LF	\$	64.00	=	\$	-		\$	-
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	4,386.00	=	\$	-		\$	-
Sanitary Service Line Installation, complete		EA	\$	1,402.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$	-
Onsite wastewater treatment system	1	EA	\$	25,000.00	=	\$	25,000.00		\$	25,000.00
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific condition	n of ap	proval, or PU	D)					
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
** - Section 3 is not subject to defect warranty requirements		Sec	tion	3 Subtotal	=	\$	25,000.00		\$	25,000.00

PROJECT INFORMATION						
Rocky Top Resources	11/5/2019	PPR-1913				
Project Name	Date	PCD File No.				

			Unit			(with Pre	-Plat Co	nstruction)
Description	Quantity	Units	Cost		Total	% Complete	R	Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent WC	QCV BMPs)	LS		=	\$ -		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS 🔫		=	\$ -		\$	-
Please provide values for these items.		•	struction Fina	ection subtotal	Construction Financia s plus as-builts and pond/B rance (with Pre-Plat C e plus as-builts and pond/B	MP certification)	-	210,411.40
	(Suiii)			Total Def	fect Warranty Financia steralized at time of prelimin	al Assurance	\$	30,114.20

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as	shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date