

FINAL DESIGN REPORT FOR SAND CREEK RESTORATION

Prepared For:

SR Land, LLC
20 Boulder Crescent, 2nd Floor
Colorado Springs, CO 80903
(719) 491-3024


Prepared By:

JR Engineering, LLC
5475 Tech Center Drive
Colorado Springs, CO 80919
(303) 267-6240
Contact: Bryan Law, PE

December 17, 2024

ENGINEER'S STATEMENT:

The attached design report was prepared under my direction and supervision and is correct to the best of my knowledge and belief. Said design report has been prepared according to the criteria established by El Paso County for drainage plans and said report is in conformity with the master plan of the drainage basin. I accept responsibility for any liability caused by any negligent acts, errors, or omissions on my part in preparing this report.



Bryan Law, Colorado P.E. # 25043
For and On Behalf of JR Engineering, LLC

Date

DEVELOPER'S STATEMENT:

I, the developer, have read and will comply with all of the requirements specified in this drainage report and plan.

Business Name: SR Land, LLC

By:  James F. Morley

Title: Owner, Developer

Address: 20 Boulder Crescent, Suite 201
Colorado Springs, CO 80903

El Paso County:

Filed in accordance with the requirements of the El Paso County Land Development Code, Drainage Criteria Manual, Volumes 1 and 2 and Engineering Criteria Manual, as amended.

Joshua Palmer, P.E.
County Engineer/ ECM Administrator

Date

Conditions:

TABLE OF CONTENTS

INTRODUCTION4

 A. PROJECT BACKGROUND.....4

 B. PURPOSE OF STUDY4

II. GENERAL LOCATION AND DESCRIPTION.....4

 A. SITE LOCATION4

 B. DESCRIPTION OF PROPERTY5

III. DRAINAGE BASINS AND SUB-BASINS6

 A. MAJOR BASIN DESCRIPTION6

 B. PREVIOUS STUDIES.....6

 C. IRRIGATION FACILITIES6

 D. FLOODPLAIN6

IV. DRAINAGE DESIGN CRITERIA.....7

 A. REGULATIONS.....7

 B. HYDROLOGIC CRITERIA.....7

 C. HYDRAULIC CRITERIA.....7

V. DRAINAGE FACILITY DESIGN9

 A. GENERAL CONCEPT.....9

 B. SPECIFIC DETAILS10

 C. WETLANDS16

 D. FUTURE CONSIDERATIONS.....16

VI. CONCLUSION.....18

VII. REFERENCES.....19

APPENDICES

- A. Figures and Exhibits
- B. Sand Creek Existing Conditions Hydraulic Model
- C. Sand Creek Proposed Conditions Hydraulic Modeling
- D. Grouted Boulder Drop Structure Design Calculations
- E. Detention Pond Design Calculations
- F. Excerpts From Reference Material
- G. Work Map
- H. Wetlands Mitigation Plan

INTRODUCTION

A. Project Background

JR Engineering has contracted to provide professional services for the design of the Sand Creek Restoration in El Paso County, Colorado. This project is part of the larger Sterling Ranch development that is occurring across multiple phases and filings adjacent to the channel. Improvements to the channel include a re-alignment of the channel with a new high-performance, low maintenance, naturalized design utilizing a meandering bankfull section with a 57 foot wide flood terrace and floodplain ranging from approximately 100 to 500 feet wide. Due to the grades on-site, 8 grouted boulder drop structures are also being proposed. The design also includes the construction of the Regional Pond W-3 as proposed in the *2022 Sterling Ranch MDDP Amendment* by JR Engineering, and improvements to two existing on-site stock ponds.

B. Purpose of Study

The proposed Sand Creek Restoration was required by El Paso County for the continued development of Sterling Ranch. Sand Creek is hydraulically steep and prone to erosion through this section, and further development will only compound these issues over time. Improving Sand Creek now will ensure its long term stability through the course of all future development. This *Final Design Report for the Sand Creek Restoration* was prepared to provide a final design for the proposed Sand Creek channel within the Sterling Ranch development. The design includes proposed infrastructure plans; hydrologic and hydraulic modeling; channel hydraulic calculations for Sand Creek, design calculations for the on-line detention and retention ponds; and all relevant figures and reference information.

II. GENERAL LOCATION AND DESCRIPTION

A. Site Location

Sterling Ranch, known as “the site” from herein, is a parcel of land located in Section 27, 28, 33 and 34, Township 12 South, and Section 4, Township 13 South, Range 65 West of the 6th Principal Meridian in El Paso County, Colorado. To the west the site is bound by Vollmer Road. To the north and east, the site is bounded by undeveloped land and the Retreat at Timber Ridge. To the south, the site is bound by the Pawnee Rancheros and Woodmen Heights developments. A vicinity map can be see below and is presented in Appendix A.




Figure 1 – Vicinity Map

B. Description of Property

Sterling Ranch is 1444 acres and is a Planned Unit Development to be built in multiple phases. The site is currently in various stages of development, with portions already in construction, with others unoccupied and undeveloped. The existing ground cover is sparse vegetation and open space, typical of a Colorado rolling range land condition. In general, the site slopes from north to south and the existing drainageways follow this topography. Ultimately, the Sand Creek channel will be located within a platted drainage tract owned and maintained by the Sterling Ranch Metropolitan District.

Per a NRCS web soil survey of the area, the site is made up of Type A and B soils. Type A soils cover roughly 65% of the site while Type B soils cover the remaining 35% of the site. Group A soils have a high infiltration rate when thoroughly wet. Type B soils have a moderate infiltration when thoroughly wet. Type D soils have a very slow infiltration rate when thoroughly wet and have a high shrink-swell potential. A NRCS soil survey map has been presented in Appendix A.

III. DRAINAGE BASINS AND SUB-BASINS

A. Major Basin Description

Sterling Ranch lies completely the Sand Creek Drainage Basin. The basin has been previously studied firstly in the 1996 Drainage Basin Planning Study (DBPS) by Kiowa, again in the 2018 Sterling Ranch MDDP by M&S, in the 2021 DBPS by Stantec (Not adopted by El Paso County), and finally in the 2022 MDDP Amendment by JR Engineering.

The Sand Creek Drainage Basin covers approximately 22 square miles and begins approximately five miles northeast of the Town of Falcon and travels approximately 15 miles to the southeast. While the majority of the area within the basin is developed and is characterized as rolling range land typically associated with Colorado's semi-arid climates, development is still actively occurring along multiple stretches of Sand Creek both upstream and downstream of the Sterling Ranch development. The proposed improvements to Sand Creek cover approximately 66 acres beginning at the southern property line of Sterling Ranch, approximately 800 feet south of Sterling Ranch Road and continue north approximately 1.67 miles to the north property line at Poco Road.

B. Previous Studies

As part of its drainage research, JR Engineering reviewed the following drainage studies and reports:

- Upper Sand Creek Drainage Basin Study prepared by Wilson in 2011
- Sand Creek Drainage Basin Study prepared by Kiowa in 1996
- Sand Creek Drainage Basin Study prepared by Stantec in 2021
- Sterling Ranch Master Development Drainage Plan prepared by M&S in 2018
- Sterling Ranch Master Development Drainage Plan Amendment prepared by JR Engineering in 2022

This Final Design Report builds upon the sub-basin delineation and design point convention from the 2022 MDDP Amendment modeling with no changes to the sub-basin hydrology or routed flow rates.

C. Irrigation Facilities

There are no existing irrigation facilities within the site. However, the Sterling Ranch Metropolitan District (SRMD) has been granted a water right to store surface flows along Sand Creek in two existing stock ponds located on Sand Creek, one just north of Sterling Ranch Road and the other north of Briargate Parkway. These surface flows are comprised of Lawn Irrigated Return Flows from excess irrigation in the developments adjacent to Sand Creek. The determination, management, and accounting of the District's water rights are outside the scope of this report.

D. Floodplain

Based on the FEMA FIRM Map numbers 08041C0533G and 08041C0535G, dated December 7, 2018, the site lies within Zone AE and Zone X of the Sand Creek floodplain. Zone AE is defined as area subject to inundation by the 1-percent-annual-chance flood event. Zone X is defined as area outside the Special Flood Hazard Area (SFHA) and higher than the elevation of the 0.2-percent-annual-chance (or 500-year) flood. All proposed development within the site occurs in Zone X. The current FIRM Map has been presented in Appendix A.

IV. DRAINAGE DESIGN CRITERIA

A. Regulations

Storm Drainage analysis and design criteria for this project was taken from “El Paso County Drainage Criteria Manual” and the Colorado Springs Drainage Criteria Manual was used as a reference. The deviations taken with the proposed design are discussed in the Specific Details and Variance sections of the report.

B. Hydrologic Criteria

The baseline report for this Final Design Report is the 2022 Sand Creek MDDP Amendment, referenced in Section III of this report. No changes to the MDDP sub-basin hydrology are proposed herein.

All hydrologic data was obtained from the aforementioned MDDP Amendment by JR Engineering, September 2022, which was prepared in conformance with the El Paso County Drainage Criteria Manual. The MDDP states:

“Previously, the MDDP used HEC-HMS to model hydrologic conditions. With all of the on- and off-line detention present along Sand Creek, it was decided that CUHP-SWMM would be a more appropriate way to model the hydrologic conditions. All hydrologic data was obtained from NOAA Atlas 2 isopleth maps found in the EPCDCM. Runoff was calculated using CUHP Version 2.0.0, developed by Urban Drainage and Flood Control District. The model utilizes the raingauge classified as “a 24-Hr Type II Storm” to simulate a long duration front storm common to the area, which is the same rain gauge used in the original MDDP. The following rainfall depths were utilized in the model: 2.1 inches for the 2 year storm, 2.5 inches for the 5 year storm, 3.0 inches for the 10 year storm, 3.6 inches for the 25 year storm, 4.1 inches for the 50 year storm, and 4.6 inches for the 100 year storm, which are the same point precipitation values used in the original MDDP. Using Table 5.2 from the EPCDCM, a distribution curve was created for each of the design storms to be used in CUHP. EPA SWMM 5.1 was utilized to route runoff flow rates for the sizing of stormwater storage facilities. The CUHP calculations and SWMM model are presented in Appendices B and C.”

The flow rates used in the design and hydraulic analysis originated from the MDDP report and SWMM modeling files. **Table 3**, below, presents a summary of design flows for the major design storms at various design points.

Table 3: Sand Creek Flow Rates

SAND CREEK FLOW RATES								
Location	Station	Flow Rate (cfs)						
		2-YR	5-YR	10-YR	25-YR	50-YR	100-YR Design	100-YR FIS
Northern Bndy	STA: 87+10	149.3	472.6	771.4	1012.8	1386.3	1644.1	2600
SRMD Pond 2	STA: 73+50	149.6	477.2	780.5	1025.8	1405.3	1667.0	2600
Briargate Pkwy	STA: 61+00	146.5	512.4	847.5	1108.9	1497.6	1763.9	2600
	STA: 36+05	143.9	533.2	890.8	1171.0	1589.8	1880.4	2600
SRMD Pond 1	STA: 16+80	133.7	512.3	863.8	1143.6	1561.3	1848.8	2600
Sterling Ranch Road	STA: 09+05	101.6	398.7	676.7	931.2	1282.9	1562.5	2600
Sterling Ranch Southern Bndy	STA: 00+00	128.6	480.4	763.8	1005.4	1368.3	1585.2	2600

C. Hydraulic Criteria

The Federal Highway Administration’s (FHWA) HY-8 Culvert Analysis Program (Build 7.50 July 28, 2016) was utilized to size the proposed outfall culvert for Pond W-3. The culvert analysis uses a trapezoidal channel section as tailwater to generate a tailwater depth for the analysis, the results of which are imported into SWMM as stage-discharge inputs for the Pond W-3 outfall ratings curve.

To size the outlet structures for the stock ponds, a calculation was done to iteratively determine weir and orifice capacity of various sizes of structure. Once it was determined whether the structure was weir or orifice controlled at each stage, a ratings curve based on head was modeled in SWMM to verify that the structure was large enough to prevent overtopping while still providing the static water surface necessary to maintain the water right for the stock ponds. StormCAD Version 10.03 by Bentley Software was used to size the outfall pipes from the ponds. The impact stilling basins were sized using calculations found in the Mile High Flood District Drainage Criteria Manual, January 2016 Edition.

The U.S. Army Corps of Engineers HEC-RAS program, version 5.0.3 (September 2016) was used to perform the hydraulic analysis. The final design of the Sand Creek channel and proposed culverts at Sterling Ranch Road and Briargate Parkway are modeled in HEC-RAS to evaluate flow conditions, shear stresses, and velocities for the range of flood events for the purposes of assessing drainageway stability. Five models were run to evaluate the channel:

1. The first model was an existing conditions model to evaluate the current topography with the MDDP Amendment hydrology. The existing conditions model used the FEMA cross section locations and resampled the topography based on the most recent survey by JR Engineering. Flows were taken from the above table in order to be able to directly compare the impacts of the ultimate hydrologic conditions to the current state of the channel and to demonstrate the necessity for the proposed improvements.
2. The second model was a low Manning's n analysis of the channel to evaluate shear and velocities along the channel using the MDDP Amendment hydrology in a subcritical flow regime.
3. The third model was a high Manning's n analysis of the channel to evaluate the water surface of the channel using the MDDP Amendment hydrology in a subcritical flow regime.
4. The fourth model was a mixed flow analysis of the low Manning's n shear stress model to design the grouted boulder drop structures.
5. The fifth model was a proposed conditions subcritical, high Manning's n model to evaluate the water surface of the current 100-year FIS flowrate.

For both the existing and proposed hydraulic modeling, the flows at the various design points are shown above in Table 3. Each flow change location represents a design point from the MDDP. As shown, flows accumulate further down the stream as more developed area is included in the basin area. During the major storm event flows pass through the stock pond outlet structures undetained so no additional flow change was needed at the stock pond outlets. Pond W-3 has a release rate to keep flows downstream of the pond lower than existing conditions. The HEC-RAS modeling uses these steady flows, taken from the MDDP.

In order to accurately model the stilling basin outfalls from each of the stock ponds, the vertical outlet structures were modeled as vertical open channel connecting the culverts. During all of the design storms, all of the water is directed through the outlet structure and outfalls into the stilling basin. Since HEC-RAS is unable to incorporate a vertical structure, vertical open channels ensured that all of the water exited the ponds through the stilling basin, and thus was able to accurately calculate a hydraulic jump and size the basins.

During the FIS 100-year flood event, flows overtop the emergency spillway instead of going through the outlet structure. In order to accurately model this scenario, the vertical open channel sections and culverts were removed so that all of the flows were directed down the spillway.

There were 7 different flow rates analyzed for the design based on the MDDP Amendment flows; 2-year, 5-year, 10-year, 25-year, 50-year, 100-year, and ultimately the existing FIS 100-year flows. For each of the flood events, two different scenarios were analyzed. One scenario was evaluated using higher Manning's n values (0.05/Native Grasses; 0.07/Gravel or Cobble Bed; 0.12/Herbaceous Wetlands) in order to calculate the extents of the respective

water surfaces and show them on the plans. A second scenario, with lower Manning's n values (0.032 Native Grasses; 0.035/Gravel or Cobble Bed; 0.06/Herbaceous Wetlands) was also used to more conservatively analyze velocities and shear stresses. These Manning's n values are taken from Table 8-5 of the USDCM.

The downstream boundary for Sand Creek is Section CU approximately 250 feet downstream of the southern property boundary of Sterling Ranch. The downstream boundary condition is taken as normal depth with a channel slope of 0.017 ft/ft for all design storms except the FIS scenario, which uses a known water surface of 6990.04 from the 1996 DBPS at Section CU. The upstream boundary condition for Sand Creek at the southern property boundary of Sterling Ranch is taken as normal depth with a channel slope of 0.018 ft/ft. While the model was extended north to Poco Road, all of the area between the Sterling Ranch property line and Poco Road is considered outside the extents of this study. That portion of channel was previously studied by Classic Engineering in support of their approved channel improvements to Sand Creek along that stretch.

Topographic mapping of the area used in the hydraulic model was done by JR Engineering on the NAD 83 Projection and NGVD29 vertical datum. The survey was used to generate a 1-foot contour interval map. The project is designed on a modified State Plane coordinate system (NAD83 Colorado State Plane, Southern Zone, U.S. Foot) and is on the National Geodetic Vertical Datum of 1929 (NGVD29 datum).

All hydraulic calculations and applicable charts and graphs are included in **Appendix E** of this report.

V. DRAINAGE FACILITY DESIGN

A. General Concept

As development has occurred along Sand Creek within Sterling Ranch, the need to stabilize the creek has increased. The additional development brings additional runoff, further degrading the conditions previously mentioned in the 1996 DBPS. All along the creek there are unstable slopes that left unattended will continue to degrade with the potential to cause damage the surrounding properties. As development continues in the future, the degradation will accelerate as more runoff is added to the creek. Stabilizing the creek now will avoid any future damage to development and ensure the long term health of the creek. Successfully mitigating this portion of stream will ensure it functions hydraulically in the future.

There are 3 main criteria that determined the initial concept. The first was the Preliminary Stream Geomorphology Report performed by 5 Smooth Stones Restoration (5SSR), PLLC in April 2021. The second was our previous experience working with the Army Corps of Engineers (USACE) and their approval process with regards to wetlands disturbances. The third main determinant was with regards to El Paso County's current channel stabilization and hydraulic criteria.

The previous DBPS was completed in 1996. In that span of time the concepts in stream design have evolved. A simple riprap lined trapezoidal channel, as previously suggested would prove to be far more intrusive than the meandering bankfull design that has been adopted along the Front Range in the last decade, and such as design was rejected by the USACE previously for this portion of Sand Creek. The meandering bankfull design is a high performance, low maintenance design. It allows for improved vegetation along the channel for hydraulic roughness and earth stabilization, while still providing proper flood control. The previous DBPS referred to Urban Drainage Flood Control District, now Mile High Flood District (MHFD), for its recommendation of check structures to aid in longitudinal stabilization and prevent headcutting. In the preceding years, MHFD has moved away from the use of vertical check structures in favor of grouted boulder or sculpted concrete drop structures as grade control structures. These structures provide a more aesthetic and long term solution, and most importantly they do not promote erosion and degradation. When the vertical check structures function as designed, they eventually turn into vertical drop structures and all the sediment is carried downstream.

For the purposes of being able to work on portions of the design separately, the channel has been broken up into three separate reaches:

1. Reach 1 is the portion of channel south of Sterling Ranch Road to the southern property line
2. Reach 2 is the portion of channel between Briargate Parkway and Sterling Ranch Road
3. Reach 3 is the portion of channel between the northern property line and Briargate Parkway.

The general concept of the channel design is to design a low maintenance, high performance channel with a meandering bankfull channel and flood terrace. Along each of the three reaches, the design cuts in a new bankfull section offset to the east from the existing thalweg, daylight the flood terrace to west taking care to leave as many existing wetlands intact as possible, and then extend a 1% floodplain to the east between 80 and 120 ft. depending on the cross-sectional channel width necessary to limit shear stresses and allowable velocities to allowable values. The below table provides a summary of the rest of the bankfull and flood terrace design criteria, which was based on the preliminary geomorphology report.

The purpose of trying to keep the existing channel hydraulically connected to the new thalweg is to maintain as many existing wetlands as possible and satisfy the USACE. A previous design effort by others followed more traditional hydraulic engineering principles and resulted in significant loss of wetlands, and this previous design was rejected by USACE. While the County's criteria are certainly a determining factor, considering the need to satisfy the USACE is the highest priority, because without their approval the project won't be granted a 404 permit.

The County review of the previous design by others states that the maximum stable longitudinal slope of the channel is 0.17%. Using this longitudinal slope would have required the use of at least 10 and possibly 15 or more GSB drop structures. This channel slope also ensures the destruction of more wetlands by taking the existing ones offline due to large changes in elevation or additional hardscapes that cannot be mitigated. It is the intent of this design report to prove that a steeper slope can remain stable long term, thus allowing for the preservation of more wetlands and appease the USACE.

B. Specific Details

Sand Creek Channel

Based on the Geomorphic Report, a four stage cross section was recommended for Sand Creek. The four proposed stages are a low flow section, bankfull with an inner berm, flood terrace, and floodplain. The low flow was sized to be 30% of the bankfull area. The low flow has an area of 4.32 sq. ft., with a mean depth of 0.68 feet and a top width of 12.90 feet with a design capacity of 7 cfs.

The bankfull has an area of 14.29 sq.ft., a width of 16.80 ft., and a mean depth of 1.54 ft. The use of an inner berm in the cross section was recommended as a way to quickly and effectively establish vegetation within the bankfull. This bankfull section was determined using regional curve information and existing site conditions, with a design capacity of 29 cfs. This is smaller than a bankfull based on county criteria which would have a required minimum capacity of approximately 180 cfs based on 10% of the 100-year design storm or 150 cfs based on the 2-year storm. Please refer to the Variance section for further discussion of this deviation.

The flood terrace is 65.4 feet wide with a depth of 1 foot and 1% cross slope. The flood terrace has been sized to convey the 2-year storm (150 cfs±). Events larger than the 2-year storm begin to expand out into the full extents of the floodplain. Using a smaller bankfull section ensures that the channel doesn't eventually cut its own low flow channel into what would have been a much larger bankfull section. The straight riffle sections of channel have a maximum grade of 3.18%, while the curved sections with the scour pools are flat from invert in to invert out. Maximum velocities in the channel were limited to 9 ft/s during the 100-year storm and 7 ft/s

during the 10-year storm, except when going over drop structures.

Per the geomorphic report, the floodplain design assumes that vegetation along each reach can provide stability up to an applied shear stress of 1.2 lb/sq.ft. The report also recommended the following treatment methods based on shear stress are listed below:

- 0 to 1.0 lb/sq. ft. – Treatment seed and straw with riparian plantings
- 1.1-1.4 lb/sq. ft. - Treatment floodplain coir matting/ seed and straw with riparian plantings
- 1.5 and 2.0 lb/sq. ft - Treatment floodplain boulder/log sills, floodplain coir matting/ seed and straw with riparian plantings
- 2.0-4.0 lb/sq. ft. – Treatment floodplain vegetated riprap, floodplain coir matting/ seed and straw with riparian plantings

Permanent geotextile solutions are proposed in areas with shears above 4.0 lb/sq. ft or Froude numbers approaching critical as a cost effective way to permanently armor large areas while achieving sheer stresses up to 6 lb/sq.ft, which is high enough to adequately protect any areas of the overbanks that are above 1.5 lb-ft. While modeling the channel, excessive velocities and shears within the riffle sections were ignored since those areas already be armored with void-filled riprap. Soil lifts were added around the outer bend of all the bankfull curves to reinforce the scour pools. Ultimately, the goal is to have vegetation established within the inner berm section all the way out to the extents of the floodplain to provide vegetative resistance to reduce velocities and shear stresses within the channel and ensure a permanently stable, albeit steeper channel.

There are 8 grouted boulder drop structures proposed within the channel. There is a 3.5' drop and a 1.5' drop proposed in Reach 1 at station 3+71 and 8+19, respectively. Along Reach 2 there is a 6' drop at station 41+71 , a 4' drop at station 50+06, and a 5' drop at station 53+56. Along Reach 3 there is a 5' drop at station 71+30 going into SRMD Pond #2, a 6' drop at station 74+89, and a 4.3' drop at station 78+00. The use of drops larger than 4' was done in order to maintain grades close to existing so that the existing thalweg could remain connected. All of the GSB's use a typical design across the flood terrace. For simplicity, the inner berm is not present through the drop, so only a single stage trapezoidal low flow section is used. Once outside of the flood terrace, the vertical drop of the GSB drop structure is blended into the overall channel cross-sectional width and varying longitudinal slopes of 1% to 15% are used across the channel, with soil-riprap armament and vegetative cover as required and based on shear stresses and velocities. Sheet piling with a concrete cap has been extended across the crest of the drop the full width of the FIS floodplain. Weep drains will be used to prevent any uplift or groundwater migration.

The proposed design calls for 66 riffle drops; 9 along Reach 1, 38 along Reach 2, and 19 along Reach 3. The riffles vary in length and slope in order to minimize wetlands disturbances created by grade changes. The geomorphic report called for 100 – 1 foot drop riffle pools in lieu of drop structures. The use of riffles to make up grade differences rather than more drop structures is preferable because it allows for flatter slopes to tie the riffle sections to the existing ground. Revising the longitudinal slope of the channel in order to eliminate supercritical areas necessitated the use of 8 drops, rather than the previously proposed 6. Design calculations for all of the GSBs have been provided in Appendix C.

Along with the channel improvements, two road crossings are also proposed for this project at Sterling Ranch Road and Briargate Parkway. Both of the crossings were designed by others, but are included in the CLOMR request. The crossing at Briargate Parkway is a metal arch culvert 43' wide by 26'-4" tall, it is referred to by Contech as a Bridgecor Single Radius Arch. Upstream of the culvert is a series of 2 concrete drops. The crossing at Sterling Ranch Road is referred to by Contech as a Bridgecor Steel Box Culvert but it has the shape of an arch with multiple radii, a width of 38'-1", and a height of 11'-11". The embankment for the regional

pond is located directly upstream of the roadway crossing.

Per County criteria, maintenance access has been provided along the entire stretch. A 15’ wide gravel trail will serve as the main access along both sides of the channel. At key infrastructure such as drop structures and ponds, spur trails have been provided to gain access to both the upstream and downstream areas of the structures. Since development is occurring on both sides of the stream, construction of the trails will occur along with different developments. The portions of the trail that will be built with this project are along the entire east side of the creek from the southern property line to the northern property line, as well as along the western side of the creek between Sterling Ranch Road and Briargate Parkway.

Table 1. Sand Creek Design Matrix

Sand Creek Design Matrix		
	Limit	Proposed
El Paso County Criteria		
Maximum Depth outside of Bankfull Channel	5 ft	4.88 ft
Maximum Velocity 100-YR excluding drops	9 ft/s	8.10 ft/s
Maximum Velocity 5-YR excluding drops	7 ft/s	6.21 ft/s
Minimum Bankfull Capacity	180 cfs	29 cfs (150 cfs Floodterrace)
Maximum Side slopes - grass lined	4:01	4:01
Maximum Side slopes - grouted boulder	2.5:1	4:01
Minimum Bottom Width	8 ft	2.4 ft
Centerline radius - Bankfull	2.5x BF Width	2.5-3.5x BF Width
Maximum GSB Drop Height	4'	6'
Maximum GSP Drop Height with add't testing and seepage	12'	6'
Non-Jurisdictional Maximum Ponding Height	10'	10'
15' Maintenance Trail	Yes	Yes
Maintenance access provided	Yes	Yes
City of Colorado Springs Criteria		
Maximum Longitudinal Slope	0.17%	3.18%
Froude No 100-YR - main channel	0.8	0.9
Froude No 5-YR - main channel	0.7	0.8
MHFD Criteria		
Mannings <i>n</i> value - water surface evaluation (native grass/cobble bed/herbaceous wetlands)	0.05/0.07/0.12	0.05/0.07/0.12
Mannings <i>n</i> value - shear evaluation (native grass/cobble bed/herbaceous wetlands)	0.032/0.035/0.06	0.032/0.035/0.06
Geomorphologist Criteria		
Maximum Shear Stress, 100-YR main channel excluding drops/culverts	1.2 lb/sf	2.24 lb/sf
Permissible Shear Stress – Vegetated		1.4 lb/sf
Permissible Shear Stress – Coir Mat		4.0 lb/sf
Permissible Shear Stress – Geotextile		6.0 lb/sf

Table 2. Bankfull/Flood Terrace Design Criteria

Bankfull Channel	Width; ft	16.9		
	Mean Depth; ft	0.85		
	Max Depth; ft			
	Area; sqft	14.0		
	Bend to Bend Spacing; ft	4.5 -6 times Bankfull Width	76	101
	Radius of Curvature (ROC); ft	2.5 - 3.5 times Bankfull Width	42	59
	Tangent Lengths; ft	1.5 - 2.5 times Bankfull Width	25	42
	Meander Wavelength; ft	9- 12 times Bankfull Width	152	203
	Meander Beltwidth; ft	2 - 3.5 times Bankfull Width	34	59
Flood Terrace	Width; ft	64.5		
	Area (300% of Bankfull Area); sqft			
	Bend to Bend Spacing; ft	Same as Bankfull Pattern	--	--
	Radius of Curvature; ft	2 - 4 times the Flood Terrace Width	129	258
	Tangent Riffle Lengths; ft	1 - 2 times the Bankfull Width	17	34
	Meander Beltwidth; ft	1.5 - 2 times the Flood Terrace Width	97	129
	Expansion and Contraction Ratios	greater than 10:1	--	--

Discussion of Existing Conditions Hydraulic Results

In the existing conditions model, Reach 1 had velocities ranging from 4.33 ft/s to 5.72 ft/s and 6.87 ft/s to 8.45 ft/s in the 5-year and 100-year storms, respectively. Froude numbers along Reach 1 were approaching or at supercritical levels in both storms for the majority of cross sections. Reach 2 had velocities ranging from 0.47 ft/s to 7.79 ft/s and 1.25 ft/s to 9.78 ft/s in the 5-year and 100-year storms, respectively. Froude numbers along Reach 2 were approaching or at supercritical levels in both storms for the majority of cross sections. Reach 3 has velocities ranging from 0.94 ft/s to 6.32 ft/s and 1.87 ft/s to 8.79 ft/s for the 5-year and 100-year storms, respectively. Froude numbers along Reach 3 are supercritical across multiple of the cross sections. Shear stresses along Reach 1 range from 0.01 lb/sq ft to 7.10 lb/sq ft, Along Reach 2 range from 0.14 lb/sq ft to 1.95 lb/sq ft, and along Reach 3 range from 0.48 lb/ sq ft to 1.68 lb/sq ft. Results from the Existing Conditions HEC-RAS modeling can be found in **Appendix B**.

Discussion of Proposed Conditions Hydraulic Results

Based on the hydraulic analysis for shear stress and velocity, Reach 1 has velocities ranging from 0.81 ft/s to 10.16 ft/s. Outside of the drop structures, no cross section had velocities above 5.51 ft/s. Shear stresses along Reach 1 range from 0.01 lb/sq ft to 10.35 lb/sq ft (at the drop structure). The shear stresses along Reach 1 are consistently higher than the 1.2 lb/sq ft as suggested in the geomorphology report within the bankfull section and around the drop structures, but these areas are going to be armored already. There are no areas within the overbanks that have high shear stresses, so no areas in this reach will require additional armoring in the overbank sections. Froude numbers along Reach 1 are all subcritical except within the drop areas. Cross sections 1804 – 2046 represent the area downstream of the proposed bankfull to the property boundary. As the channel begins to narrow and sharply turn 90 degrees towards the property line, the channel goes supercritical in most storm events at Section 1804 which lies along an existing maintenance trail. The presence of dense vegetation upstream and downstream of the property line shows that this portion of channel is stable. There is a possibility that overtime this area might become unstable, in which case it might be nessasary to widen the channel so that the channel does not take an abrupt 90 degree turn into its most narrow section. With the channel being on private property downstream of Sterling Ranch, any channel improvements requiring grading near the property line are currently unfeasible. To help control erosion in this portion of channel, a sheetpile with concrete cap will be placed just upstream of the property line. Bank stabilization along the east bank will aid in erosion control until channel improvements downstream of Sterling Ranch can be undertaken. Additionally, geotextile will be used between the end of the proposed improvements and the bounary within the existing channel banks to help vegetation establish and prevent erosion until future grading changes can be

made to the channel around the southern boundary.

Based on the hydraulic analysis for shear stress and velocity, Reach 2 has velocities ranging from 0.99 ft/s to 10.62 ft/s. There are no areas of high velocities outside of the drop structures. Shear stresses along Reach 2 range from 0.77 lb/sq ft to 11.24 lb/sq ft, with the highest values occurring through the drop structures. The shear stresses along Reach 2 are, except for a few areas, lower than 1.2 lb/sq. ft. and will not require any significant armoring. Froude numbers along Reach 2 are all subcritical outside of the drop structures. One area of concern is the area downstream of the Briargate culvert, to the first drop structure approximately 300 feet downstream. Due to the wingwalls and the grading coming out of the culvert, the channel is narrower than necessary to produce low velocities and shear stresses. As seen in the design by Kiowa for the area downstream of the culvert, the first 40 feet of channel coming out of the culvert will all have soil riprap to help armor the channel to their proposed concrete check structure. Approximately 120' downstream of the check structure is where the meandering bankfull will begin. The channel floodplain does not begin to expand until downstream of GSB #5, so the entire area between the culvert and GSB experiences high shear stresses, and will require reinforcement from geotextile matting.

Based on the hydraulic analysis for shear stress and velocity, Reach 3 has velocities ranging from 0.24 ft/s to 15.54 ft/s. The areas of high velocities occur at the drop structures and culverts. Shear stresses along Reach 3 range from 0.01 lb/sq ft to 5.64 lb/sq ft. The shear stresses along Reach 3 are, except for a few areas, lower than 1.2 lb/sq. ft. and will not require any significant armoring. Froude numbers along Reach 3 are all subcritical. Results from the Proposed Conditions HEC-RAS modeling can be found in **Appendix C**.

Pond W-3

The MDDP Amendment hydrology confirmed that a Regional Detention Pond (Pond W-3) at Sterling Ranch Road will be required to reduce 100-year flows to less than existing conditions. Based on the revised hydrology in the MDDP Amendment, the pond is approximately 51.27 ac-ft., which is a considerable reduction in size from the previously proposed 76 ac-ft. pond in the 2018 MDDP. Conceptually, the pond will function similarly to how it was proposed in the MDDP. The county prohibits ponding at roadways, so the pond has to outfall before it reaches the proposed culvert crossing at Sterling Ranch Road. The proposed outfall will consist of a 3-barrel (2-13'x4', 1-13'x2') box culvert approximately 40 feet north of the road, with an overflow spillway that extends to the wingwalls of the road culvert, essentially creating one contiguous structure, while still avoiding ponding along the road and allowing flows to pass through the road culvert with freeboard. The smaller center barrel has an invert 0.5' lower than the outer barrels to maintain a low flow channel, while the outer barrels will be used in higher flow events. The overflow weir is approximately 288 feet long. In order to avoid being classified as a jurisdictional dam the overflow weir was set at 10 feet above the invert with a crest elevation of 7011.17. A sheet pile wall with a concrete cap will provide reinforcement for the berm. At the invert of the culvert a 1.5' deep plunge pool will help dissipate energy before entering the culvert at Sterling Ranch Road. The section of Sand Creek running through Pond W-3 is a meandering, 17 foot wide, 0.71 foot deep trapezoidal low-flow channel with 1.0% floodplain slopes out to the toe of the pond. Due to the outlet control structure it wasn't possible to incorporate the typical 4 stage section used along the rest of the channel without compromising the pond depth and pond volume. Using a 0.50% cross slope in the pond bottom will allow wetlands to establish easier within the pond. With the upstream SRMD Pond #1 controlling flows during most storm events, Pond W-3 will rarely be used for flood control.

SRMD Pond 1

The large stock pond approximately 700 feet north of Sterling Ranch Road will remain in place with the stream improvements and is now defined as SRMD Pond 1. Previously, the pond was designated as "Waters of the U.S." and Sterling Ranch Metropolitan District was granted a water right to use the pond as storage for

irrigation runoff, so it was decided that the best design would be to include the pond in the channel, rather than trying to modify its dimensions or route flows around it. The water right for the stock pond was previously determined to be a volume of 12.25 ac-ft with a surface area of 109,612 sq.ft. Since the pond's dimensions are not proposed to be modified, the water right will remain intact.

The existing stock pond has a berm elevation of 7040, which is 39 feet above the proposed invert of the culvert at Sterling Ranch Road. Using a series of drop structures would require, at a minimum, 4-10' tall drops to achieve this grade, a series of 7 drops to get to the toe of slope, or a single concrete/grouted boulder spillway from top to toe of slope. Stepping the drops would require a longer longitudinal profile which would in turn take away area from Pond W-3. The existing channel flows around the west side of the pond downstream to Sterling Ranch Road. Given the proposed development west of Sand Creek, there is no possibility to expand the channel west in this area, and so this would end up being the most constricted portion of channel.

The proposed solution to conveying water through the stock pond and also making up 39' of vertical drop was to design an outlet structure for water to discharge out of the stock pond and into Pond W-3. Using an outlet structure allows for a static water surface in the pond that maintains SRMD's water right to the pond. In minor and major storm events, water ponds up to the static WSEL of 7036, where it will outfall into a 25'x25' square orifice. Water flows through the 12'x10' RCBC outfall pipe and discharges into a grouted boulder impact stilling basin. Flows leave the impact basin and are conveyed to the Pond W-3 outfall via low flow channel. In the event of flows above the 100-year design storm or an emergency situation, flows will overtop the existing berm and down an emergency spillway to Pond W-3. The overflow spillway will be approximately 300 feet long. To reinforce the spillway, a sheetpile cutoff wall with a concrete cap will be incorporated into the design. Due to the fact that this spillway will be an online feature within the channel, it will be armored using a geotextile fabric able to withstand the FIS flow rate.

Due to the height from the toe of slope to the spillway crest, SRMD Pond 1 has been classified as a Jurisdictional Dam with the Dam ID 100600. In the event of a breach the dam would spill directly into Pond W-3, which is sized to contain the flows. Because of this, the dam is classified as a no-hazard dam.

SRMD Pond 2

Upstream of Briargate Parkway there are two existing stock ponds. The smaller of the two ponds will be removed with the stream restoration, while the larger pond will remain and is now referred to as SRMD Pond 2. Previously, the larger pond was designated as "Waters of the U.S." and Sterling Ranch Metropolitan District was granted a water right to use the pond as storage for irrigation runoff, so it was decided that the best design would be to include the pond in the channel, rather than trying to route flows around it. The water right for the stock pond was previously determined to be a volume of 4.29 ac-ft with a surface area of 53,720 sq.ft. While the pond's grading will be modified, the volume and surface area of the pond will not change, so the water right will remain intact.

The existing stock pond has a berm elevation of 7121, which is 20 feet above the toe of slope. The existing channel routes around the west side of the pond, while the pond discharges using a 24" RCP culvert. Using a series of 3 drop structures to route the exiting channel around the pond and down to the proposed channel would end up pushing the toe of slope further downstream and destroying more wetlands. Given the proposed development west of Sand Creek, there is no possibility to expand the channel west in this area while leaving the stock pond intact resulting in an extremely narrow channel that would need to be fully lined to handle the higher shears and velocities. The pond itself would also need to be shifted east and the footprint would need to be modified. Given that the pond was designated as "Waters of the U.S.", any major changes to the pond could result in significant approval hurdles.

Similar to Existing Stock Pond 1, the proposed solution to conveying water through the stock pond and also

making up 20' of vertical drop was to design an outlet structure for water to discharge out of the stock pond and into the downstream channel. Using an outlet structure allows for a static water surface in the pond that maintains SRMD's water right to the pond. In minor and major storm events, water ponds up to the static WSEL of 7117.75, where it will outfall into a 25'x25' square orifice. Water flows through the 10'x10' RCBC outfall pipe and discharges into a grouted boulder stilling basin. Flows leave the stilling basin and are conveyed south via the Sand Creek Channel. In the event of flows above the 100-year design storm or an emergency situation, flows will overtop the existing berm and down an emergency spillway to the downstream channel. The overflow spillway will be approximately 200 feet long. To reinforce the spillway, a sheetpile cutoff wall with a concrete cap will be incorporated into the design. Due to the fact that this spillway will be an online feature within the channel, it will be armored using a geotextile fabric able to withstand the FIS flow rate.

Due to the height from the toe of slope to the spillway crest, SRMD Pond 2 has been classified as a Jurisdictional Dam with the Dam ID 100601. In the event of a breach the dam would spill directly into the Sand Creek channel, which is sized to contain the flows. Because of this, the dam is classified as a no-hazard dam.

C. Wetlands

The existing Sand Creek channel has wetlands present along the entire portion within Sterling Ranch. With Sand Creek being an ephemeral stream, and development on both sides of it incomplete, there are not base flows present for many parts of the year. Wetlands are confined to areas mostly within the existing bankfull channel and around the existing stock ponds. With the goal of the proposed channel design to keep the existing thalweg intact wherever possible, it is anticipated that portions of these wetlands will remain intact.

The wetlands along Sand Creek were previously delineated with a total area of 16.29 acres, which does not include areas that will be disturbed from the proposed roadway culverts at Sterling Ranch Road and Briargate Parkway. Of these 16.29 acres, 10.68 acres will be disturbed. Disturbed wetlands are described as any area where improvements occur that causes change in finished grade of the wetland or where vegetation cannot be re-established. Of these disturbances 7.06 acres will be re-established as part of the mitigation plan. Of the 16.29 acres of on-site wetlands, 7.04 acres will be either be preserved or enhanced. Preserved wetlands are defined as areas that may or may not have been improved, but whose finished grade has not changed, while enhanced wetlands will see no disturbances in grade, but will have addition riparian plantings.

There are no designated off-channel mitigation areas within Sterling Ranch. With the design of a 64.5' wide, 1% grade flood terrace as well as a 1% grade floodplain ranging from 100 to 500 feet, it is expected that all of the proposed flood terrace and floodplain will be mitigation area. Areas where existing wetlands are impacted but will remain will either be enhanced or re-established. The only areas not expected to be utilized for mitigation are areas of steep slopes or areas around the drop structures where grouted boulders will be placed. As development occurs and runoff increases, groundwater migration will be able to support wetland vegetation across the floodplains, while runoff from adjacent developments will also aid in the support of wetlands in the channel. Mitigation is currently proposed on-site along the entire stretch of the channel. There will be 26.18 acres of newly established wetlands. Along with the re-established wetlands, as well as the preserved and enhanced existing wetlands, a total area of 40.27 acres of mitigation is proposed for the site, giving a mitigation to permanent loss ratio of 3.77. Aiming for a ratio above 1 to 1 allows for the possibility that not all the floodplain will be able to establish wetlands, or that some of the existing ones could become disconnected over time.

D. Future Considerations

Within the Sterling Ranch development there will be more full-spectrum detention ponds constructed as development progresses. All of these ponds are expected to contribute base flows to Sand Creek within Sterling

Ranch. Of those currently proposed, Pond FSD14A, which is located along Sterling Ranch Road just east of Pond W-3, FSD11B, which is located east of Sand Creek along the southern property line, Pond W-5, located just north of Aspen Meadows, as well as Ponds A, B, and C from the Homestead North development are expected to outfall directly into the channel. Future pond outfalls will need to account for the channel tailwater and provide erosion protection.

The privately owned portion of Sand Creek between the Sterling Ranch property boundary and the Aspen Meadows development remains in its existing condition, which are shown to be stable. Aerial photography and on-site investigations shows that this area has dense vegetation. A check structure and slope stabilization at the property boundary will help slow erosion downstream of the project, but ultimately channel improvements similar to ones proposed with Sterling Ranch or Aspen Meadows could be necessary to ensure the long term stability of the channel through this reach. At this time, this portion of Sand Creek is on private property and no improvements are expected. Monitoring of the channel will determine if and when improvements to this portion of the channel will need to be made. Any maintenance required for this portion of channel will be the responsibility of the Metro District as part of the approved maintenance agreement.

The portion of Sand Creek north of the proposed Sterling Ranch channel improvements up to Poco Road is part of the Retreat at Timber Ridge project by Classic Engineering. Design and analysis of Sand Creek in that section was completed and approved as part of that project. The results from that design show that the design is stable. The on-site investigation as part of the Timber Ridge design shows that the channel is in fact stable with dense vegetation. Adjacent to Sand Creek along the west side running from the norther property boundary to Poco Road is the Homestead North development being designed by JR Engineering. As part of that project, bank stabilization along Sand Creek will be required with the construction of the proposed maintenance trail. This bank stabilization occurs with the Sand Creek Restoration project when the entirety of the maintenance trail is constructed. This section of channel will require monitoring to ensure no erosion is occurring. Additional bank stabilization along the east bank may be necessary if erosion starts occurring.

E. Permitting

The 404 permitting for Sand Creek will be handled by Bristlecone Ecology. Prior to construction, a floodplain development permit from Pikes Peak Regional Building Department will be required. A CLOMR will also be completed through FEMA prior to final approval of the plans. Applications for the two stock ponds to be Jurisdictional Dams from the State engineer will also be approved prior to final approval of the plans. Once all of the channel improvements along Sand Creek within Sterling Ranch have been completed, a LOMR will be submitted.

VI. VARIANCES (DEVIATIONS)

Multiple variances from the County design criteria are requested as part of the design of the channel and hydraulic structures along it. The first change is the size of the low flow. Section 6.9.2 of the County criteria states that the low flow channel should be sized for either the 2-year storm or as previously stated, as low as 10% of the 100-year storm, which in this case would be approximately 150 cfs and 180 cfs, respectively. The proposed design uses a low flow capacity of 7 cfs, while the bankfull has a capacity of 29 cfs, and the flood terrace was sized to handle the 2-year event, which is approximately 150 cfs along this reach. After consulting with the geomorphologist it was decided that a narrower low flow section would be preferable. Base flows in this portion of Sand Creek are a fraction of the required low flow capacity and the required low flow channel would be far larger than necessary to deal with the base flows, eventually leading the channel to cut its own low flow section for base flows. By using a narrower multi-stage section within the bankfull, dense vegetation can establish itself, particularly along the inner berm. Instead of the bankfull being sized for the larger events, the flood terrace has been sized to convey the two year storm. The frequency that the flood terrace sees inundation will also allow for

denser vegetation within the flood terrace extents. Since the bankfull will be carrying a smaller proportion of the larger events, the floodplain is wide enough to ensure that flow depth remains low outside of the flood terrace. Shear stresses in the overbanks are low enough that seeding and riparian plantings will be sufficient to withstand the high flow events, with only a few areas requiring more substantial treatment.

The second variance requested is the maximum allowable shear stress. MHFD USDCM Volume 1 criteria states that the maximum allowable shear stress for vegetated channels is 1.2lb/sq. ft. Based on recent design experiences along the Front Range, the geomorphologist provided us with a wider range of allowable shear stresses. Up to 1.0 lb/sq. ft. would just need treatment seed and straw with riparian plantings. Shears ranging from 1.1-1.4 lb/sq. ft. would need coir matting in addition to the other treatments. For areas between 1.5 and 2.0 lb/sq. ft treatment would require floodplain boulder/log sills in addition to the previously stated treatments. And in areas that are between 2.0-4.0 lb/sq. ft. will require vegetated riprap on top of coir matting and seed and straw with riparian plantings. Based on these ranges, treatments have been revised where necessary to ensure erosion is kept to a minimum.

The third variance requested is the maximum drop height allowed. The County criteria states that the maximum drop height for a grouted boulder drop structure is 4 feet, but can go up to 12 feet if approved by the County engineer. Five of the eight drop structures range between 4 and 6 feet in height. Calculations have been provided to show that the structures are capable of handling the velocities and shears present on the structure. Weep drain plans have also been provided to show how the taller structures will mitigate seepage and avoid any uplift of the structures. Prior to final design, soil borings were also taken at the locations for 6 of the 8 structures. The soil borings showed that the bedrock is shallow enough to allow a sheetpile to be sunk all the way to bedrock at all of the drop structure locations.

Portions outside the extents of the new channel section, i.e. the channel adjacent to Timber Ridge, and the existing channel from the downstream tie-in to the southern property line were deliberately left in their existing state due to the presence of wetlands vegetation and no need for a new bankfull section. These areas were not held to the same design standards as the constructed portions of channel were. These existing sections may not have radii within criteria, but given they will remain in their existing state and alignment, they would not be required to meet the criteria and thus not requiring a variance.

VII. CONCLUSION

The purpose of this report is to present the final design for the proposed Sand Creek Restoration. The design proposed herein meets the requirements of El Paso County and the city of Colorado Springs unless where stated otherwise. The design proposed in this report complies with the El Paso County Drainage Manual, City of Colorado Springs Drainage Criteria Manual, and the proposed Sand Creek MDDP Amendment, unless where stated otherwise. The proposed Pond W-3 and the revised existing stock ponds will have no adverse effect on stormwater quality, quantity, or timing and will meet the requirements of CRS §37-92-602 (8) for drain time.

The implementation of drainage concepts presented within this report will assure proper conveyance and attenuation of stormwater discharges with no anticipated adverse impacts to Sand Creek downstream infrastructure. The proposed improvements to the channel will not be injurious to water rights and will be in conformance with established decrees.

Any future off-line water quality or detention ponds shall be final-designed under separate drainage studies occurring with each specific development project or capital improvement project, and shall meet all applicable design criteria at the time of final design.

VIII. REFERENCES

1. Channel Design Report – Sand Creek Stabilization at Aspen Meadows Subdivision Filing No. 1, Matrix Design Group, February 2020.
2. City of Colorado Springs Drainage Criteria Manual Volume 1, City of Colorado Springs, CO, May 2014.
3. El Paso County Drainage Criteria Manual Volume 1, El Paso County, CO, June 2021.
4. Final Drainage Report for Retreat at Timberridge Filing No. 1, Classic Consulting, June 2020.
5. Sand Creek Drainage Basin Planning Study, Stantec, January 2021.
6. Sand Creek MDDP Amendment, JR Engineering, September 2022.
7. Sand Creek Channel Stabilization Project - General Guidelines for Geomorphic Assessment / Design and Performance Standards, 5 Smooth Stones Restoration PLLC, April 2021.
8. Subsurface Soil Investigation – Sterling Ranch Sand Creek Improvements, Entech Engineering Inc, April 2022.
9. Urban Storm Drainage Criteria Manual Volume 1, Mile High Flood District, Latest Revision.

Appendix A
Figures and Exhibits

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The **projection** used in the preparation of this map was Universal Transverse Mercator (UTM) zone 13. The **horizontal datum** was NAD83, GRS80 spheroid. Differences in datum, spheroid, projection or UTM zones zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the **North American Vertical Datum of 1988 (NAVD88)**. These flood elevations must be compared to structure and ground elevations referenced to the same **vertical datum**. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov/> or contact the National Geodetic Survey at the following address:

NGS Information Services
NOAA, NIMS12
National Geodetic Survey
SSMC-3, #9202
1315 East-West Highway
Silver Spring, MD 20910-3282

To obtain current elevation, description, and/or location information for **bench marks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.

Base Map information shown on this FIRM was provided in digital format by El Paso County, Colorado Springs Utilities, and Anderson Consulting Engineers, Inc. These data are current as of 2008.

This map reflects more detailed and up-to-date **stream channel configurations and floodplain delineations** than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study Report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map. The profile baselines depicted on this map represent the hydraulic modeling baselines that match the flood profiles and Floodway Data Tables if applicable, in the FIS report. As a result, the profile baselines may deviate significantly from the new base map channel representation and may appear outside of the floodplain.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.

Contact **FEMA Map Service Center (MSC)** via the FEMA Map Information eXchange (FIRM) 1-877-336-2627 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. The MSC may also be reached by Fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov/>.


If you have **questions about this map** or questions concerning the National Flood Insurance Program in general, please call **1-877-FEMA MAP (1-877-336-2627)** or visit the FEMA website at <http://www.fema.gov/business/nfp>.

El Paso County Vertical Datum Offset Table

Flooding Source	Vertical Datum Offset (ft)

REFER TO SECTION 3.3 OF THE EL PASO COUNTY FLOOD INSURANCE STUDY FOR STREAM BY STREAM VERTICAL DATUM CONVERSION INFORMATION


Panel Location Map



This Digital Flood Insurance Rate Map (DFIRM) was produced through a Cooperating Technical Partner (CTP) agreement between the State of Colorado Water Conservation Board (CWCB) and the Federal Emergency Management Agency (FEMA).



Additional Flood Hazard information and resources are available from local communities and the Colorado Water Conservation Board.



NOTE: MAP AREA SHOWN ON THIS PANEL IS LOCATED WITHIN TOWNSHIP 12 SOUTH, RANGE 65 WEST, AND TOWNSHIP 13 SOUTH, RANGE 65 WEST.

LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHAS) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equalled or exceeded in any given year. The Special Flood Hazard Area is the area subject, to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

- ZONE A** No Base Flood Elevations determined.
- ZONE AE** Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area Formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE A99** Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE
The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS
ZONE X Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

OTHER AREAS
ZONE X Areas determined to be outside the 0.2% annual chance floodplain.
ZONE D Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS
OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

- Floodplain boundary
- Floodway boundary
- Zone D Boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths or flood velocities.
- (EL 987) Base Flood Elevation value where uniform within zone; elevation in feet*

* Referenced to the North American Vertical Datum of 1988 (NAVD 88)


- Cross section line
- Transsect line
- 57° 07' 30.00" 32° 22' 30.00" Geographic coordinates referenced to the North American Datum of 1983 (NAD 83)
- 4750000N 1000-meter Universal Transverse Mercator grid ticks, zone 13
- 6000000 FT 5000-foot grid ticks; Colorado State Plane coordinate system, central zone (EPSG:3023), Lambert Conformal Conic Projection
- DX5510 Bench mark (see explanation in Notes to Users section of this FIRM panel)
- M1.5 River Mile

MAP REPOSITORIES
Refer to Map Repositories list on Map Index
EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP
MARCH 17, 1997

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL
DECEMBER 7, 2018 - to update corporate limits, to change Base Flood Elevations and Special Flood Hazard Areas, to update map format, to add roads and road names, and to incorporate previously issued Letters of Map Revision.

For community map revision history prior to countywide mapping, refer to the Community Map History Table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.



NFIP **PANEL 0533G**

FIRM
FLOOD INSURANCE RATE MAP
EL PASO COUNTY, COLORADO
AND INCORPORATED AREAS

PANEL 533 OF 1300
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
EL PASO COUNTY, CITY OF	08060	0533	G
EL PASO COUNTY	08059	0533	G

Notice to User: The Map Number shown below should be used when placing map orders. The Community Number shown above should be used on insurance applications for the subject community.

MAP NUMBER
08041C0533G

MAP REVISED
DECEMBER 7, 2018
Federal Emergency Management Agency

NOTES TO USERS

This map is for use in administering the National Flood Insurance Program. It does not necessarily identify all areas subject to flooding, particularly from local drainage sources of small size. The community map repository should be consulted for possible updated or additional flood hazard information.

To obtain more detailed information in areas where **Base Flood Elevations (BFEs)** and/or **floodways** have been determined, users are encouraged to consult the Flood Profiles and Floodway Data and/or Summary of Stillwater Elevations tables contained within the Flood Insurance Study (FIS) report that accompanies this FIRM. Users should be aware that BFEs shown on the FIRM represent rounded whole-foot elevations. These BFEs are intended for flood insurance rating purposes only and should not be used as the sole source of flood elevation information. Accordingly, flood elevation data presented in the FIS report should be utilized in conjunction with the FIRM for purposes of construction and/or floodplain management.

Coastal Base Flood Elevations shown on this map apply only landward of 0.0' North American Vertical Datum of 1988 (NAVD88). Users of this FIRM should be aware that coastal flood elevations are also provided in the Summary of Stillwater Elevations table in the Flood Insurance Study report for this jurisdiction. Elevations shown in the Summary of Stillwater Elevations table should be used for construction and/or floodplain management purposes when they are higher than the elevations shown on this FIRM.

Boundaries of the **floodways** were computed at cross sections and interpolated between cross sections. The floodways were based on hydraulic considerations with regard to requirements of the National Flood Insurance Program. Floodway widths and other pertinent floodway data are provided in the Flood Insurance Study report for this jurisdiction.

Certain areas not in Special Flood Hazard Areas may be protected by **flood control structures**. Refer to section 2.4 "Flood Protection Measures" of the Flood Insurance Study report for information on flood control structures for this jurisdiction.

The **projection** used in the preparation of this map was Universal Transverse Mercator (UTM) zone 13. The **horizontal datum** was NAD83, GRS80 spheroid. Differences in datum, spheroid, projection or UTM zones zones used in the production of FIRMs for adjacent jurisdictions may result in slight positional differences in map features across jurisdiction boundaries. These differences do not affect the accuracy of this FIRM.

Flood elevations on this map are referenced to the **North American Vertical Datum of 1988 (NAVD88)**. These flood elevations must be compared to structure and ground elevations referenced to the same **vertical datum**. For information regarding conversion between the National Geodetic Vertical Datum of 1929 and the North American Vertical Datum of 1988, visit the National Geodetic Survey website at <http://www.ngs.noaa.gov/> or contact the National Geodetic Survey at the following address:

NGS Information Services
NOAA, NIMS12
National Geodetic Survey
SSMC-3, #9202
1315 East-West Highway
Silver Spring, MD 20910-3282

To obtain current elevation, description, and/or location information for **bench marks** shown on this map, please contact the Information Services Branch of the National Geodetic Survey at (301) 713-3242 or visit its website at <http://www.ngs.noaa.gov/>.

Base Map information shown on this FIRM was provided in digital format by El Paso County, Colorado Springs Utilities, and Anderson Consulting Engineers, Inc. These data are current as of 2008.

This map reflects more detailed and up-to-date **stream channel configurations and floodplain delineations** than those shown on the previous FIRM for this jurisdiction. The floodplains and floodways that were transferred from the previous FIRM may have been adjusted to conform to these new stream channel configurations. As a result, the Flood Profiles and Floodway Data tables in the Flood Insurance Study Report (which contains authoritative hydraulic data) may reflect stream channel distances that differ from what is shown on this map. The profile baselines depicted on this map represent the hydraulic modeling baselines that match the flood profiles and Floodway Data Tables if applicable, in the FIS report. As a result, the profile baselines may deviate significantly from the new base map channel representation and may appear outside of the floodplain.

Corporate limits shown on this map are based on the best data available at the time of publication. Because changes due to annexations or de-annexations may have occurred after this map was published, map users should contact appropriate community officials to verify current corporate limit locations.

Please refer to the separately printed **Map Index** for an overview map of the county showing the layout of map panels; community map repository addresses; and a Listing of Communities table containing National Flood Insurance Program dates for each community as well as a listing of the panels on which each community is located.


Contact **FEMA Map Service Center (MSC)** via the FEMA Map Information eXchange (FIRM) 1-877-336-2627 for information on available products associated with this FIRM. Available products may include previously issued Letters of Map Change, a Flood Insurance Study Report, and/or digital versions of this map. The MSC may also be reached by Fax at 1-800-358-9620 and its website at <http://www.msc.fema.gov/>.

If you have **questions about this map** or questions concerning the National Flood Insurance Program in general, please call **1-877-FEMA MAP (1-877-336-2627)** or visit the FEMA website at <http://www.fema.gov/business/nfp>.

El Paso County Vertical Datum Offset Table	
Flooding Source	Vertical Datum Offset (ft)

REFER TO SECTION 3.3 OF THE EL PASO COUNTY FLOOD INSURANCE STUDY FOR STREAM BY STREAM VERTICAL DATUM CONVERSION INFORMATION


Panel Location Map



This Digital Flood Insurance Rate Map (DFIRM) was produced through a Cooperating Technical Partner (CTP) agreement between the State of Colorado Water Conservation Board (CWCB) and the Federal Emergency Management Agency (FEMA).



Additional Flood Hazard information and resources are available from local communities and the Colorado Water Conservation Board.



NOTE: MAP AREA SHOWN ON THIS PANEL IS LOCATED WITHIN TOWNSHIP 12 SOUTH, RANGE 65 WEST, AND TOWNSHIP 13 SOUTH, RANGE 65 WEST.

LEGEND

SPECIAL FLOOD HAZARD AREAS (SFHAS) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD

The 1% annual chance flood (100-year flood), also known as the base flood, is the flood that has a 1% chance of being equalled or exceeded in any given year. The Special Flood Hazard Area is the area subject to flooding by the 1% annual chance flood. Areas of Special Flood Hazard include Zones A, AE, AH, AO, AR, A99, V, and VE. The Base Flood Elevation is the water-surface elevation of the 1% annual chance flood.

- ZONE A** No Base Flood Elevations determined.
- ZONE AE** Base Flood Elevations determined.
- ZONE AH** Flood depths of 1 to 3 feet (usually areas of ponding); Base Flood Elevations determined.
- ZONE AO** Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. For areas of alluvial fan flooding, velocities also determined.
- ZONE AR** Special Flood Hazard Area Formerly protected from the 1% annual chance flood by a flood control system that was subsequently decertified. Zone AR indicates that the former flood control system is being restored to provide protection from the 1% annual chance or greater flood.
- ZONE A99** Area to be protected from 1% annual chance flood by a Federal flood protection system under construction; no Base Flood Elevations determined.
- ZONE V** Coastal flood zone with velocity hazard (wave action); no Base Flood Elevations determined.
- ZONE VE** Coastal flood zone with velocity hazard (wave action); Base Flood Elevations determined.

FLOODWAY AREAS IN ZONE AE

The floodway is the channel of a stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without substantial increases in flood heights.

OTHER FLOOD AREAS

ZONE X Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot, or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood.

OTHER AREAS

ZONE X Areas determined to be outside the 0.2% annual chance floodplain.

ZONE D Areas in which flood hazards are undetermined, but possible.

COASTAL BARRIER RESOURCES SYSTEM (CBRS) AREAS

OTHERWISE PROTECTED AREAS (OPAs)

CBRS areas and OPAs are normally located within or adjacent to Special Flood Hazard Areas.

- Floodplain boundary
- Floodway boundary
- Zone D Boundary
- CBRS and OPA boundary
- Boundary dividing Special Flood Hazard Areas of different Base Flood Elevations, flood depths or flood velocities.

513 Base Flood Elevation line and value; elevation in feet* (EL 987)

* Referenced to the North American Vertical Datum of 1988 (NAVD 88)

A-A Cross section line

23-23 Transsect line

97° 07' 30.00" 32° 22' 30.00" Geographic coordinates referenced to the North American Datum of 1983 (NAD 83)

4750000N 1000-meter Universal Transverse Mercator grid ticks, zone 13

6000000 FT 5000-foot grid ticks: Colorado State Plane coordinate system, central zone (FIPSZONE 0502), Lambert Conformal Conic Projection

DX5510 Bench mark (see explanation in Notes to Users section of this FIRM panel)

M1.5 River Mile

MAP REPOSITORIES Refer to Map Repositories list on Map Index

EFFECTIVE DATE OF COUNTYWIDE FLOOD INSURANCE RATE MAP MARCH 17, 1997

EFFECTIVE DATE(S) OF REVISION(S) TO THIS PANEL

DECEMBER 7, 2018 to update corporate limits, to change Base Flood Elevations and Special Flood Hazard Areas, to update map format, to add roads and road names, and to incorporate previously issued Letters of Map Revision

For community map revision history prior to countywide mapping, refer to the Community Map History Table located in the Flood Insurance Study report for this jurisdiction.

To determine if flood insurance is available in this community, contact your insurance agent or call the National Flood Insurance Program at 1-800-638-6620.

MAP SCALE 1" = 1000'

500 0 1000 2000 FEET

300 0 300 600 METERS

PANEL 0535G

FIRM
FLOOD INSURANCE RATE MAP
EL PASO COUNTY,
COLORADO
AND INCORPORATED AREAS

PANEL 535 OF 1300
(SEE MAP INDEX FOR FIRM PANEL LAYOUT)

CONTAINS:

COMMUNITY	NUMBER	PANEL	SUFFIX
COLORADO SPRINGS, CITY OF	08050	0535	G
EL PASO COUNTY	08059	0535	G

Notice to User: The Map Number shown below should be used when placing map orders. The Community Number shown above should be used on insurance applications for the subject community.

MAP NUMBER
08041C0535G

MAP REVISED
DECEMBER 7, 2018
Federal Emergency Management Agency




United States
Department of
Agriculture

NRCS


Natural
Resources
Conservation
Service

A product of the National
Cooperative Soil Survey,
a joint effort of the United
States Department of
Agriculture and other
Federal agencies, State
agencies including the
Agricultural Experiment
Stations, and local
participants


Custom Soil Resource Report for **El Paso County Area, Colorado**



Custom Soil Resource Report Soil Map



Map Scale: 1:46,500 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
8	Blakeland loamy sand, 1 to 9 percent slopes	385.1	6.4%
9	Blakeland-Fluvaquentic Haplaquolls	91.2	1.5%
19	Columbine gravelly sandy loam, 0 to 3 percent slopes	1,196.8	19.9%
40	Kettle gravelly loamy sand, 3 to 8 percent slopes	1,190.9	19.8%
41	Kettle gravelly loamy sand, 8 to 40 percent slopes	1,028.9	17.1%
71	Pring coarse sandy loam, 3 to 8 percent slopes	2,108.3	35.0%
85	Stapleton-Bernal sandy loams, 3 to 20 percent slopes	16.9	0.3%
96	Truckton sandy loam, 0 to 3 percent slopes	2.2	0.0%
Totals for Area of Interest		6,020.4	100.0%


Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.


A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas

Custom Soil Resource Report Map—Hydrologic Soil Group



Map Scale: 1:46,500 if printed on A portrait (8.5" x 11") sheet.



Map projection: Web Mercator Corner coordinates: WGS84 Edge tics: UTM Zone 13N WGS84

Table—Hydrologic Soil Group


Map unit symbol	Map unit name	Rating	Acres in AOI	Percent of AOI
8	Blakeland loamy sand, 1 to 9 percent slopes	A	385.1	6.4%
9	Blakeland-Fluvaquentic Haplaquolls	A	91.2	1.5%
19	Columbine gravelly sandy loam, 0 to 3 percent slopes	A	1,196.8	19.9%
40	Kettle gravelly loamy sand, 3 to 8 percent slopes	B	1,190.9	19.8%
41	Kettle gravelly loamy sand, 8 to 40 percent slopes	B	1,028.9	17.1%
71	Pring coarse sandy loam, 3 to 8 percent slopes	B	2,108.3	35.0%
85	Stapleton-Bernal sandy loams, 3 to 20 percent slopes	B	16.9	0.3%
96	Truckton sandy loam, 0 to 3 percent slopes	A	2.2	0.0%
Totals for Area of Interest			6,020.4	100.0%

Rating Options—Hydrologic Soil Group

Aggregation Method: Dominant Condition

Component Percent Cutoff: None Specified

Tie-break Rule: Higher



KEY MAP

N.T.S.

VICINITY MAP
 STERLING RANCH
 JOB NO. 25188.03
 10/21/2021
 SHEET 1 OF 1




J·R ENGINEERING


A Westrian Company


Centennial 303-740-9393 • Colorado Springs 719-593-2593
 Fort Collins 970-491-9888 • www.jrengineering.com


Appendix B





Sand Creek Existing Conditions Hydraulic Modeling






















































































































HEC-RAS Plan: EX River: Sand Creek Reach: Reach 1-3

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Vel Left (ft/s)	Vel Chnl (ft/s)	Vel Right (ft/s)	Vel Total (ft/s)
Reach 1-3	16415	5-YR	472.60	7230.74	7232.01	7231.97	7232.39	0.014119	112.84	0.96	0.66	0.82		3.25	5.25		4.76
Reach 1-3	16415	100-YR	1644.00	7230.74	7233.06	7233.06	7233.96	0.013371	124.70	1.05	1.41	1.53		5.41	8.04		7.34
Reach 1-3	16415	100-YR FIS	2600.00	7230.74	7233.70	7233.70	7234.91	0.012528	131.92	1.06	1.73	1.89	0.13	6.27	9.35	1.12	8.51
Reach 1-3	15815	5-YR	472.60	7220.56	7222.24	7222.24	7222.78	0.018097	75.74	1.09	1.71	1.04		5.87	5.91		5.90
Reach 1-3	15815	100-YR	1644.00	7220.56	7223.64	7223.64	7224.66	0.013915	101.89	1.07	2.19	1.62		7.22	8.30		8.03
Reach 1-3	15815	100-YR FIS	2600.00	7220.56	7224.38	7224.38	7225.71	0.012801	114.61	1.08	2.41	1.96	0.13	7.79	9.56	1.13	9.12
Reach 1-3	15439	5-YR	472.60	7213.99	7215.43	7215.43	7215.88	0.014281	104.46	0.97		0.86	0.16		5.43	1.26	5.30
Reach 1-3	15439	100-YR	1644.00	7213.99	7216.55	7216.55	7217.32	0.009916	176.92	0.92	0.43	1.27	0.62	2.58	7.46	3.28	6.24
Reach 1-3	15439	100-YR FIS	2600.00	7213.99	7217.11	7217.11	7218.12	0.009740	187.49	0.95	0.64	1.59	0.93	3.39	8.69	4.31	7.10
Reach 1-3	14667	5-YR	472.60	7200.47	7202.62	7202.62	7203.15	0.015229	81.66	1.01	0.29	0.97		1.86	5.83		5.77
Reach 1-3	14667	100-YR	1644.00	7200.47	7204.00	7204.00	7205.07	0.010598	102.02	0.96	0.46	1.53		2.69	8.37		7.98
Reach 1-3	14667	100-YR FIS	2600.00	7200.47	7204.80	7204.80	7206.17	0.009784	106.88	0.97	0.84	1.84		4.03	9.59		8.99
Reach 1-3	13678	5-YR	472.60	7180.91	7185.79		7185.81	0.000100	223.85	0.10	0.01	0.02	0.00	0.58	1.02	0.16	0.86
Reach 1-3	13678	100-YR	1644.00	7180.91	7187.75		7187.80	0.000207	250.50	0.15	0.05	0.07	0.03	1.20	1.98	0.77	1.60
Reach 1-3	13678	100-YR FIS	2600.00	7180.91	7188.71		7188.79	0.000273	255.00	0.18	0.08	0.10	0.05	1.56	2.55	1.11	2.04
Reach 1-3	13466	5-YR	472.60	7177.63	7185.79		7185.80	0.000020	134.19	0.05	0.00	0.01	0.00	0.29	0.77	0.26	0.67
Reach 1-3	13466	100-YR	1644.00	7177.63	7187.71		7187.77	0.000100	144.60	0.12	0.02	0.06	0.02	0.80	2.00	0.81	1.69
Reach 1-3	13466	100-YR FIS	2600.00	7177.63	7188.64		7188.74	0.000174	148.75	0.16	0.05	0.11	0.05	1.16	2.82	1.17	2.34
Reach 1-3	13220	5-YR	472.60	7183.14	7184.93	7184.93	7185.70	0.021012	45.60	1.24	2.01	1.75		6.36	8.17		6.91
Reach 1-3	13220	100-YR	1644.00	7183.14	7186.74	7186.74	7187.60	0.017483	128.83	1.13	2.43	1.45		7.45	7.43		7.44
Reach 1-3	13220	100-YR FIS	2600.00	7183.14	7187.36	7187.36	7188.50	0.017163	144.86	1.18	2.64	1.95		7.89	9.06		8.48
Reach 1-3	13169	5-YR	472.60	7168.00	7172.99		7173.02	0.000119	83.20	0.11	0.02	0.03		0.78	1.39		1.30
Reach 1-3	13169	100-YR	1644.00	7168.00	7175.27		7175.41	0.000391	92.49	0.22	0.11	0.16		1.74	3.15		2.91
Reach 1-3	13169	100-YR FIS	2600.00	7168.00	7176.56		7176.81	0.000551	97.74	0.26	0.17	0.25		2.26	4.12		3.78
Reach 1-3	13113	5-YR	472.60	7170.00	7172.74		7172.98	0.003585	77.44	0.53	0.20	0.38		1.81	3.96		3.77
Reach 1-3	13113	100-YR	1644.00	7170.00	7174.83		7175.33	0.003051	88.65	0.55	0.45	0.66		3.25	5.86		5.51
Reach 1-3	13113	100-YR FIS	2600.00	7170.00	7176.03		7176.70	0.002975	95.13	0.56	0.58	0.82		3.85	6.80		6.36
Reach 1-3	13060	5-YR	472.60	7169.99	7172.41		7172.74	0.004790	60.54	0.63	0.46	0.57		3.03	4.93		4.36
Reach 1-3	13060	100-YR	1644.00	7169.99	7174.37		7175.09	0.005591	81.24	0.73	1.03	1.06		5.09	7.27		6.59
Reach 1-3	13060	100-YR FIS	2600.00	7169.99	7175.54		7176.47	0.005127	88.12	0.73	1.19	1.26		5.68	8.28		7.46
Reach 1-3	13025	5-YR	472.60	7169.60	7171.91	7171.80	7172.47	0.012023	59.90	0.95	0.95	1.06		4.23	6.40		5.76
Reach 1-3	13025	100-YR	1644.00	7169.60	7173.66	7173.46	7174.80	0.009670	72.15	0.95	1.54	1.71		6.07	9.15		8.20
Reach 1-3	13025	100-YR FIS	2600.00	7169.60	7174.67	7174.43	7176.18	0.009199	77.33	0.97	1.86	2.10		6.92	10.56		9.42
Reach 1-3	12980	5-YR	472.60	7168.31	7171.18	7171.18	7171.91	0.012132	51.12	0.97	0.43	1.20		2.50	6.95		6.56
Reach 1-3	12980	100-YR	1644.00	7168.31	7172.96	7172.96	7174.31	0.010710	70.93	1.00	1.10	1.91		4.77	9.68		8.81
Reach 1-3	12980	100-YR FIS	2600.00	7168.31	7173.95	7173.95	7175.71	0.010047	75.20	1.01	1.44	2.32		5.75	11.15		10.06
Reach 1-3	12866	5-YR	472.60	7167.28	7169.19	7169.19	7169.79	0.014765	63.46	1.03	1.07	1.14		4.42	6.51		6.07
Reach 1-3	12866	100-YR	1644.00	7167.28	7170.67	7170.67	7171.79	0.012651	92.35	1.05	1.42	1.75		6.05	8.88		8.25
Reach 1-3	12866	100-YR FIS	2600.00	7167.28	7171.48	7171.48	7172.96	0.011621	96.47	1.05	1.62	2.14		6.66	10.28		9.45
Reach 1-3	12813	5-YR	472.60	7165.88	7168.27		7168.57	0.007979	93.26	0.75	0.66	0.56		3.69	4.49		4.32
Reach 1-3	12813	100-YR	1644.00	7165.88	7169.93		7170.48	0.005136	114.60	0.69	0.63	0.82		4.16	6.24		5.80
Reach 1-3	12813	100-YR FIS	2600.00	7165.88	7171.04		7171.71	0.004117	122.66	0.65	0.70	0.90		4.12	6.88		6.26

HEC-RAS Plan: EX River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Vel Left (ft/s)	Vel Chnl (ft/s)	Vel Right (ft/s)	Vel Total (ft/s)
Reach 1-3	12716	5-YR	472.60	7164.00	7165.96	7165.96	7166.66	0.012322	57.45	0.97	0.24	1.15		1.66	6.72		6.48
Reach 1-3	12716	100-YR	1644.00	7164.00	7167.74	7167.74	7169.10	0.009854	71.04	0.97	0.94	1.88		4.36	9.71		8.77
Reach 1-3	12716	100-YR FIS	2600.00	7164.00	7168.78	7168.78	7170.50	0.009164	81.36	0.97	1.12	2.24		5.23	11.04		9.75
Reach 1-3	12597	5-YR	472.60	7161.80	7163.43	7163.43	7164.04	0.014507	64.00	1.02	0.90	1.12		3.95	6.45		6.13
Reach 1-3	12597	100-YR	1644.00	7161.80	7164.97	7164.97	7166.19	0.011673	99.13	1.03	1.41	1.79		5.54	9.14		8.59
Reach 1-3	12597	100-YR FIS	2600.00	7161.80	7165.87	7165.87	7167.45	0.010727	113.30	1.03	1.65	2.14		6.25	10.44		9.76
Reach 1-3	12462	5-YR	472.60	7158.51	7160.27	7160.27	7160.70	0.016413	108.37	1.02		0.85			5.25		5.25
Reach 1-3	12462	100-YR	1644.00	7158.51	7161.35	7161.35	7162.22	0.012318	133.81	1.00	0.36	1.35		2.23	7.51		7.39
Reach 1-3	12462	100-YR FIS	2600.00	7158.51	7161.98	7161.98	7163.12	0.011052	140.72	0.99	0.59	1.63		3.14	8.64		8.40
Reach 1-3	12348	5-YR	472.60	7154.00	7156.72	7156.60	7157.27	0.011770	61.65	0.92		0.94			5.93		5.93
Reach 1-3	12348	100-YR	1644.00	7154.00	7158.28	7158.12	7159.04	0.009542	126.19	0.89	0.32	1.14		2.15	7.01		6.95
Reach 1-3	12348	100-YR FIS	2600.00	7154.00	7158.96	7158.76	7159.98	0.008787	131.40	0.89	0.54	1.39		3.05	8.10		7.99
Reach 1-3	12232	5-YR	472.60	7153.09	7155.17	7155.14	7155.82	0.013198	54.75	0.98		1.09			6.44		6.44
Reach 1-3	12232	100-YR	1644.00	7153.09	7156.81	7156.81	7157.85	0.010568	110.07	0.96	0.58	1.53		3.12	8.36		7.69
Reach 1-3	12232	100-YR FIS	2600.00	7153.09	7157.63	7157.63	7158.88	0.009775	128.87	0.96	0.83	1.76		3.99	9.31		8.33
Reach 1-3	12107	5-YR	472.60	7151.03	7153.49	7153.49	7154.01	0.014766	81.65	1.02	0.84	1.08		3.76	6.27		5.41
Reach 1-3	12107	100-YR	1644.00	7151.03	7154.88	7154.88	7155.68	0.013295	140.82	1.03	1.31	1.47		5.17	7.82		6.84
Reach 1-3	12107	100-YR FIS	2600.00	7151.03	7155.54	7155.44	7156.47	0.012902	166.33	1.04	1.77	1.59		6.34	8.29		7.57
Reach 1-3	11964	5-YR	472.60	7149.23	7151.31	7151.31	7151.88	0.014261	75.50	1.00	0.19	1.01		1.42	6.05		5.96
Reach 1-3	11964	100-YR	1644.00	7149.23	7152.74	7152.74	7153.71	0.011314	113.97	0.98	0.81	1.48		3.85	8.10		7.56
Reach 1-3	11964	100-YR FIS	2600.00	7149.23	7153.49	7153.49	7154.68	0.010935	130.63	1.00	1.15	1.73		4.89	9.04		8.41
Reach 1-3	11815	5-YR	472.60	7148.00	7149.62	7149.40	7149.90	0.007975	110.30	0.74	0.34	0.52		2.27	4.28		4.19
Reach 1-3	11815	100-YR	1644.00	7148.00	7150.70	7150.51	7151.41	0.009042	133.66	0.87	0.67	1.09		3.51	6.85		6.62
Reach 1-3	11815	100-YR FIS	2600.00	7148.00	7151.25	7151.14	7152.30	0.009898	139.14	0.94	0.91	1.50		4.25	8.36		8.04
Reach 1-3	11606	5-YR	472.60	7146.04	7147.30	7147.26	7147.70	0.014557	107.72	0.96		0.78			5.08		5.08
Reach 1-3	11606	100-YR	1644.00	7146.04	7148.36	7148.36	7149.23	0.012073	134.10	0.99	0.33	1.34		2.10	7.50		7.37
Reach 1-3	11606	100-YR FIS	2600.00	7146.04	7149.01	7149.01	7150.13	0.010947	148.86	0.99	0.53	1.59		2.90	8.54		8.25
Reach 1-3	11505	5-YR	472.60	7144.13	7145.72	7145.72	7146.15	0.016277	109.08	1.01		0.84			5.22		5.22
Reach 1-3	11505	100-YR	1644.00	7144.13	7146.76	7146.76	7147.59	0.013049	140.50	1.01	0.08	1.31		0.78	7.29		7.29
Reach 1-3	11505	100-YR FIS	2600.00	7144.13	7147.37	7147.37	7148.44	0.011814	151.18	1.01	0.29	1.56		1.91	8.30		8.28
Reach 1-3	11182	5-YR	472.60	7138.10	7141.94		7142.09	0.005220	167.18	0.58		0.29			3.13		3.13
Reach 1-3	11182	100-YR	1644.00	7138.10	7142.94		7143.32	0.005381	204.01	0.66	0.14	0.58	0.01	1.35	4.92	0.18	4.86
Reach 1-3	11182	100-YR FIS	2600.00	7138.10	7143.40		7143.97	0.006153	228.95	0.73	0.25	0.84	0.06	1.93	6.14	0.81	5.98
Reach 1-3	10899	5-YR	472.60	7137.38	7139.31	7139.31	7139.71	0.015537	129.78	0.98		0.79	0.22		5.06	1.53	4.91
Reach 1-3	10899	100-YR	1644.00	7137.38	7140.34	7140.34	7140.97	0.014099	227.77	1.01		1.15	0.68		6.58	3.30	6.09
Reach 1-3	10899	100-YR FIS	2600.00	7137.38	7140.89	7140.89	7141.58	0.012585	277.39	0.99		1.21	0.90		6.95	4.07	6.43
Reach 1-3	10454	5-YR	472.60	7124.00	7125.52	7125.52	7126.01	0.015436	86.82	1.01		0.93			5.62		5.62
Reach 1-3	10454	100-YR	1644.00	7124.00	7126.83	7126.75	7127.65	0.010937	124.34	0.94		1.24			7.23		7.23
Reach 1-3	10454	100-YR FIS	2600.00	7124.00	7127.40	7127.40	7128.57	0.011627	129.05	1.01		1.66			8.71		8.71
Reach 1-3	10157	5-YR	477.20	7120.00	7121.89		7122.20	0.004564	62.52	0.60		0.48			4.46		4.46
Reach 1-3	10157	100-YR	1667.00	7120.00	7123.14	7123.14	7124.26	0.011690	88.24	1.00		1.61			8.50		8.50
Reach 1-3	10157	100-YR FIS	2600.00	7120.00	7124.17	7124.17	7125.29	0.010313	162.85	0.96	0.20	1.56		1.56	8.51		8.24

HEC-RAS Plan: EX River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Vel Left (ft/s)	Vel Chnl (ft/s)	Vel Right (ft/s)	Vel Total (ft/s)
Reach 1-3	9937	5-YR	477.20	7119.89	7121.98		7122.00	0.000184	263.24	0.12	0.02	0.02		0.65	0.99		0.94
Reach 1-3	9937	100-YR	1667.00	7119.89	7123.40		7123.46	0.000369	274.14	0.19	0.07	0.08		1.27	1.99		1.87
Reach 1-3	9937	100-YR FIS	2600.00	7119.89	7124.17		7124.27	0.000450	279.05	0.22	0.09	0.11		1.58	2.51		2.36
Reach 1-3	9765	5-YR	477.20	7120.11	7121.46	7121.46	7121.85	0.019412	123.65	1.08		0.85	1.22		5.12	4.62	5.01
Reach 1-3	9765	100-YR	1667.00	7120.11	7122.40	7122.40	7123.19	0.016005	167.07	1.10		1.41	1.34		7.38	5.08	7.00
Reach 1-3	9765	100-YR FIS	2600.00	7120.11	7123.01	7123.01	7123.96	0.012599	190.54	1.03	0.07	1.53	1.04	0.71	8.11	4.63	7.50
Reach 1-3	9575	5-YR	477.20	7103.29	7105.30	7105.30	7105.90	0.014681	65.03	1.01		1.06			6.22		6.22
Reach 1-3	9575	100-YR	1667.00	7103.29	7106.86	7106.86	7107.93	0.012252	96.39	1.01		1.56			8.28		8.28
Reach 1-3	9575	100-YR FIS	2600.00	7103.29	7107.62	7107.62	7109.00	0.011087	101.52	1.00		1.84			9.40		9.40
Reach 1-3	9396	5-YR	477.20	7099.80	7101.64	7101.64	7102.31	0.013979	55.62	1.01		1.14			6.54		6.54
Reach 1-3	9396	100-YR	1667.00	7099.80	7103.38	7103.38	7104.57	0.011349	80.70	1.00		1.66			8.73		8.73
Reach 1-3	9396	100-YR FIS	2600.00	7099.80	7104.28	7104.28	7105.73	0.010667	93.46	1.00		1.90			9.65		9.65
Reach 1-3	9120	5-YR	477.20	7095.99	7098.08		7098.38	0.005294	73.89	0.63		0.49			4.37		4.37
Reach 1-3	9120	100-YR	1667.00	7095.99	7099.76		7100.49	0.005170	87.64	0.70	0.17	0.95		1.55	6.85		6.78
Reach 1-3	9120	100-YR FIS	2600.00	7095.99	7100.72		7101.71	0.004974	93.01	0.72	0.33	1.19		2.43	8.00		7.82
Reach 1-3	9052	5-YR	477.20	7095.85	7097.52		7097.92	0.007971	69.02	0.77		0.67			5.08		5.08
Reach 1-3	9052	100-YR	1667.00	7095.85	7099.12		7100.05	0.007384	82.82	0.83	0.13	1.24		1.22	7.73		7.70
Reach 1-3	9052	100-YR FIS	2600.00	7095.85	7099.94	7099.64	7101.25	0.007544	89.18	0.87	0.32	1.63		2.24	9.21		9.06
Reach 1-3	9017	5-YR	477.20	7095.09	7096.91	7096.89	7097.53	0.013724	59.75	0.99		1.08			6.33		6.33
Reach 1-3	9017	100-YR	1667.00	7095.09	7098.50	7098.50	7099.69	0.011514	80.39	1.01		1.68			8.78		8.78
Reach 1-3	9017	100-YR FIS	2600.00	7095.09	7099.33	7099.33	7100.91	0.010434	85.24	1.00	0.21	2.01		1.59	10.07		10.04
Reach 1-3	8959	5-YR	512.40	7094.00	7096.10	7096.10	7096.71	0.014338	68.77	1.01		1.07			6.24		6.24
Reach 1-3	8959	100-YR	1763.90	7094.00	7097.68	7097.66	7098.78	0.011160	93.07	0.99		1.56			8.41		8.41
Reach 1-3	8959	100-YR FIS	2600.00	7094.00	7098.34	7098.33	7099.75	0.010626	100.44	1.00	0.23	1.86		1.66	9.53		9.49
Reach 1-3	8831	5-YR	512.40	7092.55	7094.74		7095.20	0.008959	67.02	0.82		0.78			5.47		5.47
Reach 1-3	8831	100-YR	1763.90	7092.55	7096.14	7096.14	7097.35	0.011010	85.23	0.99	0.18	1.68		1.42	8.84		8.79
Reach 1-3	8831	100-YR FIS	2600.00	7092.55	7096.87	7096.87	7098.41	0.010163	89.27	0.99	0.47	1.98		2.72	9.98		9.84
Reach 1-3	8692	5-YR	512.40	7091.45	7093.04	7093.04	7093.64	0.014332	69.99	1.01		1.05			6.20		6.20
Reach 1-3	8692	100-YR	1763.90	7091.45	7094.55	7094.55	7095.77	0.011059	85.97	1.00	0.32	1.69		2.07	8.86		8.78
Reach 1-3	8692	100-YR FIS	2600.00	7091.45	7095.30	7095.30	7096.81	0.010097	92.70	0.99	0.53	1.95		2.95	9.90		9.70
Reach 1-3	8489	5-YR	512.40	7088.21	7089.85	7089.83	7090.19	0.016647	156.81	0.99		0.72			4.70		4.70
Reach 1-3	8489	100-YR	1763.90	7088.21	7090.72	7090.72	7091.47	0.013336	170.45	1.01		1.23			6.97		6.97
Reach 1-3	8489	100-YR FIS	2600.00	7088.21	7091.18	7091.18	7092.13	0.012103	175.08	1.00		1.43			7.82		7.82
Reach 1-3	8289	5-YR	512.40	7085.18	7086.47	7086.47	7086.95	0.015511	97.32	1.01		0.91			5.57		5.57
Reach 1-3	8289	100-YR	1763.90	7085.18	7087.68	7087.68	7088.71	0.012133	107.79	1.01		1.52			8.13		8.13
Reach 1-3	8289	100-YR FIS	2600.00	7085.18	7088.31	7088.31	7089.59	0.011186	113.21	1.01		1.76			9.08		9.08
Reach 1-3	8085	5-YR	512.40	7080.51	7082.92	7082.88	7083.32	0.014343	113.08	0.96		0.79			5.11		5.11
Reach 1-3	8085	100-YR	1763.90	7080.51	7084.04	7084.04	7084.89	0.011072	168.97	0.95	0.18	1.29	0.21	1.40	7.42	1.55	7.10
Reach 1-3	8085	100-YR FIS	2600.00	7080.51	7084.58	7084.58	7085.60	0.010145	184.52	0.94	0.33	1.48	0.46	2.14	8.25	2.68	7.58
Reach 1-3	7887	5-YR	512.40	7078.18	7079.74	7079.74	7080.20	0.017357	101.50	1.03		0.81	1.78		5.05	6.06	5.41
Reach 1-3	7887	100-YR	1763.90	7078.18	7080.94	7080.94	7081.76	0.015224	150.10	1.08		1.41	2.02		7.45	6.74	7.27
Reach 1-3	7887	100-YR FIS	2600.00	7078.18	7081.50	7081.50	7082.45	0.014130	177.52	1.07		1.55	2.06		8.05	6.92	7.78

HEC-RAS Plan: EX River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Vel Left (ft/s)	Vel Chnl (ft/s)	Vel Right (ft/s)	Vel Total (ft/s)
Reach 1-3	7630	5-YR	512.40	7071.92	7074.80	7074.80	7075.52	0.013759	55.60	1.01		1.19	0.04		6.78	0.53	6.77
Reach 1-3	7630	100-YR	1763.90	7071.92	7076.48	7076.48	7077.52	0.010604	114.74	0.97		1.54	0.65		8.38	3.35	7.73
Reach 1-3	7630	100-YR FIS	2600.00	7071.92	7077.14	7077.14	7078.41	0.009988	124.56	0.97		1.79	0.87		9.36	4.13	8.49
Reach 1-3	7475	5-YR	512.40	7068.00	7070.30	7070.30	7071.01	0.013946	55.13	1.01		1.19			6.74		6.74
Reach 1-3	7475	100-YR	1763.90	7068.00	7072.16	7072.16	7073.35	0.011301	86.15	1.00		1.68	0.49		8.79	2.73	8.71
Reach 1-3	7475	100-YR FIS	2600.00	7068.00	7072.88	7072.88	7074.39	0.010532	91.76	1.00		1.97	0.62		9.90	3.26	9.74
Reach 1-3	7286	5-YR	512.40	7064.24	7066.66	7066.66	7067.41	0.013345	52.73	1.00		1.23	0.28		6.96	1.84	6.87
Reach 1-3	7286	100-YR	1763.90	7064.24	7069.05		7070.06	0.006141	73.00	0.78		1.30	0.63		8.23	3.61	7.75
Reach 1-3	7286	100-YR FIS	2600.00	7064.24	7069.85	7069.44	7071.23	0.006807	77.17	0.84		1.70	0.94		9.66	4.62	9.05
Reach 1-3	7097	5-YR	512.40	7061.99	7064.67		7065.29	0.006426	34.78	0.73		0.89			6.35		6.35
Reach 1-3	7097	100-YR	1763.90	7061.99	7067.02	7067.00	7068.51	0.010780	63.20	0.99		1.95	0.08		9.80	0.81	9.78
Reach 1-3	7097	100-YR FIS	2600.00	7061.99	7068.12	7068.12	7069.73	0.009100	92.52	0.94		2.00	0.36		10.24	2.33	9.78
Reach 1-3	6889	5-YR	512.40	7059.99	7062.48	7062.48	7063.42	0.012766	35.18	1.01		1.44			7.79		7.79
Reach 1-3	6889	100-YR	1763.90	7059.99	7064.87	7064.87	7066.14	0.011259	76.28	1.00		1.75			9.06		9.06
Reach 1-3	6889	100-YR FIS	2600.00	7059.99	7065.72	7065.72	7067.20	0.010906	91.30	1.01		1.95			9.77		9.77
Reach 1-3	6801	5-YR	512.40	7058.00	7060.54	7060.54	7061.29	0.013531	50.06	1.01		1.23			6.95		6.95
Reach 1-3	6801	100-YR	1763.90	7058.00	7062.62	7062.62	7063.19	0.006150	226.53	0.75		0.99	0.41		6.85	2.70	4.95
Reach 1-3	6801	100-YR FIS	2600.00	7058.00	7063.00	7063.00	7063.65	0.009592	266.76	0.90		1.25	0.84		7.42	4.06	5.76
Reach 1-3	6688	5-YR	512.40	7054.20	7056.83		7056.91	0.001946	174.83	0.37		0.14	0.21		2.25	2.07	2.17
Reach 1-3	6688	100-YR	1763.90	7054.20	7058.78		7058.88	0.001202	284.66	0.32		0.15	0.26		2.58	2.62	2.60
Reach 1-3	6688	100-YR FIS	2600.00	7054.20	7059.53		7059.66	0.001102	303.43	0.32		0.18	0.28		2.91	2.82	2.88
Reach 1-3	6299	5-YR	533.20	7052.00	7054.68	7054.68	7055.43	0.013101	55.22	1.00		1.22	0.29		6.93	1.90	6.83
Reach 1-3	6299	100-YR	1880.40	7052.00	7056.57	7056.57	7057.79	0.010724	111.17	0.99		1.73	0.86		9.04	4.04	8.62
Reach 1-3	6299	100-YR FIS	2600.00	7052.00	7057.20	7057.20	7058.65	0.010342	135.95	1.00		1.95	1.03		9.85	4.57	9.32
Reach 1-3	6094	5-YR	533.20	7049.53	7051.80	7051.80	7052.46	0.014031	62.46	1.01		1.13			6.53		6.53
Reach 1-3	6094	100-YR	1880.40	7049.53	7053.51	7053.51	7054.67	0.011772	95.21	1.01		1.65			8.64		8.64
Reach 1-3	6094	100-YR FIS	2600.00	7049.53	7054.10	7054.10	7055.47	0.011193	104.24	1.01		1.85	0.07		9.39	0.79	9.39
Reach 1-3	5906	5-YR	533.20	7047.00	7051.83		7051.90	0.000536	90.20	0.22	0.00	0.09		0.21	2.15		2.15
Reach 1-3	5906	100-YR	1880.40	7047.00	7053.20		7053.59	0.001865	101.12	0.44	0.12	0.46		1.48	5.03		4.94
Reach 1-3	5906	100-YR FIS	2600.00	7047.00	7053.64		7054.24	0.002557	104.34	0.53	0.21	0.69		2.00	6.24		6.10
Reach 1-3	5803	5-YR	533.20	7046.00	7051.84		7051.86	0.000101	138.88	0.10		0.03	0.02		1.17	0.66	1.04
Reach 1-3	5803	100-YR	1880.40	7046.00	7053.30		7053.41	0.000532	180.34	0.24		0.14	0.11		2.86	1.68	2.53
Reach 1-3	5803	100-YR FIS	2600.00	7046.00	7053.82		7053.98	0.000721	190.07	0.28	0.01	0.21	0.17	0.33	3.48	2.13	3.09
Reach 1-3	5710	5-YR	533.20	7045.88	7051.84		7051.85	0.000083	111.53	0.09		0.02			1.11		1.11
Reach 1-3	5710	100-YR	1880.40	7045.88	7053.23		7053.37	0.000440	130.78	0.22	0.01	0.14		0.33	2.90		2.90
Reach 1-3	5710	100-YR FIS	2600.00	7045.88	7053.71		7053.92	0.000642	137.56	0.27	0.02	0.22		0.57	3.68		3.65
Reach 1-3	5619	5-YR	533.20	7044.65	7051.83		7051.85	0.000043	113.48	0.07	0.00	0.01		0.11	0.91		0.91
Reach 1-3	5619	100-YR	1880.40	7044.65	7053.23		7053.33	0.000257	133.34	0.18	0.01	0.10		0.48	2.53		2.49
Reach 1-3	5619	100-YR FIS	2600.00	7044.65	7053.69		7053.86	0.000394	141.49	0.22	0.03	0.16		0.67	3.26		3.17
Reach 1-3	5495	5-YR	533.20	7049.36	7051.34	7051.34	7051.79	0.015954	123.46	1.00	0.03	0.87	0.20	0.37	5.35	1.44	5.27
Reach 1-3	5495	100-YR	1880.40	7049.36	7052.46	7052.46	7053.17	0.011665	235.94	0.95	0.42	1.19	0.48	2.46	6.97	2.72	6.19
Reach 1-3	5495	100-YR FIS	2600.00	7049.36	7052.82	7052.82	7053.65	0.011024	256.74	0.96	0.51	1.35	0.63	2.84	7.65	3.25	6.62

HEC-RAS Plan: EX River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Vel Left (ft/s)	Vel Chnl (ft/s)	Vel Right (ft/s)	Vel Total (ft/s)
Reach 1-3	5317	5-YR	533.20	7042.00	7043.53	7043.53	7044.06	0.014920	87.32	1.01		0.97			5.84		5.84
Reach 1-3	5317	100-YR	1880.40	7042.00	7044.91	7044.91	7045.95	0.011879	111.33	1.00		1.52			8.18		8.18
Reach 1-3	5317	100-YR FIS	2600.00	7042.00	7045.46	7045.46	7046.68	0.011372	121.36	1.01		1.70			8.87		8.87
Reach 1-3	5083	5-YR	533.20	7038.33	7040.50	7040.12	7040.70	0.004866	130.59	0.58		0.35			3.55		3.55
Reach 1-3	5083	100-YR	1880.40	7038.33	7041.95	7041.22	7042.39	0.004059	150.39	0.60	0.01	0.61	0.07	0.28	5.31	0.93	5.30
Reach 1-3	5083	100-YR FIS	2600.00	7038.33	7042.52	7041.66	7043.06	0.003814	155.77	0.61	0.09	0.71	0.13	1.08	5.93	1.33	5.88
Reach 1-3	4924	5-YR	512.30	7037.69	7038.91	7038.91	7039.41	0.015172	91.08	1.00		0.94			5.67		5.67
Reach 1-3	4924	100-YR	1848.80	7037.69	7040.29	7040.29	7041.30	0.012077	114.42	1.01		1.50			8.07		8.07
Reach 1-3	4924	100-YR FIS	2600.00	7037.69	7040.88	7040.88	7042.03	0.011594	134.29	1.01		1.63			8.57		8.57
Reach 1-3	4692	5-YR	512.30	7032.00	7037.12		7037.12	0.000024	306.62	0.05	0.01	0.01		0.40	0.51		0.47
Reach 1-3	4692	100-YR	1848.80	7032.00	7038.36		7038.36	0.000122	324.44	0.12	0.03	0.03		1.03	1.37		1.25
Reach 1-3	4692	100-YR FIS	2600.00	7032.00	7038.75		7038.80	0.000185	328.90	0.14	0.05	0.05		1.32	1.78		1.62
Reach 1-3	4454	5-YR	512.30	7037.42	7036.67	7036.67	7037.05	0.033113	143.71	0.00	1.50			4.89			4.89
Reach 1-3	4454	100-YR	1848.80	7037.42	7037.72	7037.72	7038.17	0.020679	402.12	0.89	1.55	0.24	0.59	5.57	2.15	2.81	5.10
Reach 1-3	4454	100-YR FIS	2600.00	7037.42	7037.97	7037.97	7038.50	0.021823	437.17	1.01	1.93	0.47	0.86	6.15	3.36	3.58	5.58
Reach 1-3	4293	5-YR	512.30	7023.77	7026.42	7026.42	7027.34	0.012779	36.09	1.00		1.42			7.72		7.72
Reach 1-3	4293	100-YR	1848.80	7023.77	7028.98	7028.98	7030.25	0.011654	81.16	1.00		1.76			9.04		9.04
Reach 1-3	4293	100-YR FIS	2600.00	7023.77	7029.61	7029.61	7031.21	0.011248	82.64	1.02		2.08			10.16		10.16
Reach 1-3	4052	5-YR	512.30	7019.99	7019.59		7019.86	0.007532	69.31	0.00	0.83			4.18			4.18
Reach 1-3	4052	100-YR	1848.80	7019.99	7021.23		7021.78	0.008565	145.30	0.77	1.53	0.61	0.52	6.16	4.71	2.99	5.81
Reach 1-3	4052	100-YR FIS	2600.00	7019.99	7021.80		7022.46	0.008560	154.49	0.82	1.73	0.88	0.74	6.68	5.99	3.81	6.43
Reach 1-3	3775	5-YR	512.30	7013.90	7016.14	7016.14	7016.69	0.023076	79.10	1.17	1.91	1.06		6.06	5.74		5.96
Reach 1-3	3775	100-YR	1848.80	7013.90	7017.62	7017.62	7018.62	0.017858	116.26	1.17	2.56	1.78		7.69	8.49		8.01
Reach 1-3	3775	100-YR FIS	2600.00	7013.90	7018.16	7018.16	7019.37	0.016674	127.69	1.18	2.68	2.08		8.16	9.53		8.73
Reach 1-3	3543	5-YR	512.30	7009.94	7011.46	7011.46	7012.13	0.014015	58.39	1.01		1.15			6.60		6.60
Reach 1-3	3543	100-YR	1848.80	7009.94	7013.29	7013.29	7014.69	0.011143	71.18	1.01		1.87			9.47		9.47
Reach 1-3	3543	100-YR FIS	2600.00	7009.94	7014.07	7014.07	7015.71	0.010367	77.33	1.00		2.07			10.27		10.27
Reach 1-3	3478	5-YR	512.30	7008.00	7010.65		7011.07	0.007025	63.01	0.74		0.68			5.21		5.21
Reach 1-3	3478	100-YR	1848.80	7008.00	7012.24	7012.24	7013.19	0.009757	158.87	0.92	0.23	1.37	0.25	1.69	7.88	1.82	7.35
Reach 1-3	3478	100-YR FIS	2600.00	7008.00	7012.78	7012.78	7013.87	0.008706	168.30	0.90	0.46	1.52	0.44	2.76	8.59	2.68	7.63
Reach 1-3	3313	5-YR	512.30	7006.00	7009.03	7009.03	7009.48	0.014164	98.94	0.96		0.84			5.34		5.34
Reach 1-3	3313	100-YR	1848.80	7006.00	7010.23	7010.15	7011.01	0.010793	146.22	0.93	0.14	1.20		1.18	7.09		7.08
Reach 1-3	3313	100-YR FIS	2600.00	7006.00	7011.05		7011.78	0.006209	150.34	0.75	0.25	0.99		1.93	6.85		6.81
Reach 1-3	3139	5-YR	398.70	7003.99	7006.01	7005.99	7006.70	0.013472	42.12	0.99		1.16			6.68		6.68
Reach 1-3	3139	100-YR	1562.50	7003.99	7007.92	7007.92	7009.03	0.011822	87.94	1.00	0.07	1.60		0.74	8.45		8.43
Reach 1-3	3139	100-YR FIS	2600.00	7003.99	7008.83	7008.83	7010.33	0.010383	94.62	0.99	0.49	1.95		2.80	9.88		9.66
Reach 1-3	2824	5-YR	398.70	7000.00	7002.46	7002.33	7002.91	0.010513	61.20	0.86		0.79			5.38		5.38
Reach 1-3	2824	100-YR	1562.50	7000.00	7003.98	7003.98	7005.09	0.011782	83.68	1.00		1.60			8.45		8.45
Reach 1-3	2824	100-YR FIS	2600.00	7000.00	7004.92	7004.92	7006.39	0.010789	91.46	1.00		1.93			9.71		9.71
Reach 1-3	2586	5-YR	398.70	6997.81	6999.39	6999.39	6999.94	0.014864	61.86	1.01		1.00			5.96		5.96
Reach 1-3	2586	100-YR	1562.50	6997.81	7000.97	7000.97	7002.06	0.011639	85.24	1.00		1.58			8.40		8.40
Reach 1-3	2586	100-YR FIS	2600.00	6997.81	7001.89	7001.89	7003.35	0.010714	93.17	1.01		1.91			9.69		9.69

HEC-RAS Plan: EX River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Vel Left (ft/s)	Vel Chnl (ft/s)	Vel Right (ft/s)	Vel Total (ft/s)
Reach 1-3	2386	5-YR	398.70	6995.72	6997.16		6997.47	0.008983	84.80	0.78		0.58			4.52		4.52
Reach 1-3	2386	100-YR	1562.50	6995.72	6998.62		6999.35	0.007587	102.25	0.81		1.05			6.86		6.86
Reach 1-3	2386	100-YR FIS	2600.00	6995.72	6999.34	6999.13	7000.48	0.008642	107.53	0.90		1.51			8.57		8.57
Reach 1-3	2200	5-YR	398.70	6993.65	6995.28	6995.13	6995.70	0.009965	65.09	0.84		0.73			5.18		5.18
Reach 1-3	2200	100-YR	1562.50	6993.65	6996.76	6996.72	6997.71	0.010106	115.43	0.94		1.38	0.28		7.87	1.94	7.53
Reach 1-3	2200	100-YR FIS	2600.00	6993.65	6997.61	6997.61	6998.83	0.009103	145.77	0.93		1.66	0.49		9.04	2.86	8.16
Reach 1-3	1795	5-YR	480.40	6989.98	6991.44	6991.25	6991.78	0.009359	95.23	0.81		0.65	0.61		4.81	3.28	4.59
Reach 1-3	1795	100-YR	1585.20	6989.98	6992.49	6992.41	6993.35	0.011376	114.56	0.97		1.37	1.19		7.69	4.97	7.29
Reach 1-3	1795	100-YR FIS	2600.00	6989.98	6993.16	6993.16	6994.43	0.011631	119.15	1.03		1.85	1.53		9.34	5.85	8.80
Reach 1-3	1596	5-YR	480.40	6986.75	6988.11		6988.30	0.040396	153.00	0.65		2.27			3.48		3.48
Reach 1-3	1596	100-YR	1585.20	6986.75	6989.17		6989.58	0.033232	171.21	0.66	0.77	3.90		2.80	5.16		5.13
Reach 1-3	1596	100-YR FIS	2600.00	6986.75	6990.18		6990.63	0.020421	182.17	0.56	1.28	3.65	0.28	4.25	5.36	1.56	5.32
Reach 1-3	1411	5-YR	480.40	6982.00	6984.05	6983.38	6984.16	0.014081	136.50	0.41		1.16			2.66		2.66
Reach 1-3	1411	100-YR	1585.20	6982.00	6985.44	6984.33	6985.71	0.014080	154.49	0.45	0.19	2.27	0.20	1.25	4.14	1.32	4.13
Reach 1-3	1411	100-YR FIS	2600.00	6982.00	6990.04	6984.97	6990.10	0.000801	278.37	0.13	0.10	0.36	0.13	1.29	1.95	1.62	1.86

Project File Data		Coordinate System	
Name:	X:\2510000.all\2518800_Survey_Data \Trimble\2518800_TBC.vce	Name:	United States/State Plane 1983
Size:	933 KB	Datum:	NAD 1983 (Conus)
Modified:	2/22/2021 11:30:54 AM (UTC:-7)	Zone:	Colorado Central 0502
Time zone:	Mountain Standard Time	Geoid:	GEOID18
Reference number:		Vertical datum:	
Description:		Calibrated site:	
Comment 1:	PROJECT BENCHMARK - FIMS BL74 - PUBLISHED ELEVATION 6905.10 NGVD29		
Comment 2:			
Comment 3:			

Additional Coordinate System Details

Local Site Settings			
Project latitude:	N34°38'17.63747"	Ground scale factor:	1.0003968327
Project longitude:	W115°27'50.62743"	False northing offset:	1000009.472 ft
Project height:	6971.557 ft	False easting offset:	3000019.784 ft

Site Calibration Report

Horizontal Calibration Parameters

Translation north:	0.000 ft
Translation east:	0.000 ft
Rotation:	-0°00'04"
Origin northing:	410057.137 ft
Origin easting:	232526.263 ft
Scale factor:	1.0000000000

Vertical Calibration Parameters

Vertical shift at origin:	-3.815 ft
Slope north:	0.000 ppm
Slope east:	0.000 ppm
Origin northing:	405188.430 ft
Origin easting:	248867.470 ft

Residual Differences Between GPS and Known Coordinates

Summary

	Maximum residual	Root Mean Square residual	Point
Horizontal	0.001 ft	0.000 ft	548
Vertical	0.000 ft	0.000 ft	539
Three-dimensional	?	?	

Point Residuals

Residuals sign: Calculated-Control


GNSS Point		Calculated Point		Grid Point	
Point	612	Point	612	Point	912
Latitude	N38°57'17.66685"	Northing	410057.137 ft	Northing	410057.137 ft
Longitude	W104°41'12.26037"	Easting	232526.263 ft	Easting	232526.263 ft
Height	6951.969 ft	Elevation	7005.442 ft	Elevation	7009.256 ft
		Horiz. residual	0.000 ft	Type	Horizontal
		Vert. residual	?		
		3D residual	?		
Point	548	Point	548	Point	948
Latitude	N38°58'11.63717"	Northing	415616.200 ft	Northing	415616.200 ft
Longitude	W104°38'58.28453"	Easting	243061.738 ft	Easting	243061.739 ft
Height	7115.040 ft	Elevation	7168.825 ft	Elevation	7172.639 ft
		Horiz. residual	0.001 ft	Type	Horizontal
		Vert. residual	?		
		3D residual	?		
Point	539	Point	539	Point	939
Latitude	N38°56'28.06255"	Northing	405188.431 ft	Northing	405188.099 ft
Longitude	W104°37'46.07091"	Easting	248867.469 ft	Easting	248867.370 ft
Height	6850.771 ft	Elevation	6905.100 ft	Elevation	6905.100 ft
		Horiz. residual	?	Type	Vertical
		Vert. residual	0.000 ft		
		3D residual	?		


Date: 3/4/2021 10:02:55 AM	Project: X:\2510000.all\2518800 _Survey_Data\Trimble \2518800_TBC.vce	Trimble Business Center
----------------------------	--	-------------------------


Appendix C



Sand Creek Proposed Conditions Hydraulic Modeling

Shear and Velocity HEC-RAS Analysis






















HEC-RAS Model Plan: Proposed Conditions - Shear/Vel 10/23/2024





Sand Creek Reach 1-3


























































































































































































































































































HEC-RAS Model Plan: Proposed Conditions - Shear/Vel 12/13/2024

River = Sand Creek Reach = Reach 1-3 RS = 1411 Section CU



- Legend**
- WS FIS
 - Crit FIS
 - WS 100-YR
 - Crit 100-YR
 - WS 5-YR
 - Crit 5-YR
 - 0 ft/s
 - 1 ft/s
 - 2 ft/s
 - 3 ft/s
 - 4 ft/s
 - 5 ft/s
 - Ground
 - Bank Sta

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	12465	2-YR	154.80	7177.88	7178.61	7178.61	7178.93	0.030420	6.96	41.58	64.16	1.44	1.23	1.37	1.19	1.23
Reach 1-3	12465	5-YR	475.50	7177.88	7179.32	7179.32	7179.97	0.026123	10.15	88.42	68.89	1.50	2.10	2.33	2.00	2.08
Reach 1-3	12465	10-YR	773.90	7177.88	7179.84	7179.84	7180.70	0.023278	11.81	125.54	72.65	1.49	2.52	2.84	2.38	2.49
Reach 1-3	12465	25-YR	1022.90	7177.88	7180.20	7180.20	7181.22	0.022261	12.92	151.98	73.89	1.50	2.82	3.21	2.74	2.82
Reach 1-3	12465	50-YR	1389.50	7177.88	7180.66	7180.66	7181.91	0.021519	14.33	185.77	74.02	1.52	3.28	3.72	3.21	3.30
Reach 1-3	12465	100-YR	1643.00	7177.88	7180.95	7180.95	7182.35	0.021154	15.19	207.29	74.10	1.53	3.56	4.04	3.50	3.59
Reach 1-3	12366	Culvert														
Reach 1-3	12253	2-YR	154.80	7168.00	7171.46		7171.46	0.000084	1.04	246.90	78.44	0.10	0.02	0.02	0.02	0.02
Reach 1-3	12253	5-YR	475.50	7168.00	7173.17		7173.21	0.000200	2.09	387.71	85.37	0.16	0.05	0.06	0.05	0.06
Reach 1-3	12253	10-YR	773.90	7168.00	7174.16		7174.23	0.000290	2.83	474.13	89.35	0.20	0.09	0.11	0.09	0.09
Reach 1-3	12253	25-YR	1022.90	7168.00	7174.85		7174.94	0.000352	3.35	536.33	92.12	0.23	0.11	0.15	0.12	0.12
Reach 1-3	12253	50-YR	1389.50	7168.00	7175.71		7175.85	0.000429	4.00	617.58	95.59	0.25	0.15	0.21	0.16	0.17
Reach 1-3	12253	100-YR	1643.00	7168.00	7176.23		7176.40	0.000477	4.41	667.79	97.68	0.27	0.18	0.25	0.19	0.20
Reach 1-3	12070	2-YR	154.80	7168.31	7171.20		7171.37	0.001757	4.03	73.24	51.57	0.43	0.09	0.30	0.14	0.15
Reach 1-3	12070	5-YR	475.50	7168.31	7172.74		7173.03	0.002101	5.93	170.81	69.96	0.51	0.22	0.55	0.30	0.31
Reach 1-3	12070	10-YR	773.90	7168.31	7173.60		7173.99	0.002364	7.11	232.72	73.70	0.55	0.34	0.75	0.45	0.45
Reach 1-3	12070	25-YR	1022.90	7168.31	7174.20	7172.91	7174.66	0.002509	7.89	277.87	76.31	0.58	0.42	0.89	0.55	0.55
Reach 1-3	12070	50-YR	1389.50	7168.31	7174.96	7173.46	7175.51	0.002689	8.87	336.92	79.62	0.61	0.53	1.08	0.69	0.68
Reach 1-3	12070	100-YR	1643.00	7168.31	7175.41	7173.79	7176.03	0.002822	9.50	372.93	81.57	0.64	0.60	1.21	0.79	0.77
Reach 1-3	11880	2-YR	154.80	7165.99	7167.13	7166.96	7167.44	0.022922	8.19	44.92	59.63	1.35	1.18	1.63	0.99	1.08
Reach 1-3	11880	5-YR	475.50	7165.99	7167.90	7167.90	7168.45	0.024415	11.92	103.07	89.83	1.52	1.92	2.91	1.63	1.75
Reach 1-3	11880	10-YR	773.90	7165.99	7168.34	7168.34	7169.02	0.023575	13.46	145.04	96.70	1.55	2.35	3.47	2.09	2.20
Reach 1-3	11880	25-YR	1022.90	7165.99	7168.63	7168.63	7169.43	0.024207	14.70	172.46	99.03	1.60	2.76	3.98	2.51	2.62
Reach 1-3	11880	50-YR	1389.50	7165.99	7168.99	7168.99	7169.96	0.024773	16.22	209.19	102.13	1.65	3.27	4.64	3.05	3.15
Reach 1-3	11880	100-YR	1643.00	7165.99	7169.24	7169.24	7170.29	0.024519	17.01	234.62	104.53	1.66	3.52	4.97	3.32	3.42
Reach 1-3	11569	2-YR	154.80	7159.96	7160.56	7160.41	7160.68	0.021267	5.15	60.99	108.23	1.17	0.75	0.80	0.75	0.75
Reach 1-3	11569	5-YR	475.50	7159.96	7161.21	7160.88	7161.43	0.016137	7.31	134.07	116.84	1.15	1.12	1.26	1.19	1.15
Reach 1-3	11569	10-YR	773.90	7159.96	7161.55	7161.21	7161.90	0.018676	9.22	174.42	121.11	1.29	1.62	1.85	1.74	1.67
Reach 1-3	11569	25-YR	1022.90	7159.96	7161.84	7161.46	7162.26	0.018180	10.18	210.13	124.34	1.31	1.84	2.13	1.99	1.91
Reach 1-3	11569	50-YR	1389.50	7159.96	7162.14	7161.78	7162.70	0.020298	11.85	247.33	175.03	1.42	2.33	2.76	2.56	2.44
Reach 1-3	11569	100-YR	1643.00	7159.96	7162.43	7161.98	7163.02	0.018608	12.33	284.92	183.68	1.38	2.34	2.86	2.64	2.48
Reach 1-3	11368	2-YR	154.80	7153.99	7155.09	7155.09	7155.56	0.029398	9.06	34.56	39.74	1.52	1.49	2.02	1.80	1.65
Reach 1-3	11368	5-YR	475.50	7153.99	7156.03	7156.03	7157.00	0.029471	13.67	75.69	66.36	1.69	2.52	3.75	3.06	2.77
Reach 1-3	11368	10-YR	773.90	7153.99	7157.00	7157.00	7157.93	0.019474	14.39	136.47	101.97	1.46	2.11	3.65	2.05	2.15
Reach 1-3	11368	25-YR	1022.90	7153.99	7157.46	7157.46	7158.46	0.018305	15.35	174.54	117.99	1.45	2.26	3.96	2.06	2.25
Reach 1-3	11368	50-YR	1389.50	7153.99	7158.11	7158.11	7159.09	0.015142	15.67	237.43	138.66	1.36	2.23	3.90	1.95	2.17
Reach 1-3	11368	100-YR	1643.00	7153.99	7158.33	7158.33	7159.43	0.016147	16.75	260.10	142.36	1.42	2.58	4.38	2.23	2.50
Reach 1-3	11206	2-YR	154.80	7151.03	7153.22		7153.42	0.003125	4.22	66.72	70.43	0.54	0.13	0.37	0.19	0.18
Reach 1-3	11206	5-YR	475.50	7151.03	7154.77		7154.97	0.001922	4.93	224.81	137.95	0.47	0.17	0.41	0.19	0.19
Reach 1-3	11206	10-YR	773.90	7151.03	7155.02		7155.40	0.003524	7.00	260.61	144.74	0.64	0.35	0.81	0.38	0.39
Reach 1-3	11206	25-YR	1022.90	7151.03	7155.44		7155.87	0.003682	7.69	326.08	165.50	0.67	0.40	0.94	0.43	0.45
Reach 1-3	11206	50-YR	1389.50	7151.03	7155.90		7156.37	0.003762	8.34	403.42	169.04	0.69	0.51	1.07	0.49	0.56
Reach 1-3	11206	100-YR	1643.00	7151.03	7156.19		7156.69	0.003815	8.76	454.11	174.08	0.70	0.58	1.15	0.52	0.62
Reach 1-3	11103	2-YR	154.80	7150.00	7151.47	7151.22	7151.78	0.013942	7.55	42.92	38.45	1.10	1.16	1.28	0.65	0.96
Reach 1-3	11103	5-YR	475.50	7150.00	7151.95	7151.95	7153.35	0.045519	16.48	62.81	44.51	2.08	4.89	5.53	2.80	3.97
Reach 1-3	11103	10-YR	773.90	7150.00	7152.96	7152.96	7153.51	0.016274	13.01	181.70	131.47	1.33	1.31	3.00	1.53	1.40

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	11103	25-YR	1022.90	7150.00	7153.18	7153.18	7153.84	0.018222	14.45	211.31	135.03	1.43	1.70	3.62	1.84	1.77
Reach 1-3	11103	50-YR	1389.50	7150.00	7153.50	7153.50	7154.27	0.019074	15.78	256.10	140.47	1.49	2.12	4.17	2.13	2.16
Reach 1-3	11103	100-YR	1643.00	7150.00	7153.69	7153.69	7154.54	0.019817	16.66	283.22	143.67	1.53	2.40	4.57	2.34	2.43
Reach 1-3	10925	2-YR	154.80	7148.00	7149.06	7148.97	7149.27	0.014420	3.68	42.10	68.49	0.83		0.55		0.55
Reach 1-3	10925	5-YR	475.50	7148.00	7149.87		7150.15	0.009001	4.22	112.74	104.87	0.72		0.60		0.60
Reach 1-3	10925	10-YR	773.90	7148.00	7150.36		7150.68	0.007505	4.54	170.49	123.88	0.68		0.64		0.64
Reach 1-3	10925	25-YR	1022.90	7148.00	7150.69		7151.05	0.006603	4.83	211.57	127.00	0.66		0.68		0.68
Reach 1-3	10925	50-YR	1389.50	7148.00	7150.78		7151.38	0.010353	6.24	222.77	127.86	0.83		1.12		1.12
Reach 1-3	10925	100-YR	1643.00	7148.00	7150.98		7151.66	0.010242	6.61	248.49	129.57	0.84		1.22		1.22
Reach 1-3	10797	2-YR	154.80	7145.39	7147.43	7147.17	7147.59	0.011767	3.24	47.85	59.02	0.63	0.07	0.60		0.59
Reach 1-3	10797	5-YR	475.50	7145.39	7148.14	7147.91	7148.55	0.018364	5.17	93.64	117.85	0.78	0.29	1.55	0.52	1.40
Reach 1-3	10797	10-YR	773.90	7145.39	7148.56	7148.42	7149.16	0.020907	6.30	130.30	138.11	0.83	0.56	2.31	1.13	1.83
Reach 1-3	10797	25-YR	1022.90	7145.39	7148.81	7148.76	7149.57	0.023317	7.14	154.35	144.18	0.88	0.87	2.94	1.64	2.31
Reach 1-3	10797	50-YR	1389.50	7145.39	7149.15	7148.99	7149.71	0.016666	6.58	255.02	152.08	0.75	0.85	2.46	1.40	1.74
Reach 1-3	10797	100-YR	1643.00	7145.39	7149.35	7149.14	7149.97	0.017191	7.00	284.94	156.61	0.77	1.00	2.74	1.61	1.94
Reach 1-3	10713	2-YR	154.80	7144.30	7146.46		7146.63	0.011196	3.33	49.44	107.80	0.67		0.52	0.05	0.32
Reach 1-3	10713	5-YR	475.50	7144.30	7147.27		7147.45	0.008697	3.75	155.78	145.09	0.54		0.80	0.39	0.58
Reach 1-3	10713	10-YR	773.90	7144.30	7147.65		7147.89	0.009664	4.43	217.03	184.77	0.57	0.09	1.11	0.64	0.70
Reach 1-3	10713	25-YR	1022.90	7144.30	7147.89		7148.18	0.010211	4.86	265.39	204.71	0.59	0.20	1.33	0.82	0.82
Reach 1-3	10713	50-YR	1389.50	7144.30	7148.21		7148.55	0.010416	5.31	331.44	209.58	0.60	0.40	1.56	1.01	1.02
Reach 1-3	10713	100-YR	1643.00	7144.30	7148.40		7148.77	0.010588	5.59	371.61	212.30	0.61	0.53	1.71	1.13	1.15
Reach 1-3	10617	2-YR	154.80	7143.44	7145.51		7145.64	0.010027	2.94	52.66	68.26	0.59		0.48		0.48
Reach 1-3	10617	5-YR	475.50	7143.44	7146.31		7146.56	0.010761	4.07	138.59	194.63	0.58	0.19	1.01	0.14	0.48
Reach 1-3	10617	10-YR	773.90	7143.44	7146.73		7146.99	0.010029	4.47	225.74	219.66	0.57	0.36	1.20	0.37	0.64
Reach 1-3	10617	25-YR	1022.90	7143.44	7147.00		7147.27	0.009557	4.71	286.51	224.78	0.56	0.50	1.30	0.50	0.76
Reach 1-3	10617	50-YR	1389.50	7143.44	7147.34		7147.64	0.009101	5.00	364.99	231.22	0.55	0.65	1.43	0.64	0.89
Reach 1-3	10617	100-YR	1643.00	7143.44	7147.56		7147.86	0.008825	5.16	414.87	235.18	0.55	0.74	1.51	0.72	0.97
Reach 1-3	10543	2-YR	154.80	7142.46	7144.87		7144.99	0.007069	2.87	54.39	81.05	0.57		0.35	0.02	0.29
Reach 1-3	10543	5-YR	475.50	7142.46	7145.60		7145.83	0.008151	3.97	142.32	166.60	0.58	0.06	0.74	0.33	0.43
Reach 1-3	10543	10-YR	773.90	7142.46	7146.01		7146.28	0.008341	4.55	220.09	200.47	0.58	0.23	0.97	0.52	0.57
Reach 1-3	10543	25-YR	1022.90	7142.46	7146.27		7146.57	0.008415	4.91	273.70	203.18	0.59	0.37	1.12	0.65	0.70
Reach 1-3	10543	50-YR	1389.50	7142.46	7146.63		7146.96	0.008178	5.27	347.07	206.83	0.59	0.53	1.27	0.78	0.85
Reach 1-3	10543	100-YR	1643.00	7142.46	7146.85		7147.21	0.008072	5.50	392.82	213.49	0.59	0.63	1.36	0.80	0.92
Reach 1-3	10455	2-YR	154.80	7142.32	7144.50		7144.64	0.008881	2.97	55.11	98.52	0.58		0.45	0.06	0.31
Reach 1-3	10455	5-YR	475.50	7142.32	7145.26		7145.44	0.008278	3.72	161.66	191.49	0.53	0.10	0.79	0.40	0.43
Reach 1-3	10455	10-YR	773.90	7142.32	7145.71		7145.90	0.007454	4.02	252.61	208.89	0.50	0.28	0.91	0.55	0.56
Reach 1-3	10455	25-YR	1022.90	7142.32	7145.97		7146.19	0.007522	4.33	308.62	211.30	0.51	0.40	1.05	0.67	0.68
Reach 1-3	10455	50-YR	1389.50	7142.32	7146.33		7146.58	0.007726	4.77	385.05	225.23	0.52	0.57	1.24	0.73	0.82
Reach 1-3	10455	100-YR	1643.00	7142.32	7146.54		7146.82	0.008016	5.09	434.26	241.43	0.53	0.69	1.39	0.73	0.90
Reach 1-3	10411	2-YR	154.80	7141.35	7143.31		7143.46	0.012196	3.11	49.71	67.73	0.64		0.55		0.55
Reach 1-3	10411	5-YR	475.50	7141.35	7144.12		7144.36	0.011186	4.08	139.45	174.91	0.59	0.18	1.04	0.25	0.55
Reach 1-3	10411	10-YR	773.90	7141.35	7144.42		7144.76	0.013907	5.03	196.67	206.87	0.66	0.36	1.55	0.55	0.82
Reach 1-3	10411	25-YR	1022.90	7141.35	7144.65		7145.02	0.014355	5.47	244.49	215.27	0.68	0.56	1.80	0.71	1.01
Reach 1-3	10411	50-YR	1389.50	7141.35	7144.91		7145.35	0.015396	6.08	302.10	224.98	0.71	0.83	2.18	0.92	1.29
Reach 1-3	10411	100-YR	1643.00	7141.35	7145.07		7145.56	0.015961	6.44	338.27	230.86	0.73	1.00	2.41	1.05	1.46
Reach 1-3	10339	2-YR	154.80	7140.02	7142.13	7142.07	7142.38	0.015941	4.01	38.59	143.45	0.88		0.64		0.64

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	10339	5-YR	475.50	7140.02	7143.07	7142.74	7143.41	0.013384	4.71	116.26	212.79	0.68	0.02	1.23	0.11	0.45
Reach 1-3	10339	10-YR	773.90	7140.02	7143.54		7143.82	0.010375	4.74	231.57	282.88	0.60	0.17	1.25	0.35	0.53
Reach 1-3	10339	25-YR	1022.90	7140.02	7143.77		7144.06	0.010336	5.02	301.43	320.13	0.60	0.23	1.39	0.46	0.61
Reach 1-3	10339	50-YR	1389.50	7140.02	7144.04		7144.35	0.010215	5.33	393.22	340.77	0.60	0.39	1.55	0.59	0.73
Reach 1-3	10339	100-YR	1643.00	7140.02	7144.19		7144.52	0.010483	5.58	444.11	347.80	0.61	0.48	1.69	0.69	0.83
Reach 1-3	10211	2-YR	154.80	7138.76	7141.08		7141.23	0.008823	3.10	49.98	113.09	0.61		0.43		0.43
Reach 1-3	10211	5-YR	475.50	7138.76	7141.95		7142.24	0.010900	4.33	115.42	204.67	0.61	0.12	1.04		0.70
Reach 1-3	10211	10-YR	773.90	7138.76	7142.35	7142.03	7142.73	0.012377	5.14	195.47	299.63	0.65	0.31	1.47	0.14	0.50
Reach 1-3	10211	25-YR	1022.90	7138.76	7142.57	7142.52	7142.96	0.012613	5.49	262.45	312.84	0.66	0.48	1.67	0.30	0.66
Reach 1-3	10211	50-YR	1389.50	7138.76	7142.83	7142.75	7143.24	0.012846	5.89	347.33	339.38	0.67	0.69	1.91	0.46	0.82
Reach 1-3	10211	100-YR	1643.00	7138.76	7142.99		7143.40	0.012565	6.05	403.46	344.68	0.67	0.80	1.99	0.56	0.92
Reach 1-3	10113	2-YR	154.80	7137.89	7139.85	7139.82	7140.14	0.014147	4.32	35.86	79.55	0.96		0.55		0.55
Reach 1-3	10113	5-YR	475.50	7137.89	7140.84	7140.52	7141.18	0.010687	4.66	109.20	218.30	0.69		0.94	0.04	0.33
Reach 1-3	10113	10-YR	773.90	7137.89	7141.24	7141.17	7141.80	0.010526	5.11	206.67	273.09	0.68	0.12	1.16	0.28	0.50
Reach 1-3	10113	25-YR	1022.90	7137.89	7141.49	7141.38	7141.84	0.010137	5.34	276.91	296.16	0.66	0.21	1.27	0.42	0.59
Reach 1-3	10113	50-YR	1389.50	7137.89	7141.79		7142.14	0.009615	5.57	366.61	301.59	0.65	0.37	1.38	0.57	0.73
Reach 1-3	10113	100-YR	1643.00	7137.89	7141.96		7142.33	0.009466	5.75	420.00	304.10	0.64	0.46	1.46	0.66	0.81
Reach 1-3	10014	2-YR	154.80	7136.24	7138.49		7138.75	0.013573	4.13	37.49	43.33	0.78		0.73		0.73
Reach 1-3	10014	5-YR	475.50	7136.24	7139.41		7139.86	0.016594	5.40	88.60	134.88	0.79	0.25	1.51		1.45
Reach 1-3	10014	10-YR	773.90	7136.24	7140.00	7140.00	7140.44	0.013566	5.56	180.96	245.16	0.71	0.16	1.61	0.29	0.62
Reach 1-3	10014	25-YR	1022.90	7136.24	7140.21	7140.21	7140.69	0.014497	6.05	233.51	255.21	0.73	0.31	1.90	0.49	0.83
Reach 1-3	10014	50-YR	1389.50	7136.24	7140.45	7140.45	7141.00	0.015872	6.68	295.90	267.19	0.77	0.49	2.32	0.77	1.09
Reach 1-3	10014	100-YR	1643.00	7136.24	7140.60	7140.60	7141.18	0.016511	7.03	335.31	274.27	0.78	0.60	2.56	0.95	1.26
Reach 1-3	9955	2-YR	154.80	7135.86	7137.87	7137.62	7138.02	0.010379	3.12	49.64	105.93	0.61		0.51		0.51
Reach 1-3	9955	5-YR	475.50	7135.86	7138.52	7138.52	7138.87	0.015806	4.88	120.43	254.30	0.73	0.25	1.35	0.11	0.47
Reach 1-3	9955	10-YR	773.90	7135.86	7138.82	7138.82	7139.20	0.016517	5.52	199.26	273.31	0.75	0.47	1.72	0.42	0.75
Reach 1-3	9955	25-YR	1022.90	7135.86	7139.00	7139.00	7139.42	0.017243	5.96	249.57	283.52	0.77	0.61	1.98	0.63	0.95
Reach 1-3	9955	50-YR	1389.50	7135.86	7139.21	7139.21	7139.68	0.018286	6.52	310.04	287.34	0.80	0.86	2.34	0.90	1.23
Reach 1-3	9955	100-YR	1643.00	7135.86	7139.33	7139.33	7139.84	0.019177	6.90	344.78	288.74	0.82	1.04	2.60	1.09	1.43
Reach 1-3	9943	2-YR	154.80	7135.80	7137.42	7137.42	7137.71	0.140070	4.33	35.79	132.39	0.99		5.12		5.12
Reach 1-3	9943	5-YR	475.50	7135.80	7138.25	7138.25	7138.49	0.044324	4.22	130.16	263.49	0.64	0.31	3.70	0.68	1.36
Reach 1-3	9943	10-YR	773.90	7135.80	7138.43	7138.43	7138.75	0.049497	4.85	179.44	278.36	0.69	0.80	4.69	1.29	1.99
Reach 1-3	9943	25-YR	1022.90	7135.80	7138.56	7138.56	7138.93	0.050496	5.16	215.01	286.20	0.71	1.11	5.18	1.71	2.36
Reach 1-3	9943	50-YR	1389.50	7135.80	7138.73	7138.73	7139.18	0.048766	5.42	264.86	294.28	0.71	1.48	5.52	2.16	2.73
Reach 1-3	9943	100-YR	1643.00	7135.80	7138.84	7138.84	7139.34	0.047045	5.53	297.12	295.61	0.70	1.73	5.64	2.39	2.95
Reach 1-3	9926	2-YR	154.80	7131.59	7134.20		7134.24	0.004987	1.54	101.20	70.12	0.22	0.05	0.47	0.08	0.45
Reach 1-3	9926	5-YR	475.50	7131.59	7135.21		7135.33	0.008203	2.77	180.81	92.26	0.31	0.27	1.29	0.27	1.00
Reach 1-3	9926	10-YR	773.90	7131.59	7135.71		7135.91	0.011263	3.66	229.15	102.25	0.37	0.57	2.12	0.57	1.56
Reach 1-3	9926	25-YR	1022.90	7131.59	7136.02		7136.29	0.013736	4.31	262.45	113.80	0.41	0.85	2.85	0.70	1.96
Reach 1-3	9926	50-YR	1389.50	7131.59	7136.38		7136.75	0.017122	5.15	303.81	120.54	0.47	1.27	3.93	1.13	2.67
Reach 1-3	9926	100-YR	1643.00	7131.59	7136.55		7137.01	0.019995	5.73	324.87	123.84	0.51	1.61	4.80	1.45	3.25
Reach 1-3	9913	2-YR	154.80	7131.58	7134.19		7134.20	0.001164	0.96	160.47	70.60	0.11		0.16	0.00	0.16
Reach 1-3	9913	5-YR	475.50	7131.58	7135.19		7135.25	0.003170	2.03	247.27	111.15	0.20	0.09	0.64	0.08	0.43
Reach 1-3	9913	10-YR	773.90	7131.58	7135.68		7135.79	0.004907	2.76	304.77	122.93	0.25	0.23	1.13	0.23	0.75
Reach 1-3	9913	25-YR	1022.90	7131.58	7135.99		7136.14	0.006196	3.27	348.69	168.99	0.29	0.38	1.55	0.20	0.79
Reach 1-3	9913	50-YR	1389.50	7131.58	7136.36		7136.56	0.007309	3.77	428.53	237.30	0.31	0.56	1.99	0.27	0.82
Reach 1-3	9913	100-YR	1643.00	7131.58	7136.57		7136.78	0.007808	4.01	477.91	246.24	0.33	0.66	2.22	0.37	0.94

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	9910	2-YR	154.80	7132.63	7134.14		7134.19	0.008790	1.81	85.66	70.55	0.28	0.06	0.70	0.04	0.66
Reach 1-3	9910	5-YR	475.50	7132.63	7135.08		7135.23	0.011968	3.06	167.14	111.78	0.36	0.41	1.65	0.25	1.11
Reach 1-3	9910	10-YR	773.90	7132.63	7135.54		7135.75	0.014887	3.87	221.53	125.62	0.42	0.70	2.47	0.65	1.63
Reach 1-3	9910	25-YR	1022.90	7132.63	7135.83		7136.10	0.016853	4.41	260.97	169.31	0.45	1.01	3.10	0.51	1.62
Reach 1-3	9910	50-YR	1389.50	7132.63	7136.24		7136.52	0.015415	4.60	350.33	235.82	0.44	1.20	3.23	0.60	1.43
Reach 1-3	9910	100-YR	1643.00	7132.63	7136.46		7136.74	0.014646	4.67	402.95	244.56	0.43	1.28	3.27	0.74	1.50
Reach 1-3	9875	2-YR	154.80	7131.85	7133.56	7133.50	7133.81	0.012493	4.05	38.27	59.35	0.89		0.50		0.50
Reach 1-3	9875	5-YR	475.50	7131.85	7134.54	7134.17	7134.85	0.008966	4.49	112.87	146.19	0.66	0.06	0.80	0.06	0.43
Reach 1-3	9875	10-YR	773.90	7131.85	7135.14		7135.42	0.006472	4.51	225.08	211.68	0.56	0.23	0.82	0.22	0.43
Reach 1-3	9875	25-YR	1022.90	7131.85	7135.53		7135.79	0.005488	4.54	312.14	237.71	0.52	0.28	0.82	0.28	0.45
Reach 1-3	9875	50-YR	1389.50	7131.85	7135.99		7136.24	0.004691	4.63	426.36	253.29	0.48	0.32	0.84	0.36	0.49
Reach 1-3	9875	100-YR	1643.00	7131.85	7136.20		7136.47	0.004812	4.88	480.04	258.88	0.49	0.37	0.92	0.43	0.56
Reach 1-3	9815	2-YR	154.80	7130.14	7133.14		7133.29	0.005669	3.12	49.56	59.98	0.61		0.29		0.29
Reach 1-3	9815	5-YR	475.50	7130.14	7134.01		7134.32	0.008585	4.50	106.04	80.43	0.65	0.01	0.78	0.03	0.70
Reach 1-3	9815	10-YR	773.90	7130.14	7134.43	7134.09	7134.91	0.011017	5.60	149.51	126.72	0.72	0.15	1.28	0.19	0.80
Reach 1-3	9815	25-YR	1022.90	7130.14	7134.70	7134.48	7135.29	0.012405	6.30	187.51	156.37	0.75	0.28	1.65	0.32	0.92
Reach 1-3	9815	50-YR	1389.50	7130.14	7135.02	7134.98	7135.75	0.013999	7.15	244.70	214.26	0.80	0.46	2.14	0.38	0.99
Reach 1-3	9815	100-YR	1643.00	7130.14	7135.26	7135.26	7135.99	0.013299	7.30	297.91	229.69	0.78	0.54	2.23	0.54	1.07
Reach 1-3	9772	2-YR	154.80	7130.91	7132.73		7132.94	0.012482	3.65	42.38	60.27	0.77		0.55		0.55
Reach 1-3	9772	5-YR	475.50	7130.91	7133.60		7133.91	0.010707	4.54	116.48	128.43	0.69		0.89	0.20	0.60
Reach 1-3	9772	10-YR	773.90	7130.91	7134.02		7134.40	0.010938	5.22	175.46	153.03	0.69	0.15	1.20	0.47	0.78
Reach 1-3	9772	25-YR	1022.90	7130.91	7134.29		7134.73	0.011239	5.70	218.82	170.11	0.70	0.24	1.42	0.65	0.90
Reach 1-3	9772	50-YR	1389.50	7130.91	7134.58	7134.38	7135.12	0.012341	6.42	272.34	198.90	0.74	0.36	1.78	0.82	1.05
Reach 1-3	9772	100-YR	1643.00	7130.91	7134.76	7134.59	7135.36	0.012827	6.82	309.40	217.18	0.76	0.44	1.99	0.91	1.14
Reach 1-3	9727	2-YR	154.80	7129.87	7132.28	7132.05	7132.46	0.008771	3.38	45.79	56.35	0.66		0.44		0.44
Reach 1-3	9727	5-YR	475.50	7129.87	7133.00	7132.88	7133.37	0.013269	5.00	108.69	127.42	0.77		1.08	0.26	0.70
Reach 1-3	9727	10-YR	773.90	7129.87	7133.40	7133.27	7133.85	0.013720	5.69	164.43	157.97	0.77	0.10	1.44	0.60	0.89
Reach 1-3	9727	25-YR	1022.90	7129.87	7133.66	7133.55	7134.17	0.014083	6.17	208.96	188.46	0.78	0.22	1.70	0.83	0.97
Reach 1-3	9727	50-YR	1389.50	7129.87	7134.00	7133.88	7134.55	0.013572	6.58	280.79	229.24	0.77	0.36	1.92	1.06	1.03
Reach 1-3	9727	100-YR	1643.00	7129.87	7134.18	7134.09	7134.76	0.013691	6.88	323.91	240.21	0.77	0.48	2.09	1.21	1.15
Reach 1-3	9636	2-YR	154.80	7129.38	7131.40		7131.55	0.011275	3.14	52.37	119.83	0.63		0.54	0.04	0.31
Reach 1-3	9636	5-YR	475.50	7129.38	7132.05		7132.23	0.010624	3.85	160.79	196.39	0.58	0.04	0.90	0.39	0.54
Reach 1-3	9636	10-YR	773.90	7129.38	7132.32		7132.58	0.012910	4.66	219.44	234.85	0.64	0.15	1.31	0.69	0.75
Reach 1-3	9636	25-YR	1022.90	7129.38	7132.50		7132.81	0.014405	5.21	262.84	260.93	0.68	0.24	1.62	0.92	0.90
Reach 1-3	9636	50-YR	1389.50	7129.38	7132.65	7132.55	7133.08	0.018510	6.18	307.57	321.29	0.78	0.31	2.25	1.36	1.10
Reach 1-3	9636	100-YR	1643.00	7129.38	7132.75	7132.73	7133.24	0.020262	6.65	340.25	322.37	0.81	0.47	2.59	1.61	1.33
Reach 1-3	9626	2-YR	154.80	7129.34	7130.99	7130.99	7131.27	0.138047	4.27	36.28	62.07	0.98		5.00		5.00
Reach 1-3	9626	5-YR	475.50	7129.34	7131.74	7131.74	7132.02	0.055418	4.50	116.69	213.48	0.71	0.09	4.31	0.88	2.07
Reach 1-3	9626	10-YR	773.90	7129.34	7131.96	7131.96	7132.33	0.056865	5.08	162.50	242.44	0.74	0.44	5.21	1.69	2.64
Reach 1-3	9626	25-YR	1022.90	7129.34	7132.13	7132.13	7132.55	0.053418	5.29	204.53	277.04	0.73	0.53	5.44	2.12	2.45
Reach 1-3	9626	50-YR	1389.50	7129.34	7132.37	7132.37	7132.81	0.043225	5.21	278.02	330.21	0.67	0.80	5.04	2.35	2.27
Reach 1-3	9626	100-YR	1643.00	7129.34	7132.48	7132.48	7132.96	0.042216	5.35	314.86	331.57	0.67	1.07	5.21	2.58	2.50
Reach 1-3	9614	2-YR	154.80	7126.48	7128.18	7128.18	7128.47	0.138607	4.29	36.12	61.56	0.99		5.04		5.04
Reach 1-3	9614	5-YR	475.50	7126.48	7128.87	7128.87	7129.40	0.097952	5.84	84.96	103.52	0.93	0.19	7.34	0.91	4.99
Reach 1-3	9614	10-YR	773.90	7126.48	7129.36	7129.36	7129.84	0.063916	5.87	155.58	160.03	0.80	1.52	6.65	2.10	3.86
Reach 1-3	9614	25-YR	1022.90	7126.48	7129.57	7129.57	7130.12	0.066215	6.45	188.75	164.15	0.83	2.36	7.73	2.88	4.73

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	9614	50-YR	1389.50	7126.48	7129.86	7129.86	7130.47	0.062894	6.92	238.90	182.09	0.83	2.70	8.48	3.65	5.13
Reach 1-3	9614	100-YR	1643.00	7126.48	7130.02	7130.02	7130.68	0.061869	7.21	270.27	191.46	0.83	2.99	8.98	4.08	5.43
Reach 1-3	9600	2-YR	154.80	7123.43	7125.83		7125.88	0.008503	1.79	86.52	70.84	0.28	0.03	0.68	0.03	0.64
Reach 1-3	9600	5-YR	475.50	7123.43	7126.83		7126.95	0.010102	2.87	174.17	104.67	0.33	0.34	1.43	0.36	1.04
Reach 1-3	9600	10-YR	773.90	7123.43	7127.32		7127.51	0.012150	3.57	229.13	121.12	0.38	0.60	2.09	0.62	1.43
Reach 1-3	9600	25-YR	1022.90	7123.43	7127.63		7127.87	0.013511	4.04	268.05	131.52	0.41	0.79	2.58	0.82	1.71
Reach 1-3	9600	50-YR	1389.50	7123.43	7127.94		7128.27	0.016133	4.71	311.45	142.62	0.45	1.10	3.39	1.13	2.19
Reach 1-3	9600	100-YR	1643.00	7123.43	7128.10		7128.50	0.018383	5.18	333.97	148.39	0.48	1.35	4.04	1.36	2.57
Reach 1-3	9587	2-YR	154.80	7123.38	7125.82		7125.83	0.001463	1.05	148.17	74.52	0.12	0.00	0.19	0.00	0.18
Reach 1-3	9587	5-YR	475.50	7123.38	7126.81		7126.87	0.002964	1.91	264.62	150.53	0.19	0.11	0.57	0.10	0.32
Reach 1-3	9587	10-YR	773.90	7123.38	7127.31		7127.39	0.003706	2.35	343.45	167.28	0.22	0.24	0.83	0.18	0.47
Reach 1-3	9587	25-YR	1022.90	7123.38	7127.63		7127.74	0.004198	2.64	398.07	179.53	0.23	0.33	1.02	0.24	0.58
Reach 1-3	9587	50-YR	1389.50	7123.38	7127.95		7128.11	0.005120	3.07	458.19	212.03	0.26	0.48	1.34	0.34	0.76
Reach 1-3	9587	100-YR	1643.00	7123.38	7128.12		7128.31	0.005905	3.38	489.18	227.72	0.28	0.59	1.60	0.42	0.91
Reach 1-3	9584	2-YR	154.80	7124.71	7125.72		7125.82	0.023604	2.43	63.77	67.88	0.44		1.38		1.38
Reach 1-3	9584	5-YR	475.50	7124.71	7126.73		7126.85	0.021540	2.68	177.47	152.36	0.44		1.56		1.56
Reach 1-3	9584	10-YR	773.90	7124.71	7127.23		7127.37	0.019065	3.01	257.17	169.25	0.43		1.81		1.81
Reach 1-3	9584	25-YR	1022.90	7124.71	7127.54		7127.71	0.018949	3.28	312.16	195.86	0.44		2.05		2.05
Reach 1-3	9584	50-YR	1389.50	7124.71	7127.86		7128.08	0.020484	3.74	371.37	224.75	0.47	0.10	2.55	0.10	2.48
Reach 1-3	9584	100-YR	1643.00	7124.71	7128.01		7128.28	0.022448	4.11	400.37	238.30	0.49	0.21	3.01	0.21	2.86
Reach 1-3	9558	2-YR	154.80	7122.44	7125.18		7125.26	0.017707	2.28	67.92	64.13	0.39		1.17		1.17
Reach 1-3	9558	5-YR	475.50	7122.44	7126.18		7126.34	0.016056	3.33	146.97	115.42	0.41	0.32	2.00	0.44	1.41
Reach 1-3	9558	10-YR	773.90	7122.44	7126.64		7126.88	0.017168	3.95	201.38	153.62	0.44	0.57	2.64	0.54	1.56
Reach 1-3	9558	25-YR	1022.90	7122.44	7126.94		7127.21	0.017628	4.32	251.39	213.84	0.46	0.74	3.03	0.46	1.41
Reach 1-3	9558	50-YR	1389.50	7122.44	7127.27		7127.56	0.017391	4.62	325.59	281.85	0.46	0.91	3.34	0.55	1.35
Reach 1-3	9558	100-YR	1643.00	7122.44	7127.44		7127.75	0.016736	4.70	371.96	295.93	0.46	0.96	3.40	0.70	1.43
Reach 1-3	9498	2-YR	154.80	7122.10	7124.35	7124.10	7124.49	0.009888	3.00	51.54	64.61	0.59		0.49		0.49
Reach 1-3	9498	5-YR	475.50	7122.10	7125.02	7124.75	7125.36	0.016415	4.70	109.35	140.37	0.73		1.32	0.19	0.85
Reach 1-3	9498	10-YR	773.90	7122.10	7125.41	7125.29	7125.83	0.017016	5.44	168.68	191.97	0.74	0.18	1.77	0.53	0.99
Reach 1-3	9498	25-YR	1022.90	7122.10	7125.65	7125.57	7126.12	0.017269	5.89	216.65	219.46	0.75	0.37	2.06	0.71	1.13
Reach 1-3	9498	50-YR	1389.50	7122.10	7125.95	7125.86	7126.48	0.017374	6.40	280.66	238.87	0.76	0.65	2.39	0.90	1.35
Reach 1-3	9498	100-YR	1643.00	7122.10	7126.13	7126.04	7126.68	0.017277	6.67	321.77	250.79	0.76	0.83	2.57	0.99	1.46
Reach 1-3	9389	2-YR	154.80	7120.61	7121.91	7121.91	7122.21	0.067446	4.37	35.41	63.29	1.03		2.36		2.35
Reach 1-3	9389	5-YR	475.50	7120.61	7122.59	7122.59	7122.95	0.031049	4.99	103.88	140.21	0.80	0.74	2.37	0.46	1.43
Reach 1-3	9389	10-YR	773.90	7120.61	7122.86	7122.86	7123.35	0.032644	5.85	141.98	143.53	0.84	1.29	3.03	0.98	2.01
Reach 1-3	9389	25-YR	1022.90	7120.61	7123.06	7123.06	7123.64	0.032230	6.31	170.75	145.98	0.86	1.65	3.39	1.31	2.35
Reach 1-3	9389	50-YR	1389.50	7120.61	7123.33	7123.33	7124.03	0.031048	6.84	210.28	150.97	0.86	2.04	3.79	1.64	2.69
Reach 1-3	9389	100-YR	1643.00	7120.61	7123.50	7123.50	7124.28	0.029989	7.11	237.08	156.54	0.86	2.24	3.98	1.73	2.83
Reach 1-3	9256	2-YR	154.80	7118.36	7120.05	7119.62	7120.07	0.004027	1.27	122.21	195.40	0.28	0.02	0.16	0.03	0.16
Reach 1-3	9256	5-YR	475.50	7118.36	7120.60	7119.97	7120.67	0.004937	2.07	233.75	205.65	0.33	0.12	0.37	0.14	0.35
Reach 1-3	9256	10-YR	773.90	7118.36	7120.96	7120.20	7121.06	0.005475	2.57	307.68	210.62	0.36	0.21	0.53	0.24	0.50
Reach 1-3	9256	25-YR	1022.90	7118.36	7121.21	7120.36	7121.34	0.005716	2.90	361.88	215.18	0.38	0.27	0.65	0.25	0.60
Reach 1-3	9256	50-YR	1389.50	7118.36	7121.54	7120.58	7121.70	0.005967	3.30	432.96	220.81	0.40	0.35	0.80	0.31	0.73
Reach 1-3	9256	100-YR	1643.00	7118.36	7122.00		7122.15	0.004229	3.15	536.43	227.70	0.34	0.31	0.69	0.29	0.62
Reach 1-3	9243	2-YR	154.80	7119.00	7119.38	7119.38	7119.54	0.172959	3.16	49.01	158.23	1.00		3.37	0.81	3.34
Reach 1-3	9243	5-YR	475.50	7119.00	7119.73	7119.73	7120.04	0.131026	4.49	105.74	169.55	0.98	0.97	5.33	1.47	5.10

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	9243	10-YR	773.90	7119.00	7119.98	7119.98	7120.40	0.110057	5.13	150.49	180.20	0.95	1.37	6.23	2.28	5.73
Reach 1-3	9243	25-YR	1022.90	7119.00	7120.14	7120.14	7120.65	0.107293	5.65	179.75	183.81	0.96	2.01	7.15	3.12	6.54
Reach 1-3	9243	50-YR	1389.50	7119.00	7120.37	7120.37	7120.99	0.098749	6.16	221.83	188.45	0.95	2.67	7.98	4.01	7.25
Reach 1-3	9243	100-YR	1643.00	7119.00	7121.68		7121.87	0.010410	3.19	486.97	215.43	0.35	0.73	1.69	1.03	1.47
Reach 1-3	9216	2-YR	154.80	7114.00	7118.32		7118.32	0.000002	0.17	942.51	236.53	0.01	0.00	0.00	0.00	0.00
Reach 1-3	9216	5-YR	475.50	7114.00	7118.78		7118.78	0.000013	0.47	1052.11	240.55	0.04	0.00	0.00	0.00	0.00
Reach 1-3	9216	10-YR	773.90	7114.00	7119.10		7119.11	0.000027	0.71	1129.14	243.36	0.06	0.00	0.01	0.00	0.01
Reach 1-3	9216	25-YR	1022.90	7114.00	7119.32		7119.34	0.000041	0.90	1184.14	245.35	0.07	0.01	0.01	0.01	0.01
Reach 1-3	9216	50-YR	1389.50	7114.00	7119.62		7119.64	0.000062	1.16	1258.06	249.30	0.09	0.01	0.02	0.01	0.02
Reach 1-3	9216	100-YR	1643.00	7114.00	7121.80		7121.82	0.000027	0.95	1831.41	273.88	0.06	0.01	0.01	0.01	0.01
Reach 1-3	9080	2-YR	155.10	7114.00	7118.32		7118.32	0.000003	0.19	857.11	217.00	0.02	0.00	0.00	0.00	0.00
Reach 1-3	9080	5-YR	480.20	7114.00	7118.78		7118.78	0.000019	0.52	957.29	220.94	0.04	0.00	0.01	0.00	0.00
Reach 1-3	9080	10-YR	783.10	7114.00	7119.09		7119.10	0.000040	0.79	1027.30	223.64	0.06	0.01	0.01	0.01	0.01
Reach 1-3	9080	25-YR	1035.50	7114.00	7119.32		7119.33	0.000060	1.00	1077.09	225.53	0.08	0.01	0.02	0.01	0.02
Reach 1-3	9080	50-YR	1408.70	7114.00	7119.61		7119.63	0.000091	1.28	1143.75	228.04	0.10	0.02	0.03	0.02	0.03
Reach 1-3	9080	100-YR	1665.90	7114.00	7121.80		7121.81	0.000040	1.06	1668.02	251.65	0.07	0.01	0.02	0.01	0.02
Reach 1-3	9029	2-YR	155.10	7117.75	7118.30		7118.32	0.001811	1.21	129.02	238.90	0.29	0.04	0.06	0.03	0.06
Reach 1-3	9029	5-YR	480.20	7117.75	7118.70		7118.77	0.002692	2.13	226.62	242.19	0.39	0.09	0.16	0.09	0.16
Reach 1-3	9029	10-YR	783.10	7117.75	7118.97		7119.08	0.003085	2.70	292.55	244.37	0.43	0.13	0.24	0.13	0.23
Reach 1-3	9029	25-YR	1035.50	7117.75	7119.16		7119.31	0.003354	3.09	338.03	245.87	0.46	0.16	0.29	0.16	0.29
Reach 1-3	9029	50-YR	1408.70	7117.75	7119.40		7119.60	0.003618	3.57	398.42	247.86	0.49	0.20	0.37	0.20	0.36
Reach 1-3	9029	100-YR	1665.90	7117.75	7121.76		7121.80	0.000249	1.69	1010.66	273.00	0.15	0.03	0.06	0.03	0.06
Reach 1-3	8989	2-YR	155.10	7117.73	7118.00	7118.00	7118.12	0.028599	2.75	56.56	240.25	1.00	0.24	0.42	0.18	0.42
Reach 1-3	8989	5-YR	480.20	7117.73	7118.27	7118.27	7118.51	0.022429	4.01	120.22	242.59	1.00	0.37	0.70	0.34	0.69
Reach 1-3	8989	10-YR	783.10	7117.73	7118.45	7118.45	7118.80	0.020399	4.73	166.22	244.26	1.00	0.45	0.88	0.43	0.87
Reach 1-3	8989	25-YR	1035.50	7117.73	7118.60	7118.60	7119.01	0.018877	5.17	201.49	245.53	1.00	0.50	0.98	0.48	0.97
Reach 1-3	8989	50-YR	1408.70	7117.73	7118.79	7118.79	7119.29	0.017649	5.72	247.80	247.19	1.00	0.57	1.13	0.55	1.10
Reach 1-3	8989	100-YR	1665.90	7117.73	7121.75		7121.79	0.000242	1.66	1031.42	281.20	0.15	0.03	0.06	0.03	0.06
Reach 1-3	8983	2-YR	155.10	7103.78	7107.16		7107.21	0.000520	1.86	83.52	24.77	0.18		0.09		0.09
Reach 1-3	8983	5-YR	480.20	7103.78	7110.88		7110.99	0.000554	2.73	175.79	24.84	0.18		0.16		0.16
Reach 1-3	8983	10-YR	783.10	7103.78	7113.58		7113.74	0.000596	3.22	242.91	24.89	0.18		0.20		0.20
Reach 1-3	8983	25-YR	1035.50	7103.78	7115.56		7115.76	0.000581	3.53	293.48	219.61	0.18		0.23		0.23
Reach 1-3	8983	50-YR	1408.70	7103.78	7118.92		7119.13	0.000457	3.71	379.32	253.97	0.17		0.24		0.24
Reach 1-3	8983	100-YR	1665.90	7103.78	7121.66		7121.78	0.001301	2.82	616.96	281.94	0.30	0.05	0.20	0.05	0.17
Reach 1-3	8956	2-YR	155.10	7103.78	7107.14	7104.85	7107.20	0.000527	1.87	83.16	24.77	0.18		0.09		0.09
Reach 1-3	8956	5-YR	480.20	7103.78	7110.86	7106.04	7110.98	0.000558	2.74	175.39	24.84	0.18		0.16		0.16
Reach 1-3	8956	10-YR	783.10	7103.78	7113.56	7106.93	7113.72	0.000599	3.23	242.50	24.89	0.18		0.20		0.20
Reach 1-3	8956	25-YR	1035.50	7103.78	7115.55	7107.56	7115.74	0.000584	3.53	293.06	219.44	0.18		0.23		0.23
Reach 1-3	8956	50-YR	1408.70	7103.78	7118.91	7108.43	7119.12	0.000459	3.72	378.99	253.84	0.17		0.24		0.24
Reach 1-3	8956	100-YR	1665.90	7103.78	7121.62	7108.97	7121.75	0.001377	2.87	605.26	281.55	0.31	0.05	0.21	0.05	0.17
Reach 1-3	8919		Culvert													
Reach 1-3	8888	2-YR	155.10	7103.58	7105.12	7105.12	7105.90	0.015384	7.02	21.96	46.92	1.00	1.48	1.48	1.48	1.48
Reach 1-3	8888	5-YR	480.20	7103.58	7106.85	7106.85	7108.50	0.011981	10.23	46.63	47.00	1.00	2.44	2.44	2.44	2.44
Reach 1-3	8888	10-YR	783.10	7103.58	7108.10	7108.10	7110.39	0.010750	12.04	64.59	47.06	1.00	3.04	3.04	3.04	3.04
Reach 1-3	8888	25-YR	1035.50	7103.58	7109.03	7109.03	7111.79	0.010090	13.21	77.85	47.10	1.00	3.43	3.43	3.43	3.43
Reach 1-3	8888	50-YR	1408.70	7103.58	7110.28	7110.28	7113.66	0.009379	14.62	95.71	47.16	1.00	3.92	3.92	3.92	3.92

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	8888	100-YR	1665.90	7103.58	7111.09	7111.09	7114.85	0.008998	15.44	107.17	47.20	0.99	4.22	4.22	4.22	4.22
Reach 1-3	8886	2-YR	155.10	7102.02	7104.13		7104.42	0.003897	4.34	35.56	46.88	0.53	0.51	0.51	0.50	0.51
Reach 1-3	8886	5-YR	480.20	7102.02	7104.95	7104.95	7106.41	0.012441	9.67	49.46	46.92	1.00	2.27	2.27	2.23	2.26
Reach 1-3	8886	10-YR	783.10	7102.02	7106.07	7106.07	7108.10	0.011187	11.39	68.47	46.97	1.00	2.83	2.82	2.78	2.82
Reach 1-3	8886	25-YR	1035.50	7102.02	7106.89	7106.89	7109.35	0.010537	12.51	82.43	47.01	1.00	3.20	3.20	3.16	3.20
Reach 1-3	8886	50-YR	1408.70	7102.02	7108.00	7108.00	7111.01	0.009811	13.84	101.30	47.06	1.00	3.67	3.66	3.62	3.66
Reach 1-3	8886	100-YR	1665.90	7102.02	7108.71	7108.71	7112.08	0.009454	14.64	113.27	47.09	1.00	3.95	3.94	3.90	3.94
Reach 1-3	8852	2-YR	155.10	7102.13	7104.31		7104.32	0.000180	0.91	169.73	165.01	0.11	0.00	0.02		0.02
Reach 1-3	8852	5-YR	480.20	7102.13	7105.08		7105.14	0.000607	2.06	233.69	169.68	0.22	0.04	0.10		0.10
Reach 1-3	8852	10-YR	783.10	7102.13	7105.61		7105.74	0.000902	2.82	278.61	191.26	0.27	0.09	0.18	0.02	0.18
Reach 1-3	8852	25-YR	1035.50	7102.13	7106.00		7106.17	0.001096	3.34	310.94	219.61	0.30	0.13	0.25	0.05	0.25
Reach 1-3	8852	50-YR	1408.70	7102.13	7106.50		7106.75	0.001324	3.99	353.47	252.93	0.34	0.20	0.34	0.10	0.34
Reach 1-3	8852	100-YR	1665.90	7102.13	7106.82		7107.12	0.001452	4.39	380.30	265.48	0.36	0.25	0.41	0.13	0.40
Reach 1-3	8850	2-YR	155.10	7103.55	7104.06	7104.06	7104.30	0.030301	3.93	39.43	152.27	1.00		0.90		0.90
Reach 1-3	8850	5-YR	480.20	7103.55	7104.59	7104.59	7105.10	0.023747	5.71	84.22	168.93	1.01	0.74	1.48		1.47
Reach 1-3	8850	10-YR	783.10	7103.55	7104.98	7104.98	7105.67	0.021341	6.70	116.90	178.20	1.00	1.18	1.83	0.12	1.82
Reach 1-3	8850	25-YR	1035.50	7103.55	7105.26	7105.26	7106.10	0.019956	7.34	141.10	189.70	1.00	1.46	2.06	0.46	2.05
Reach 1-3	8850	50-YR	1408.70	7103.55	7105.64	7105.64	7106.67	0.018582	8.13	173.43	206.50	1.00	1.80	2.36	0.87	2.35
Reach 1-3	8850	100-YR	1665.90	7103.55	7105.88	7105.88	7107.03	0.018014	8.61	193.61	222.28	1.00	2.01	2.55	1.11	2.54
Reach 1-3	8818	2-YR	155.10	7101.03	7103.59		7103.72	0.006213	2.92	53.03	68.46	0.59		0.30		0.30
Reach 1-3	8818	5-YR	480.20	7101.03	7104.37		7104.57	0.007287	3.87	157.31	201.46	0.56	0.22	0.67	0.05	0.35
Reach 1-3	8818	10-YR	783.10	7101.03	7104.72		7104.97	0.008127	4.49	236.59	237.57	0.59	0.42	0.92	0.18	0.50
Reach 1-3	8818	25-YR	1035.50	7101.03	7104.97		7105.24	0.008172	4.80	296.33	240.29	0.59	0.54	1.05	0.30	0.63
Reach 1-3	8818	50-YR	1408.70	7101.03	7105.29		7105.60	0.008053	5.14	375.52	243.84	0.58	0.68	1.20	0.45	0.77
Reach 1-3	8818	100-YR	1665.90	7101.03	7105.50		7105.82	0.007942	5.34	425.75	246.06	0.58	0.77	1.28	0.54	0.85
Reach 1-3	8786	2-YR	155.10	7101.10	7103.31		7103.46	0.010282	3.19	48.58	63.56	0.64		0.49		0.49
Reach 1-3	8786	5-YR	480.20	7101.10	7104.10		7104.31	0.009760	3.96	165.08	258.17	0.57	0.19	0.89	0.22	0.39
Reach 1-3	8786	10-YR	783.10	7101.10	7104.51		7104.70	0.007975	4.05	273.39	264.43	0.52	0.36	0.93	0.37	0.51
Reach 1-3	8786	25-YR	1035.50	7101.10	7104.79		7104.98	0.007282	4.16	346.55	266.89	0.50	0.44	0.98	0.46	0.59
Reach 1-3	8786	50-YR	1408.70	7101.10	7105.14		7105.34	0.006748	4.36	440.07	269.61	0.48	0.55	1.05	0.57	0.68
Reach 1-3	8786	100-YR	1665.90	7101.10	7105.35		7105.56	0.006517	4.49	498.31	271.30	0.48	0.61	1.10	0.63	0.74
Reach 1-3	8750	2-YR	155.10	7100.37	7102.52		7102.66	0.009575	3.05	50.78	62.01	0.59		0.49		0.49
Reach 1-3	8750	5-YR	480.20	7100.37	7103.36		7103.56	0.008654	3.83	158.49	214.41	0.53	0.27	0.85	0.05	0.49
Reach 1-3	8750	10-YR	783.10	7100.37	7103.69		7103.95	0.010416	4.63	216.30	223.56	0.59	0.53	1.23	0.16	0.78
Reach 1-3	8750	25-YR	1035.50	7100.37	7103.91		7104.23	0.011444	5.15	256.77	230.67	0.62	0.74	1.51	0.25	0.99
Reach 1-3	8750	50-YR	1408.70	7100.37	7104.19		7104.59	0.012574	5.79	309.61	243.62	0.66	1.02	1.88	0.38	1.26
Reach 1-3	8750	100-YR	1665.90	7100.37	7104.36		7104.81	0.013164	6.17	342.97	253.11	0.68	1.20	2.11	0.46	1.44
Reach 1-3	8683	2-YR	155.10	7099.61	7101.86		7101.98	0.008001	2.85	54.34	124.76	0.54		0.42		0.42
Reach 1-3	8683	5-YR	480.20	7099.61	7102.59	7102.31	7102.83	0.010815	4.18	149.27	260.20	0.60	0.23	1.01	0.10	0.39
Reach 1-3	8683	10-YR	783.10	7099.61	7102.95		7103.20	0.010152	4.52	243.58	263.20	0.58	0.44	1.18	0.32	0.58
Reach 1-3	8683	25-YR	1035.50	7099.61	7103.19		7103.44	0.009845	4.75	306.42	265.27	0.58	0.56	1.28	0.45	0.71
Reach 1-3	8683	50-YR	1408.70	7099.61	7103.48		7103.76	0.009708	5.07	384.71	267.41	0.58	0.73	1.44	0.62	0.87
Reach 1-3	8683	100-YR	1665.90	7099.61	7103.66		7103.96	0.009631	5.27	433.41	268.73	0.58	0.82	1.54	0.72	0.96
Reach 1-3	8578	2-YR	155.10	7099.09	7101.27		7101.38	0.007077	2.57	60.38	123.43	0.49		0.38		0.38
Reach 1-3	8578	5-YR	480.20	7099.09	7102.05		7102.17	0.006139	3.14	207.05	246.17	0.44	0.19	0.60	0.21	0.32
Reach 1-3	8578	10-YR	783.10	7099.09	7102.36		7102.52	0.007112	3.73	283.29	248.31	0.48	0.35	0.83	0.38	0.50

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	8578	25-YR	1035.50	7099.09	7102.54		7102.74	0.008048	4.18	330.22	249.67	0.51	0.49	1.04	0.52	0.66
Reach 1-3	8578	50-YR	1408.70	7099.09	7102.77		7103.03	0.009349	4.78	386.97	251.37	0.55	0.69	1.34	0.73	0.89
Reach 1-3	8578	100-YR	1665.90	7099.09	7102.99		7103.25	0.008740	4.88	442.40	253.08	0.54	0.76	1.37	0.79	0.95
Reach 1-3	8429	2-YR	155.10	7098.29	7100.42		7100.59	0.012092	3.30	46.95	123.13	0.69		0.54		0.54
Reach 1-3	8429	5-YR	480.20	7098.29	7101.06	7100.98	7101.42	0.012937	4.95	110.40	218.17	0.77	0.21	1.03	0.02	0.41
Reach 1-3	8429	10-YR	783.10	7098.29	7101.39	7101.38	7101.75	0.011134	5.34	184.56	227.25	0.74	0.39	1.11	0.24	0.56
Reach 1-3	8429	25-YR	1035.50	7098.29	7101.62		7101.99	0.009750	5.47	237.69	229.88	0.71	0.48	1.11	0.34	0.63
Reach 1-3	8429	50-YR	1408.70	7098.29	7101.99		7102.33	0.007340	5.36	322.19	232.97	0.64	0.52	1.00	0.42	0.63
Reach 1-3	8429	100-YR	1665.90	7098.29	7102.02		7102.47	0.009476	6.16	330.72	233.18	0.72	0.69	1.32	0.56	0.83
Reach 1-3	8326	2-YR	155.10	7096.32	7098.41	7098.41	7098.84	0.013934	5.57	29.84	35.34	1.00		0.81	0.59	0.72
Reach 1-3	8326	5-YR	480.20	7096.32	7099.25	7099.25	7099.72	0.012631	4.98	89.61	96.87	0.95	0.12	0.67	0.95	0.72
Reach 1-3	8326	10-YR	783.10	7096.32	7099.61	7099.61	7100.24	0.011774	6.06	124.54	99.67	0.97	0.25	0.88	1.09	0.91
Reach 1-3	8326	25-YR	1035.50	7096.32	7099.88	7099.88	7100.62	0.010932	6.69	151.99	101.87	0.97	0.32	1.00	1.16	1.00
Reach 1-3	8326	50-YR	1408.70	7096.32	7100.19	7100.19	7101.12	0.011119	7.64	183.69	109.60	1.01	0.25	1.23	1.33	1.15
Reach 1-3	8326	100-YR	1665.90	7096.32	7100.64	7100.64	7101.39	0.007129	7.10	258.38	195.05	0.84	0.16	0.99	1.00	0.58
Reach 1-3	8290	2-YR	155.10	7097.00	7097.90		7097.97	0.006102	2.21	70.21	88.46	0.44		0.30		0.30
Reach 1-3	8290	5-YR	480.20	7097.00	7098.50		7098.73	0.009227	3.83	125.37	94.21	0.59		0.76		0.76
Reach 1-3	8290	10-YR	783.10	7097.00	7098.89		7099.25	0.010750	4.80	163.19	98.00	0.66		1.11		1.11
Reach 1-3	8290	25-YR	1035.50	7097.00	7099.17		7099.63	0.011692	5.44	190.20	100.62	0.70		1.37		1.37
Reach 1-3	8290	50-YR	1408.70	7097.00	7099.52		7100.12	0.012713	6.23	226.12	104.00	0.74		1.72		1.72
Reach 1-3	8290	100-YR	1665.90	7097.00	7099.73		7100.43	0.013374	6.71	248.22	106.02	0.77		1.95		1.95
Reach 1-3	8276	2-YR	155.10	7097.00	7097.80	7097.52	7097.88	0.007642	2.27	68.41	98.16	0.48		0.33		0.33
Reach 1-3	8276	5-YR	480.20	7097.00	7098.37	7098.01	7098.60	0.010226	3.81	126.12	103.33	0.61		0.78		0.78
Reach 1-3	8276	10-YR	783.10	7097.00	7098.75	7098.36	7099.10	0.011376	4.71	166.10	106.92	0.67		1.10		1.10
Reach 1-3	8276	25-YR	1035.50	7097.00	7099.02	7098.62	7099.46	0.012050	5.31	194.89	109.44	0.70		1.34		1.34
Reach 1-3	8276	50-YR	1408.70	7097.00	7099.37	7098.96	7099.93	0.012698	6.03	233.57	112.73	0.74		1.64		1.64
Reach 1-3	8276	100-YR	1665.90	7097.00	7099.58	7099.17	7100.23	0.013181	6.48	257.22	114.69	0.76		1.84		1.84
Reach 1-3	8267	2-YR	155.10	7097.00	7097.51	7097.51	7097.71	0.039749	3.62	42.84	105.00	1.00		1.01		1.01
Reach 1-3	8267	5-YR	480.20	7097.00	7097.97	7097.97	7098.39	0.031384	5.23	91.84	108.53	1.00		1.66		1.66
Reach 1-3	8267	10-YR	783.10	7097.00	7098.29	7098.29	7098.88	0.028787	6.13	127.68	111.23	1.01		2.06		2.06
Reach 1-3	8267	25-YR	1035.50	7097.00	7098.54	7098.54	7099.23	0.026896	6.67	155.25	113.28	1.00		2.30		2.30
Reach 1-3	8267	50-YR	1408.70	7097.00	7098.86	7098.86	7099.69	0.025351	7.34	191.91	115.95	1.01		2.61		2.61
Reach 1-3	8267	100-YR	1665.90	7097.00	7099.06	7099.06	7099.99	0.024521	7.73	215.63	117.65	1.01		2.80		2.80
Reach 1-3	8229	2-YR	155.10	7091.00	7094.18		7094.19	0.000280	0.90	172.77	82.65	0.11		0.04		0.04
Reach 1-3	8229	5-YR	480.20	7091.00	7095.09		7095.15	0.000860	1.91	251.59	89.99	0.20		0.15		0.15
Reach 1-3	8229	10-YR	783.10	7091.00	7095.70		7095.80	0.001259	2.55	307.50	94.85	0.25		0.25		0.25
Reach 1-3	8229	25-YR	1035.50	7091.00	7096.12		7096.26	0.001526	2.97	348.18	98.24	0.28		0.33		0.33
Reach 1-3	8229	50-YR	1408.70	7091.00	7096.66		7096.85	0.001851	3.50	402.20	102.56	0.31		0.45		0.45
Reach 1-3	8229	100-YR	1665.90	7091.00	7096.97		7097.20	0.002063	3.83	434.80	105.08	0.33		0.53		0.53
Reach 1-3	8210	2-YR	155.10	7091.00	7094.18		7094.19	0.000278	0.89	174.33	84.22	0.11		0.04		0.04
Reach 1-3	8210	5-YR	480.20	7091.00	7095.08		7095.13	0.000856	1.89	253.61	91.50	0.20		0.15		0.15
Reach 1-3	8210	10-YR	783.10	7091.00	7095.68		7095.77	0.001255	2.53	309.69	96.32	0.25		0.25		0.25
Reach 1-3	8210	25-YR	1035.50	7091.00	7096.09		7096.23	0.001521	2.95	350.51	99.69	0.28		0.33		0.33
Reach 1-3	8210	50-YR	1408.70	7091.00	7096.62		7096.81	0.001847	3.48	404.66	103.98	0.31		0.44		0.44
Reach 1-3	8210	100-YR	1665.90	7091.00	7096.93		7097.16	0.002060	3.81	437.29	106.48	0.33		0.52		0.52
Reach 1-3	8209	2-YR	155.10	7093.00	7094.13		7094.18	0.002881	1.80	86.10	83.81	0.31		0.18		0.18

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	8209	5-YR	480.20	7093.00	7094.97		7095.11	0.003948	3.01	159.34	90.59	0.40		0.43		0.43
Reach 1-3	8209	10-YR	783.10	7093.00	7095.52		7095.74	0.004386	3.71	211.20	95.10	0.44		0.60		0.60
Reach 1-3	8209	25-YR	1035.50	7093.00	7095.92		7096.19	0.004623	4.16	249.16	98.27	0.46		0.73		0.73
Reach 1-3	8209	50-YR	1408.70	7093.00	7096.42		7096.76	0.004896	4.70	299.50	102.33	0.48		0.89		0.89
Reach 1-3	8209	100-YR	1665.90	7093.00	7096.71		7097.10	0.005143	5.06	329.37	104.66	0.50		1.00		1.00
Reach 1-3	8175	2-YR	155.10	7093.00	7093.97		7094.04	0.004972	2.14	72.37	81.75	0.40		0.27		0.27
Reach 1-3	8175	5-YR	480.20	7093.00	7094.73		7094.92	0.006290	3.51	136.83	87.84	0.50		0.61		0.61
Reach 1-3	8175	10-YR	783.10	7093.00	7095.25		7095.53	0.006679	4.26	183.68	92.01	0.53		0.83		0.83
Reach 1-3	8175	25-YR	1035.50	7093.00	7095.62		7095.97	0.006905	4.75	217.82	94.93	0.55		0.98		0.98
Reach 1-3	8175	50-YR	1408.70	7093.00	7096.08		7096.53	0.007182	5.36	263.05	98.67	0.58		1.19		1.19
Reach 1-3	8175	100-YR	1665.90	7093.00	7096.33		7096.85	0.007627	5.78	288.07	100.68	0.60		1.35		1.35
Reach 1-3	8165	2-YR	155.10	7093.00	7093.89	7093.55	7093.98	0.006634	2.34	66.16	81.14	0.46		0.34		0.34
Reach 1-3	8165	5-YR	480.20	7093.00	7094.62	7094.11	7094.84	0.007898	3.77	127.27	86.96	0.55		0.72		0.72
Reach 1-3	8165	10-YR	783.10	7093.00	7095.12	7094.50	7095.44	0.008211	4.56	171.85	90.97	0.58		0.96		0.96
Reach 1-3	8165	25-YR	1035.50	7093.00	7095.48	7094.80	7095.88	0.008313	5.05	205.06	93.85	0.60		1.13		1.13
Reach 1-3	8165	50-YR	1408.70	7093.00	7095.94	7095.19	7096.44	0.008476	5.65	249.12	97.53	0.62		1.34		1.34
Reach 1-3	8165	100-YR	1665.90	7093.00	7096.17		7096.75	0.009119	6.13	271.56	99.36	0.65		1.54		1.54
Reach 1-3	8155	2-YR	155.10	7093.00	7093.55	7093.55	7093.80	0.037138	3.99	38.90	78.37	1.00		1.15		1.15
Reach 1-3	8155	5-YR	480.20	7093.00	7094.11	7094.11	7094.62	0.029657	5.72	83.90	82.88	1.00		1.87		1.87
Reach 1-3	8155	10-YR	783.10	7093.00	7094.51	7094.51	7095.20	0.027014	6.66	117.52	86.06	1.01		2.29		2.29
Reach 1-3	8155	25-YR	1035.50	7093.00	7094.79	7094.79	7095.62	0.025794	7.27	142.43	88.35	1.01		2.58		2.58
Reach 1-3	8155	50-YR	1408.70	7093.00	7095.19	7095.19	7096.16	0.023919	7.92	177.77	91.49	1.00		2.89		2.89
Reach 1-3	8155	100-YR	1665.90	7093.00	7095.56	7095.43	7096.52	0.019178	7.83	212.87	94.51	0.92		2.68		2.68
Reach 1-3	8125	2-YR	155.10	7087.00	7090.96		7090.98	0.000200	0.93	165.94	57.71	0.10		0.04		0.04
Reach 1-3	8125	5-YR	480.20	7087.00	7092.55		7092.60	0.000512	1.80	267.39	70.39	0.16		0.12		0.12
Reach 1-3	8125	10-YR	783.10	7087.00	7093.58		7093.66	0.000680	2.27	344.39	78.65	0.19		0.18		0.18
Reach 1-3	8125	25-YR	1035.50	7087.00	7094.31		7094.41	0.000772	2.57	403.48	84.45	0.21		0.23		0.23
Reach 1-3	8125	50-YR	1408.70	7087.00	7095.27		7095.40	0.000848	2.88	488.91	92.19	0.22		0.27		0.27
Reach 1-3	8125	100-YR	1665.90	7087.00	7095.90		7096.04	0.000870	3.04	547.90	97.17	0.23		0.30		0.30
Reach 1-3	8105	2-YR	155.10	7087.00	7090.96		7090.97	0.000201	0.94	165.71	57.68	0.10		0.04		0.04
Reach 1-3	8105	5-YR	480.20	7087.00	7092.54		7092.59	0.000516	1.80	266.67	70.34	0.16		0.12		0.12
Reach 1-3	8105	10-YR	783.10	7087.00	7093.57		7093.65	0.000687	2.28	343.32	78.60	0.19		0.18		0.18
Reach 1-3	8105	25-YR	1035.50	7087.00	7094.29		7094.39	0.000780	2.57	402.22	84.40	0.21		0.23		0.23
Reach 1-3	8105	50-YR	1408.70	7087.00	7095.26		7095.39	0.000855	2.89	487.47	92.15	0.22		0.28		0.28
Reach 1-3	8105	100-YR	1665.90	7087.00	7095.88		7096.02	0.000878	3.05	546.40	97.15	0.23		0.30		0.30
Reach 1-3	8104	2-YR	155.10	7089.00	7090.92		7090.97	0.001235	1.62	95.63	57.39	0.22		0.13		0.13
Reach 1-3	8104	5-YR	480.20	7089.00	7092.48		7092.57	0.001449	2.47	194.56	69.87	0.26		0.25		0.25
Reach 1-3	8104	10-YR	783.10	7089.00	7093.50		7093.63	0.001499	2.90	270.23	78.08	0.27		0.32		0.32
Reach 1-3	8104	25-YR	1035.50	7089.00	7094.22		7094.38	0.001506	3.15	328.51	83.86	0.28		0.36		0.36
Reach 1-3	8104	50-YR	1408.70	7089.00	7095.19		7095.37	0.001461	3.41	413.33	91.61	0.28		0.40		0.40
Reach 1-3	8104	100-YR	1665.90	7089.00	7095.81		7096.01	0.001409	3.53	472.15	96.63	0.28		0.42		0.42
Reach 1-3	8074	2-YR	155.10	7089.00	7090.82	7089.90	7090.90	0.002771	2.29	67.86	44.56	0.33		0.26		0.26
Reach 1-3	8074	5-YR	480.20	7089.00	7092.32	7090.82	7092.49	0.003022	3.35	143.42	56.43	0.37		0.47		0.47
Reach 1-3	8074	10-YR	783.10	7089.00	7093.31	7091.45	7093.54	0.002746	3.89	201.55	63.87	0.37		0.58		0.58
Reach 1-3	8074	25-YR	1035.50	7089.00	7094.00	7091.90	7094.28	0.002606	4.28	242.11	66.60	0.37		0.66		0.66
Reach 1-3	8074	50-YR	1408.70	7089.00	7094.91	7092.48	7095.26	0.002464	4.76	296.12	69.00	0.37		0.76		0.76
Reach 1-3	8074	100-YR	1665.90	7089.00	7095.50	7092.79	7095.89	0.002382	5.04	330.84	69.00	0.37		0.82		0.82

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	7949	Culvert														
Reach 1-3	7828	2-YR	146.52	7088.70	7090.35	7089.65	7090.46	0.001642	2.73	53.64	39.17	0.41		0.14		0.14
Reach 1-3	7828	5-YR	512.38	7088.70	7091.37	7090.77	7091.79	0.003393	5.24	97.87	48.09	0.63		0.44		0.44
Reach 1-3	7828	10-YR	847.50	7088.70	7091.90	7091.44	7092.64	0.004405	6.92	122.40	52.92	0.75		0.72		0.72
Reach 1-3	7828	25-YR	1108.89	7088.70	7092.22	7091.89	7093.23	0.005145	8.08	137.28	55.84	0.83		0.94		0.94
Reach 1-3	7828	50-YR	1497.55	7088.70	7092.57	7092.47	7094.05	0.006459	9.75	153.55	59.05	0.94		1.32		1.32
Reach 1-3	7828	100-YR	1763.93	7088.70	7092.84	7092.84	7094.60	0.006906	10.62	166.03	60.55	0.99		1.53		1.53
Reach 1-3	7788	2-YR	146.52	7088.52	7090.33		7090.37	0.001026	1.70	94.98	75.09	0.23	0.04	0.11	0.05	0.08
Reach 1-3	7788	5-YR	512.38	7088.52	7091.42		7091.55	0.001723	3.06	181.49	83.83	0.32	0.13	0.30	0.18	0.23
Reach 1-3	7788	10-YR	847.50	7088.52	7092.05		7092.25	0.002133	3.90	235.37	88.84	0.37	0.20	0.46	0.29	0.35
Reach 1-3	7788	25-YR	1108.89	7088.52	7092.46		7092.72	0.002342	4.40	272.53	92.14	0.40	0.25	0.56	0.37	0.43
Reach 1-3	7788	50-YR	1497.55	7088.52	7092.98		7093.33	0.002590	5.04	321.81	96.36	0.43	0.31	0.70	0.47	0.53
Reach 1-3	7788	100-YR	1763.93	7088.52	7093.30		7093.70	0.002728	5.42	352.85	98.90	0.44	0.36	0.80	0.53	0.60
Reach 1-3	7765	2-YR	146.52	7088.50	7090.31		7090.35	0.000741	1.70	98.42	75.64	0.22	0.04	0.08	0.04	0.06
Reach 1-3	7765	5-YR	512.38	7088.50	7091.39		7091.52	0.001325	3.11	188.17	91.24	0.32	0.11	0.24	0.12	0.17
Reach 1-3	7765	10-YR	847.50	7088.50	7092.01		7092.21	0.001635	3.94	246.85	97.14	0.37	0.17	0.35	0.20	0.26
Reach 1-3	7765	25-YR	1108.89	7088.50	7092.42		7092.67	0.001787	4.43	287.49	100.55	0.40	0.21	0.43	0.26	0.32
Reach 1-3	7765	50-YR	1497.55	7088.50	7092.95		7093.27	0.001969	5.06	341.31	104.91	0.42	0.27	0.54	0.33	0.40
Reach 1-3	7765	100-YR	1763.93	7088.50	7093.27		7093.63	0.002069	5.44	375.24	107.55	0.44	0.30	0.61	0.38	0.45
Reach 1-3	7742	2-YR	146.52	7088.50	7090.19		7090.31	0.003203	2.84	53.70	52.52	0.44	0.04	0.26	0.05	0.20
Reach 1-3	7742	5-YR	512.38	7088.50	7091.00		7091.43	0.006301	5.51	105.47	75.67	0.67	0.25	0.82	0.25	0.55
Reach 1-3	7742	10-YR	847.50	7088.50	7091.41	7091.29	7092.09	0.008202	7.08	137.71	81.89	0.79	0.50	1.28	0.43	0.86
Reach 1-3	7742	25-YR	1108.89	7088.50	7091.65	7091.63	7092.53	0.009567	8.12	157.73	85.52	0.86	0.70	1.63	0.58	1.10
Reach 1-3	7742	50-YR	1497.55	7088.50	7092.06	7092.06	7093.11	0.009640	8.96	194.62	91.80	0.89	0.90	1.90	0.70	1.27
Reach 1-3	7742	100-YR	1763.93	7088.50	7092.31	7092.31	7093.47	0.009738	9.47	217.85	95.52	0.90	1.02	2.06	0.79	1.38
Reach 1-3	7708	2-YR	146.52	7088.50	7089.97		7090.12	0.012282	3.47	54.56	79.96	0.51	0.35	1.09	0.25	0.52
Reach 1-3	7708	5-YR	512.38	7088.50	7090.83		7091.08	0.012845	4.85	137.54	107.96	0.56	0.71	1.82	0.85	1.02
Reach 1-3	7708	10-YR	847.50	7088.50	7091.29		7091.64	0.013601	5.64	190.01	115.71	0.60	1.04	2.32	1.23	1.39
Reach 1-3	7708	25-YR	1108.89	7088.50	7091.59		7092.00	0.014017	6.13	224.65	118.83	0.62	1.30	2.64	1.48	1.65
Reach 1-3	7708	50-YR	1497.55	7088.50	7091.94		7092.46	0.015066	6.83	267.08	122.55	0.65	1.67	3.17	1.85	2.04
Reach 1-3	7708	100-YR	1763.93	7088.50	7092.15		7092.74	0.015759	7.27	292.87	124.74	0.67	1.92	3.52	2.09	2.30
Reach 1-3	7669	2-YR	146.52	7087.30	7089.58		7089.72	0.008384	3.02	48.50	56.90	0.58		0.44		0.44
Reach 1-3	7669	5-YR	512.38	7087.30	7090.47		7090.72	0.006768	4.24	138.18	124.40	0.58	0.08	0.70	0.27	0.47
Reach 1-3	7669	10-YR	847.50	7087.30	7090.98		7091.28	0.005928	4.75	206.51	142.05	0.56	0.16	0.80	0.42	0.53
Reach 1-3	7669	25-YR	1108.89	7087.30	7091.32		7091.64	0.005484	5.03	254.36	145.31	0.56	0.25	0.85	0.49	0.59
Reach 1-3	7669	50-YR	1497.55	7087.30	7091.68		7092.08	0.005595	5.57	307.80	148.66	0.58	0.37	1.00	0.61	0.72
Reach 1-3	7669	100-YR	1763.93	7087.30	7091.90		7092.35	0.005685	5.90	340.51	151.11	0.59	0.44	1.09	0.68	0.79
Reach 1-3	7624	2-YR	146.52	7086.89	7088.91	7088.90	7089.19	0.016923	4.27	34.31	61.05	1.00		0.59		0.59
Reach 1-3	7624	5-YR	512.38	7086.89	7089.85	7089.71	7090.26	0.015686	5.22	106.43	114.27	0.78		1.35	0.23	0.91
Reach 1-3	7624	10-YR	847.50	7086.89	7090.23	7090.19	7090.82	0.018752	6.36	152.88	126.92	0.85	0.02	2.03	0.63	1.40
Reach 1-3	7624	25-YR	1108.89	7086.89	7090.47	7090.47	7091.18	0.020377	7.08	185.25	143.17	0.88	0.18	2.51	0.84	1.64
Reach 1-3	7624	50-YR	1497.55	7086.89	7090.85	7090.85	7091.62	0.019218	7.55	242.58	158.34	0.86	0.43	2.82	1.12	1.83
Reach 1-3	7624	100-YR	1763.93	7086.89	7091.05	7091.05	7091.88	0.019399	7.93	274.96	168.42	0.87	0.42	3.08	1.35	1.97
Reach 1-3	7584	2-YR	146.52	7086.36	7088.52		7088.66	0.009179	3.02	48.59	83.26	0.60		0.44		0.44
Reach 1-3	7584	5-YR	512.38	7086.36	7089.48		7089.73	0.009505	4.16	147.87	177.72	0.57	0.31	0.98	0.10	0.49

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	7584	10-YR	847.50	7086.36	7089.86		7090.18	0.010763	4.94	223.58	206.13	0.61	0.59	1.36	0.32	0.73
Reach 1-3	7584	25-YR	1108.89	7086.36	7090.10		7090.46	0.011136	5.34	273.39	208.54	0.62	0.76	1.58	0.49	0.91
Reach 1-3	7584	50-YR	1497.55	7086.36	7090.41		7090.81	0.011445	5.82	338.32	211.63	0.64	0.97	1.84	0.72	1.14
Reach 1-3	7584	100-YR	1763.93	7086.36	7090.60		7091.03	0.011571	6.09	378.49	213.53	0.64	1.10	1.99	0.85	1.27
Reach 1-3	7534	2-YR	146.52	7085.85	7087.94		7088.13	0.012029	3.50	41.82	102.03	0.73		0.53		0.53
Reach 1-3	7534	5-YR	512.38	7085.85	7088.93		7089.15	0.014175	3.76	136.48	184.38	0.75	0.03	0.69	0.04	0.65
Reach 1-3	7534	10-YR	847.50	7085.85	7089.30		7089.57	0.013690	4.14	211.69	207.84	0.68	0.19	0.98	0.28	0.87
Reach 1-3	7534	25-YR	1108.89	7085.85	7089.54		7089.84	0.013507	4.44	260.56	210.13	0.66	0.28	1.16	0.45	1.04
Reach 1-3	7534	50-YR	1497.55	7085.85	7089.84		7090.19	0.013439	4.85	323.59	213.04	0.66	0.40	1.41	0.67	1.27
Reach 1-3	7534	100-YR	1763.93	7085.85	7090.02		7090.41	0.013491	5.12	362.02	214.80	0.66	0.47	1.56	0.80	1.41
Reach 1-3	7485	2-YR	146.52	7085.30	7087.46		7087.61	0.009213	3.12	47.00	82.21	0.61		0.47		0.47
Reach 1-3	7485	5-YR	512.38	7085.30	7088.30		7088.55	0.019959	4.37	157.25	205.91	0.61	0.25	1.06	0.31	0.52
Reach 1-3	7485	10-YR	847.50	7085.30	7088.65		7088.95	0.011851	5.03	230.37	210.08	0.64	0.52	1.41	0.58	0.81
Reach 1-3	7485	25-YR	1108.89	7085.30	7088.86		7089.21	0.012460	5.46	276.19	212.65	0.66	0.70	1.65	0.77	1.01
Reach 1-3	7485	50-YR	1497.55	7085.30	7089.15		7089.55	0.013001	5.98	337.00	216.05	0.68	0.94	1.94	1.01	1.26
Reach 1-3	7485	100-YR	1763.93	7085.30	7089.32		7089.76	0.013244	6.28	374.94	218.10	0.69	1.09	2.12	1.16	1.41
Reach 1-3	7455	2-YR	146.52	7085.01	7087.21		7087.36	0.007531	3.10	47.24	53.95	0.58		0.41		0.41
Reach 1-3	7455	5-YR	512.38	7085.01	7088.15		7088.32	0.004929	3.68	185.15	232.10	0.49	0.17	0.54	0.18	0.27
Reach 1-3	7455	10-YR	847.50	7085.01	7088.46		7088.70	0.005957	4.47	249.88	239.02	0.55	0.31	0.76	0.32	0.44
Reach 1-3	7455	25-YR	1108.89	7085.01	7088.64		7088.94	0.006719	5.01	289.07	243.17	0.59	0.43	0.93	0.43	0.56
Reach 1-3	7455	50-YR	1497.55	7085.01	7088.88		7089.27	0.007534	5.65	341.30	248.61	0.63	0.58	1.16	0.58	0.73
Reach 1-3	7455	100-YR	1763.93	7085.01	7089.00		7089.46	0.008375	6.14	367.76	251.31	0.67	0.70	1.35	0.69	0.87
Reach 1-3	7445	2-YR	146.52	7085.12	7086.85	7086.85	7087.16	0.081069	4.47	32.79	86.45	0.98		3.22		3.22
Reach 1-3	7445	5-YR	512.38	7085.12	7087.88	7087.88	7088.20	0.029482	4.89	135.27	239.63	0.69	0.65	2.86	0.46	1.18
Reach 1-3	7445	10-YR	847.50	7085.12	7088.15	7088.15	7088.56	0.033328	5.79	194.20	246.61	0.75	1.28	3.80	1.07	1.87
Reach 1-3	7445	25-YR	1108.89	7085.12	7088.32	7088.32	7088.79	0.035559	6.34	230.82	250.85	0.79	1.71	4.42	1.49	2.33
Reach 1-3	7445	50-YR	1497.55	7085.12	7088.51	7088.51	7089.09	0.039750	7.13	273.82	255.77	0.84	2.35	5.42	2.11	3.04
Reach 1-3	7445	100-YR	1763.93	7085.12	7088.67	7088.67	7089.28	0.038885	7.37	308.27	259.65	0.85	2.63	5.67	2.40	3.31
Reach 1-3	7430	2-YR	146.52	7081.82	7083.60	7083.60	7083.91	0.083331	4.51	32.50	50.98	1.00		3.28		3.28
Reach 1-3	7430	5-YR	512.38	7081.82	7084.45	7084.45	7085.06	0.057728	6.33	84.28	71.97	0.94	1.28	4.98		4.18
Reach 1-3	7430	10-YR	847.50	7081.82	7085.06	7085.06	7085.74	0.042068	6.86	137.71	121.51	0.85	2.00	5.19	0.46	2.96
Reach 1-3	7430	25-YR	1108.89	7081.82	7085.38	7085.38	7086.11	0.038505	7.25	179.13	133.54	0.84	2.30	5.52	1.07	3.21
Reach 1-3	7430	50-YR	1497.55	7081.82	7085.80	7085.80	7086.56	0.034189	7.62	237.38	145.83	0.81	2.55	5.78	1.66	3.46
Reach 1-3	7430	100-YR	1763.93	7081.82	7085.91	7085.91	7086.83	0.039344	8.41	254.49	148.67	0.88	3.09	6.93	2.15	4.18
Reach 1-3	7422	2-YR	146.52	7080.12	7082.46		7082.54	0.003027	2.25	65.25	55.99	0.37		0.22		0.22
Reach 1-3	7422	5-YR	512.38	7080.12	7083.43		7083.68	0.004677	4.13	131.55	90.01	0.50	0.15	0.60	0.07	0.42
Reach 1-3	7422	10-YR	847.50	7080.12	7083.86		7084.29	0.006267	5.42	173.66	104.34	0.60	0.29	0.98	0.21	0.65
Reach 1-3	7422	25-YR	1108.89	7080.12	7084.13		7084.68	0.007125	6.18	203.34	111.79	0.65	0.39	1.23	0.32	0.80
Reach 1-3	7422	50-YR	1497.55	7080.12	7084.41	7084.15	7085.16	0.008917	7.36	234.91	119.25	0.74	0.57	1.69	0.50	1.09
Reach 1-3	7422	100-YR	1763.93	7080.12	7084.48	7084.41	7085.46	0.011218	8.39	243.90	121.38	0.83	0.74	2.18	0.66	1.40
Reach 1-3	7409	2-YR	146.52	7080.12	7082.49		7082.51	0.000436	1.24	118.31	56.18	0.15	0.00	0.05		0.05
Reach 1-3	7409	5-YR	512.38	7080.12	7083.50		7083.61	0.001246	2.71	212.24	112.44	0.27	0.05	0.23	0.05	0.14
Reach 1-3	7409	10-YR	847.50	7080.12	7083.99		7084.17	0.001869	3.66	269.31	123.68	0.34	0.11	0.40	0.12	0.25
Reach 1-3	7409	25-YR	1108.89	7080.12	7084.30		7084.54	0.002229	4.22	309.89	153.27	0.38	0.10	0.52	0.17	0.28
Reach 1-3	7409	50-YR	1497.55	7080.12	7084.66		7084.97	0.002709	4.93	374.64	198.37	0.42	0.12	0.69	0.25	0.31
Reach 1-3	7409	100-YR	1763.93	7080.12	7084.83		7085.21	0.003099	5.42	410.55	208.92	0.45	0.16	0.82	0.30	0.38

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	7406	2-YR	146.52	7081.53	7082.20	7082.17	7082.48	0.054429	4.27	34.32	53.87	0.94		2.16		2.16
Reach 1-3	7406	5-YR	512.38	7081.53	7083.06	7083.06	7083.56	0.033673	5.84	97.36	104.85	0.85	0.56	3.06	0.73	1.95
Reach 1-3	7406	10-YR	847.50	7081.53	7083.52	7083.49	7084.12	0.029939	6.61	148.41	116.17	0.84	1.16	3.58	1.33	2.38
Reach 1-3	7406	25-YR	1108.89	7081.53	7083.81	7083.76	7084.48	0.028571	7.09	183.21	122.95	0.84	1.48	3.93	1.64	2.65
Reach 1-3	7406	50-YR	1497.55	7081.53	7084.20	7084.20	7084.92	0.025656	7.49	239.47	171.35	0.82	0.97	4.15	1.91	2.23
Reach 1-3	7406	100-YR	1763.93	7081.53	7084.41	7084.41	7085.15	0.024451	7.70	277.62	187.87	0.81	1.07	4.28	2.05	2.25
Reach 1-3	7351	2-YR	146.52	7079.22	7081.38		7081.50	0.008121	2.85	51.45	59.46	0.54		0.43		0.43
Reach 1-3	7351	5-YR	512.38	7079.22	7082.24		7082.51	0.010699	4.36	139.79	138.31	0.59	0.19	1.10	0.34	0.67
Reach 1-3	7351	10-YR	847.50	7079.22	7082.66		7083.02	0.012105	5.24	204.01	166.67	0.64	0.38	1.56	0.59	0.92
Reach 1-3	7351	25-YR	1108.89	7079.22	7082.92		7083.35	0.013110	5.83	250.60	196.41	0.67	0.50	1.90	0.69	1.04
Reach 1-3	7351	50-YR	1497.55	7079.22	7083.18	7083.04	7083.72	0.015138	6.66	306.10	225.33	0.73	0.60	2.44	0.95	1.28
Reach 1-3	7351	100-YR	1763.93	7079.22	7083.34	7083.23	7083.94	0.015970	7.08	343.17	240.45	0.75	0.65	2.74	1.14	1.42
Reach 1-3	7279	2-YR	146.52	7078.10	7080.45		7080.64	0.018488	3.57	41.08	58.59	0.75		0.80		0.80
Reach 1-3	7279	5-YR	512.38	7078.10	7081.41		7081.67	0.012541	4.38	143.09	166.36	0.61	0.08	1.22	0.39	0.67
Reach 1-3	7279	10-YR	847.50	7078.10	7081.86		7082.16	0.011620	4.88	235.08	239.37	0.60	0.25	1.46	0.56	0.71
Reach 1-3	7279	25-YR	1108.89	7078.10	7082.12		7082.44	0.011643	5.25	303.91	288.01	0.61	0.37	1.64	0.60	0.76
Reach 1-3	7279	50-YR	1497.55	7078.10	7082.41		7082.74	0.011078	5.51	389.45	290.97	0.60	0.55	1.77	0.77	0.92
Reach 1-3	7279	100-YR	1763.93	7078.10	7082.59		7082.93	0.010907	5.70	440.59	292.60	0.60	0.66	1.86	0.87	1.02
Reach 1-3	7213	2-YR	146.52	7077.30	7079.92		7080.04	0.005188	2.83	51.85	61.28	0.54		0.27		0.27
Reach 1-3	7213	5-YR	512.38	7077.30	7080.96		7081.15	0.005269	3.75	181.06	204.61	0.49	0.09	0.59	0.17	0.29
Reach 1-3	7213	10-YR	847.50	7077.30	7081.37		7081.62	0.006089	4.46	279.06	270.58	0.53	0.18	0.84	0.29	0.39
Reach 1-3	7213	25-YR	1108.89	7077.30	7081.61		7081.88	0.006494	4.86	349.09	304.24	0.54	0.24	0.99	0.37	0.46
Reach 1-3	7213	50-YR	1497.55	7077.30	7081.91		7082.20	0.006608	5.21	440.43	307.12	0.55	0.37	1.13	0.50	0.59
Reach 1-3	7213	100-YR	1763.93	7077.30	7082.07		7082.39	0.006921	5.50	489.44	308.65	0.57	0.45	1.25	0.59	0.68
Reach 1-3	7167	2-YR	146.52	7077.47	7079.66		7079.76	0.006951	2.62	55.91	63.23	0.49		0.38		0.38
Reach 1-3	7167	5-YR	512.38	7077.47	7080.66		7080.86	0.007315	3.78	172.36	216.88	0.49	0.14	0.83	0.16	0.36
Reach 1-3	7167	10-YR	847.50	7077.47	7080.95		7081.25	0.010234	4.84	244.13	270.23	0.58	0.33	1.35	0.32	0.58
Reach 1-3	7167	25-YR	1108.89	7077.47	7081.17		7081.50	0.010751	5.25	305.39	293.64	0.60	0.48	1.56	0.41	0.70
Reach 1-3	7167	50-YR	1497.55	7077.47	7081.40		7081.79	0.012213	5.90	374.84	318.11	0.65	0.71	1.95	0.55	0.90
Reach 1-3	7167	100-YR	1763.93	7077.47	7081.55		7081.96	0.012378	6.15	424.34	324.35	0.66	0.84	2.09	0.66	1.01
Reach 1-3	7102	2-YR	146.52	7076.78	7079.05		7079.16	0.012607	2.73	53.63	62.94	0.52		0.67		0.67
Reach 1-3	7102	5-YR	512.38	7076.78	7079.61	7079.54	7080.06	0.023497	5.48	109.57	167.22	0.83	0.38	1.98		1.13
Reach 1-3	7102	10-YR	847.50	7076.78	7080.12	7080.12	7080.49	0.014046	5.41	223.72	297.91	0.70	0.57	1.62	0.24	0.66
Reach 1-3	7102	25-YR	1108.89	7076.78	7080.26	7080.26	7080.69	0.015279	5.97	267.76	308.41	0.74	0.74	1.90	0.38	0.83
Reach 1-3	7102	50-YR	1497.55	7076.78	7080.48	7080.48	7080.94	0.015061	6.40	335.65	322.18	0.76	0.92	2.07	0.54	0.98
Reach 1-3	7102	100-YR	1763.93	7076.78	7080.59	7080.59	7081.10	0.015620	6.76	371.75	328.79	0.78	1.06	2.26	0.65	1.10
Reach 1-3	7093	2-YR	146.52	7076.86	7078.58	7078.58	7078.86	0.148429	4.30	34.11	60.93	1.01		5.14		5.14
Reach 1-3	7093	5-YR	512.38	7076.86	7079.48	7079.48	7079.70	0.040238	4.11	154.76	305.84	0.61	0.69	3.47	0.64	1.27
Reach 1-3	7093	10-YR	847.50	7076.86	7079.65	7079.65	7079.95	0.050430	4.95	205.03	316.19	0.70	1.25	4.85	1.30	2.04
Reach 1-3	7093	25-YR	1108.89	7076.86	7079.76	7079.76	7080.13	0.053295	5.33	240.94	323.38	0.73	1.59	5.50	1.74	2.47
Reach 1-3	7093	50-YR	1497.55	7076.86	7079.91	7079.91	7080.36	0.055166	5.73	289.02	328.86	0.75	2.07	6.19	2.30	3.02
Reach 1-3	7093	100-YR	1763.93	7076.86	7080.02	7080.02	7080.51	0.051832	5.78	326.18	330.15	0.73	2.30	6.18	2.52	3.19
Reach 1-3	7073	2-YR	146.52	7072.92	7075.08		7075.15	0.014880	2.10	69.89	65.23	0.36		0.99		0.99
Reach 1-3	7073	5-YR	512.38	7072.92	7076.06		7076.26	0.020384	3.66	147.04	105.48	0.46	0.53	2.46	0.13	1.76
Reach 1-3	7073	10-YR	847.50	7072.92	7076.48		7076.81	0.026486	4.75	199.95	140.57	0.54	1.05	3.89	0.58	2.34
Reach 1-3	7073	25-YR	1108.89	7072.92	7076.71		7077.13	0.030955	5.46	233.66	153.20	0.60	1.46	4.98	0.98	2.93
Reach 1-3	7073	50-YR	1497.55	7072.92	7076.98		7077.54	0.036636	6.35	277.61	168.22	0.66	2.04	6.51	1.56	3.75

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	7073	100-YR	1763.93	7072.92	7077.14	7076.91	7077.77	0.040125	6.88	304.03	176.79	0.70	2.40	7.51	1.96	4.29
Reach 1-3	7066	2-YR	146.52	7072.86	7075.09		7075.11	0.001842	1.11	132.38	65.26	0.14		0.22		0.22
Reach 1-3	7066	5-YR	512.38	7072.86	7076.07		7076.16	0.005663	2.48	228.37	148.68	0.26	0.18	1.00	0.10	0.53
Reach 1-3	7066	10-YR	847.50	7072.86	7076.51		7076.66	0.008486	3.33	302.67	190.23	0.32	0.40	1.72	0.28	0.83
Reach 1-3	7066	25-YR	1108.89	7072.86	7076.75		7076.95	0.010554	3.89	351.11	212.96	0.36	0.58	2.29	0.43	1.07
Reach 1-3	7066	50-YR	1497.55	7072.86	7077.05		7077.31	0.012943	4.54	419.69	248.76	0.41	0.71	3.04	0.68	1.35
Reach 1-3	7066	100-YR	1763.93	7072.86	7077.22		7077.52	0.014342	4.92	464.22	273.65	0.43	0.80	3.52	0.83	1.50
Reach 1-3	7061	2-YR	146.52	7074.14	7074.77	7074.77	7075.06	0.022658	4.27	34.33	62.77	1.02		0.77		0.77
Reach 1-3	7061	5-YR	512.38	7074.14	7075.57	7075.57	7076.08	0.012979	5.77	95.39	115.56	0.89	0.16	1.06	0.14	0.67
Reach 1-3	7061	10-YR	847.50	7074.14	7076.07	7076.07	7076.58	0.009551	6.13	170.96	190.33	0.80	0.27	1.07	0.24	0.53
Reach 1-3	7061	25-YR	1108.89	7074.14	7076.30	7076.30	7076.87	0.009433	6.61	218.22	212.68	0.82	0.36	1.19	0.33	0.60
Reach 1-3	7061	50-YR	1497.55	7074.14	7076.59	7076.59	7077.22	0.009345	7.19	284.72	249.05	0.83	0.40	1.35	0.43	0.67
Reach 1-3	7061	100-YR	1763.93	7074.14	7076.77	7076.77	7077.43	0.009219	7.50	330.83	274.11	0.84	0.41	1.44	0.49	0.69
Reach 1-3	7044	2-YR	146.52	7071.83	7073.95	7073.95	7074.23	0.016834	4.28	34.20	60.57	1.01		0.59		0.59
Reach 1-3	7044	5-YR	512.38	7071.83	7074.80	7074.66	7075.31	0.021737	5.77	90.85	105.45	0.89		1.75	0.08	1.16
Reach 1-3	7044	10-YR	847.50	7071.83	7075.39	7075.39	7075.83	0.014929	5.67	206.86	299.55	0.72	0.23	1.75	0.33	0.64
Reach 1-3	7044	25-YR	1108.89	7071.83	7075.73	7075.65	7076.05	0.010868	5.27	324.55	371.18	0.62	0.30	1.50	0.42	0.59
Reach 1-3	7044	50-YR	1497.55	7071.83	7076.19		7076.41	0.006810	4.62	496.72	375.08	0.50	0.38	1.13	0.45	0.56
Reach 1-3	7044	100-YR	1763.93	7071.83	7076.53		7076.70	0.004947	4.22	625.04	377.98	0.43	0.37	0.93	0.43	0.51
Reach 1-3	7005	2-YR	146.52	7071.87	7073.50		7073.63	0.005454	2.87	51.12	60.46	0.55		0.29		0.29
Reach 1-3	7005	5-YR	512.38	7071.87	7074.57		7074.84	0.005923	4.18	132.79	143.82	0.55	0.04	0.66	0.07	0.34
Reach 1-3	7005	10-YR	847.50	7071.87	7075.17		7075.46	0.005272	4.59	248.51	248.86	0.52	0.18	0.78	0.19	0.37
Reach 1-3	7005	25-YR	1108.89	7071.87	7075.48		7075.79	0.005239	4.89	316.99	301.81	0.53	0.27	0.87	0.28	0.46
Reach 1-3	7005	50-YR	1497.55	7071.87	7075.83		7076.18	0.005454	5.35	397.72	323.76	0.54	0.39	1.03	0.41	0.59
Reach 1-3	7005	100-YR	1763.93	7071.87	7076.01		7076.47	0.006787	6.17	440.41	332.67	0.61	0.55	1.36	0.31	0.56
Reach 1-3	6941	2-YR	146.52	7070.47	7073.00		7073.19	0.008628	3.51	41.79	60.22	0.74		0.37		0.37
Reach 1-3	6941	5-YR	512.38	7070.47	7074.02		7074.37	0.009299	4.74	113.43	101.64	0.65	0.12	0.93	0.08	0.64
Reach 1-3	6941	10-YR	847.50	7070.47	7074.68		7075.05	0.007802	5.12	203.74	177.70	0.60	0.31	1.10	0.18	0.56
Reach 1-3	6941	25-YR	1108.89	7070.47	7075.12	7074.60	7075.44	0.006083	4.97	323.08	287.90	0.53	0.39	1.02	0.21	0.42
Reach 1-3	6941	50-YR	1497.55	7070.47	7075.55		7075.84	0.005230	5.01	448.43	291.55	0.50	0.46	1.02	0.32	0.50
Reach 1-3	6941	100-YR	1763.93	7070.47	7075.77		7076.06	0.005171	5.18	511.97	293.37	0.50	0.51	1.07	0.38	0.56
Reach 1-3	6868	2-YR	146.52	7069.50	7072.13	7072.13	7072.44	0.012175	4.46	32.84	53.33	1.00		0.46		0.46
Reach 1-3	6868	5-YR	512.38	7069.50	7073.14		7073.58	0.012344	5.35	96.45	70.32	0.78	0.13	1.11		1.04
Reach 1-3	6868	10-YR	847.50	7069.50	7073.66	7073.44	7074.29	0.013611	6.42	139.13	93.96	0.80	0.37	1.66	0.19	1.24
Reach 1-3	6868	25-YR	1108.89	7069.50	7073.96	7073.79	7074.74	0.014780	7.17	171.49	130.94	0.84	0.54	2.07	0.22	1.20
Reach 1-3	6868	50-YR	1497.55	7069.50	7074.45	7074.45	7075.23	0.013008	7.44	257.05	210.64	0.79	0.76	2.21	0.36	0.99
Reach 1-3	6868	100-YR	1763.93	7069.50	7074.74	7074.74	7075.49	0.011840	7.49	320.61	238.94	0.76	0.85	2.22	0.46	0.99
Reach 1-3	6769	2-YR	146.52	7068.73	7071.05		7071.28	0.009700	3.78	38.73	59.79	0.83		0.39		0.39
Reach 1-3	6769	5-YR	512.38	7068.73	7072.13		7072.47	0.009672	4.68	118.99	119.46	0.64	0.11	0.98	0.14	0.60
Reach 1-3	6769	10-YR	847.50	7068.73	7072.63		7073.06	0.010375	5.47	186.56	147.27	0.66	0.32	1.37	0.41	0.82
Reach 1-3	6769	25-YR	1108.89	7068.73	7072.93		7073.41	0.010821	5.97	230.60	153.90	0.67	0.51	1.63	0.57	1.01
Reach 1-3	6769	50-YR	1497.55	7068.73	7073.30		7073.86	0.011180	6.55	289.98	162.40	0.69	0.76	1.94	0.77	1.24
Reach 1-3	6769	100-YR	1763.93	7068.73	7073.53		7074.13	0.011292	6.87	328.26	167.72	0.69	0.90	2.12	0.88	1.37
Reach 1-3	6673	2-YR	146.52	7067.90	7070.11	7069.96	7070.29	0.010482	3.38	43.32	89.98	0.71		0.45		0.45
Reach 1-3	6673	5-YR	512.38	7067.90	7071.19		7071.49	0.010309	4.44	121.66	160.38	0.60	0.17	1.08	0.10	0.75
Reach 1-3	6673	10-YR	847.50	7067.90	7071.77	7071.41	7072.09	0.008975	4.83	218.84	179.91	0.56	0.41	1.26	0.30	0.68

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	6673	25-YR	1108.89	7067.90	7072.12	7071.69	7072.45	0.008269	5.01	282.62	184.41	0.55	0.54	1.34	0.44	0.79
Reach 1-3	6673	50-YR	1497.55	7067.90	7072.59	7072.01	7072.92	0.007383	5.20	369.38	191.13	0.52	0.66	1.41	0.58	0.89
Reach 1-3	6673	100-YR	1763.93	7067.90	7072.85	7072.19	7073.19	0.007137	5.36	420.22	195.21	0.52	0.73	1.48	0.66	0.95
Reach 1-3	6588	2-YR	146.52	7067.13	7069.22		7069.38	0.011074	3.23	45.36	61.13	0.66		0.51		0.51
Reach 1-3	6588	5-YR	512.38	7067.13	7070.15		7070.50	0.013207	4.77	113.70	101.07	0.66	0.21	1.31	0.13	0.92
Reach 1-3	6588	10-YR	847.50	7067.13	7070.57	7070.38	7071.09	0.016200	5.96	160.50	119.32	0.74	0.57	2.02	0.41	1.35
Reach 1-3	6588	25-YR	1108.89	7067.13	7070.83	7070.67	7071.45	0.017642	6.66	191.90	123.41	0.78	0.88	2.49	0.63	1.70
Reach 1-3	6588	50-YR	1497.55	7067.13	7071.15	7071.05	7071.94	0.019413	7.54	234.77	142.52	0.82	1.32	3.13	0.61	1.98
Reach 1-3	6588	100-YR	1763.93	7067.13	7071.36	7071.31	7072.23	0.019877	7.98	265.84	156.21	0.84	1.58	3.46	0.68	2.10
Reach 1-3	6504	2-YR	146.52	7066.40	7068.50		7068.61	0.007498	2.63	56.41	69.82	0.50		0.40	0.07	0.38
Reach 1-3	6504	5-YR	512.38	7066.40	7069.44		7069.63	0.007635	3.68	172.04	183.12	0.49	0.13	0.82	0.29	0.45
Reach 1-3	6504	10-YR	847.50	7066.40	7069.94		7070.15	0.006906	4.05	265.58	188.34	0.48	0.32	0.96	0.47	0.60
Reach 1-3	6504	25-YR	1108.89	7066.40	7070.27		7070.49	0.006574	4.27	327.00	191.14	0.47	0.42	1.04	0.57	0.70
Reach 1-3	6504	50-YR	1497.55	7066.40	7070.69		7070.94	0.006207	4.55	408.98	194.80	0.46	0.55	1.15	0.68	0.81
Reach 1-3	6504	100-YR	1763.93	7066.40	7070.95		7071.22	0.006029	4.72	460.45	197.07	0.46	0.62	1.21	0.75	0.87
Reach 1-3	6417	2-YR	146.52	7065.42	7067.22	7067.22	7067.50	0.024060	4.28	34.20	61.22	1.01		0.83		0.83
Reach 1-3	6417	5-YR	512.38	7065.42	7068.17	7067.97	7068.60	0.018819	5.28	101.92	133.74	0.78	0.18	1.67	0.10	1.13
Reach 1-3	6417	10-YR	847.50	7065.42	7068.64	7068.54	7069.18	0.018665	6.11	157.87	163.49	0.78	0.66	2.20	0.37	1.49
Reach 1-3	6417	25-YR	1108.89	7065.42	7068.93	7068.79	7069.54	0.018503	6.59	194.27	174.56	0.78	0.97	2.52	0.53	1.78
Reach 1-3	6417	50-YR	1497.55	7065.42	7069.30	7069.13	7070.01	0.018602	7.23	241.01	188.26	0.80	1.38	2.95	0.76	2.16
Reach 1-3	6417	100-YR	1763.93	7065.42	7069.52	7069.37	7070.30	0.018775	7.63	269.36	196.40	0.81	1.62	3.23	0.90	2.39
Reach 1-3	6369	2-YR	146.52	7064.37	7066.85		7066.94	0.005524	2.44	60.06	72.29	0.47		0.28		0.28
Reach 1-3	6369	5-YR	512.38	7064.37	7067.84		7068.03	0.006720	3.58	159.75	137.83	0.47	0.18	0.73	0.09	0.48
Reach 1-3	6369	10-YR	847.50	7064.37	7068.24		7068.52	0.008496	4.48	215.87	141.82	0.54	0.43	1.14	0.23	0.80
Reach 1-3	6369	25-YR	1108.89	7064.37	7068.51		7068.85	0.009240	4.98	254.53	144.51	0.56	0.61	1.39	0.34	1.01
Reach 1-3	6369	50-YR	1497.55	7064.37	7068.86		7069.28	0.010011	5.59	305.58	147.98	0.59	0.86	1.72	0.48	1.28
Reach 1-3	6369	100-YR	1763.93	7064.37	7069.07		7069.55	0.010497	5.97	346.17	209.95	0.61	1.03	1.94	0.18	1.07
Reach 1-3	6298	2-YR	146.52	7064.05	7065.92	7065.92	7066.22	0.022242	4.41	33.21	55.58	1.01		0.82		0.82
Reach 1-3	6298	5-YR	512.38	7064.05	7066.99	7066.79	7067.34	0.014253	4.92	123.85	163.29	0.69	0.05	1.38	0.29	0.67
Reach 1-3	6298	10-YR	847.50	7064.05	7067.55		7067.86	0.010307	4.92	223.51	178.85	0.59	0.37	1.36	0.56	0.80
Reach 1-3	6298	25-YR	1108.89	7064.05	7067.83		7068.17	0.010351	5.28	272.93	181.31	0.60	0.53	1.54	0.73	0.97
Reach 1-3	6298	50-YR	1497.55	7064.05	7068.15		7068.55	0.010939	5.84	331.47	184.20	0.62	0.75	1.85	0.98	1.22
Reach 1-3	6298	100-YR	1763.93	7064.05	7068.35		7068.79	0.011118	6.14	368.98	186.03	0.63	0.88	2.02	1.13	1.37
Reach 1-3	6265	2-YR	146.52	7063.23	7065.57		7065.73	0.007724	3.22	45.55	61.62	0.66		0.35		0.35
Reach 1-3	6265	5-YR	512.38	7063.23	7066.14	7066.14	7066.75	0.022793	6.26	82.48	73.43	0.99		1.75	0.13	1.58
Reach 1-3	6265	10-YR	847.50	7063.23	7066.78	7066.78	7067.41	0.017532	6.51	150.33	157.81	0.84	0.23	2.02	0.36	1.04
Reach 1-3	6265	25-YR	1108.89	7063.23	7067.11	7067.11	7067.74	0.015761	6.70	209.17	192.60	0.80	0.46	2.14	0.50	1.06
Reach 1-3	6265	50-YR	1497.55	7063.23	7067.46	7067.46	7068.12	0.015256	7.13	279.52	204.70	0.79	0.76	2.40	0.76	1.30
Reach 1-3	6265	100-YR	1763.93	7063.23	7067.62	7067.62	7068.34	0.016172	7.58	311.83	206.34	0.81	0.94	2.70	0.95	1.52
Reach 1-3	6232	2-YR	146.52	7063.38	7065.23		7065.40	0.012936	3.33	44.96	90.78	0.71		0.54	0.04	0.40
Reach 1-3	6232	5-YR	512.38	7063.38	7065.98		7066.20	0.008641	3.98	142.50	184.98	0.60	0.06	0.73	0.34	0.41
Reach 1-3	6232	10-YR	847.50	7063.38	7066.31		7066.61	0.009261	4.69	204.27	192.34	0.63	0.25	0.97	0.52	0.61
Reach 1-3	6232	25-YR	1108.89	7063.38	7066.49		7066.87	0.010166	5.22	239.59	200.92	0.67	0.39	1.18	0.62	0.75
Reach 1-3	6232	50-YR	1497.55	7063.38	7066.73		7067.21	0.011165	5.90	289.32	208.17	0.71	0.58	1.46	0.80	0.96
Reach 1-3	6232	100-YR	1763.93	7063.38	7066.87		7067.41	0.011541	6.25	318.78	209.34	0.73	0.69	1.61	0.92	1.09
Reach 1-3	6223	2-YR	146.52	7063.07	7064.83	7064.83	7065.11	0.148335	4.25	34.50	94.19	1.01		5.06		5.06

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	6223	5-YR	512.38	7063.07	7065.61	7065.61	7066.00	0.075480	5.30	111.22	152.15	0.83	0.47	5.95	1.66	3.43
Reach 1-3	6223	10-YR	847.50	7063.07	7065.98	7065.98	7066.42	0.064718	5.81	174.64	195.26	0.80	1.08	6.57	2.66	3.60
Reach 1-3	6223	25-YR	1108.89	7063.07	7066.17	7066.17	7066.66	0.064565	6.24	212.64	200.85	0.81	1.83	7.32	3.25	4.25
Reach 1-3	6223	50-YR	1497.55	7063.07	7066.40	7066.40	7066.98	0.065827	6.82	259.91	207.44	0.84	2.76	8.40	4.03	5.13
Reach 1-3	6223	100-YR	1763.93	7063.07	7066.52	7066.52	7067.18	0.068421	7.23	285.78	209.31	0.86	3.37	9.26	4.65	5.81
Reach 1-3	6212	2-YR	146.52	7060.43	7062.19	7062.19	7062.49	0.160896	4.35	33.64	62.59	1.05		5.36		5.36
Reach 1-3	6212	5-YR	512.38	7060.43	7062.98	7062.98	7063.49	0.091843	5.81	93.70	104.64	0.91	1.62	7.17	0.73	5.10
Reach 1-3	6212	10-YR	847.50	7060.43	7063.42	7063.42	7064.04	0.080968	6.59	144.03	125.62	0.90	3.21	8.40	1.99	5.76
Reach 1-3	6212	25-YR	1108.89	7060.43	7063.70	7063.70	7064.37	0.073156	6.96	181.77	134.30	0.88	3.88	8.89	2.75	6.15
Reach 1-3	6212	50-YR	1497.55	7060.43	7063.99	7063.99	7064.81	0.077075	7.82	220.72	140.44	0.92	5.04	10.72	3.95	7.52
Reach 1-3	6212	100-YR	1763.93	7060.43	7064.21	7064.21	7065.09	0.073523	8.13	252.69	148.43	0.91	5.48	11.24	4.23	7.77
Reach 1-3	6199	2-YR	146.52	7057.41	7059.59		7059.66	0.017564	2.19	67.06	66.57	0.38		1.09		1.09
Reach 1-3	6199	5-YR	512.38	7057.41	7060.62		7060.82	0.020155	3.64	143.86	84.42	0.46	0.40	2.44	0.47	2.12
Reach 1-3	6199	10-YR	847.50	7057.41	7061.19		7061.50	0.022355	4.55	195.38	95.32	0.50	0.84	3.49	0.92	2.84
Reach 1-3	6199	25-YR	1108.89	7057.41	7061.53		7061.92	0.024443	5.17	228.38	101.70	0.54	1.17	4.33	1.26	3.40
Reach 1-3	6199	50-YR	1497.55	7057.41	7061.92		7062.45	0.027749	6.01	270.05	109.36	0.59	1.67	5.59	1.76	4.24
Reach 1-3	6199	100-YR	1763.93	7057.41	7062.15		7062.77	0.030034	6.54	296.15	117.54	0.62	2.02	6.48	1.82	4.69
Reach 1-3	6184	2-YR	146.52	7057.42	7059.57		7059.59	0.001662	1.07	136.78	66.79	0.13		0.21		0.21
Reach 1-3	6184	5-YR	512.38	7057.42	7060.56		7060.65	0.005209	2.44	223.72	111.45	0.25	0.13	0.95	0.16	0.64
Reach 1-3	6184	10-YR	847.50	7057.42	7061.13		7061.28	0.007193	3.22	291.62	125.79	0.30	0.34	1.57	0.41	1.03
Reach 1-3	6184	25-YR	1108.89	7057.42	7061.47		7061.66	0.008481	3.72	335.18	132.42	0.33	0.52	2.02	0.60	1.32
Reach 1-3	6184	50-YR	1497.55	7057.42	7061.87		7062.13	0.010203	4.35	390.25	140.35	0.37	0.80	2.69	0.89	1.75
Reach 1-3	6184	100-YR	1763.93	7057.42	7062.12		7062.42	0.011156	4.72	425.24	145.16	0.39	0.98	3.10	1.08	2.01
Reach 1-3	6182	2-YR	146.52	7058.72	7059.28	7059.28	7059.55	0.064778	4.18	35.01	64.57	1.00		2.19		2.19
Reach 1-3	6182	5-YR	512.38	7058.72	7060.01	7060.01	7060.58	0.045857	6.06	86.08	81.93	0.96	0.23	3.50	0.50	2.99
Reach 1-3	6182	10-YR	847.50	7058.72	7060.53	7060.53	7061.20	0.034924	6.70	137.11	110.18	0.89	0.74	3.80	1.01	2.70
Reach 1-3	6182	25-YR	1108.89	7058.72	7060.85	7060.85	7061.58	0.031847	7.14	173.09	121.14	0.88	1.01	4.08	1.34	2.83
Reach 1-3	6182	50-YR	1497.55	7058.72	7061.21	7061.21	7062.04	0.030074	7.73	218.95	129.76	0.88	1.42	4.53	1.77	3.15
Reach 1-3	6182	100-YR	1763.93	7058.72	7061.41	7061.41	7062.33	0.030039	8.15	245.65	133.77	0.89	1.69	4.91	2.03	3.43
Reach 1-3	6164	2-YR	146.52	7056.45	7058.88	7058.63	7059.03	0.011062	3.19	46.00	55.84	0.62		0.56		0.56
Reach 1-3	6164	5-YR	512.38	7056.45	7059.80	7059.57	7060.10	0.012330	4.63	129.24	126.76	0.63	0.36	1.28	0.09	0.78
Reach 1-3	6164	10-YR	847.50	7056.45	7060.29	7059.99	7060.65	0.011744	5.22	198.88	153.12	0.62	0.65	1.57	0.26	0.95
Reach 1-3	6164	25-YR	1108.89	7056.45	7060.58	7060.26	7060.98	0.011752	5.61	249.65	195.12	0.63	0.82	1.78	0.26	0.93
Reach 1-3	6164	50-YR	1497.55	7056.45	7060.91	7060.61	7061.36	0.012005	6.11	319.15	221.12	0.64	1.03	2.07	0.42	1.08
Reach 1-3	6164	100-YR	1763.93	7056.45	7061.13	7060.80	7061.61	0.011792	6.33	369.81	244.89	0.64	1.13	2.19	0.47	1.11
Reach 1-3	6091	2-YR	146.52	7055.75	7057.73	7057.71	7057.99	0.018978	4.08	35.88	65.34	0.97		0.64		0.64
Reach 1-3	6091	5-YR	512.38	7055.75	7058.66	7058.44	7059.05	0.016986	5.05	106.88	115.19	0.75	0.03	1.47	0.17	0.98
Reach 1-3	6091	10-YR	847.50	7055.75	7059.11	7059.01	7059.60	0.017507	5.88	172.18	173.33	0.76	0.30	2.00	0.46	1.08
Reach 1-3	6091	25-YR	1108.89	7055.75	7059.36	7059.30	7059.91	0.017962	6.38	218.76	198.52	0.78	0.45	2.33	0.65	1.23
Reach 1-3	6091	50-YR	1497.55	7055.75	7059.67	7059.61	7060.29	0.018133	6.92	285.88	230.43	0.79	0.64	2.70	0.86	1.40
Reach 1-3	6091	100-YR	1763.93	7055.75	7059.86	7059.72	7060.53	0.018551	7.31	332.32	268.84	0.80	0.77	2.98	0.88	1.43
Reach 1-3	6042	2-YR	146.52	7054.55	7057.16		7057.33	0.009347	3.28	44.64	66.35	0.71		0.39		0.39
Reach 1-3	6042	5-YR	512.38	7054.55	7058.12		7058.42	0.009289	4.45	129.16	156.30	0.63	0.10	0.90	0.13	0.48
Reach 1-3	6042	10-YR	847.50	7054.55	7058.57		7058.94	0.009704	5.17	215.42	226.08	0.64	0.25	1.21	0.30	0.57
Reach 1-3	6042	25-YR	1108.89	7054.55	7058.81		7059.22	0.010209	5.63	271.95	247.70	0.66	0.38	1.42	0.42	0.70
Reach 1-3	6042	50-YR	1497.55	7054.55	7059.09		7059.56	0.010961	6.23	344.75	272.12	0.69	0.59	1.71	0.54	0.86
Reach 1-3	6042	100-YR	1763.93	7054.55	7059.25	7059.04	7059.77	0.011623	6.64	389.52	293.90	0.71	0.74	1.93	0.60	0.96

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	5977	2-YR	146.52	7054.61	7056.79	7056.46	7056.89	0.007214	2.62	55.88	65.91	0.50		0.38		0.38
Reach 1-3	5977	5-YR	512.38	7054.61	7057.67		7057.92	0.009917	4.18	141.74	162.30	0.57	0.23	1.04	0.10	0.54
Reach 1-3	5977	10-YR	847.50	7054.61	7058.07	7057.79	7058.41	0.011210	5.00	229.09	264.22	0.61	0.35	1.45	0.26	0.61
Reach 1-3	5977	25-YR	1108.89	7054.61	7058.27	7058.15	7058.65	0.012410	5.53	284.05	293.28	0.64	0.49	1.76	0.39	0.75
Reach 1-3	5977	50-YR	1497.55	7054.61	7058.50	7058.39	7058.95	0.013925	6.19	354.27	324.86	0.69	0.75	2.17	0.52	0.95
Reach 1-3	5977	100-YR	1763.93	7054.61	7058.63	7058.55	7059.12	0.014765	6.57	397.87	339.08	0.71	0.91	2.42	0.62	1.08
Reach 1-3	5928	2-YR	146.52	7053.68	7055.39	7055.39	7055.67	0.027640	4.25	34.44	66.72	1.04		0.88		0.88
Reach 1-3	5928	5-YR	512.38	7053.68	7056.31	7056.15	7056.68	0.018251	4.94	116.53	149.61	0.74	0.02	1.55	0.28	0.88
Reach 1-3	5928	10-YR	847.50	7053.68	7056.73	7056.73	7057.13	0.016898	5.48	212.29	330.37	0.72	0.20	1.87	0.50	0.68
Reach 1-3	5928	25-YR	1108.89	7053.68	7056.93	7056.93	7057.34	0.016568	5.77	281.54	353.11	0.72	0.40	2.04	0.61	0.82
Reach 1-3	5928	50-YR	1497.55	7053.68	7057.19	7057.12	7057.59	0.015860	6.05	374.43	381.58	0.71	0.63	2.20	0.72	0.97
Reach 1-3	5928	100-YR	1763.93	7053.68	7057.34	7057.26	7057.74	0.015181	6.16	436.41	399.53	0.70	0.75	2.25	0.77	1.03
Reach 1-3	5824	2-YR	146.52	7052.15	7054.67		7054.78	0.005905	2.67	54.91	61.33	0.50		0.33		0.33
Reach 1-3	5824	5-YR	512.38	7052.15	7055.58	7055.07	7055.81	0.007850	4.09	168.02	273.30	0.55	0.12	0.84	0.14	0.30
Reach 1-3	5824	10-YR	847.50	7052.15	7055.92	7055.76	7056.19	0.008795	4.75	268.28	313.85	0.58	0.32	1.13	0.26	0.47
Reach 1-3	5824	25-YR	1108.89	7052.15	7056.13	7055.94	7056.42	0.009158	5.11	336.02	338.84	0.59	0.45	1.29	0.33	0.57
Reach 1-3	5824	50-YR	1497.55	7052.15	7056.36	7056.17	7056.70	0.010032	5.64	417.66	365.46	0.63	0.64	1.56	0.44	0.71
Reach 1-3	5824	100-YR	1763.93	7052.15	7056.50	7056.29	7056.86	0.010472	5.94	469.84	381.97	0.64	0.75	1.72	0.50	0.80
Reach 1-3	5791	2-YR	146.52	7052.28	7054.24		7054.42	0.013673	3.37	43.53	63.13	0.71		0.58		0.58
Reach 1-3	5791	5-YR	512.38	7052.28	7055.03	7055.03	7055.36	0.016271	4.84	136.80	251.22	0.72	0.26	1.41	0.09	0.55
Reach 1-3	5791	10-YR	847.50	7052.28	7055.34	7055.34	7055.70	0.016850	5.46	223.31	319.66	0.74	0.59	1.78	0.22	0.73
Reach 1-3	5791	25-YR	1108.89	7052.28	7055.50	7055.50	7055.90	0.018044	5.93	277.09	353.90	0.77	0.80	2.08	0.33	0.88
Reach 1-3	5791	50-YR	1497.55	7052.28	7055.71	7055.71	7056.14	0.018422	6.36	356.29	387.92	0.78	1.06	2.37	0.49	1.05
Reach 1-3	5791	100-YR	1763.93	7052.28	7055.83	7055.83	7056.29	0.018900	6.65	403.70	405.32	0.79	1.22	2.57	0.59	1.17
Reach 1-3	5744	2-YR	146.52	7051.51	7054.04		7054.14	0.006191	2.48	58.99	63.50	0.45		0.35		0.35
Reach 1-3	5744	5-YR	512.38	7051.51	7054.87	7054.69	7055.00	0.005474	3.26	235.41	423.61	0.45	0.14	0.56	0.10	0.19
Reach 1-3	5744	10-YR	847.50	7051.51	7055.14	7054.92	7055.27	0.005464	3.58	354.12	450.35	0.45	0.23	0.65	0.17	0.27
Reach 1-3	5744	25-YR	1108.89	7051.51	7055.29	7055.03	7055.44	0.005734	3.85	423.45	462.43	0.47	0.29	0.73	0.22	0.33
Reach 1-3	5744	50-YR	1497.55	7051.51	7055.49		7055.66	0.005996	4.17	515.02	477.95	0.49	0.38	0.84	0.29	0.40
Reach 1-3	5744	100-YR	1763.93	7051.51	7055.62		7055.80	0.005983	4.32	577.37	489.50	0.49	0.42	0.89	0.32	0.44
Reach 1-3	5688	2-YR	143.88	7051.38	7053.37		7053.55	0.013174	3.42	42.06	192.72	0.71		0.59		0.59
Reach 1-3	5688	5-YR	533.15	7051.38	7054.17	7054.17	7054.46	0.011578	4.72	145.85	321.65	0.78	0.01	0.82	0.23	0.33
Reach 1-3	5688	10-YR	890.80	7051.38	7054.43	7054.43	7054.75	0.011309	5.20	250.44	428.28	0.77	0.16	0.98	0.41	0.41
Reach 1-3	5688	25-YR	1171.00	7051.38	7054.61	7054.56	7054.92	0.010391	5.33	326.91	432.14	0.75	0.26	1.02	0.48	0.49
Reach 1-3	5688	50-YR	1589.80	7051.38	7054.87		7055.17	0.008852	5.37	437.97	437.68	0.70	0.36	1.01	0.54	0.55
Reach 1-3	5688	100-YR	1880.40	7051.38	7055.02		7055.32	0.008191	5.43	506.84	441.12	0.68	0.42	1.01	0.57	0.59
Reach 1-3	5628	2-YR	143.88	7050.55	7052.97		7053.07	0.006451	2.51	57.25	195.28	0.46		0.36		0.36
Reach 1-3	5628	5-YR	533.15	7050.55	7053.93		7054.04	0.003904	2.99	271.36	411.83	0.39	0.11	0.44	0.10	0.16
Reach 1-3	5628	10-YR	890.80	7050.55	7054.25		7054.36	0.003883	3.31	402.83	424.48	0.40	0.18	0.51	0.18	0.23
Reach 1-3	5628	25-YR	1171.00	7050.55	7054.43		7054.56	0.004062	3.57	479.45	426.00	0.41	0.23	0.58	0.23	0.28
Reach 1-3	5628	50-YR	1589.80	7050.55	7054.68		7054.83	0.004086	3.83	586.84	428.10	0.42	0.29	0.64	0.29	0.35
Reach 1-3	5628	100-YR	1880.40	7050.55	7054.84		7055.00	0.004092	3.99	654.46	429.43	0.43	0.33	0.68	0.33	0.39
Reach 1-3	5568	2-YR	143.88	7049.82	7052.13		7052.26	0.010480	2.98	48.34	158.20	0.59		0.51		0.51
Reach 1-3	5568	5-YR	533.15	7049.82	7052.96	7052.68	7053.35	0.013503	5.07	117.69	261.88	0.73	0.14	1.26	0.03	0.38
Reach 1-3	5568	10-YR	890.80	7049.82	7053.33	7053.33	7053.71	0.011851	5.48	228.02	342.29	0.70	0.25	1.37	0.29	0.49
Reach 1-3	5568	25-YR	1171.00	7049.82	7053.52	7053.52	7053.90	0.011279	5.71	298.64	378.60	0.70	0.32	1.44	0.41	0.55

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	5568	50-YR	1589.80	7049.82	7053.70	7053.70	7054.15	0.012463	6.34	366.93	386.91	0.75	0.47	1.73	0.59	0.74
Reach 1-3	5568	100-YR	1880.40	7049.82	7053.80	7053.80	7054.30	0.013141	6.72	407.98	387.78	0.77	0.59	1.91	0.71	0.86
Reach 1-3	5429	2-YR	143.88	7048.55	7050.53	7050.53	7050.81	0.019299	4.27	33.72	118.18	1.00		0.67		0.67
Reach 1-3	5429	5-YR	533.15	7048.55	7051.57	7051.57	7051.91	0.014174	4.83	148.20	312.05	0.69	0.14	1.32	0.19	0.42
Reach 1-3	5429	10-YR	890.80	7048.55	7051.87	7051.87	7052.23	0.015191	5.47	248.85	354.82	0.72	0.35	1.69	0.48	0.66
Reach 1-3	5429	25-YR	1171.00	7048.55	7052.03	7052.03	7052.42	0.016216	5.91	305.78	356.12	0.74	0.53	1.97	0.68	0.87
Reach 1-3	5429	50-YR	1589.80	7048.55	7052.30		7052.67	0.014933	6.07	399.26	358.26	0.72	0.72	2.05	0.86	1.04
Reach 1-3	5429	100-YR	1880.40	7048.55	7052.47		7052.84	0.013996	6.12	460.96	359.67	0.70	0.82	2.07	0.95	1.12
Reach 1-3	5365	2-YR	143.88	7047.14	7049.48	7049.48	7049.78	0.012974	4.41	32.66	104.91	1.02		0.47		0.47
Reach 1-3	5365	5-YR	533.15	7047.14	7050.42	7050.42	7050.87	0.014541	5.52	116.73	174.03	0.82		1.26	0.21	0.60
Reach 1-3	5365	10-YR	890.80	7047.14	7050.88	7050.88	7051.27	0.012123	5.67	245.31	340.19	0.73	0.25	1.38	0.41	0.54
Reach 1-3	5365	25-YR	1171.00	7047.14	7051.08	7051.08	7051.48	0.012256	5.99	316.85	359.73	0.74	0.41	1.55	0.52	0.67
Reach 1-3	5365	50-YR	1589.80	7047.14	7051.27	7051.27	7051.74	0.014096	6.72	384.27	361.24	0.79	0.63	1.95	0.76	0.93
Reach 1-3	5365	100-YR	1880.40	7047.14	7051.38	7051.38	7051.90	0.015246	7.16	424.36	362.14	0.82	0.78	2.21	0.92	1.11
Reach 1-3	5289	2-YR	143.88	7046.36	7048.45	7048.45	7048.75	0.017350	4.40	32.71	122.96	1.00		0.64		0.64
Reach 1-3	5289	5-YR	533.15	7046.36	7049.40	7049.40	7049.81	0.017763	5.34	119.84	170.27	0.80		1.53	0.29	0.78
Reach 1-3	5289	10-YR	890.80	7046.36	7049.81	7049.77	7050.25	0.017086	5.87	208.18	287.12	0.77	0.19	1.89	0.57	0.77
Reach 1-3	5289	25-YR	1171.00	7046.36	7050.10	7050.07	7050.49	0.014423	5.82	303.14	336.05	0.71	0.39	1.85	0.63	0.81
Reach 1-3	5289	50-YR	1589.80	7046.36	7050.49		7050.79	0.010493	5.44	435.55	339.35	0.61	0.54	1.60	0.71	0.84
Reach 1-3	5289	100-YR	1880.40	7046.36	7050.66		7050.98	0.010381	5.62	493.34	340.78	0.61	0.64	1.69	0.81	0.93
Reach 1-3	5227	2-YR	143.88	7045.43	7047.60		7047.76	0.010257	3.20	45.01	98.05	0.65		0.47		0.47
Reach 1-3	5227	5-YR	533.15	7045.43	7048.67		7048.91	0.009009	4.14	160.51	180.47	0.56	0.12	0.96	0.28	0.50
Reach 1-3	5227	10-YR	890.80	7045.43	7049.08		7049.38	0.010180	4.92	242.94	224.88	0.59	0.26	1.34	0.53	0.68
Reach 1-3	5227	25-YR	1171.00	7045.43	7049.27		7049.65	0.011989	5.60	287.78	245.89	0.65	0.38	1.72	0.72	0.87
Reach 1-3	5227	50-YR	1589.80	7045.43	7049.55		7050.02	0.013722	6.39	373.27	324.78	0.70	0.63	2.20	0.69	0.98
Reach 1-3	5227	100-YR	1880.40	7045.43	7049.69	7049.64	7050.19	0.014333	6.73	418.86	325.94	0.72	0.78	2.43	0.84	1.15
Reach 1-3	5171	2-YR	143.88	7044.55	7046.31		7046.51	0.016377	3.54	40.60	60.80	0.76		0.68		0.68
Reach 1-3	5171	5-YR	533.15	7044.55	7047.23	7046.97	7047.66	0.018216	5.28	105.70	117.72	0.76	0.04	1.70	0.19	1.02
Reach 1-3	5171	10-YR	890.80	7044.55	7047.74	7047.69	7048.17	0.015080	5.64	209.85	233.57	0.70	0.44	1.88	0.42	0.84
Reach 1-3	5171	25-YR	1171.00	7044.55	7048.06		7048.45	0.012739	5.65	288.53	257.66	0.65	0.62	1.84	0.49	0.89
Reach 1-3	5171	50-YR	1589.80	7044.55	7048.48		7048.84	0.010553	5.67	413.99	338.68	0.60	0.77	1.80	0.43	0.80
Reach 1-3	5171	100-YR	1880.40	7044.55	7048.72		7049.05	0.009263	5.59	495.90	340.45	0.57	0.81	1.72	0.51	0.84
Reach 1-3	5047	2-YR	143.88	7042.80	7044.85		7045.00	0.010852	3.14	45.82	62.63	0.65		0.49		0.49
Reach 1-3	5047	5-YR	533.15	7042.80	7045.86		7046.11	0.010111	4.22	146.38	137.71	0.58	0.31	1.04	0.02	0.67
Reach 1-3	5047	10-YR	890.80	7042.80	7046.24		7046.60	0.012499	5.22	198.45	141.70	0.65	0.66	1.57	0.15	1.09
Reach 1-3	5047	25-YR	1171.00	7042.80	7046.45		7046.91	0.014405	5.93	229.05	145.13	0.70	0.94	2.00	0.23	1.41
Reach 1-3	5047	50-YR	1589.80	7042.80	7046.71		7047.33	0.016879	6.84	268.09	149.33	0.76	1.36	2.62	0.40	1.88
Reach 1-3	5047	100-YR	1880.40	7042.80	7046.87	7046.72	7047.59	0.018391	7.40	292.14	151.86	0.80	1.64	3.04	0.52	2.20
Reach 1-3	4948	2-YR	143.88	7041.66	7043.71		7043.88	0.011458	3.23	44.55	61.82	0.67		0.51		0.51
Reach 1-3	4948	5-YR	533.15	7041.66	7044.83		7045.11	0.010093	4.36	138.23	162.94	0.58	0.18	1.10	0.09	0.53
Reach 1-3	4948	10-YR	890.80	7041.66	7045.44		7045.66	0.007040	4.29	303.54	325.54	0.49	0.38	1.04	0.21	0.41
Reach 1-3	4948	25-YR	1171.00	7041.66	7045.73		7045.94	0.006361	4.36	400.32	335.66	0.47	0.45	1.05	0.30	0.47
Reach 1-3	4948	50-YR	1589.80	7041.66	7046.07		7046.28	0.006060	4.57	514.02	338.33	0.46	0.54	1.13	0.41	0.57
Reach 1-3	4948	100-YR	1880.40	7041.66	7046.26		7046.49	0.006084	4.75	578.76	339.84	0.47	0.60	1.20	0.48	0.64
Reach 1-3	4855	2-YR	143.88	7040.34	7042.96		7043.15	0.009237	3.54	40.70	60.07	0.76		0.38		0.38
Reach 1-3	4855	5-YR	533.15	7040.34	7044.13		7044.45	0.008687	4.54	122.99	100.22	0.60	0.10	0.93	0.15	0.66

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	4855	10-YR	890.80	7040.34	7044.63	7044.22	7045.07	0.009968	5.50	203.01	248.51	0.65	0.37	1.38	0.13	0.51
Reach 1-3	4855	25-YR	1171.00	7040.34	7044.90	7044.80	7045.37	0.010356	5.94	272.71	277.30	0.66	0.54	1.60	0.27	0.63
Reach 1-3	4855	50-YR	1589.80	7040.34	7045.20	7045.10	7045.72	0.010910	6.49	362.09	310.34	0.68	0.75	1.89	0.43	0.79
Reach 1-3	4855	100-YR	1880.40	7040.34	7045.39	7045.29	7045.92	0.011040	6.76	421.14	326.27	0.69	0.88	2.04	0.53	0.89
Reach 1-3	4782	2-YR	143.88	7040.04	7042.44		7042.57	0.006460	2.99	48.14	61.15	0.59		0.31		0.31
Reach 1-3	4782	5-YR	533.15	7040.04	7043.59		7043.86	0.007174	4.19	141.44	137.41	0.54	0.14	0.83	0.05	0.46
Reach 1-3	4782	10-YR	890.80	7040.04	7044.04	7043.69	7044.38	0.008244	5.01	244.44	277.94	0.58	0.34	1.18	0.17	0.45
Reach 1-3	4782	25-YR	1171.00	7040.04	7044.27	7044.09	7044.65	0.008965	5.49	311.51	306.59	0.61	0.49	1.41	0.27	0.57
Reach 1-3	4782	50-YR	1589.80	7040.04	7044.57	7044.39	7044.98	0.009279	5.93	408.39	333.46	0.62	0.67	1.63	0.41	0.71
Reach 1-3	4782	100-YR	1880.40	7040.04	7044.69	7044.57	7045.15	0.010364	6.42	448.51	334.43	0.66	0.82	1.90	0.54	0.86
Reach 1-3	4714	2-YR	143.88	7039.78	7041.96		7042.08	0.007851	2.79	51.60	63.55	0.55		0.39		0.39
Reach 1-3	4714	5-YR	533.15	7039.78	7042.77		7043.16	0.015233	5.04	109.08	94.37	0.71	0.14	1.46	0.15	1.09
Reach 1-3	4714	10-YR	890.80	7039.78	7043.27	7043.27	7043.68	0.013462	5.49	227.04	313.28	0.67	0.33	1.71	0.29	0.61
Reach 1-3	4714	25-YR	1171.00	7039.78	7043.48	7043.48	7043.91	0.013992	5.90	292.29	326.99	0.69	0.45	1.95	0.48	0.78
Reach 1-3	4714	50-YR	1589.80	7039.78	7043.69	7043.68	7044.18	0.015502	6.53	362.71	328.63	0.73	0.69	2.37	0.73	1.07
Reach 1-3	4714	100-YR	1880.40	7039.78	7043.90		7044.35	0.013749	6.46	432.84	330.19	0.69	0.79	2.28	0.83	1.12
Reach 1-3	4632	2-YR	143.88	7039.10	7041.04	7040.99	7041.24	0.014451	3.69	44.32	92.71	0.83		0.55	0.21	0.43
Reach 1-3	4632	5-YR	533.15	7039.10	7042.01		7042.21	0.009113	3.97	176.05	198.73	0.58	0.08	0.81	0.41	0.50
Reach 1-3	4632	10-YR	890.80	7039.10	7042.53		7042.72	0.007318	4.12	299.53	261.68	0.52	0.21	0.88	0.48	0.52
Reach 1-3	4632	25-YR	1171.00	7039.10	7042.86		7043.05	0.006794	4.32	395.94	309.57	0.51	0.33	0.95	0.46	0.54
Reach 1-3	4632	50-YR	1589.80	7039.10	7043.28		7043.46	0.005522	4.29	527.40	313.68	0.46	0.40	0.92	0.51	0.58
Reach 1-3	4632	100-YR	1880.40	7039.10	7043.52		7043.71	0.005156	4.37	604.43	316.07	0.45	0.45	0.93	0.55	0.61
Reach 1-3	4582	2-YR	143.88	7038.10	7040.71		7040.82	0.004960	2.77	60.42	103.58	0.54		0.25	0.08	0.18
Reach 1-3	4582	5-YR	533.15	7038.10	7041.73		7041.87	0.004826	3.38	208.99	196.25	0.45	0.04	0.52	0.27	0.32
Reach 1-3	4582	10-YR	890.80	7038.10	7042.26		7042.43	0.004708	3.79	334.61	263.67	0.44	0.14	0.66	0.35	0.37
Reach 1-3	4582	25-YR	1171.00	7038.10	7042.60		7042.77	0.004579	4.01	429.35	291.73	0.44	0.23	0.74	0.37	0.42
Reach 1-3	4582	50-YR	1589.80	7038.10	7043.06		7043.23	0.003905	4.04	565.76	296.39	0.41	0.30	0.74	0.43	0.46
Reach 1-3	4582	100-YR	1880.40	7038.10	7043.32		7043.49	0.003796	4.17	640.90	298.93	0.40	0.34	0.78	0.47	0.51
Reach 1-3	4534	2-YR	143.88	7038.20	7040.51	7040.12	7040.58	0.004641	2.24	75.54	118.12	0.41		0.27	0.09	0.18
Reach 1-3	4534	5-YR	533.15	7038.20	7041.55		7041.64	0.003897	2.84	248.74	226.04	0.36	0.06	0.46	0.24	0.27
Reach 1-3	4534	10-YR	890.80	7038.20	7042.11		7042.21	0.003489	3.10	395.54	273.22	0.35	0.15	0.53	0.30	0.31
Reach 1-3	4534	25-YR	1171.00	7038.20	7042.46		7042.57	0.003258	3.24	491.22	276.39	0.34	0.20	0.57	0.34	0.36
Reach 1-3	4534	50-YR	1589.80	7038.20	7042.93		7043.05	0.002960	3.39	623.92	280.52	0.33	0.26	0.60	0.40	0.41
Reach 1-3	4534	100-YR	1880.40	7038.20	7043.18		7043.32	0.002994	3.56	694.46	282.77	0.33	0.31	0.66	0.45	0.46
Reach 1-3	4296	2-YR	133.68	7036.56	7038.50	7038.50	7038.84	0.013620	4.96	36.79	64.39	0.80	0.04	1.00	0.26	0.48
Reach 1-3	4296	5-YR	512.29	7036.56	7039.40	7039.40	7039.98	0.017573	7.46	106.45	91.61	0.91	0.54	2.25	1.11	1.27
Reach 1-3	4296	10-YR	863.82	7036.56	7039.92	7039.92	7040.63	0.018455	8.67	157.93	106.42	0.94	0.90	2.94	1.58	1.70
Reach 1-3	4296	25-YR	1143.60	7036.56	7040.25	7040.25	7041.05	0.018721	9.37	194.49	113.09	0.96	1.23	3.36	1.85	2.00
Reach 1-3	4296	50-YR	1561.30	7036.56	7040.63	7040.63	7041.59	0.020126	10.44	239.06	120.68	1.01	1.69	4.08	2.30	2.47
Reach 1-3	4296	100-YR	1848.80	7036.56	7041.11	7041.11	7041.96	0.015516	9.95	309.42	170.17	0.90	0.79	3.60	2.06	1.75
Reach 1-3	4084	2-YR	133.68	7033.29	7036.34		7036.34	0.000009	0.24	560.69	226.24	0.03	0.00	0.00		0.00
Reach 1-3	4084	5-YR	512.29	7033.29	7037.49		7037.49	0.000039	0.62	834.01	266.74	0.06	0.00	0.01	0.00	0.01
Reach 1-3	4084	10-YR	863.82	7033.29	7038.13		7038.14	0.000062	0.88	1034.55	354.70	0.07	0.00	0.02	0.00	0.01
Reach 1-3	4084	25-YR	1143.60	7033.29	7038.55		7038.57	0.000075	1.03	1187.14	357.97	0.08	0.01	0.02	0.00	0.02
Reach 1-3	4084	50-YR	1561.30	7033.29	7039.13		7039.15	0.000089	1.21	1394.48	362.37	0.09	0.01	0.03	0.01	0.02
Reach 1-3	4084	100-YR	1848.80	7033.29	7039.49		7039.52	0.000096	1.32	1527.52	365.16	0.10	0.01	0.03	0.01	0.03

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	3846	2-YR	133.68	7033.20	7035.98	7035.98	7036.30	0.021667	4.53	29.51	126.87	1.02		0.83		0.83
Reach 1-3	3846	5-YR	512.29	7033.20	7036.87	7036.87	7037.40	0.017706	5.86	87.35	166.03	1.01		1.17		1.17
Reach 1-3	3846	10-YR	863.82	7033.20	7037.34	7037.34	7038.02	0.016884	6.60	130.89	189.44	1.02		1.38		1.38
Reach 1-3	3846	25-YR	1143.60	7033.20	7037.61	7037.61	7038.43	0.015756	7.23	158.14	203.00	1.01		1.55		1.55
Reach 1-3	3846	50-YR	1561.30	7033.20	7037.99	7037.99	7038.98	0.014305	7.96	196.22	221.91	1.00		1.75		1.75
Reach 1-3	3846	100-YR	1848.80	7033.20	7038.22	7038.22	7039.33	0.013956	8.45	218.78	233.23	1.01		1.91		1.91
Reach 1-3	3842	2-YR	133.68	7014.12	7016.81		7016.94	0.000170	2.89	47.59	18.21	0.31	0.00	0.03	0.00	0.02
Reach 1-3	3842	5-YR	512.29	7014.12	7020.70		7021.01	0.000126	4.50	121.28	19.69	0.31	0.01	0.05	0.00	0.03
Reach 1-3	3842	10-YR	863.82	7014.12	7023.44		7023.88	0.000112	5.35	176.72	20.73	0.31	0.01	0.06	0.01	0.03
Reach 1-3	3842	25-YR	1143.60	7014.12	7025.36		7025.89	0.000104	5.86	217.23	21.46	0.31	0.01	0.07	0.01	0.04
Reach 1-3	3842	50-YR	1561.30	7014.12	7030.09		7030.57	0.000060	5.60	323.07	23.26	0.25	0.01	0.06	0.01	0.02
Reach 1-3	3842	100-YR	1848.80	7014.12	7033.28		7033.74	0.000045	5.52	399.11	35.16	0.22	0.01	0.05	0.00	0.02
Reach 1-3	3816	2-YR	133.68	7014.12	7016.60	7015.69	7016.91	0.000460	4.49	30.17	12.34	0.50	0.00	0.07	0.00	0.05
Reach 1-3	3816	5-YR	512.29	7014.12	7020.20	7017.95	7020.96	0.000339	7.01	75.45	12.83	0.50	0.01	0.13	0.00	0.07
Reach 1-3	3816	10-YR	863.82	7014.12	7022.74	7019.54	7023.81	0.000300	8.33	108.46	13.17	0.50	0.01	0.16	0.00	0.07
Reach 1-3	3816	25-YR	1143.60	7014.12	7024.52	7020.65	7025.81	0.000281	9.13	132.08	13.41	0.50	0.01	0.18	0.00	0.07
Reach 1-3	3816	50-YR	1561.30	7014.12	7029.40	7022.16	7030.51	0.000145	8.47	199.23	14.08	0.38	0.01	0.14	0.00	0.04
Reach 1-3	3816	100-YR	1848.80	7014.12	7032.63	7023.13	7033.68	0.000107	8.27	245.34	14.52	0.34	0.01	0.12	0.00	0.03
Reach 1-3	3744		Culvert													
Reach 1-3	3719	2-YR	133.68	7013.40	7014.97	7014.97	7015.75	0.002126	7.11	18.96	12.21	1.00	0.01	0.21		0.17
Reach 1-3	3719	5-YR	512.29	7013.40	7017.22	7017.22	7019.15	0.001594	11.16	46.83	12.51	1.01	0.02	0.38	0.00	0.24
Reach 1-3	3719	10-YR	863.82	7013.40	7018.83	7018.83	7021.55	0.001405	13.23	67.10	12.72	1.00	0.03	0.48	0.00	0.26
Reach 1-3	3719	25-YR	1143.60	7013.40	7019.93	7019.93	7023.22	0.001328	14.56	81.20	12.86	1.00	0.03	0.54	0.00	0.27
Reach 1-3	3719	50-YR	1561.30	7013.40	7021.44	7021.44	7025.48	0.001239	16.14	100.72	13.06	1.00	0.04	0.62	0.00	0.28
Reach 1-3	3719	100-YR	1848.80	7013.40	7022.41	7022.41	7026.91	0.001184	17.04	113.55	13.19	1.00	0.04	0.67	0.00	0.28
Reach 1-3	3711	2-YR	133.68	7002.83	7005.31	7004.40	7005.62	0.000461	4.49	30.04	12.24	0.50	0.00	0.07		0.05
Reach 1-3	3711	5-YR	512.29	7002.83	7008.91	7006.66	7009.67	0.000340	7.02	74.68	12.58	0.50	0.01	0.13	0.00	0.07
Reach 1-3	3711	10-YR	863.82	7002.83	7011.44	7008.26	7012.52	0.000302	8.34	106.90	12.82	0.50	0.01	0.16	0.00	0.07
Reach 1-3	3711	25-YR	1143.60	7002.83	7013.22	7009.37	7014.52	0.000283	9.16	129.81	12.99	0.50	0.01	0.18	0.00	0.07
Reach 1-3	3711	50-YR	1561.30	7002.83	7018.10	7010.88	7019.22	0.000146	8.49	194.42	13.46	0.38	0.01	0.14	0.00	0.04
Reach 1-3	3711	100-YR	1848.80	7002.83	7021.33	7011.85	7022.39	0.000108	8.30	238.31	13.77	0.34	0.01	0.12	0.00	0.03
Reach 1-3	3676		Culvert													
Reach 1-3	3667	2-YR	133.68	7002.61	7004.17	7004.17	7004.96	0.002158	7.14	18.83	12.15	1.01	0.01	0.21		0.17
Reach 1-3	3667	5-YR	512.29	7002.61	7006.44	7006.44	7008.37	0.001588	11.15	46.62	12.36	1.00	0.02	0.38	0.00	0.24
Reach 1-3	3667	10-YR	863.82	7002.61	7008.03	7008.03	7010.76	0.001412	13.26	66.48	12.52	1.00	0.02	0.48	0.00	0.26
Reach 1-3	3667	25-YR	1143.60	7002.61	7009.16	7009.16	7012.44	0.001316	14.52	80.69	12.62	1.00	0.02	0.54	0.00	0.26
Reach 1-3	3667	50-YR	1561.30	7002.61	7010.65	7010.65	7014.70	0.001240	16.15	99.58	12.77	1.00	0.03	0.62	0.00	0.27
Reach 1-3	3667	100-YR	1848.80	7002.61	7011.61	7011.61	7016.14	0.001193	17.08	111.88	12.86	1.00	0.03	0.67	0.00	0.28
Reach 1-3	3662	2-YR	133.68	7001.15	7004.09		7004.16	0.000712	2.11	63.38	66.52	0.24		0.10		0.10
Reach 1-3	3662	5-YR	512.29	7001.15	7004.61		7005.31	0.005541	6.67	76.85	73.06	0.68	0.01	0.93	0.01	0.90
Reach 1-3	3662	10-YR	863.82	7001.15	7005.63		7006.72	0.005890	8.37	103.47	86.26	0.74	0.04	1.32	0.03	1.20
Reach 1-3	3662	25-YR	1143.60	7001.15	7007.38		7008.30	0.003072	7.70	149.73	115.77	0.57	0.04	0.99	0.04	0.82
Reach 1-3	3662	50-YR	1561.30	7001.15	7010.49		7011.21	0.001347	6.80	234.06	336.41	0.40	0.04	0.67	0.03	0.47
Reach 1-3	3662	100-YR	1848.80	7001.15	7011.09		7011.97	0.001516	7.54	250.61	416.43	0.43	0.05	0.81	0.04	0.56
Reach 1-3	3629	2-YR	133.68	7001.51	7004.13	7002.20	7004.13	0.000183	0.72	185.92	251.76	0.09		0.02		0.02

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	3629	5-YR	512.29	7001.51	7005.00	7003.02	7005.05	0.000825	1.93	265.09	463.34	0.20		0.15		0.15
Reach 1-3	3629	10-YR	863.82	7001.51	7006.29	7003.50	7006.37	0.000690	2.26	382.69	581.32	0.19		0.18		0.18
Reach 1-3	3629	25-YR	1143.60	7001.51	7007.95	7003.80	7008.02	0.000399	2.14	533.49	597.61	0.16		0.15		0.15
Reach 1-3	3629	50-YR	1561.30	7001.51	7010.94	7004.19	7011.00	0.000188	1.94	805.92	625.99	0.11		0.10		0.10
Reach 1-3	3629	100-YR	1848.80	7001.51	7011.64	7004.41	7011.71	0.000205	2.13	869.99	632.53	0.12		0.12		0.12
Reach 1-3	3625	2-YR	133.68	7003.41	7004.09		7004.13	0.003212	1.93	104.04	243.64	0.43	0.07	0.13	0.06	0.09
Reach 1-3	3625	5-YR	512.29	7003.41	7005.00		7005.05	0.001316	2.25	425.11	463.76	0.32	0.07	0.13	0.06	0.08
Reach 1-3	3625	10-YR	863.82	7003.41	7006.33		7006.35	0.000243	1.47	1136.90	581.79	0.15	0.03	0.04	0.03	0.03
Reach 1-3	3625	25-YR	1143.60	7003.41	7007.99		7008.00	0.000061	1.00	2115.69	598.05	0.08	0.01	0.02	0.01	0.01
Reach 1-3	3625	50-YR	1561.30	7003.41	7010.98		7010.98	0.000016	0.70	3945.23	626.34	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3625	100-YR	1848.80	7003.41	7011.69		7011.69	0.000015	0.74	4393.79	632.95	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3618	2-YR	133.68	7002.58	7004.04		7004.11	0.002580	2.66	109.32	229.19	0.40	0.06	0.22	0.07	0.08
Reach 1-3	3618	5-YR	512.29	7002.58	7004.98		7005.04	0.001701	3.06	430.63	457.91	0.35	0.10	0.25	0.08	0.10
Reach 1-3	3618	10-YR	863.82	7002.58	7006.33		7006.35	0.000309	1.77	1140.69	572.19	0.16	0.04	0.07	0.04	0.04
Reach 1-3	3618	25-YR	1143.60	7002.58	7007.99		7008.00	0.000077	1.13	2104.33	588.43	0.09	0.02	0.03	0.02	0.02
Reach 1-3	3618	50-YR	1561.30	7002.58	7010.98		7010.98	0.000019	0.76	3904.99	616.82	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3618	100-YR	1848.80	7002.58	7011.69		7011.69	0.000019	0.80	4346.82	623.55	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3485	2-YR	133.68	7002.22	7003.62		7003.72	0.003556	3.04	88.07	184.38	0.47	0.09	0.29	0.08	0.11
Reach 1-3	3485	5-YR	512.29	7002.22	7004.78		7004.84	0.001575	3.07	426.89	433.07	0.34	0.09	0.24	0.08	0.10
Reach 1-3	3485	10-YR	863.82	7002.22	7006.30		7006.31	0.000249	1.68	1204.90	568.95	0.15	0.03	0.06	0.04	0.03
Reach 1-3	3485	25-YR	1143.60	7002.22	7007.98		7007.99	0.000067	1.10	2176.89	585.05	0.08	0.01	0.02	0.02	0.02
Reach 1-3	3485	50-YR	1561.30	7002.22	7010.98		7010.98	0.000018	0.75	3972.89	614.86	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3485	100-YR	1848.80	7002.22	7011.69		7011.69	0.000018	0.79	4413.75	621.97	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3336	2-YR	133.68	7001.71	7003.01		7003.14	0.004639	3.28	75.91	167.59	0.52	0.10	0.35	0.09	0.13
Reach 1-3	3336	5-YR	512.29	7001.71	7004.68		7004.70	0.000566	2.04	633.91	517.73	0.21	0.04	0.10	0.05	0.04
Reach 1-3	3336	10-YR	863.82	7001.71	7006.28		7006.29	0.000112	1.22	1568.50	593.53	0.10	0.02	0.03	0.02	0.02
Reach 1-3	3336	25-YR	1143.60	7001.71	7007.98		7007.98	0.000040	0.90	2589.32	610.06	0.06	0.01	0.02	0.01	0.01
Reach 1-3	3336	50-YR	1561.30	7001.71	7010.98		7010.98	0.000013	0.66	4458.96	637.06	0.04	0.01	0.01	0.01	0.01
Reach 1-3	3336	100-YR	1848.80	7001.71	7011.69		7011.69	0.000013	0.70	4915.39	643.45	0.04	0.01	0.01	0.01	0.01
Reach 1-3	3198	2-YR	133.68	7001.27	7002.53		7002.61	0.003076	2.58	89.57	188.56	0.42	0.07	0.22	0.05	0.09
Reach 1-3	3198	5-YR	512.29	7001.27	7004.65		7004.66	0.000139	1.09	977.96	507.50	0.11	0.02	0.03	0.01	0.02
Reach 1-3	3198	10-YR	863.82	7001.27	7006.27		7006.28	0.000056	0.91	1821.35	535.19	0.07	0.01	0.02	0.01	0.01
Reach 1-3	3198	25-YR	1143.60	7001.27	7007.97		7007.98	0.000026	0.75	2752.29	557.57	0.05	0.01	0.01	0.01	0.01
Reach 1-3	3198	50-YR	1561.30	7001.27	7010.97		7010.98	0.000010	0.60	4478.87	593.11	0.03	0.00	0.01	0.00	0.00
Reach 1-3	3198	100-YR	1848.80	7001.27	7011.69		7011.69	0.000011	0.65	4904.41	601.55	0.04	0.01	0.01	0.01	0.01
Reach 1-3	3103	2-YR	133.68	7001.02	7002.56	7001.46	7002.57	0.000057	0.37	357.51	356.37	0.06		0.00		0.00
Reach 1-3	3103	5-YR	512.29	7001.02	7004.65	7001.77	7004.65	0.000031	0.54	955.85	385.40	0.05		0.01		0.01
Reach 1-3	3103	10-YR	863.82	7001.02	7006.27	7001.96	7006.27	0.000024	0.61	1419.95	405.62	0.05		0.01		0.01
Reach 1-3	3103	25-YR	1143.60	7001.02	7007.97	7002.11	7007.97	0.000016	0.60	1908.44	434.18	0.04		0.01		0.01
Reach 1-3	3103	50-YR	1561.30	7001.02	7010.97	7002.29	7010.97	0.000008	0.56	2769.80	474.40	0.03		0.01		0.01
Reach 1-3	3103	100-YR	1848.80	7001.02	7011.68	7002.40	7011.69	0.000010	0.62	3071.71	479.86	0.04	0.00	0.01	0.00	0.00
Reach 1-3	3057		Culvert													
Reach 1-3	2988	2-YR	133.68	7001.00	7002.17		7002.20	0.000702	1.24	108.09	104.11	0.20	0.05	0.05	0.04	0.05
Reach 1-3	2988	5-YR	512.29	7001.00	7003.77		7003.83	0.000564	1.98	258.46	117.29	0.21	0.09	0.10	0.09	0.10
Reach 1-3	2988	10-YR	863.82	7001.00	7004.89		7004.98	0.000514	2.37	363.58	126.09	0.21	0.12	0.12	0.12	0.12
Reach 1-3	2988	25-YR	1143.60	7001.00	7005.79		7005.89	0.000448	2.55	448.37	130.48	0.21	0.13	0.13	0.13	0.13

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	2988	50-YR	1561.30	7001.00	7006.91		7007.03	0.000414	2.82	553.26	132.43	0.20	0.15	0.15	0.15	0.15
Reach 1-3	2988	100-YR	1848.80	7001.00	7007.74		7007.87	0.000375	2.93	631.03	133.64	0.20	0.15	0.16	0.15	0.16
Reach 1-3	2975	2-YR	101.60	7000.89	7002.15	7001.38	7002.18	0.001027	1.54	66.12	53.20	0.24		0.08		0.08
Reach 1-3	2975	5-YR	398.70	7000.89	7003.71	7002.10	7003.82	0.001118	2.66	149.73	53.95	0.28		0.18		0.18
Reach 1-3	2975	10-YR	676.70	7000.89	7004.80	7002.62	7004.96	0.001075	3.24	208.84	54.47	0.29	0.01	0.24	0.01	0.23
Reach 1-3	2975	25-YR	931.20	7000.89	7005.67	7003.02	7005.88	0.001032	3.64	256.48	54.86	0.29	0.01	0.28	0.01	0.27
Reach 1-3	2975	50-YR	1282.90	7000.89	7006.75	7003.53	7007.01	0.000984	4.08	316.21	55.34	0.30	0.02	0.33	0.02	0.30
Reach 1-3	2975	100-YR	1562.40	7000.89	7007.55	7003.89	7007.85	0.000950	4.36	360.47	55.68	0.30	0.02	0.36	0.02	0.32
Reach 1-3	2930		Culvert													
Reach 1-3	2879	2-YR	101.60	7000.82	7001.64		7001.77	0.006704	2.86	35.27	54.51	0.58	0.31	0.31	0.27	0.31
Reach 1-3	2879	5-YR	398.70	7000.82	7002.45		7002.90	0.008564	5.28	74.43	60.40	0.75	0.82	0.83	0.78	0.83
Reach 1-3	2879	10-YR	676.70	7000.82	7002.93	7002.73	7003.68	0.010084	6.85	97.33	64.01	0.85	1.27	1.28	1.22	1.27
Reach 1-3	2879	25-YR	931.20	7000.82	7003.23	7003.17	7004.31	0.011939	8.18	112.05	66.34	0.94	1.73	1.74	1.67	1.73
Reach 1-3	2879	50-YR	1282.90	7000.82	7003.71	7003.71	7005.12	0.012224	9.35	134.84	70.00	0.98	2.13	2.15	2.07	2.14
Reach 1-3	2879	100-YR	1562.40	7000.82	7004.10	7004.10	7005.71	0.011700	9.99	153.77	73.42	0.98	2.32	2.34	2.27	2.33
Reach 1-3	2856	2-YR	101.60	7000.50	7001.39		7001.47	0.029128	2.32	43.93	59.73	0.47	0.16	1.36	0.05	1.33
Reach 1-3	2856	5-YR	398.70	7000.50	7002.18		7002.47	0.038527	4.32	94.37	67.04	0.61	1.24	3.70	1.39	3.43
Reach 1-3	2856	10-YR	676.70	7000.50	7002.67		7003.13	0.042992	5.48	126.95	70.70	0.68	2.13	5.43	2.84	5.01
Reach 1-3	2856	25-YR	931.20	7000.50	7002.98		7003.61	0.049863	6.48	147.67	72.99	0.75	3.40	7.25	4.23	6.76
Reach 1-3	2856	50-YR	1282.90	7000.50	7003.41		7004.24	0.052943	7.46	176.39	76.18	0.79	4.98	9.10	5.87	8.58
Reach 1-3	2856	100-YR	1562.40	7000.50	7003.73		7004.71	0.053721	8.09	197.99	78.57	0.81	6.10	10.30	7.01	9.77
Reach 1-3	2850	2-YR	101.60	7000.17	7000.90	7000.90	7001.12	0.153404	3.77	27.11	62.22	1.00	1.04	4.26	0.76	4.14
Reach 1-3	2850	5-YR	398.70	7000.17	7001.55	7001.55	7002.07	0.111722	5.87	69.37	67.25	0.99	2.91	7.66	2.75	7.13
Reach 1-3	2850	10-YR	676.70	7000.17	7002.02	7002.00	7002.73	0.095033	6.87	101.77	70.86	0.97	3.81	9.30	3.69	8.43
Reach 1-3	2850	25-YR	931.20	7000.17	7002.55	7002.36	7003.26	0.065421	6.92	140.04	74.85	0.84	3.67	8.56	4.35	7.70
Reach 1-3	2850	50-YR	1282.90	7000.17	7003.11		7003.91	0.053841	7.35	181.84	79.07	0.79	4.30	8.93	5.40	8.08
Reach 1-3	2850	100-YR	1562.40	7000.17	7003.47		7004.37	0.050787	7.78	208.98	81.81	0.79	5.13	9.58	6.21	8.76
Reach 1-3	2842	2-YR	101.60	6997.59	7000.19		7000.20	0.000829	0.83	125.46	58.25	0.09	0.03	0.12	0.03	0.11
Reach 1-3	2842	5-YR	398.70	6997.59	7001.50		7001.56	0.002796	2.03	207.56	67.18	0.19	0.21	0.62	0.21	0.51
Reach 1-3	2842	10-YR	676.70	6997.59	7002.21		7002.33	0.004304	2.83	256.80	72.02	0.24	0.41	1.13	0.41	0.91
Reach 1-3	2842	25-YR	931.20	6997.59	7002.70		7002.87	0.005565	3.44	292.81	75.48	0.27	0.61	1.63	0.62	1.28
Reach 1-3	2842	50-YR	1282.90	6997.59	7003.25		7003.50	0.007158	4.19	335.15	79.38	0.32	0.90	2.32	0.91	1.80
Reach 1-3	2842	100-YR	1562.40	6997.59	7003.61		7003.93	0.008315	4.72	364.60	81.98	0.34	1.13	2.88	1.20	2.22
Reach 1-3	2838	2-YR	101.60	6999.13	7000.14		7000.19	0.014543	1.89	53.75	57.87	0.35		0.84		0.84
Reach 1-3	2838	5-YR	398.70	6999.13	7001.40		7001.54	0.012715	3.05	132.12	66.96	0.37	0.31	1.66	0.21	1.55
Reach 1-3	2838	10-YR	676.70	6999.13	7002.06		7002.29	0.014356	3.89	178.34	72.06	0.41	0.63	2.47	0.52	2.20
Reach 1-3	2838	25-YR	931.20	6999.13	7002.52		7002.83	0.015930	4.53	212.00	75.56	0.44	0.92	3.19	0.80	2.76
Reach 1-3	2838	50-YR	1282.90	6999.13	7003.02		7003.45	0.017899	5.29	251.32	79.44	0.48	1.31	4.15	1.17	3.49
Reach 1-3	2838	100-YR	1562.40	6999.13	7003.36		7003.87	0.019350	5.83	278.48	82.02	0.51	1.61	4.89	1.46	4.05
Reach 1-3	2830	2-YR	101.60	6997.58	7000.11		7000.15	0.002135	1.67	61.58	61.21	0.29	0.03	0.14	0.03	0.13
Reach 1-3	2830	5-YR	398.70	6997.58	7001.36		7001.49	0.003085	2.87	144.56	71.10	0.33	0.16	0.44	0.16	0.39
Reach 1-3	2830	10-YR	676.70	6997.58	7002.02		7002.23	0.003802	3.68	193.44	76.20	0.38	0.28	0.70	0.27	0.59
Reach 1-3	2830	25-YR	931.20	6997.58	7002.48		7002.75	0.004396	4.30	228.87	79.70	0.41	0.38	0.93	0.38	0.78
Reach 1-3	2830	50-YR	1282.90	6997.58	7002.99		7003.35	0.005062	5.02	270.44	83.89	0.45	0.51	1.23	0.50	1.00
Reach 1-3	2830	100-YR	1562.40	6997.58	7003.33		7003.77	0.005548	5.52	299.22	86.69	0.47	0.62	1.47	0.60	1.18

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	2792	2-YR	101.60	6997.53	7000.04		7000.08	0.001727	1.51	69.60	65.40	0.25	0.04	0.12	0.05	0.11
Reach 1-3	2792	5-YR	398.70	6997.53	7001.27		7001.37	0.002631	2.67	157.88	77.82	0.31	0.16	0.39	0.18	0.33
Reach 1-3	2792	10-YR	676.70	6997.53	7001.92		7002.08	0.003272	3.43	210.04	83.62	0.35	0.26	0.61	0.30	0.51
Reach 1-3	2792	25-YR	931.20	6997.53	7002.36		7002.59	0.003770	3.99	248.03	87.74	0.38	0.35	0.81	0.40	0.66
Reach 1-3	2792	50-YR	1282.90	6997.53	7002.85		7003.16	0.004350	4.65	292.56	92.32	0.41	0.47	1.07	0.52	0.85
Reach 1-3	2792	100-YR	1562.40	6997.53	7003.18		7003.56	0.004764	5.12	323.58	95.39	0.44	0.57	1.27	0.62	0.99
Reach 1-3	2719	2-YR	101.60	6997.47	6999.91		6999.95	0.001857	1.59	70.79	73.38	0.26	0.04	0.13	0.07	0.11
Reach 1-3	2719	5-YR	398.70	6997.47	7001.10		7001.19	0.002536	2.64	170.08	91.73	0.30	0.15	0.37	0.21	0.29
Reach 1-3	2719	10-YR	676.70	6997.47	7001.71		7001.86	0.003067	3.32	228.22	96.81	0.34	0.24	0.56	0.35	0.45
Reach 1-3	2719	25-YR	931.20	6997.47	7002.13		7002.33	0.003539	3.86	269.35	100.25	0.37	0.32	0.74	0.48	0.59
Reach 1-3	2719	50-YR	1282.90	6997.47	7002.59		7002.86	0.004120	4.50	316.64	104.06	0.40	0.43	0.98	0.64	0.77
Reach 1-3	2719	100-YR	1562.40	6997.47	7002.91		7003.23	0.004501	4.94	349.35	106.60	0.43	0.52	1.16	0.77	0.91
Reach 1-3	2680	2-YR	101.60	6997.33	6999.84		6999.88	0.001779	1.52	71.04	76.78	0.26	0.03	0.12	0.04	0.10
Reach 1-3	2680	5-YR	398.70	6997.33	7001.00		7001.09	0.002535	2.55	175.35	100.39	0.30	0.14	0.35	0.17	0.27
Reach 1-3	2680	10-YR	676.70	6997.33	7001.59		7001.74	0.003069	3.21	236.80	105.62	0.34	0.22	0.54	0.30	0.43
Reach 1-3	2680	25-YR	931.20	6997.33	7001.99		7002.18	0.003557	3.74	279.75	109.16	0.37	0.30	0.72	0.42	0.56
Reach 1-3	2680	50-YR	1282.90	6997.33	7002.44		7002.69	0.004161	4.36	329.03	114.38	0.40	0.38	0.95	0.58	0.74
Reach 1-3	2680	100-YR	1562.40	6997.33	7002.73		7003.04	0.004586	4.80	363.78	119.52	0.42	0.42	1.13	0.70	0.86
Reach 1-3	2646	2-YR	101.60	6997.18	6999.79		6999.82	0.001579	1.51	70.59	78.55	0.26	0.03	0.10	0.03	0.09
Reach 1-3	2646	5-YR	398.70	6997.18	7000.92		7001.01	0.002291	2.53	178.21	109.98	0.30	0.10	0.31	0.13	0.23
Reach 1-3	2646	10-YR	676.70	6997.18	7001.50		7001.64	0.002731	3.15	244.47	117.17	0.33	0.17	0.47	0.24	0.35
Reach 1-3	2646	25-YR	931.20	6997.18	7001.89		7002.07	0.003125	3.63	291.06	121.99	0.36	0.23	0.61	0.34	0.46
Reach 1-3	2646	50-YR	1282.90	6997.18	7002.32		7002.56	0.003606	4.21	344.69	126.59	0.39	0.32	0.80	0.47	0.61
Reach 1-3	2646	100-YR	1562.40	6997.18	7002.61		7002.89	0.003936	4.61	381.48	128.84	0.41	0.40	0.95	0.57	0.72
Reach 1-3	2589	2-YR	101.60	6996.89	6999.70		6999.73	0.001437	1.57	72.62	82.13	0.26		0.10	0.04	0.08
Reach 1-3	2589	5-YR	398.70	6996.89	7000.79		7000.88	0.002215	2.59	183.01	119.28	0.31	0.06	0.30	0.14	0.21
Reach 1-3	2589	10-YR	676.70	6996.89	7001.36		7001.49	0.002575	3.15	258.81	139.22	0.33	0.11	0.44	0.21	0.30
Reach 1-3	2589	25-YR	931.20	6996.89	7001.74		7001.90	0.002854	3.57	312.08	141.95	0.35	0.16	0.55	0.30	0.39
Reach 1-3	2589	50-YR	1282.90	6996.89	7002.16		7002.36	0.003232	4.07	371.69	144.96	0.38	0.22	0.71	0.41	0.51
Reach 1-3	2589	100-YR	1562.40	6996.89	7002.43		7002.68	0.003504	4.43	412.24	146.97	0.40	0.27	0.83	0.50	0.61
Reach 1-3	2545	2-YR	101.60	6997.22	6999.62		6999.66	0.002115	1.58	69.20	83.79	0.28	0.04	0.13	0.04	0.11
Reach 1-3	2545	5-YR	398.70	6997.22	7000.68		7000.77	0.002949	2.61	178.63	123.07	0.32	0.15	0.38	0.15	0.27
Reach 1-3	2545	10-YR	676.70	6997.22	7001.23		7001.36	0.003365	3.18	250.37	134.66	0.35	0.23	0.55	0.26	0.39
Reach 1-3	2545	25-YR	931.20	6997.22	7001.59		7001.76	0.003803	3.65	299.31	138.45	0.37	0.30	0.70	0.37	0.51
Reach 1-3	2545	50-YR	1282.90	6997.22	7001.97		7002.20	0.004409	4.22	353.71	142.55	0.41	0.40	0.92	0.52	0.68
Reach 1-3	2545	100-YR	1562.40	6997.22	7002.23		7002.50	0.004868	4.64	390.39	145.31	0.43	0.48	1.09	0.64	0.81
Reach 1-3	2513	2-YR	101.60	6996.86	6999.57		6999.60	0.001589	1.47	70.95	86.79	0.27	0.03	0.09	0.01	0.08
Reach 1-3	2513	5-YR	398.70	6996.86	7000.60		7000.68	0.002478	2.45	182.91	130.63	0.31	0.12	0.30	0.10	0.22
Reach 1-3	2513	10-YR	676.70	6996.86	7001.13		7001.26	0.002867	3.00	257.65	143.83	0.33	0.19	0.44	0.19	0.32
Reach 1-3	2513	25-YR	931.20	6996.86	7001.48		7001.64	0.003250	3.43	308.01	147.09	0.36	0.25	0.57	0.27	0.42
Reach 1-3	2513	50-YR	1282.90	6996.86	7001.85		7002.06	0.003791	3.97	363.02	150.56	0.39	0.33	0.76	0.40	0.57
Reach 1-3	2513	100-YR	1562.40	6996.86	7002.09		7002.35	0.004210	4.37	399.61	152.83	0.41	0.40	0.90	0.50	0.68
Reach 1-3	2468	2-YR	101.60	6997.15	6999.41		6999.48	0.004815	2.18	46.52	71.78	0.48		0.19		0.19
Reach 1-3	2468	5-YR	398.70	6997.15	7000.40		7000.52	0.004871	2.92	157.10	144.02	0.41	0.07	0.49	0.17	0.33
Reach 1-3	2468	10-YR	676.70	6997.15	7000.95		7001.09	0.004571	3.28	244.22	177.90	0.39	0.14	0.61	0.24	0.39
Reach 1-3	2468	25-YR	931.20	6997.15	7001.29		7001.46	0.004550	3.56	307.53	183.14	0.40	0.19	0.71	0.33	0.48
Reach 1-3	2468	50-YR	1282.90	6997.15	7001.65		7001.85	0.004845	3.97	373.80	186.68	0.41	0.26	0.86	0.45	0.60

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	2468	100-YR	1562.40	6997.15	7001.88		7002.12	0.005157	4.28	416.90	188.94	0.43	0.31	0.99	0.55	0.71
Reach 1-3	2405	2-YR	101.60	6997.08	6998.99		6999.09	0.008004	2.57	39.57	66.34	0.59		0.30		0.30
Reach 1-3	2405	5-YR	398.70	6997.08	6999.86		7000.09	0.010282	3.84	108.10	107.24	0.58	0.06	0.86	0.11	0.64
Reach 1-3	2405	10-YR	676.70	6997.08	7000.45		7000.70	0.008655	4.22	186.44	161.74	0.54	0.21	1.04	0.25	0.62
Reach 1-3	2405	25-YR	931.20	6997.08	7000.77		7001.07	0.009051	4.71	243.15	193.72	0.55	0.31	1.26	0.35	0.71
Reach 1-3	2405	50-YR	1282.90	6997.08	7001.04		7001.43	0.010626	5.45	299.48	215.19	0.60	0.45	1.66	0.51	0.92
Reach 1-3	2405	100-YR	1562.40	6997.08	7001.18		7001.65	0.012297	6.05	330.06	216.73	0.65	0.57	2.03	0.70	1.16
Reach 1-3	2399	2-YR	101.60	6997.08	6998.73	6998.73	6998.96	0.161676	3.81	26.69	60.97	1.01		4.38		4.38
Reach 1-3	2399	5-YR	398.70	6997.08	6999.38	6999.38	6999.91	0.124367	5.88	67.81	66.14	1.02		7.88		7.88
Reach 1-3	2399	10-YR	676.70	6997.08	6999.89	6999.89	7000.55	0.090976	6.52	107.64	100.44	0.93	0.85	8.51	0.85	6.04
Reach 1-3	2399	25-YR	931.20	6997.08	7000.36	7000.36	7000.93	0.060217	6.33	165.68	150.89	0.79	1.43	7.35	1.43	4.11
Reach 1-3	2399	50-YR	1282.90	6997.08	7000.74	7000.74	7001.29	0.049177	6.44	231.53	197.93	0.74	1.75	7.16	1.68	3.58
Reach 1-3	2399	100-YR	1562.40	6997.08	7000.93	7000.93	7001.51	0.047494	6.67	271.58	215.32	0.74	1.97	7.48	1.98	3.73
Reach 1-3	2394	2-YR	101.60	6995.80	6997.45	6997.45	6997.67	0.163382	3.81	26.64	61.14	1.02		4.41		4.41
Reach 1-3	2394	5-YR	398.70	6995.80	6998.11	6998.11	6998.62	0.119014	5.75	69.36	67.75	1.00		7.53		7.53
Reach 1-3	2394	10-YR	676.70	6995.80	6998.58	6998.58	6999.24	0.095574	6.55	106.43	90.40	0.95	0.98	8.67	1.24	6.97
Reach 1-3	2394	25-YR	931.20	6995.80	6998.94	6998.94	6999.69	0.082909	7.05	140.60	102.37	0.92	1.76	9.35	2.21	7.06
Reach 1-3	2394	50-YR	1282.90	6995.80	6999.39	6999.39	7000.19	0.069223	7.45	190.63	122.07	0.87	2.39	9.71	2.72	6.70
Reach 1-3	2394	100-YR	1562.40	6995.80	6999.72	6999.72	7000.50	0.057768	7.46	236.96	154.06	0.82	2.57	9.30	2.35	5.52
Reach 1-3	2389	2-YR	101.60	6994.62	6996.27	6996.27	6996.49	0.162499	3.81	26.70	61.25	1.02		4.39		4.39
Reach 1-3	2389	5-YR	398.70	6994.62	6996.91	6996.91	6997.44	0.122567	5.84	68.48	68.97	1.02	0.55	7.77	0.83	7.53
Reach 1-3	2389	10-YR	676.70	6994.62	6997.38	6997.38	6998.07	0.098774	6.73	102.54	78.06	0.97	1.67	9.11	1.72	8.03
Reach 1-3	2389	25-YR	931.20	6994.62	6997.74	6997.74	6998.55	0.086308	7.28	132.54	85.95	0.94	2.39	9.91	2.46	8.24
Reach 1-3	2389	50-YR	1282.90	6994.62	6998.17	6998.17	6999.10	0.076798	7.89	172.19	99.52	0.92	3.13	10.86	2.79	8.23
Reach 1-3	2389	100-YR	1562.40	6994.62	6998.46	6998.46	6999.48	0.072588	8.31	202.37	109.65	0.91	3.59	11.56	3.12	8.30
Reach 1-3	2384	2-YR	101.60	6993.53	6995.77		6995.80	0.007992	1.49	68.04	66.20	0.26		0.51		0.51
Reach 1-3	2384	5-YR	398.70	6993.53	6996.73		6996.86	0.014153	2.94	135.91	79.25	0.38	0.09	1.61	0.06	1.50
Reach 1-3	2384	10-YR	676.70	6993.53	6997.17		6997.41	0.019342	3.97	175.02	94.33	0.46	0.38	2.74	0.40	2.22
Reach 1-3	2384	25-YR	931.20	6993.53	6997.48		6997.82	0.023388	4.74	204.73	101.29	0.52	0.68	3.75	0.76	2.92
Reach 1-3	2384	50-YR	1282.90	6993.53	6997.81		6998.29	0.028528	5.68	240.08	112.79	0.58	1.12	5.16	1.15	3.76
Reach 1-3	2384	100-YR	1562.40	6993.53	6998.02		6998.61	0.032434	6.34	264.72	120.28	0.63	1.49	6.29	1.49	4.42
Reach 1-3	2377	2-YR	101.60	6993.46	6995.77		6995.78	0.000738	0.72	140.71	65.85	0.09		0.09		0.09
Reach 1-3	2377	5-YR	398.70	6993.46	6996.74		6996.80	0.003241	1.91	216.15	98.17	0.19	0.06	0.59	0.07	0.43
Reach 1-3	2377	10-YR	676.70	6993.46	6997.20		6997.31	0.005525	2.74	265.76	117.14	0.26	0.18	1.15	0.20	0.76
Reach 1-3	2377	25-YR	931.20	6993.46	6997.52		6997.68	0.007359	3.36	305.08	129.93	0.30	0.32	1.68	0.35	1.05
Reach 1-3	2377	50-YR	1282.90	6993.46	6997.88		6998.11	0.009452	4.04	354.72	144.47	0.35	0.51	2.36	0.55	1.42
Reach 1-3	2377	100-YR	1562.40	6993.46	6998.12		6998.40	0.010895	4.50	390.59	155.77	0.38	0.67	2.87	0.71	1.67
Reach 1-3	2375	2-YR	101.60	6994.97	6995.69		6995.77	0.030806	2.26	44.98	65.15	0.48		1.32		1.32
Reach 1-3	2375	5-YR	398.70	6994.97	6996.54		6996.76	0.031400	3.83	109.19	96.69	0.55	0.41	2.93	0.50	2.21
Reach 1-3	2375	10-YR	676.70	6994.97	6996.87		6997.25	0.042976	5.11	144.96	119.34	0.67	1.01	4.90	1.08	3.25
Reach 1-3	2375	25-YR	931.20	6994.97	6997.09	6996.95	6997.61	0.051146	6.02	172.82	132.71	0.74	1.55	6.53	1.66	4.15
Reach 1-3	2375	50-YR	1282.90	6994.97	6997.33	6997.33	6998.02	0.060463	7.04	205.78	144.47	0.82	2.27	8.62	2.50	5.36
Reach 1-3	2375	100-YR	1562.40	6994.97	6997.52	6997.52	6998.30	0.062814	7.56	233.96	153.78	0.85	2.74	9.69	3.03	5.95
Reach 1-3	2350	2-YR	101.60	6993.08	6995.47		6995.55	0.004172	2.27	45.86	83.03	0.50		0.17	0.02	0.14
Reach 1-3	2350	5-YR	398.70	6993.08	6996.30		6996.44	0.005956	3.25	161.59	215.23	0.48	0.04	0.53	0.15	0.28
Reach 1-3	2350	10-YR	676.70	6993.08	6996.64		6996.82	0.007154	3.91	237.79	239.12	0.52	0.12	0.78	0.30	0.44

HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)


Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	2350	25-YR	931.20	6993.08	6996.86		6997.09	0.008137	4.42	293.76	256.92	0.55	0.20	1.00	0.42	0.58
Reach 1-3	2350	50-YR	1282.90	6993.08	6997.13		6997.40	0.008695	4.88	363.78	262.33	0.57	0.28	1.21	0.58	0.75
Reach 1-3	2350	100-YR	1562.40	6993.08	6997.33		6997.62	0.008801	5.13	416.40	264.59	0.58	0.34	1.34	0.70	0.86
Reach 1-3	2319	2-YR	101.60	6993.33	6995.32		6995.41	0.005171	2.32	44.50	78.92	0.52	0.01	0.20	0.03	0.18
Reach 1-3	2319	5-YR	398.70	6993.33	6995.97	6995.74	6996.20	0.010764	4.06	127.95	223.75	0.63	0.23	0.85	0.17	0.38
Reach 1-3	2319	10-YR	676.70	6993.33	6996.32		6996.56	0.010533	4.48	216.22	264.01	0.62	0.34	1.07	0.35	0.54
Reach 1-3	2319	25-YR	931.20	6993.33	6996.57		6996.82	0.010097	4.71	283.85	271.80	0.61	0.40	1.18	0.48	0.66
Reach 1-3	2319	50-YR	1282.90	6993.33	6996.86		6997.13	0.009751	5.00	363.63	277.64	0.60	0.48	1.32	0.63	0.80
Reach 1-3	2319	100-YR	1562.40	6993.33	6997.08		6997.35	0.009339	5.15	423.24	279.83	0.59	0.52	1.38	0.73	0.88
Reach 1-3	2246	2-YR	101.60	6993.16	6994.96	6994.82	6995.00	0.005790	2.01	74.39	212.70	0.51		0.18	0.10	0.13
Reach 1-3	2246	5-YR	398.70	6993.16	6995.52		6995.59	0.006176	2.57	200.66	235.58	0.44	0.09	0.40	0.30	0.33
Reach 1-3	2246	10-YR	676.70	6993.16	6995.81		6995.92	0.007389	3.15	270.80	247.33	0.48	0.18	0.61	0.47	0.50
Reach 1-3	2246	25-YR	931.20	6993.16	6996.05		6996.18	0.007673	3.50	331.03	257.56	0.49	0.24	0.75	0.58	0.61
Reach 1-3	2246	50-YR	1282.90	6993.16	6996.37		6996.53	0.007206	3.75	415.82	272.77	0.48	0.30	0.85	0.64	0.68
Reach 1-3	2246	100-YR	1562.40	6993.16	6996.61		6996.78	0.006727	3.88	483.37	280.60	0.47	0.33	0.89	0.68	0.72
Reach 1-3	2181	2-YR	101.60	6992.99	6994.29	6994.29	6994.42	0.017236	3.73	47.93	151.48	1.09		0.39	0.32	0.34
Reach 1-3	2181	5-YR	398.70	6992.99	6994.67	6994.61	6994.87	0.028151	4.40	114.80	191.37	1.05		0.95	1.11	1.05
Reach 1-3	2181	10-YR	676.70	6992.99	6995.09		6995.28	0.015603	3.93	199.95	207.78	0.71	0.08	0.92	0.95	0.94
Reach 1-3	2181	25-YR	931.20	6992.99	6995.44		6995.63	0.011186	3.85	274.68	222.82	0.59	0.18	0.90	0.85	0.86
Reach 1-3	2181	50-YR	1282.90	6992.99	6995.87		6996.06	0.008332	3.86	374.18	242.99	0.52	0.24	0.89	0.78	0.80
Reach 1-3	2181	100-YR	1562.40	6992.99	6996.18		6996.37	0.007029	3.89	450.30	252.41	0.48	0.27	0.89	0.76	0.78
Reach 1-3	2112	2-YR	101.60	6992.58	6993.38		6993.44	0.004849	2.34	62.52	121.60	0.49	0.13	0.21	0.13	0.16
Reach 1-3	2112	5-YR	398.70	6992.58	6994.20		6994.31	0.003542	3.35	181.58	163.85	0.48	0.23	0.34	0.22	0.24
Reach 1-3	2112	10-YR	676.70	6992.58	6994.72		6994.85	0.003103	3.81	271.04	181.83	0.47	0.27	0.40	0.26	0.29
Reach 1-3	2112	25-YR	931.20	6992.58	6995.10		6995.26	0.002911	4.14	344.44	195.95	0.47	0.30	0.44	0.29	0.32
Reach 1-3	2112	50-YR	1282.90	6992.58	6995.57		6995.75	0.002735	4.51	438.75	212.80	0.47	0.32	0.49	0.32	0.35
Reach 1-3	2112	100-YR	1562.40	6992.58	6995.89		6996.09	0.002645	4.75	508.89	224.52	0.47	0.34	0.53	0.34	0.37
Reach 1-3	2046	2-YR	101.60	6991.97	6992.99		6993.04	0.007741	2.13	57.05	85.98	0.38	0.25	0.47	0.25	0.32
Reach 1-3	2046	5-YR	398.70	6991.97	6993.89		6994.00	0.006467	3.02	152.86	123.11	0.39	0.48	0.75	0.40	0.50
Reach 1-3	2046	10-YR	676.70	6991.97	6994.43		6994.58	0.005919	3.43	224.93	141.60	0.39	0.59	0.89	0.47	0.59
Reach 1-3	2046	25-YR	931.20	6991.97	6994.83		6995.00	0.005594	3.69	283.72	152.79	0.39	0.65	0.98	0.53	0.65
Reach 1-3	2046	50-YR	1282.90	6991.97	6995.30		6995.50	0.005303	3.98	358.19	165.92	0.39	0.73	1.09	0.60	0.71
Reach 1-3	2046	100-YR	1562.40	6991.97	6995.62		6995.85	0.005157	4.18	413.03	174.96	0.39	0.77	1.16	0.64	0.76
Reach 1-3	1993	2-YR	101.60	6991.35	6992.67		6992.71	0.005047	1.68	63.23	84.18	0.32		0.26	0.12	0.24
Reach 1-3	1993	5-YR	398.70	6991.35	6993.59		6993.69	0.005123	2.75	155.37	112.28	0.37	0.21	0.56	0.26	0.44
Reach 1-3	1993	10-YR	676.70	6991.35	6994.13		6994.28	0.005188	3.32	219.79	126.07	0.39	0.32	0.74	0.35	0.56
Reach 1-3	1993	25-YR	931.20	6991.35	6994.52		6994.71	0.005221	3.72	271.64	136.16	0.40	0.40	0.88	0.42	0.65
Reach 1-3	1993	50-YR	1282.90	6991.35	6994.98		6995.22	0.005241	4.15	337.02	148.20	0.41	0.48	1.03	0.50	0.74
Reach 1-3	1993	100-YR	1562.40	6991.35	6995.30		6995.57	0.005255	4.43	385.15	156.44	0.42	0.54	1.14	0.55	0.81
Reach 1-3	1929	2-YR	101.60	6991.32	6992.38		6992.42	0.004182	1.53	72.93	94.80	0.28	0.08	0.24	0.15	0.20
Reach 1-3	1929	5-YR	398.70	6991.32	6993.28		6993.37	0.004954	2.61	167.30	113.63	0.34	0.23	0.57	0.38	0.45
Reach 1-3	1929	10-YR	676.70	6991.32	6993.80		6993.94	0.005358	3.21	229.22	122.51	0.37	0.33	0.79	0.54	0.62
Reach 1-3	1929	25-YR	931.20	6991.32	6994.19		6994.37	0.005625	3.64	277.48	129.02	0.39	0.41	0.96	0.65	0.75
Reach 1-3	1929	50-YR	1282.90	6991.32	6994.63		6994.86	0.005852	4.11	337.06	136.46	0.41	0.51	1.17	0.79	0.90
Reach 1-3	1929	100-YR	1562.40	6991.32	6994.94		6995.21	0.006025	4.43	379.47	141.43	0.42	0.58	1.31	0.89	1.01
Reach 1-3	1884	2-YR	101.60	6991.07	6992.12		6992.17	0.006976	2.05	59.11	86.93	0.36	0.21	0.43	0.22	0.30





HEC-RAS Plan: PROP - Shear River: Sand Creek Reach: Reach 1-3 (Continued)





Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl	Shear LOB (lb/sq ft)	Shear Chan (lb/sq ft)	Shear ROB (lb/sq ft)	Shear Total (lb/sq ft)
Reach 1-3	1884	5-YR	398.70	6991.07	6992.97		6993.09	0.007395	3.19	143.17	106.22	0.42	0.39	0.85	0.55	0.62
Reach 1-3	1884	10-YR	676.70	6991.07	6993.46		6993.64	0.007868	3.85	196.72	113.39	0.45	0.53	1.14	0.78	0.85
Reach 1-3	1884	25-YR	931.20	6991.07	6993.81		6994.05	0.008170	4.31	237.75	118.09	0.46	0.66	1.36	0.95	1.02
Reach 1-3	1884	50-YR	1282.90	6991.07	6994.22		6994.54	0.008466	4.83	287.73	123.59	0.48	0.81	1.63	1.15	1.23
Reach 1-3	1884	100-YR	1562.40	6991.07	6994.50		6994.87	0.008749	5.20	322.27	127.25	0.50	0.92	1.84	1.30	1.38
Reach 1-3	1834	2-YR	101.60	6990.69	6991.78		6991.83	0.006505	1.84	60.31	90.53	0.35	0.09	0.36	0.12	0.27
Reach 1-3	1834	5-YR	398.70	6990.69	6992.61		6992.73	0.007249	3.02	148.88	114.22	0.41	0.30	0.77	0.43	0.59
Reach 1-3	1834	10-YR	676.70	6990.69	6993.06		6993.25	0.008051	3.72	202.14	119.14	0.45	0.44	1.09	0.69	0.85
Reach 1-3	1834	25-YR	931.20	6990.69	6993.39		6993.63	0.008702	4.25	241.76	122.69	0.47	0.56	1.36	0.90	1.07
Reach 1-3	1834	50-YR	1282.90	6990.69	6993.78		6994.09	0.009286	4.84	290.52	126.95	0.50	0.71	1.67	1.16	1.32
Reach 1-3	1834	100-YR	1562.40	6990.69	6994.03		6994.40	0.009943	5.29	322.57	133.77	0.53	0.84	1.94	1.28	1.49
Reach 1-3	1804	2-YR	101.60	6990.58	6991.57		6991.62	0.006572	1.96	61.09	91.11	0.35	0.18	0.40	0.22	0.27
Reach 1-3	1804	5-YR	398.70	6990.58	6992.36		6992.48	0.007732	3.17	145.82	116.28	0.42	0.46	0.85	0.54	0.60
Reach 1-3	1804	10-YR	676.70	6990.58	6992.77		6992.97	0.008934	3.92	195.05	122.14	0.47	0.67	1.21	0.83	0.89
Reach 1-3	1804	25-YR	931.20	6990.58	6993.07		6993.33	0.009836	4.47	231.38	125.87	0.50	0.85	1.51	1.07	1.13
Reach 1-3	1804	50-YR	1282.90	6990.58	6993.44		6993.77	0.010225	5.01	278.65	130.55	0.53	1.02	1.81	1.32	1.36
Reach 1-3	1804	100-YR	1562.40	6990.58	6993.63		6994.05	0.011405	5.53	304.45	133.04	0.56	1.22	2.15	1.59	1.62
Reach 1-3	1707	2-YR	128.60	6989.35	6990.09	6990.09	6990.31	0.030288	3.84	33.51	74.00	1.00	0.14	0.87		0.86
Reach 1-3	1707	5-YR	480.40	6989.35	6990.72	6990.72	6991.18	0.023824	5.46	88.62	98.58	1.00	0.58	1.38		1.34
Reach 1-3	1707	10-YR	763.80	6989.35	6991.07	6991.07	6991.67	0.020580	6.25	124.37	108.33	0.98	0.72	1.63	0.23	1.47
Reach 1-3	1707	25-YR	1005.40	6989.35	6991.32	6991.32	6992.01	0.018979	6.77	152.31	113.89	0.97	0.81	1.80	0.38	1.58
Reach 1-3	1707	50-YR	1368.30	6989.35	6991.65	6991.65	6992.47	0.017365	7.39	191.54	120.69	0.96	0.92	2.01	0.56	1.72
Reach 1-3	1707	100-YR	1585.20	6989.35	6991.84	6991.84	6992.72	0.016505	7.68	215.06	128.02	0.95	0.97	2.11	0.55	1.73
Reach 1-3	1663	2-YR	128.60	6987.76	6988.50		6988.63	0.023147	2.93	44.47	74.91	0.62	0.48	0.99	0.43	0.86
Reach 1-3	1663	5-YR	480.40	6987.76	6989.10	6989.02	6989.50	0.032163	5.25	96.12	103.64	0.82	0.99	2.58	1.20	1.86
Reach 1-3	1663	10-YR	763.80	6987.76	6989.37	6989.37	6989.96	0.036397	6.34	125.10	110.66	0.90	1.56	3.54	1.67	2.57
Reach 1-3	1663	25-YR	1005.40	6987.76	6989.63	6989.63	6990.29	0.032937	6.70	155.86	120.48	0.88	1.71	3.74	1.79	2.66
Reach 1-3	1663	50-YR	1368.30	6987.76	6989.95	6989.95	6990.72	0.030527	7.18	195.52	128.02	0.87	2.01	4.08	1.96	2.91
Reach 1-3	1663	100-YR	1585.20	6987.76	6990.12	6990.12	6990.95	0.029955	7.47	216.58	131.53	0.87	2.19	4.30	2.07	3.07
Reach 1-3	1622	2-YR	128.60	6986.76	6987.53		6987.61	0.026883	2.34	55.02	125.91	0.62		0.73		0.73
Reach 1-3	1622	5-YR	480.40	6986.76	6988.08		6988.28	0.025533	3.64	132.20	152.28	0.68	0.12	1.40	0.06	1.38
Reach 1-3	1622	10-YR	763.80	6986.76	6988.37		6988.66	0.024869	4.34	176.98	157.52	0.71	0.34	1.82	0.28	1.74
Reach 1-3	1622	25-YR	1005.40	6986.76	6988.58		6988.94	0.024388	4.80	211.00	161.39	0.72	0.50	2.11	0.43	1.99
Reach 1-3	1622	50-YR	1368.30	6986.76	6988.86		6989.31	0.023930	5.38	257.11	166.49	0.74	0.70	2.49	0.62	2.30
Reach 1-3	1622	100-YR	1585.20	6986.76	6989.02		6989.51	0.023640	5.67	282.92	169.01	0.74	0.82	2.68	0.73	2.47
Reach 1-3	1411	2-YR	128.60	6982.00	6983.08	6982.88	6983.15	0.017059	2.13	60.38	112.94	0.51		0.57		0.57
Reach 1-3	1411	5-YR	480.40	6982.00	6983.74	6983.37	6983.92	0.017083	3.45	139.62	130.61	0.58	0.02	1.17	0.09	1.14
Reach 1-3	1411	10-YR	763.80	6982.00	6984.08	6983.67	6984.35	0.017097	4.14	186.01	136.93	0.61	0.23	1.54	0.32	1.45
Reach 1-3	1411	25-YR	1005.40	6982.00	6984.33	6983.88	6984.66	0.017068	4.60	220.82	139.94	0.62	0.40	1.81	0.48	1.68
Reach 1-3	1411	50-YR	1368.30	6982.00	6984.66	6984.18	6985.07	0.017076	5.18	267.60	143.90	0.64	0.61	2.16	0.68	1.98
Reach 1-3	1411	100-YR	1585.20	6982.00	6984.84	6984.33	6985.30	0.017097	5.48	293.29	146.02	0.65	0.71	2.35	0.79	2.14





**Water Surface Elevation HEC-RAS Analysis For MDDP
Design Storms**





Sand Creek Reach 1-3




















































































































































































































































































HEC-RAS Model Plan: Proposed Conditions - WS Eval 12/13/2024

River = Sand Creek Reach = Reach 1-3 RS = 1411 Section CU



HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	12465	2-YR	154.80	7177.88	7178.86	7178.86	7179.30	0.027359	8.03	57.54	65.81	1.44
Reach 1-3	12465	5-YR	475.50	7177.88	7179.86	7179.86	7180.73	0.022174	11.59	126.71	72.72	1.46
Reach 1-3	12465	10-YR	773.90	7177.88	7180.54	7180.54	7181.72	0.020657	13.62	176.70	73.98	1.48
Reach 1-3	12465	25-YR	1022.90	7177.88	7181.01	7181.01	7182.44	0.020235	15.05	211.96	74.12	1.50
Reach 1-3	12465	50-YR	1389.50	7177.88	7181.62	7181.62	7183.41	0.020311	16.97	256.67	74.29	1.55
Reach 1-3	12465	100-YR	1643.00	7177.88	7181.72	7181.72	7184.09	0.025899	19.50	264.22	74.32	1.76
Reach 1-3	12366		Culvert									
Reach 1-3	12253	2-YR	154.80	7168.00	7171.95		7171.96	0.000141	1.10	285.96	80.41	0.10
Reach 1-3	12253	5-YR	475.50	7168.00	7174.49		7174.52	0.000244	2.02	503.26	90.66	0.14
Reach 1-3	12253	10-YR	773.90	7168.00	7175.27		7175.35	0.000438	2.92	575.32	93.80	0.19
Reach 1-3	12253	25-YR	1022.90	7168.00	7176.14		7176.24	0.000517	3.42	658.51	97.30	0.21
Reach 1-3	12253	50-YR	1389.50	7168.00	7177.23		7177.38	0.000615	4.05	767.54	101.72	0.24
Reach 1-3	12253	100-YR	1643.00	7168.00	7177.91		7178.09	0.000671	4.44	837.30	104.45	0.25
Reach 1-3	12070	2-YR	154.80	7168.31	7171.75		7171.89	0.001880	3.53	104.46	61.98	0.34
Reach 1-3	12070	5-YR	475.50	7168.31	7174.26		7174.43	0.001444	4.52	282.47	76.58	0.33
Reach 1-3	12070	10-YR	773.90	7168.31	7174.85		7175.17	0.002540	6.40	328.51	79.16	0.45
Reach 1-3	12070	25-YR	1022.90	7168.31	7175.67		7176.05	0.002702	7.14	394.10	82.70	0.47
Reach 1-3	12070	50-YR	1389.50	7168.31	7176.69		7177.16	0.002892	8.07	480.86	87.05	0.50
Reach 1-3	12070	100-YR	1643.00	7168.31	7177.32		7177.84	0.002991	8.63	536.83	89.71	0.51
Reach 1-3	11880	2-YR	154.80	7165.52	7167.32	7167.32	7167.90	0.018608	9.99	64.04	61.50	1.31
Reach 1-3	11880	5-YR	475.50	7165.52	7167.80	7166.91	7170.23	0.064236	21.70	97.00	76.90	2.54
Reach 1-3	11880	10-YR	773.90	7165.52	7169.17	7169.17	7170.18	0.018726	16.06	215.99	93.12	1.48
Reach 1-3	11880	25-YR	1022.90	7165.52	7169.63	7169.63	7170.78	0.019225	17.60	259.35	96.35	1.53
Reach 1-3	11880	50-YR	1389.50	7165.52	7170.19	7170.19	7171.54	0.020093	19.61	314.57	99.66	1.60
Reach 1-3	11880	100-YR	1643.00	7165.52	7170.51	7170.51	7172.02	0.021051	20.98	346.70	101.28	1.66
Reach 1-3	11569	2-YR	154.80	7159.96	7160.95		7161.00	0.014680	4.46	103.51	113.32	0.79
Reach 1-3	11569	5-YR	475.50	7159.96	7161.92		7162.04	0.012853	6.60	220.19	125.24	0.83
Reach 1-3	11569	10-YR	773.90	7159.96	7162.53		7162.70	0.013500	8.10	299.03	186.41	0.89
Reach 1-3	11569	25-YR	1022.90	7159.96	7162.91	7161.63	7163.13	0.014690	9.26	351.27	197.86	0.95
Reach 1-3	11569	50-YR	1389.50	7159.96	7163.54	7161.98	7163.79	0.013655	10.16	443.98	215.54	0.95
Reach 1-3	11569	100-YR	1643.00	7159.96	7163.91	7162.21	7164.19	0.013414	10.75	500.88	225.08	0.95
Reach 1-3	11368	2-YR	154.80	7153.99	7155.30	7155.30	7155.86	0.051313	10.07	42.79	50.27	1.55
Reach 1-3	11368	5-YR	475.50	7153.99	7156.62	7156.62	7157.63	0.041093	14.34	109.58	87.74	1.56
Reach 1-3	11368	10-YR	773.90	7153.99	7157.55	7157.55	7158.59	0.031318	15.34	183.08	121.30	1.43
Reach 1-3	11368	25-YR	1022.90	7153.99	7158.18	7158.18	7159.15	0.025774	15.51	244.66	139.85	1.34
Reach 1-3	11368	50-YR	1389.50	7153.99	7158.63	7158.63	7159.79	0.028572	17.47	291.72	147.44	1.43
Reach 1-3	11368	100-YR	1643.00	7153.99	7158.94	7158.94	7160.19	0.029174	18.43	325.01	152.72	1.46
Reach 1-3	11206	2-YR	154.80	7151.03	7153.68		7153.81	0.002766	3.44	103.17	89.26	0.40
Reach 1-3	11206	5-YR	475.50	7151.03	7155.11		7155.33	0.003128	5.03	273.98	146.35	0.46
Reach 1-3	11206	10-YR	773.90	7151.03	7155.78		7156.08	0.003806	6.18	382.76	168.09	0.52
Reach 1-3	11206	25-YR	1022.90	7151.03	7156.24		7156.58	0.004062	6.82	462.71	174.55	0.54
Reach 1-3	11206	50-YR	1389.50	7151.03	7156.82		7157.21	0.004359	7.61	564.65	179.76	0.57
Reach 1-3	11206	100-YR	1643.00	7151.03	7157.18		7157.60	0.004511	8.07	629.35	182.82	0.59
Reach 1-3	11103	2-YR	154.80	7150.00	7151.89	7151.43	7152.17	0.018074	7.64	60.33	43.80	0.98
Reach 1-3	11103	5-YR	475.50	7150.00	7152.90	7152.87	7153.39	0.024052	11.73	174.86	130.64	1.21
Reach 1-3	11103	10-YR	773.90	7150.00	7153.60	7153.29	7154.01	0.018276	11.80	270.04	142.12	1.10
Reach 1-3	11103	25-YR	1022.90	7150.00	7154.03	7153.57	7154.45	0.017522	12.45	332.28	149.24	1.09
Reach 1-3	11103	50-YR	1389.50	7150.00	7154.59	7153.92	7155.03	0.016506	13.18	417.74	156.68	1.08
Reach 1-3	11103	100-YR	1643.00	7150.00	7154.95	7154.16	7155.40	0.015822	13.57	475.13	161.39	1.08
Reach 1-3	10925	2-YR	154.80	7148.00	7149.43	7149.22	7149.65	0.012359	4.61	70.93	85.41	0.74
Reach 1-3	10925	5-YR	475.50	7148.00	7150.45		7150.81	0.010496	6.41	181.96	124.70	0.76
Reach 1-3	10925	10-YR	773.90	7148.00	7150.88		7151.42	0.013314	8.12	236.00	128.80	0.88
Reach 1-3	10925	25-YR	1022.90	7148.00	7151.25		7151.88	0.013603	8.95	284.08	131.70	0.91
Reach 1-3	10925	50-YR	1389.50	7148.00	7151.71	7151.36	7152.48	0.014139	10.04	345.81	135.30	0.95
Reach 1-3	10925	100-YR	1643.00	7148.00	7151.98	7151.61	7152.85	0.014689	10.75	382.70	137.40	0.98
Reach 1-3	10797	2-YR	154.80	7145.39	7147.87	7147.17	7147.94	0.013807	2.08	75.15	102.78	0.33
Reach 1-3	10797	5-YR	475.50	7145.39	7148.89	7147.91	7149.04	0.017843	3.19	161.53	145.88	0.39
Reach 1-3	10797	10-YR	773.90	7145.39	7149.36	7148.42	7149.49	0.015066	3.28	286.24	156.80	0.36
Reach 1-3	10797	25-YR	1022.90	7145.39	7149.73	7148.76	7149.89	0.015558	3.61	346.27	165.52	0.37
Reach 1-3	10797	50-YR	1389.50	7145.39	7150.19	7148.99	7150.38	0.016086	4.01	424.70	176.34	0.38
Reach 1-3	10797	100-YR	1643.00	7145.39	7150.46	7149.14	7150.68	0.016234	4.22	474.59	182.87	0.39
Reach 1-3	10713	2-YR	154.80	7144.30	7146.91		7146.96	0.009729	1.78	105.27	138.60	0.29
Reach 1-3	10713	5-YR	475.50	7144.30	7147.83		7147.90	0.010027	2.37	252.43	203.74	0.29
Reach 1-3	10713	10-YR	773.90	7144.30	7148.34		7148.43	0.010355	2.73	358.99	211.45	0.30
Reach 1-3	10713	25-YR	1022.90	7144.30	7148.70		7148.80	0.010418	2.95	435.69	216.58	0.30

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	10713	50-YR	1389.50	7144.30	7149.15		7149.27	0.010471	3.23	535.40	222.98	0.31
Reach 1-3	10713	100-YR	1643.00	7144.30	7149.43		7149.56	0.010517	3.39	597.38	225.73	0.31
Reach 1-3	10617	2-YR	154.80	7143.44	7145.98		7146.03	0.010474	1.79	89.18	109.92	0.29
Reach 1-3	10617	5-YR	475.50	7143.44	7146.91		7146.98	0.009928	2.34	267.04	223.15	0.28
Reach 1-3	10617	10-YR	773.90	7143.44	7147.45		7147.53	0.009389	2.60	389.48	233.18	0.28
Reach 1-3	10617	25-YR	1022.90	7143.44	7147.82		7147.91	0.009079	2.77	477.16	239.99	0.28
Reach 1-3	10617	50-YR	1389.50	7143.44	7148.28		7148.38	0.008912	2.99	589.85	248.45	0.28
Reach 1-3	10617	100-YR	1643.00	7143.44	7148.56		7148.67	0.008928	3.14	658.97	253.50	0.29
Reach 1-3	10543	2-YR	154.80	7142.46	7145.30		7145.35	0.007542	1.72	100.89	116.17	0.28
Reach 1-3	10543	5-YR	475.50	7142.46	7146.21		7146.28	0.008291	2.39	260.23	202.50	0.29
Reach 1-3	10543	10-YR	773.90	7142.46	7146.75		7146.84	0.008355	2.74	372.09	208.06	0.30
Reach 1-3	10543	25-YR	1022.90	7142.46	7147.13		7147.23	0.008325	2.96	453.61	221.66	0.30
Reach 1-3	10543	50-YR	1389.50	7142.46	7147.58		7147.70	0.008559	3.26	556.73	234.75	0.31
Reach 1-3	10543	100-YR	1643.00	7142.46	7147.84		7147.97	0.008865	3.47	618.24	242.46	0.32
Reach 1-3	10455	2-YR	154.80	7142.32	7144.95		7144.99	0.008321	1.68	109.94	140.01	0.27
Reach 1-3	10455	5-YR	475.50	7142.32	7145.84		7145.90	0.008485	2.22	280.43	210.09	0.27
Reach 1-3	10455	10-YR	773.90	7142.32	7146.37		7146.45	0.009012	2.60	394.91	228.57	0.28
Reach 1-3	10455	25-YR	1022.90	7142.32	7146.74		7146.83	0.009414	2.87	484.39	256.87	0.29
Reach 1-3	10455	50-YR	1389.50	7142.32	7147.18		7147.29	0.009788	3.18	604.82	290.65	0.30
Reach 1-3	10455	100-YR	1643.00	7142.32	7147.43		7147.55	0.009856	3.33	680.22	302.06	0.30
Reach 1-3	10411	2-YR	154.80	7141.35	7143.74		7143.80	0.013419	1.94	82.20	99.62	0.32
Reach 1-3	10411	5-YR	475.50	7141.35	7144.61		7144.70	0.013372	2.61	237.26	214.02	0.33
Reach 1-3	10411	10-YR	773.90	7141.35	7145.06		7145.17	0.014343	3.05	336.69	230.61	0.34
Reach 1-3	10411	25-YR	1022.90	7141.35	7145.36		7145.49	0.015202	3.36	407.13	245.94	0.36
Reach 1-3	10411	50-YR	1389.50	7141.35	7145.72		7145.87	0.016176	3.74	500.09	266.69	0.37
Reach 1-3	10411	100-YR	1643.00	7141.35	7145.94		7146.11	0.016651	3.96	560.22	279.42	0.38
Reach 1-3	10339	2-YR	154.80	7140.02	7142.69		7142.76	0.013445	2.11	73.26	179.77	0.35
Reach 1-3	10339	5-YR	475.50	7140.02	7143.67		7143.74	0.011375	2.57	269.61	303.29	0.31
Reach 1-3	10339	10-YR	773.90	7140.02	7144.09		7144.18	0.011412	2.85	410.27	343.98	0.32
Reach 1-3	10339	25-YR	1022.90	7140.02	7144.37		7144.46	0.011477	3.03	504.82	350.72	0.32
Reach 1-3	10339	50-YR	1389.50	7140.02	7144.71		7144.81	0.011453	3.24	627.10	358.44	0.32
Reach 1-3	10339	100-YR	1643.00	7140.02	7144.93		7145.03	0.011407	3.36	706.29	376.77	0.32
Reach 1-3	10211	2-YR	154.80	7138.76	7141.54		7141.60	0.010939	1.93	80.09	140.59	0.31
Reach 1-3	10211	5-YR	475.50	7138.76	7142.52		7142.62	0.012244	2.67	247.55	309.95	0.33
Reach 1-3	10211	10-YR	773.90	7138.76	7142.95		7143.05	0.012167	2.95	389.50	344.31	0.33
Reach 1-3	10211	25-YR	1022.90	7138.76	7143.24		7143.34	0.011807	3.09	489.40	346.93	0.32
Reach 1-3	10211	50-YR	1389.50	7138.76	7143.60		7143.71	0.011488	3.27	616.55	350.24	0.32
Reach 1-3	10211	100-YR	1643.00	7138.76	7143.83		7143.94	0.011343	3.38	695.10	352.26	0.32
Reach 1-3	10113	2-YR	154.80	7137.89	7140.38		7140.46	0.012510	2.24	69.07	185.20	0.39
Reach 1-3	10113	5-YR	475.50	7137.89	7141.40		7141.50	0.010658	2.68	252.87	293.00	0.34
Reach 1-3	10113	10-YR	773.90	7137.89	7141.83		7141.93	0.010915	3.00	379.73	302.29	0.34
Reach 1-3	10113	25-YR	1022.90	7137.89	7142.11		7142.22	0.011088	3.21	466.33	306.11	0.35
Reach 1-3	10113	50-YR	1389.50	7137.89	7142.47		7142.60	0.011336	3.48	576.52	310.54	0.35
Reach 1-3	10113	100-YR	1643.00	7137.89	7142.69		7142.82	0.011500	3.65	644.45	313.24	0.36
Reach 1-3	10014	2-YR	154.80	7136.24	7139.09		7139.17	0.013519	2.24	69.32	113.82	0.36
Reach 1-3	10014	5-YR	475.50	7136.24	7140.07		7140.21	0.017395	3.20	197.95	248.41	0.40
Reach 1-3	10014	10-YR	773.90	7136.24	7140.50		7140.65	0.017925	3.59	308.29	270.92	0.41
Reach 1-3	10014	25-YR	1022.90	7136.24	7140.77		7140.94	0.018354	3.84	383.78	282.08	0.41
Reach 1-3	10014	50-YR	1389.50	7136.24	7141.10		7141.29	0.018924	4.16	478.49	288.35	0.42
Reach 1-3	10014	100-YR	1643.00	7136.24	7141.31		7141.51	0.019171	4.35	537.80	291.66	0.43
Reach 1-3	9955	2-YR	154.80	7135.86	7138.11	7137.62	7138.20	0.019818	2.37	65.30	129.12	0.41
Reach 1-3	9955	5-YR	475.50	7135.86	7138.80	7138.52	7138.95	0.026172	3.46	194.87	272.40	0.47
Reach 1-3	9955	10-YR	773.90	7135.86	7139.10	7138.82	7139.29	0.029762	4.04	279.52	286.11	0.51
Reach 1-3	9955	25-YR	1022.90	7135.86	7139.30	7139.00	7139.51	0.031826	4.41	336.32	288.40	0.53
Reach 1-3	9955	50-YR	1389.50	7135.86	7139.55	7139.21	7139.80	0.033851	4.85	409.50	291.32	0.55
Reach 1-3	9955	100-YR	1643.00	7135.86	7139.70	7139.33	7139.97	0.035552	5.14	452.15	293.02	0.57
Reach 1-3	9943	2-YR	154.80	7135.80	7137.42	7137.42	7137.71	0.138584	4.31	35.90	132.56	0.99
Reach 1-3	9943	5-YR	475.50	7135.80	7138.27	7138.27	7138.54	0.048588	4.47	136.62	266.18	0.67
Reach 1-3	9943	10-YR	773.90	7135.80	7138.50	7138.50	7138.82	0.053712	5.20	198.62	282.71	0.73
Reach 1-3	9943	25-YR	1022.90	7135.80	7138.65	7138.65	7139.01	0.056457	5.66	240.95	291.30	0.75
Reach 1-3	9943	50-YR	1389.50	7135.80	7138.81	7138.81	7139.26	0.062471	6.32	289.33	295.29	0.81
Reach 1-3	9943	100-YR	1643.00	7135.80	7138.92	7138.92	7139.41	0.063551	6.62	322.72	296.66	0.82
Reach 1-3	9926	2-YR	154.80	7131.59	7134.43		7134.45	0.003128	1.34	117.35	72.82	0.18
Reach 1-3	9926	5-YR	475.50	7131.59	7135.57		7135.66	0.005068	2.38	215.02	99.43	0.25
Reach 1-3	9926	10-YR	773.90	7131.59	7136.15		7136.29	0.006776	3.11	277.45	116.29	0.29

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	9926	25-YR	1022.90	7131.59	7136.50		7136.69	0.008158	3.63	318.73	122.88	0.33
Reach 1-3	9926	50-YR	1389.50	7131.59	7136.91		7137.17	0.009936	4.29	371.51	136.59	0.37
Reach 1-3	9926	100-YR	1643.00	7131.59	7137.16		7137.45	0.010802	4.64	422.25	251.39	0.39
Reach 1-3	9913	2-YR	154.80	7131.58	7134.42		7134.43	0.000846	0.88	177.18	74.75	0.10
Reach 1-3	9913	5-YR	475.50	7131.58	7135.56		7135.60	0.002116	1.78	290.09	120.47	0.16
Reach 1-3	9913	10-YR	773.90	7131.58	7136.14		7136.22	0.003077	2.36	376.09	205.37	0.20
Reach 1-3	9913	25-YR	1022.90	7131.58	7136.49		7136.59	0.003671	2.72	458.82	242.47	0.22
Reach 1-3	9913	50-YR	1389.50	7131.58	7136.92		7137.05	0.004244	3.11	567.95	261.78	0.24
Reach 1-3	9913	100-YR	1643.00	7131.58	7137.18		7137.32	0.004532	3.32	636.21	270.74	0.25
Reach 1-3	9910	2-YR	154.80	7132.63	7134.39		7134.42	0.004823	1.51	103.69	75.17	0.22
Reach 1-3	9910	5-YR	475.50	7132.63	7135.50		7135.59	0.006023	2.44	217.01	124.88	0.26
Reach 1-3	9910	10-YR	773.90	7132.63	7136.08		7136.20	0.006871	2.97	313.19	232.67	0.29
Reach 1-3	9910	25-YR	1022.90	7132.63	7136.44		7136.57	0.007016	3.22	398.78	243.73	0.30
Reach 1-3	9910	50-YR	1389.50	7132.63	7136.88		7137.03	0.007087	3.50	510.11	261.40	0.31
Reach 1-3	9910	100-YR	1643.00	7132.63	7137.14		7137.30	0.007113	3.66	579.19	270.51	0.31
Reach 1-3	9875	2-YR	154.80	7131.85	7134.12		7134.19	0.009583	2.07	74.69	69.18	0.35
Reach 1-3	9875	5-YR	475.50	7131.85	7135.27		7135.35	0.007698	2.53	252.05	223.86	0.30
Reach 1-3	9875	10-YR	773.90	7131.85	7135.86		7135.95	0.007207	2.79	392.43	250.37	0.30
Reach 1-3	9875	25-YR	1022.90	7131.85	7136.22		7136.32	0.007297	3.01	484.09	259.36	0.30
Reach 1-3	9875	50-YR	1389.50	7131.85	7136.65		7136.77	0.007625	3.32	599.13	272.53	0.31
Reach 1-3	9875	100-YR	1643.00	7131.85	7136.90		7137.03	0.007915	3.52	668.90	280.44	0.32
Reach 1-3	9815	2-YR	154.80	7130.14	7133.63		7133.69	0.007322	1.94	79.80	63.90	0.31
Reach 1-3	9815	5-YR	475.50	7130.14	7134.67		7134.81	0.011143	2.97	183.80	153.71	0.36
Reach 1-3	9815	10-YR	773.90	7130.14	7135.23		7135.40	0.012429	3.51	290.44	227.58	0.38
Reach 1-3	9815	25-YR	1022.90	7130.14	7135.57		7135.76	0.012809	3.79	372.69	248.88	0.38
Reach 1-3	9815	50-YR	1389.50	7130.14	7135.98		7136.19	0.013169	4.12	480.20	268.72	0.39
Reach 1-3	9815	100-YR	1643.00	7130.14	7136.22		7136.44	0.013335	4.30	544.78	271.13	0.39
Reach 1-3	9772	2-YR	154.80	7130.91	7133.24		7133.31	0.010809	2.07	75.27	82.59	0.35
Reach 1-3	9772	5-YR	475.50	7130.91	7134.19		7134.30	0.011569	2.82	203.50	163.47	0.36
Reach 1-3	9772	10-YR	773.90	7130.91	7134.71		7134.85	0.012304	3.31	299.31	213.51	0.37
Reach 1-3	9772	25-YR	1022.90	7130.91	7135.03		7135.20	0.012819	3.62	372.33	237.55	0.38
Reach 1-3	9772	50-YR	1389.50	7130.91	7135.43		7135.62	0.013270	3.98	470.95	261.68	0.39
Reach 1-3	9772	100-YR	1643.00	7130.91	7135.66		7135.87	0.013366	4.17	533.47	267.93	0.40
Reach 1-3	9727	2-YR	154.80	7129.87	7132.79		7132.85	0.009130	1.98	84.42	108.18	0.32
Reach 1-3	9727	5-YR	475.50	7129.87	7133.68		7133.78	0.011711	2.83	212.67	190.96	0.35
Reach 1-3	9727	10-YR	773.90	7129.87	7134.16		7134.29	0.012625	3.29	318.61	239.68	0.37
Reach 1-3	9727	25-YR	1022.90	7129.87	7134.46		7134.61	0.013303	3.60	390.69	244.17	0.38
Reach 1-3	9727	50-YR	1389.50	7129.87	7134.83		7135.01	0.014055	3.97	481.39	247.83	0.40
Reach 1-3	9727	100-YR	1643.00	7129.87	7135.05		7135.24	0.014573	4.20	535.95	249.96	0.41
Reach 1-3	9636	2-YR	154.80	7129.38	7131.63	7131.17	7131.70	0.018998	2.22	85.86	162.06	0.39
Reach 1-3	9636	5-YR	475.50	7129.38	7132.32		7132.41	0.019725	2.88	218.41	234.23	0.40
Reach 1-3	9636	10-YR	773.90	7129.38	7132.65		7132.78	0.023050	3.44	306.00	319.48	0.43
Reach 1-3	9636	25-YR	1022.90	7129.38	7132.85		7133.01	0.024966	3.79	372.42	323.43	0.45
Reach 1-3	9636	50-YR	1389.50	7129.38	7133.08		7133.27	0.028392	4.28	445.96	325.83	0.49
Reach 1-3	9636	100-YR	1643.00	7129.38	7133.22		7133.44	0.029955	4.55	493.01	327.36	0.50
Reach 1-3	9626	2-YR	154.80	7129.34	7130.99	7130.99	7131.27	0.139922	4.28	36.13	62.05	0.99
Reach 1-3	9626	5-YR	475.50	7129.34	7131.75	7131.75	7132.07	0.062086	4.80	119.55	215.57	0.75
Reach 1-3	9626	10-YR	773.90	7129.34	7132.03	7132.03	7132.40	0.062049	5.46	177.60	253.13	0.77
Reach 1-3	9626	25-YR	1022.90	7129.34	7132.20	7132.20	7132.61	0.061582	5.84	225.45	294.28	0.79
Reach 1-3	9626	50-YR	1389.50	7129.34	7132.43	7132.43	7132.86	0.056423	6.09	299.98	331.02	0.77
Reach 1-3	9626	100-YR	1643.00	7129.34	7132.54	7132.54	7133.01	0.058168	6.41	336.09	332.35	0.79
Reach 1-3	9600	2-YR	154.80	7123.43	7125.87		7125.91	0.007760	1.74	89.07	71.98	0.27
Reach 1-3	9600	5-YR	475.50	7123.43	7126.90		7127.02	0.009463	2.83	181.51	107.02	0.32
Reach 1-3	9600	10-YR	773.90	7123.43	7127.45		7127.63	0.011151	3.53	245.33	125.55	0.36
Reach 1-3	9600	25-YR	1022.90	7123.43	7127.78		7128.01	0.012646	4.04	288.68	136.72	0.40
Reach 1-3	9600	50-YR	1389.50	7123.43	7128.12		7128.43	0.015296	4.75	337.82	149.36	0.44
Reach 1-3	9600	100-YR	1643.00	7123.43	7128.34		7128.70	0.016611	5.15	371.39	157.51	0.47
Reach 1-3	9587	2-YR	154.80	7123.38	7125.85		7125.87	0.001385	1.03	150.98	78.83	0.12
Reach 1-3	9587	5-YR	475.50	7123.38	7126.88		7126.93	0.003104	1.98	274.39	152.71	0.19
Reach 1-3	9587	10-YR	773.90	7123.38	7127.43		7127.52	0.004086	2.52	363.79	171.33	0.23
Reach 1-3	9587	25-YR	1022.90	7123.38	7127.76		7127.87	0.004864	2.91	422.72	192.85	0.25
Reach 1-3	9587	50-YR	1389.50	7123.38	7128.11		7128.26	0.006198	3.46	487.76	227.01	0.29
Reach 1-3	9587	100-YR	1643.00	7123.38	7128.33		7128.51	0.006928	3.78	531.54	249.78	0.31
Reach 1-3	9584	2-YR	154.80	7124.71	7125.77		7125.85	0.021779	2.31	67.01	72.35	0.42
Reach 1-3	9584	5-YR	475.50	7124.71	7126.82		7126.92	0.017430	2.50	190.54	155.25	0.40

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	9584	10-YR	773.90	7124.71	7127.38		7127.50	0.014418	2.73	283.01	181.03	0.38
Reach 1-3	9584	25-YR	1022.90	7124.71	7127.72		7127.85	0.014378	2.98	343.33	211.28	0.39
Reach 1-3	9584	50-YR	1389.50	7124.71	7128.06		7128.24	0.015044	3.41	408.82	242.19	0.41
Reach 1-3	9584	100-YR	1643.00	7124.71	7128.28		7128.48	0.015176	3.65	457.37	291.77	0.41
Reach 1-3	9558	2-YR	154.80	7122.44	7125.43		7125.48	0.009207	1.85	83.73	68.20	0.29
Reach 1-3	9558	5-YR	475.50	7122.44	7126.40		7126.54	0.011459	3.01	171.99	129.86	0.35
Reach 1-3	9558	10-YR	773.90	7122.44	7126.93		7127.12	0.013031	3.70	249.12	211.38	0.39
Reach 1-3	9558	25-YR	1022.90	7122.44	7127.25		7127.47	0.013718	4.08	320.80	277.99	0.41
Reach 1-3	9558	50-YR	1389.50	7122.44	7127.62		7127.85	0.013567	4.37	420.44	308.23	0.41
Reach 1-3	9558	100-YR	1643.00	7122.44	7127.85		7128.09	0.013635	4.58	489.68	318.69	0.42
Reach 1-3	9498	2-YR	154.80	7122.10	7124.84	7124.09	7124.89	0.010707	1.81	87.16	98.75	0.30
Reach 1-3	9498	5-YR	475.50	7122.10	7125.63	7124.75	7125.73	0.015813	2.80	211.12	217.56	0.36
Reach 1-3	9498	10-YR	773.90	7122.10	7126.04	7125.27	7126.18	0.018007	3.34	302.00	243.98	0.39
Reach 1-3	9498	25-YR	1022.90	7122.10	7126.32	7125.57	7126.48	0.018767	3.64	367.26	252.60	0.40
Reach 1-3	9498	50-YR	1389.50	7122.10	7126.68	7125.86	7126.86	0.019079	3.96	456.92	256.25	0.41
Reach 1-3	9498	100-YR	1643.00	7122.10	7126.92	7126.04	7127.11	0.018590	4.10	520.19	268.54	0.40
Reach 1-3	9389	2-YR	154.80	7120.61	7122.13		7122.28	0.091469	3.12	49.98	69.48	0.63
Reach 1-3	9389	5-YR	475.50	7120.61	7122.88		7123.05	0.043975	3.41	143.95	143.70	0.49
Reach 1-3	9389	10-YR	773.90	7120.61	7123.33		7123.56	0.034935	3.63	210.42	151.00	0.46
Reach 1-3	9389	25-YR	1022.90	7120.61	7123.64		7123.91	0.031908	3.82	258.72	158.59	0.45
Reach 1-3	9389	50-YR	1389.50	7120.61	7124.03		7124.36	0.029557	4.10	322.64	166.34	0.44
Reach 1-3	9389	100-YR	1643.00	7120.61	7124.23		7124.61	0.030723	4.38	355.54	173.42	0.46
Reach 1-3	9256	2-YR	154.80	7118.36	7120.25	7119.62	7120.26	0.005839	0.97	161.55	198.68	0.19
Reach 1-3	9256	5-YR	475.50	7118.36	7120.91	7119.97	7120.95	0.007834	1.63	298.13	210.03	0.23
Reach 1-3	9256	10-YR	773.90	7118.36	7121.33	7120.20	7121.39	0.009054	2.06	386.93	217.65	0.26
Reach 1-3	9256	25-YR	1022.90	7118.36	7121.62	7120.36	7121.70	0.009759	2.34	450.15	221.94	0.28
Reach 1-3	9256	50-YR	1389.50	7118.36	7121.98	7120.59	7122.09	0.010599	2.70	531.77	227.40	0.30
Reach 1-3	9256	100-YR	1643.00	7118.36	7122.33		7122.44	0.009506	2.78	611.72	232.37	0.29
Reach 1-3	9243	2-YR	154.80	7119.00	7119.38	7119.38	7119.54	0.170899	3.15	49.24	158.41	0.99
Reach 1-3	9243	5-YR	475.50	7119.00	7119.72	7119.72	7120.04	0.136550	4.56	104.91	169.42	1.00
Reach 1-3	9243	10-YR	773.90	7119.00	7119.98	7119.98	7120.40	0.115790	5.25	149.87	180.06	0.97
Reach 1-3	9243	25-YR	1022.90	7119.00	7120.16	7120.16	7120.66	0.109054	5.74	182.09	184.06	0.97
Reach 1-3	9243	50-YR	1389.50	7119.00	7120.39	7120.39	7121.00	0.101285	6.31	225.97	188.90	0.97
Reach 1-3	9243	100-YR	1643.00	7119.00	7121.86		7122.02	0.010082	3.28	524.94	219.00	0.35
Reach 1-3	9216	2-YR	154.80	7114.00	7118.49		7118.49	0.000004	0.16	981.43	237.93	0.01
Reach 1-3	9216	5-YR	475.50	7114.00	7119.04		7119.04	0.000026	0.45	1114.42	242.83	0.04
Reach 1-3	9216	10-YR	773.90	7114.00	7119.41		7119.42	0.000054	0.67	1206.22	246.14	0.05
Reach 1-3	9216	25-YR	1022.90	7114.00	7119.68		7119.69	0.000080	0.85	1271.47	250.35	0.06
Reach 1-3	9216	50-YR	1389.50	7114.00	7120.02		7120.03	0.000122	1.09	1357.44	256.91	0.08
Reach 1-3	9216	100-YR	1643.00	7114.00	7121.95		7121.97	0.000063	0.94	1872.58	275.39	0.06
Reach 1-3	9080	2-YR	155.10	7114.00	7118.48		7118.49	0.000009	0.18	892.72	218.41	0.01
Reach 1-3	9080	5-YR	480.20	7114.00	7119.03		7119.04	0.000059	0.48	1013.89	223.12	0.04
Reach 1-3	9080	10-YR	783.10	7114.00	7119.40		7119.41	0.000123	0.73	1096.83	226.27	0.05
Reach 1-3	9080	25-YR	1035.50	7114.00	7119.66		7119.67	0.000182	0.91	1155.34	228.47	0.07
Reach 1-3	9080	50-YR	1408.70	7114.00	7119.99		7120.01	0.000276	1.16	1231.11	231.29	0.08
Reach 1-3	9080	100-YR	1665.90	7114.00	7121.94		7121.95	0.000141	1.00	1704.14	253.19	0.06
Reach 1-3	9029	2-YR	155.10	7117.75	7118.47		7118.48	0.002859	0.91	170.43	240.30	0.19
Reach 1-3	9029	5-YR	480.20	7117.75	7118.98		7119.02	0.004516	1.64	293.98	244.42	0.26
Reach 1-3	9029	10-YR	783.10	7117.75	7119.31		7119.38	0.005345	2.09	375.82	247.12	0.29
Reach 1-3	9029	25-YR	1035.50	7117.75	7119.54		7119.63	0.005899	2.40	432.26	248.97	0.32
Reach 1-3	9029	50-YR	1408.70	7117.75	7119.83		7119.95	0.006607	2.81	503.71	251.30	0.34
Reach 1-3	9029	100-YR	1665.90	7117.75	7121.89		7121.93	0.000867	1.61	1046.08	274.53	0.14
Reach 1-3	8989	2-YR	155.10	7117.73	7118.00	7118.00	7118.12	0.122416	2.80	55.39	240.21	1.03
Reach 1-3	8989	5-YR	480.20	7117.73	7118.26	7118.26	7118.51	0.089953	4.01	119.98	242.58	1.00
Reach 1-3	8989	10-YR	783.10	7117.73	7118.45	7118.45	7118.80	0.081553	4.73	165.98	244.25	1.00
Reach 1-3	8989	25-YR	1035.50	7117.73	7118.59	7118.59	7119.01	0.076229	5.17	200.53	245.49	1.00
Reach 1-3	8989	50-YR	1408.70	7117.73	7118.80	7118.79	7119.29	0.067100	5.62	251.06	247.30	0.97
Reach 1-3	8989	100-YR	1665.90	7117.73	7121.86		7121.89	0.000857	1.59	1060.85	282.01	0.14
Reach 1-3	8983	2-YR	155.10	7103.78	7107.20		7107.25	0.002002	1.83	84.59	24.77	0.17
Reach 1-3	8983	5-YR	480.20	7103.78	7110.92		7111.04	0.002176	2.71	176.93	24.84	0.18
Reach 1-3	8983	10-YR	783.10	7103.78	7113.63		7113.79	0.002352	3.21	244.16	24.89	0.18
Reach 1-3	8983	25-YR	1035.50	7103.78	7115.61		7115.80	0.002293	3.51	294.71	220.10	0.18
Reach 1-3	8983	50-YR	1408.70	7103.78	7118.96		7119.17	0.001814	3.70	380.29	254.36	0.17
Reach 1-3	8983	100-YR	1665.90	7103.78	7121.77		7121.88	0.004403	2.66	647.71	282.90	0.28
Reach 1-3	8956	2-YR	155.10	7103.78	7107.14	7104.85	7107.20	0.002109	1.87	83.16	24.77	0.18

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	8956	5-YR	480.20	7103.78	7110.86	7106.05	7110.98	0.002230	2.74	175.39	24.84	0.18
Reach 1-3	8956	10-YR	783.10	7103.78	7113.56	7106.92	7113.72	0.002396	3.23	242.50	24.89	0.18
Reach 1-3	8956	25-YR	1035.50	7103.78	7115.55	7107.56	7115.74	0.002336	3.53	293.06	219.44	0.18
Reach 1-3	8956	50-YR	1408.70	7103.78	7118.91	7108.43	7119.12	0.001835	3.72	378.99	253.84	0.17
Reach 1-3	8956	100-YR	1665.90	7103.78	7121.62	7108.98	7121.75	0.005388	2.85	606.09	281.58	0.30
Reach 1-3	8919		Culvert									
Reach 1-3	8888	2-YR	155.10	7103.58	7105.14	7105.14	7105.92	0.056603	6.78	22.21	46.92	0.96
Reach 1-3	8888	5-YR	480.20	7103.58	7106.88	7106.88	7108.55	0.044095	9.89	47.17	47.00	0.96
Reach 1-3	8888	10-YR	783.10	7103.58	7108.15	7108.15	7110.47	0.039662	11.65	65.30	47.06	0.96
Reach 1-3	8888	25-YR	1035.50	7103.58	7109.09	7109.09	7111.88	0.037201	12.78	78.71	47.10	0.96
Reach 1-3	8888	50-YR	1408.70	7103.58	7110.35	7110.35	7113.76	0.034709	14.15	96.67	47.16	0.96
Reach 1-3	8888	100-YR	1665.90	7103.58	7111.16	7111.16	7114.97	0.033367	14.96	108.17	47.20	0.96
Reach 1-3	8886	2-YR	155.10	7102.02	7104.39		7104.63	0.010227	3.80	39.99	46.89	0.44
Reach 1-3	8886	5-YR	480.20	7102.02	7104.96	7104.96	7106.45	0.047351	9.47	49.75	46.92	0.97
Reach 1-3	8886	10-YR	783.10	7102.02	7106.10	7106.10	7108.15	0.042478	11.14	68.92	46.97	0.97
Reach 1-3	8886	25-YR	1035.50	7102.02	7106.93	7106.93	7109.40	0.039782	12.22	83.11	47.01	0.97
Reach 1-3	8886	50-YR	1408.70	7102.02	7108.05	7108.05	7111.08	0.037208	13.54	101.99	47.06	0.97
Reach 1-3	8886	100-YR	1665.90	7102.02	7108.76	7108.76	7112.15	0.035810	14.32	114.09	47.09	0.97
Reach 1-3	8852	2-YR	155.10	7102.13	7104.51		7104.52	0.000420	0.74	229.40	166.35	0.09
Reach 1-3	8852	5-YR	480.20	7102.13	7105.31		7105.34	0.001021	1.41	365.34	179.65	0.14
Reach 1-3	8852	10-YR	783.10	7102.13	7105.81		7105.86	0.001367	1.80	460.14	199.63	0.17
Reach 1-3	8852	25-YR	1035.50	7102.13	7106.16		7106.22	0.001559	2.05	536.09	233.38	0.18
Reach 1-3	8852	50-YR	1408.70	7102.13	7106.61		7106.69	0.001732	2.32	647.37	259.91	0.20
Reach 1-3	8852	100-YR	1665.90	7102.13	7106.88		7106.97	0.001814	2.47	718.55	265.97	0.20
Reach 1-3	8850	2-YR	155.10	7103.55	7104.49		7104.52	0.005578	1.30	116.97	168.25	0.24
Reach 1-3	8850	5-YR	480.20	7103.55	7105.27		7105.33	0.004116	1.69	255.31	190.31	0.23
Reach 1-3	8850	10-YR	783.10	7103.55	7105.76		7105.85	0.004064	1.99	353.81	211.92	0.24
Reach 1-3	8850	25-YR	1035.50	7103.55	7106.11		7106.22	0.004039	2.19	432.24	245.38	0.24
Reach 1-3	8850	50-YR	1408.70	7103.55	7106.55		7106.68	0.003984	2.42	546.78	264.70	0.25
Reach 1-3	8850	100-YR	1665.90	7103.55	7106.81		7106.96	0.003985	2.56	616.74	266.88	0.25
Reach 1-3	8818	2-YR	155.10	7101.03	7104.08		7104.12	0.006652	1.70	105.46	163.86	0.27
Reach 1-3	8818	5-YR	480.20	7101.03	7104.90		7104.97	0.008031	2.34	281.21	239.60	0.29
Reach 1-3	8818	10-YR	783.10	7101.03	7105.41		7105.49	0.008176	2.66	403.21	245.07	0.29
Reach 1-3	8818	25-YR	1035.50	7101.03	7105.76		7105.85	0.008258	2.87	489.16	248.44	0.30
Reach 1-3	8818	50-YR	1408.70	7101.03	7106.21		7106.31	0.008226	3.11	602.91	252.07	0.30
Reach 1-3	8818	100-YR	1665.90	7101.03	7106.47		7106.59	0.008386	3.28	669.44	254.59	0.31
Reach 1-3	8786	2-YR	155.10	7101.10	7103.81		7103.86	0.010258	1.85	95.06	191.55	0.30
Reach 1-3	8786	5-YR	480.20	7101.10	7104.66		7104.71	0.008389	2.16	312.09	265.75	0.27
Reach 1-3	8786	10-YR	783.10	7101.10	7105.17		7105.23	0.007798	2.36	450.22	269.91	0.26
Reach 1-3	8786	25-YR	1035.50	7101.10	7105.53		7105.59	0.007657	2.52	545.72	272.66	0.26
Reach 1-3	8786	50-YR	1408.70	7101.10	7105.99		7106.06	0.007491	2.72	672.09	276.24	0.26
Reach 1-3	8786	100-YR	1665.90	7101.10	7106.25		7106.33	0.007640	2.88	743.97	278.23	0.27
Reach 1-3	8750	2-YR	155.10	7100.37	7103.04		7103.08	0.009028	1.76	103.16	206.84	0.27
Reach 1-3	8750	5-YR	480.20	7100.37	7103.87		7103.94	0.010688	2.46	249.18	229.50	0.30
Reach 1-3	8750	10-YR	783.10	7100.37	7104.34		7104.44	0.011944	2.93	339.83	252.23	0.32
Reach 1-3	8750	25-YR	1035.50	7100.37	7104.67		7104.79	0.012622	3.23	405.36	267.67	0.33
Reach 1-3	8750	50-YR	1408.70	7100.37	7105.09		7105.25	0.013678	3.65	495.89	281.18	0.35
Reach 1-3	8750	100-YR	1665.90	7100.37	7105.34		7105.51	0.013732	3.82	566.53	282.83	0.36
Reach 1-3	8683	2-YR	155.10	7099.61	7102.35		7102.40	0.008831	1.75	97.16	241.95	0.27
Reach 1-3	8683	5-YR	480.20	7099.61	7103.14		7103.20	0.009533	2.31	293.09	264.91	0.28
Reach 1-3	8683	10-YR	783.10	7099.61	7103.60		7103.67	0.009634	2.59	415.32	268.24	0.29
Reach 1-3	8683	25-YR	1035.50	7099.61	7103.91		7103.99	0.009772	2.80	499.76	270.41	0.29
Reach 1-3	8683	50-YR	1408.70	7099.61	7104.31		7104.41	0.009949	3.05	608.02	273.10	0.30
Reach 1-3	8683	100-YR	1665.90	7099.61	7104.55		7104.66	0.010071	3.21	674.91	274.79	0.30
Reach 1-3	8578	2-YR	155.10	7099.09	7101.70		7101.74	0.007846	1.58	122.63	238.84	0.25
Reach 1-3	8578	5-YR	480.20	7099.09	7102.44		7102.49	0.008739	2.12	304.41	248.92	0.27
Reach 1-3	8578	10-YR	783.10	7099.09	7102.86		7102.93	0.009821	2.50	408.61	252.04	0.29
Reach 1-3	8578	25-YR	1035.50	7099.09	7103.14		7103.22	0.010530	2.77	480.05	254.23	0.30
Reach 1-3	8578	50-YR	1408.70	7099.09	7103.50		7103.60	0.011376	3.10	571.54	257.01	0.31
Reach 1-3	8578	100-YR	1665.90	7099.09	7103.73		7103.85	0.011606	3.28	632.37	258.85	0.32
Reach 1-3	8429	2-YR	155.10	7098.29	7100.73		7100.81	0.015293	2.28	69.88	164.15	0.40
Reach 1-3	8429	5-YR	480.20	7098.29	7101.42	7100.98	7101.55	0.015142	3.15	191.78	227.60	0.43
Reach 1-3	8429	10-YR	783.10	7098.29	7101.80		7101.94	0.014100	3.50	278.38	231.88	0.43
Reach 1-3	8429	25-YR	1035.50	7098.29	7102.06		7102.23	0.013444	3.71	340.07	233.40	0.43
Reach 1-3	8429	50-YR	1408.70	7098.29	7102.47		7102.64	0.011565	3.85	434.67	235.71	0.41

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	8429	100-YR	1665.90	7098.29	7102.50		7102.74	0.015363	4.47	441.80	235.88	0.48
Reach 1-3	8326	2-YR	155.10	7096.32	7098.41	7098.41	7098.84	0.013934	5.57	29.84	35.34	1.00
Reach 1-3	8326	5-YR	480.20	7096.32	7099.25	7099.25	7099.72	0.012631	4.98	89.61	96.87	0.95
Reach 1-3	8326	10-YR	783.10	7096.32	7099.61	7099.61	7100.24	0.011774	6.06	124.54	99.67	0.97
Reach 1-3	8326	25-YR	1035.50	7096.32	7099.88	7099.88	7100.62	0.010932	6.69	151.99	101.87	0.97
Reach 1-3	8326	50-YR	1408.70	7096.32	7100.19	7100.19	7101.12	0.011119	7.64	183.69	109.60	1.01
Reach 1-3	8326	100-YR	1665.90	7096.32	7100.64	7100.64	7101.39	0.007135	7.11	258.28	195.05	0.84
Reach 1-3	8290	2-YR	155.10	7097.00	7097.90		7097.97	0.006102	2.21	70.21	88.46	0.44
Reach 1-3	8290	5-YR	480.20	7097.00	7098.50		7098.73	0.009227	3.83	125.37	94.21	0.59
Reach 1-3	8290	10-YR	783.10	7097.00	7098.89		7099.25	0.010750	4.80	163.19	98.00	0.66
Reach 1-3	8290	25-YR	1035.50	7097.00	7099.17		7099.63	0.011692	5.44	190.20	100.62	0.70
Reach 1-3	8290	50-YR	1408.70	7097.00	7099.52		7100.12	0.012713	6.23	226.12	104.00	0.74
Reach 1-3	8290	100-YR	1665.90	7097.00	7099.73		7100.43	0.013409	6.72	248.01	106.00	0.77
Reach 1-3	8276	2-YR	155.10	7097.00	7097.80	7097.52	7097.88	0.007642	2.27	68.41	98.16	0.48
Reach 1-3	8276	5-YR	480.20	7097.00	7098.37	7098.01	7098.60	0.010226	3.81	126.12	103.33	0.61
Reach 1-3	8276	10-YR	783.10	7097.00	7098.75	7098.36	7099.10	0.011376	4.71	166.10	106.92	0.67
Reach 1-3	8276	25-YR	1035.50	7097.00	7099.02	7098.62	7099.46	0.012050	5.31	194.89	109.44	0.70
Reach 1-3	8276	50-YR	1408.70	7097.00	7099.37	7098.96	7099.93	0.012698	6.03	233.57	112.73	0.74
Reach 1-3	8276	100-YR	1665.90	7097.00	7099.57	7099.17	7100.23	0.013252	6.49	256.77	114.66	0.76
Reach 1-3	8267	2-YR	155.10	7097.00	7097.51	7097.51	7097.71	0.039749	3.62	42.84	105.00	1.00
Reach 1-3	8267	5-YR	480.20	7097.00	7097.97	7097.97	7098.39	0.031384	5.23	91.84	108.53	1.00
Reach 1-3	8267	10-YR	783.10	7097.00	7098.29	7098.29	7098.88	0.028787	6.13	127.68	111.23	1.01
Reach 1-3	8267	25-YR	1035.50	7097.00	7098.54	7098.54	7099.23	0.026896	6.67	155.25	113.28	1.00
Reach 1-3	8267	50-YR	1408.70	7097.00	7098.86	7098.86	7099.69	0.025351	7.34	191.91	115.95	1.01
Reach 1-3	8267	100-YR	1665.90	7097.00	7099.06	7099.06	7099.99	0.024397	7.71	215.98	117.67	1.00
Reach 1-3	8229	2-YR	155.10	7091.00	7094.18		7094.19	0.000280	0.90	172.77	82.65	0.11
Reach 1-3	8229	5-YR	480.20	7091.00	7095.09		7095.15	0.000860	1.91	251.59	89.99	0.20
Reach 1-3	8229	10-YR	783.10	7091.00	7095.70		7095.80	0.001259	2.55	307.50	94.85	0.25
Reach 1-3	8229	25-YR	1035.50	7091.00	7096.12		7096.26	0.001526	2.97	348.18	98.24	0.28
Reach 1-3	8229	50-YR	1408.70	7091.00	7096.66		7096.85	0.001851	3.50	402.20	102.56	0.31
Reach 1-3	8229	100-YR	1665.90	7091.00	7096.97		7097.20	0.002066	3.83	434.60	105.07	0.33
Reach 1-3	8210	2-YR	155.10	7091.00	7094.18		7094.19	0.000278	0.89	174.33	84.22	0.11
Reach 1-3	8210	5-YR	480.20	7091.00	7095.08		7095.13	0.000856	1.89	253.61	91.50	0.20
Reach 1-3	8210	10-YR	783.10	7091.00	7095.68		7095.77	0.001255	2.53	309.69	96.32	0.25
Reach 1-3	8210	25-YR	1035.50	7091.00	7096.09		7096.23	0.001521	2.95	350.51	99.69	0.28
Reach 1-3	8210	50-YR	1408.70	7091.00	7096.62		7096.81	0.001847	3.48	404.66	103.98	0.31
Reach 1-3	8210	100-YR	1665.90	7091.00	7096.93		7097.16	0.002063	3.81	437.08	106.47	0.33
Reach 1-3	8209	2-YR	155.10	7093.00	7094.13		7094.18	0.002881	1.80	86.10	83.81	0.31
Reach 1-3	8209	5-YR	480.20	7093.00	7094.97		7095.11	0.003948	3.01	159.34	90.59	0.40
Reach 1-3	8209	10-YR	783.10	7093.00	7095.52		7095.74	0.004386	3.71	211.20	95.10	0.44
Reach 1-3	8209	25-YR	1035.50	7093.00	7095.92		7096.19	0.004623	4.16	249.16	98.27	0.46
Reach 1-3	8209	50-YR	1408.70	7093.00	7096.42		7096.76	0.004896	4.70	299.50	102.33	0.48
Reach 1-3	8209	100-YR	1665.90	7093.00	7096.70		7097.10	0.005160	5.06	329.01	104.63	0.50
Reach 1-3	8175	2-YR	155.10	7093.00	7093.97		7094.04	0.004972	2.14	72.37	81.75	0.40
Reach 1-3	8175	5-YR	480.20	7093.00	7094.73		7094.92	0.006283	3.51	136.88	87.84	0.50
Reach 1-3	8175	10-YR	783.10	7093.00	7095.25		7095.53	0.006679	4.26	183.68	92.01	0.53
Reach 1-3	8175	25-YR	1035.50	7093.00	7095.62		7095.97	0.006905	4.75	217.82	94.93	0.55
Reach 1-3	8175	50-YR	1408.70	7093.00	7096.08		7096.53	0.007182	5.36	263.05	98.67	0.58
Reach 1-3	8175	100-YR	1665.90	7093.00	7096.33		7096.85	0.007686	5.80	287.33	100.62	0.60
Reach 1-3	8165	2-YR	155.10	7093.00	7093.89	7093.55	7093.98	0.006634	2.34	66.16	81.14	0.46
Reach 1-3	8165	5-YR	480.20	7093.00	7094.62	7094.11	7094.84	0.007890	3.77	127.32	86.97	0.55
Reach 1-3	8165	10-YR	783.10	7093.00	7095.12	7094.50	7095.44	0.008211	4.56	171.85	90.97	0.58
Reach 1-3	8165	25-YR	1035.50	7093.00	7095.48	7094.80	7095.88	0.008313	5.05	205.06	93.85	0.60
Reach 1-3	8165	50-YR	1408.70	7093.00	7095.94	7095.19	7096.44	0.008476	5.65	249.12	97.53	0.62
Reach 1-3	8165	100-YR	1665.90	7093.00	7096.15		7096.74	0.009339	6.18	269.43	99.18	0.66
Reach 1-3	8155	2-YR	155.10	7093.00	7093.55	7093.55	7093.80	0.037138	3.99	38.90	78.37	1.00
Reach 1-3	8155	5-YR	480.20	7093.00	7094.11	7094.11	7094.62	0.029657	5.72	83.90	82.88	1.00
Reach 1-3	8155	10-YR	783.10	7093.00	7094.51	7094.51	7095.20	0.027014	6.66	117.52	86.06	1.01
Reach 1-3	8155	25-YR	1035.50	7093.00	7094.79	7094.79	7095.62	0.025794	7.27	142.43	88.35	1.01
Reach 1-3	8155	50-YR	1408.70	7093.00	7095.19	7095.19	7096.16	0.023919	7.92	177.77	91.49	1.00
Reach 1-3	8155	100-YR	1665.90	7093.00	7095.73		7096.56	0.015310	7.27	229.09	95.88	0.83
Reach 1-3	8125	2-YR	155.10	7087.00	7091.15		7091.16	0.000168	0.88	176.76	59.20	0.09
Reach 1-3	8125	5-YR	480.20	7087.00	7092.77		7092.82	0.000437	1.70	283.30	72.17	0.15
Reach 1-3	8125	10-YR	783.10	7087.00	7093.79		7093.86	0.000599	2.17	360.72	80.30	0.18
Reach 1-3	8125	25-YR	1035.50	7087.00	7094.50		7094.59	0.000694	2.47	419.58	85.96	0.20

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	8125	50-YR	1408.70	7087.00	7095.42		7095.55	0.000785	2.80	502.86	93.39	0.21
Reach 1-3	8125	100-YR	1665.90	7087.00	7096.01		7096.15	0.000824	2.98	559.05	98.09	0.22
Reach 1-3	8105	2-YR	155.10	7087.00	7091.15		7091.16	0.000169	0.88	176.52	59.17	0.09
Reach 1-3	8105	5-YR	480.20	7087.00	7092.76		7092.81	0.000440	1.70	282.67	72.14	0.15
Reach 1-3	8105	10-YR	783.10	7087.00	7093.77		7093.85	0.000604	2.18	359.80	80.27	0.18
Reach 1-3	8105	25-YR	1035.50	7087.00	7094.48		7094.58	0.000700	2.47	418.48	85.93	0.20
Reach 1-3	8105	50-YR	1408.70	7087.00	7095.41		7095.53	0.000792	2.81	501.51	93.37	0.21
Reach 1-3	8105	100-YR	1665.90	7087.00	7095.99		7096.13	0.000831	2.99	557.65	98.07	0.22
Reach 1-3	8104	2-YR	155.10	7089.00	7091.12		7091.15	0.000882	1.45	106.94	58.95	0.19
Reach 1-3	8104	5-YR	480.20	7089.00	7092.72		7092.80	0.001141	2.27	211.33	71.77	0.23
Reach 1-3	8104	10-YR	783.10	7089.00	7093.72		7093.84	0.001258	2.72	287.43	79.83	0.25
Reach 1-3	8104	25-YR	1035.50	7089.00	7094.42		7094.56	0.001306	3.00	345.45	85.46	0.26
Reach 1-3	8104	50-YR	1408.70	7089.00	7095.35		7095.52	0.001326	3.29	427.88	92.88	0.27
Reach 1-3	8104	100-YR	1665.90	7089.00	7095.93		7096.12	0.001317	3.44	483.77	97.59	0.27
Reach 1-3	8074	2-YR	155.10	7089.00	7091.05	7089.90	7091.11	0.001831	1.99	78.10	46.36	0.27
Reach 1-3	8074	5-YR	480.20	7089.00	7092.59	7090.82	7092.73	0.002247	3.02	159.18	58.61	0.32
Reach 1-3	8074	10-YR	783.10	7089.00	7093.56	7091.45	7093.76	0.002173	3.62	216.21	64.86	0.33
Reach 1-3	8074	25-YR	1035.50	7089.00	7094.22	7091.90	7094.48	0.002178	4.05	255.50	67.50	0.34
Reach 1-3	8074	50-YR	1408.70	7089.00	7095.09	7092.48	7095.42	0.002194	4.59	306.64	69.00	0.36
Reach 1-3	8074	100-YR	1665.90	7089.00	7095.64	7092.79	7096.01	0.002200	4.92	338.82	69.00	0.36
Reach 1-3	7949		Culvert									
Reach 1-3	7828	2-YR	146.52	7088.70	7090.77	7089.65	7090.84	0.000724	2.06	71.01	42.66	0.28
Reach 1-3	7828	5-YR	512.38	7088.70	7092.00	7090.77	7092.25	0.001424	4.03	126.99	53.82	0.43
Reach 1-3	7828	10-YR	847.50	7088.70	7092.65	7091.44	7093.10	0.001909	5.39	157.31	59.58	0.52
Reach 1-3	7828	25-YR	1108.89	7088.70	7093.05	7091.89	7093.67	0.002270	6.32	175.48	60.60	0.57
Reach 1-3	7828	50-YR	1497.55	7088.70	7093.51	7092.47	7094.41	0.002805	7.59	197.21	60.61	0.65
Reach 1-3	7828	100-YR	1763.93	7088.70	7093.78	7092.84	7094.88	0.003189	8.43	209.35	60.61	0.70
Reach 1-3	7788	2-YR	146.52	7088.52	7090.75		7090.77	0.001648	1.25	127.14	78.45	0.15
Reach 1-3	7788	5-YR	512.38	7088.52	7092.00		7092.08	0.003168	2.35	231.51	88.50	0.23
Reach 1-3	7788	10-YR	847.50	7088.52	7092.71		7092.83	0.004112	3.04	295.54	94.13	0.27
Reach 1-3	7788	25-YR	1108.89	7088.52	7093.14		7093.31	0.004705	3.48	337.54	97.66	0.29
Reach 1-3	7788	50-YR	1497.55	7088.52	7093.70		7093.92	0.005439	4.04	392.69	102.10	0.32
Reach 1-3	7788	100-YR	1763.93	7088.52	7094.02		7094.29	0.005890	4.38	426.53	104.75	0.33
Reach 1-3	7765	2-YR	146.52	7088.50	7090.72		7090.74	0.001285	1.28	130.26	81.51	0.15
Reach 1-3	7765	5-YR	512.38	7088.50	7091.94		7092.02	0.002603	2.45	239.81	96.53	0.23
Reach 1-3	7765	10-YR	847.50	7088.50	7092.62		7092.75	0.003423	3.17	307.58	102.20	0.28
Reach 1-3	7765	25-YR	1108.89	7088.50	7093.05		7093.21	0.003944	3.64	352.01	105.75	0.30
Reach 1-3	7765	50-YR	1497.55	7088.50	7093.59		7093.81	0.004604	4.24	410.00	110.19	0.33
Reach 1-3	7765	100-YR	1763.93	7088.50	7093.90		7094.17	0.005015	4.60	445.50	112.82	0.35
Reach 1-3	7742	2-YR	146.52	7088.50	7090.63		7090.69	0.004401	2.02	79.36	65.03	0.27
Reach 1-3	7742	5-YR	512.38	7088.50	7091.74		7091.91	0.007069	3.57	166.03	86.97	0.37
Reach 1-3	7742	10-YR	847.50	7088.50	7092.36		7092.62	0.008450	4.45	222.72	96.29	0.42
Reach 1-3	7742	25-YR	1108.89	7088.50	7092.75		7093.07	0.009278	5.01	261.04	102.13	0.45
Reach 1-3	7742	50-YR	1497.55	7088.50	7093.23		7093.64	0.010325	5.71	312.28	110.99	0.48
Reach 1-3	7742	100-YR	1763.93	7088.50	7093.52		7093.98	0.010974	6.15	344.86	117.47	0.50
Reach 1-3	7708	2-YR	146.52	7088.50	7090.40		7090.45	0.012364	2.08	94.10	96.63	0.27
Reach 1-3	7708	5-YR	512.38	7088.50	7091.46		7091.56	0.014868	3.07	209.19	117.45	0.32
Reach 1-3	7708	10-YR	847.50	7088.50	7092.05		7092.20	0.016633	3.66	280.37	123.69	0.34
Reach 1-3	7708	25-YR	1108.89	7088.50	7092.42		7092.61	0.017757	4.05	327.05	127.57	0.36
Reach 1-3	7708	50-YR	1497.55	7088.50	7092.89		7093.13	0.019206	4.54	387.50	131.95	0.38
Reach 1-3	7708	100-YR	1763.93	7088.50	7093.16		7093.44	0.020165	4.84	423.95	134.20	0.40
Reach 1-3	7669	2-YR	146.52	7087.30	7089.96		7090.02	0.009665	2.01	78.80	105.60	0.32
Reach 1-3	7669	5-YR	512.38	7087.30	7091.04		7091.14	0.007692	2.76	215.15	142.99	0.32
Reach 1-3	7669	10-YR	847.50	7087.30	7091.62		7091.75	0.007842	3.25	298.67	147.99	0.34
Reach 1-3	7669	25-YR	1108.89	7087.30	7091.98		7092.14	0.008044	3.57	352.50	152.06	0.35
Reach 1-3	7669	50-YR	1497.55	7087.30	7092.42		7092.63	0.008430	3.99	421.34	157.01	0.37
Reach 1-3	7669	100-YR	1763.93	7087.30	7092.68		7092.92	0.008756	4.26	462.14	158.93	0.38
Reach 1-3	7624	2-YR	146.52	7086.89	7089.44		7089.52	0.013314	2.14	68.38	65.48	0.37
Reach 1-3	7624	5-YR	512.38	7086.89	7090.52		7090.66	0.016063	3.18	191.43	144.70	0.39
Reach 1-3	7624	10-YR	847.50	7086.89	7091.05		7091.24	0.017899	3.81	275.05	168.45	0.42
Reach 1-3	7624	25-YR	1108.89	7086.89	7091.39		7091.61	0.018694	4.17	334.66	187.68	0.43
Reach 1-3	7624	50-YR	1497.55	7086.89	7091.82		7092.08	0.019308	4.59	420.46	212.63	0.44
Reach 1-3	7624	100-YR	1763.93	7086.89	7092.08		7092.35	0.019266	4.80	476.18	216.16	0.45
Reach 1-3	7584	2-YR	146.52	7086.36	7089.00		7089.05	0.010119	1.84	82.51	111.31	0.30

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	7584	5-YR	512.38	7086.36	7090.04		7090.13	0.010701	2.58	261.19	207.95	0.30
Reach 1-3	7584	10-YR	847.50	7086.36	7090.56		7090.66	0.011476	3.00	369.12	213.09	0.32
Reach 1-3	7584	25-YR	1108.89	7086.36	7090.88		7091.01	0.011904	3.27	439.05	216.36	0.33
Reach 1-3	7584	50-YR	1497.55	7086.36	7091.30		7091.45	0.012397	3.60	530.36	220.51	0.34
Reach 1-3	7584	100-YR	1763.93	7086.36	7091.55		7091.72	0.012703	3.80	586.44	222.93	0.35
Reach 1-3	7534	2-YR	146.52	7085.85	7088.45		7088.51	0.011368	2.01	72.74	125.00	0.33
Reach 1-3	7534	5-YR	512.38	7085.85	7089.45		7089.52	0.014099	2.20	241.93	209.26	0.34
Reach 1-3	7534	10-YR	847.50	7085.85	7089.92		7090.02	0.014696	2.60	341.93	213.89	0.34
Reach 1-3	7534	25-YR	1108.89	7085.85	7090.23		7090.35	0.015107	2.86	407.23	216.85	0.35
Reach 1-3	7534	50-YR	1497.55	7085.85	7090.61		7090.76	0.015723	3.21	491.29	220.62	0.36
Reach 1-3	7534	100-YR	1763.93	7085.85	7090.84		7091.01	0.016093	3.42	542.94	222.89	0.37
Reach 1-3	7485	2-YR	146.52	7085.30	7087.81		7087.88	0.014770	2.18	67.14	100.56	0.36
Reach 1-3	7485	5-YR	512.38	7085.30	7088.59		7088.72	0.019760	3.20	219.00	209.43	0.41
Reach 1-3	7485	10-YR	847.50	7085.30	7088.99		7089.15	0.022533	3.79	302.86	214.13	0.44
Reach 1-3	7485	25-YR	1108.89	7085.30	7089.24		7089.43	0.024167	4.16	356.99	217.14	0.46
Reach 1-3	7485	50-YR	1497.55	7085.30	7089.56		7089.79	0.025933	4.62	427.24	220.85	0.48
Reach 1-3	7485	100-YR	1763.93	7085.30	7089.75		7090.02	0.026994	4.90	470.27	223.09	0.50
Reach 1-3	7455	2-YR	146.52	7085.01	7087.35		7087.46	0.013005	2.69	54.50	55.05	0.48
Reach 1-3	7455	5-YR	512.38	7085.01	7088.24		7088.37	0.008120	3.20	204.99	234.20	0.41
Reach 1-3	7455	10-YR	847.50	7085.01	7088.58		7088.75	0.009350	3.84	276.05	241.80	0.46
Reach 1-3	7455	25-YR	1108.89	7085.01	7088.79		7089.00	0.010174	4.26	321.02	246.52	0.48
Reach 1-3	7455	50-YR	1497.55	7085.01	7089.06		7089.33	0.011022	4.77	380.97	252.65	0.51
Reach 1-3	7455	100-YR	1763.93	7085.01	7089.21		7089.52	0.011719	5.11	415.54	256.13	0.54
Reach 1-3	7445	2-YR	146.52	7085.12	7086.85	7086.85	7087.16	0.082062	4.49	32.66	86.31	0.99
Reach 1-3	7445	5-YR	512.38	7085.12	7087.87	7087.87	7088.20	0.029739	4.91	134.96	239.60	0.69
Reach 1-3	7445	10-YR	847.50	7085.12	7088.15	7088.15	7088.56	0.033623	5.82	194.20	246.61	0.75
Reach 1-3	7445	25-YR	1108.89	7085.12	7088.32	7088.32	7088.79	0.035777	6.36	231.35	250.92	0.79
Reach 1-3	7445	50-YR	1497.55	7085.12	7088.52	7088.52	7089.10	0.040137	7.17	274.58	255.85	0.85
Reach 1-3	7445	100-YR	1763.93	7085.12	7088.67	7088.67	7089.29	0.039514	7.44	308.93	259.72	0.85
Reach 1-3	7430	2-YR	146.52	7081.82	7083.58	7083.58	7083.91	0.090885	4.63	31.63	50.84	1.04
Reach 1-3	7430	5-YR	512.38	7081.82	7084.44	7084.44	7085.06	0.058497	6.36	83.89	71.89	0.95
Reach 1-3	7430	10-YR	847.50	7081.82	7084.99	7084.99	7085.74	0.047661	7.14	130.06	112.77	0.90
Reach 1-3	7430	25-YR	1108.89	7081.82	7085.38	7085.38	7086.11	0.038540	7.25	179.07	133.53	0.84
Reach 1-3	7430	50-YR	1497.55	7081.82	7085.80	7085.80	7086.56	0.034246	7.63	237.24	145.81	0.81
Reach 1-3	7430	100-YR	1763.93	7081.82	7085.91	7085.91	7086.83	0.039417	8.41	254.35	148.64	0.88
Reach 1-3	7422	2-YR	146.52	7080.12	7082.79		7082.84	0.005401	1.74	85.03	65.39	0.25
Reach 1-3	7422	5-YR	512.38	7080.12	7083.90		7084.05	0.008570	3.20	178.22	105.60	0.35
Reach 1-3	7422	10-YR	847.50	7080.12	7084.47		7084.69	0.010571	4.06	242.00	120.93	0.40
Reach 1-3	7422	25-YR	1108.89	7080.12	7084.76		7085.06	0.012464	4.68	279.01	128.84	0.45
Reach 1-3	7422	50-YR	1497.55	7080.12	7085.10		7085.50	0.015305	5.52	324.26	137.54	0.50
Reach 1-3	7422	100-YR	1763.93	7080.12	7085.30		7085.78	0.016952	6.02	352.54	146.99	0.53
Reach 1-3	7409	2-YR	146.52	7080.12	7082.78		7082.80	0.001129	1.08	137.92	82.59	0.12
Reach 1-3	7409	5-YR	512.38	7080.12	7083.90		7083.97	0.003051	2.30	257.94	121.52	0.22
Reach 1-3	7409	10-YR	847.50	7080.12	7084.46		7084.58	0.004303	3.01	337.46	181.41	0.26
Reach 1-3	7409	25-YR	1108.89	7080.12	7084.77		7084.92	0.005155	3.46	397.03	207.27	0.29
Reach 1-3	7409	50-YR	1497.55	7080.12	7085.13		7085.33	0.006169	3.99	474.00	214.82	0.32
Reach 1-3	7409	100-YR	1763.93	7080.12	7085.35		7085.57	0.006696	4.29	522.06	218.75	0.34
Reach 1-3	7406	2-YR	146.52	7081.53	7082.70		7082.78	0.031863	2.35	63.57	75.76	0.39
Reach 1-3	7406	5-YR	512.38	7081.53	7083.80		7083.94	0.025058	3.31	181.47	122.62	0.39
Reach 1-3	7406	10-YR	847.50	7081.53	7084.37		7084.55	0.024329	3.80	269.62	184.52	0.40
Reach 1-3	7406	25-YR	1108.89	7081.53	7084.69		7084.89	0.024322	4.09	332.33	208.64	0.41
Reach 1-3	7406	50-YR	1497.55	7081.53	7085.06		7085.29	0.024296	4.41	412.06	216.37	0.42
Reach 1-3	7406	100-YR	1763.93	7081.53	7085.29		7085.54	0.024098	4.58	462.07	220.42	0.42
Reach 1-3	7351	2-YR	146.52	7079.22	7081.82		7081.87	0.009928	1.82	87.14	110.22	0.29
Reach 1-3	7351	5-YR	512.38	7079.22	7082.88		7082.98	0.011959	2.76	242.94	190.60	0.32
Reach 1-3	7351	10-YR	847.50	7079.22	7083.38		7083.51	0.013790	3.32	353.14	245.90	0.35
Reach 1-3	7351	25-YR	1108.89	7079.22	7083.69		7083.84	0.014250	3.59	433.36	266.00	0.36
Reach 1-3	7351	50-YR	1497.55	7079.22	7084.08		7084.24	0.014426	3.88	538.48	270.81	0.36
Reach 1-3	7351	100-YR	1763.93	7079.22	7084.32		7084.49	0.014590	4.06	602.72	273.94	0.37
Reach 1-3	7279	2-YR	146.52	7078.10	7080.97		7081.03	0.013635	1.93	83.68	113.61	0.32
Reach 1-3	7279	5-YR	512.38	7078.10	7082.06		7082.13	0.011545	2.57	286.07	287.33	0.30
Reach 1-3	7279	10-YR	847.50	7078.10	7082.54		7082.63	0.011059	2.84	426.18	292.14	0.30
Reach 1-3	7279	25-YR	1108.89	7078.10	7082.84		7082.93	0.011081	3.03	514.03	294.92	0.31
Reach 1-3	7279	50-YR	1497.55	7078.10	7083.22		7083.33	0.011270	3.29	626.45	298.44	0.32
Reach 1-3	7279	100-YR	1763.93	7078.10	7083.45		7083.57	0.011469	3.46	694.45	300.55	0.32

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	7213	2-YR	146.52	7077.30	7080.40		7080.45	0.006290	1.76	90.31	117.26	0.27
Reach 1-3	7213	5-YR	512.38	7077.30	7081.50		7081.57	0.007088	2.47	313.74	298.97	0.28
Reach 1-3	7213	10-YR	847.50	7077.30	7081.97		7082.05	0.007629	2.83	458.15	307.67	0.30
Reach 1-3	7213	25-YR	1108.89	7077.30	7082.24		7082.34	0.008215	3.09	543.09	310.33	0.31
Reach 1-3	7213	50-YR	1497.55	7077.30	7082.59		7082.70	0.008974	3.43	650.19	313.67	0.33
Reach 1-3	7213	100-YR	1763.93	7077.30	7082.79		7082.92	0.009450	3.64	714.57	315.67	0.34
Reach 1-3	7167	2-YR	146.52	7077.47	7080.02		7080.08	0.010656	1.84	79.69	67.93	0.30
Reach 1-3	7167	5-YR	512.38	7077.47	7081.08		7081.16	0.011300	2.63	278.20	283.49	0.31
Reach 1-3	7167	10-YR	847.50	7077.47	7081.51		7081.61	0.012391	3.05	411.52	323.88	0.33
Reach 1-3	7167	25-YR	1108.89	7077.47	7081.76		7081.87	0.013167	3.31	491.06	326.32	0.34
Reach 1-3	7167	50-YR	1497.55	7077.47	7082.05		7082.19	0.014372	3.67	588.50	329.04	0.36
Reach 1-3	7167	100-YR	1763.93	7077.47	7082.23		7082.38	0.015164	3.89	646.32	330.64	0.37
Reach 1-3	7102	2-YR	146.52	7076.78	7079.13		7079.22	0.016175	2.50	58.54	63.53	0.46
Reach 1-3	7102	5-YR	512.38	7076.78	7079.79	7079.57	7080.08	0.025696	4.55	136.27	210.07	0.65
Reach 1-3	7102	10-YR	847.50	7076.78	7080.09	7080.09	7080.45	0.027585	5.36	217.35	295.48	0.70
Reach 1-3	7102	25-YR	1108.89	7076.78	7080.25	7080.25	7080.65	0.029516	5.87	263.25	307.47	0.73
Reach 1-3	7102	50-YR	1497.55	7076.78	7080.44	7080.44	7080.90	0.030732	6.40	325.30	320.12	0.76
Reach 1-3	7102	100-YR	1763.93	7076.78	7080.57	7080.57	7081.05	0.031052	6.69	364.85	327.93	0.77
Reach 1-3	7093	2-YR	146.52	7076.86	7078.59	7078.59	7078.86	0.0141923	4.24	34.59	60.99	0.99
Reach 1-3	7093	5-YR	512.38	7076.86	7079.48	7079.48	7079.74	0.047787	4.48	154.91	305.87	0.67
Reach 1-3	7093	10-YR	847.50	7076.86	7079.70	7079.70	7080.02	0.053709	5.23	223.67	319.94	0.73
Reach 1-3	7093	25-YR	1108.89	7076.86	7079.84	7079.84	7080.19	0.057352	5.70	266.72	328.09	0.76
Reach 1-3	7093	50-YR	1497.55	7076.86	7079.99	7079.99	7080.42	0.063578	6.35	317.80	329.86	0.81
Reach 1-3	7093	100-YR	1763.93	7076.86	7080.09	7080.09	7080.57	0.065753	6.68	351.20	331.01	0.83
Reach 1-3	7073	2-YR	146.52	7072.92	7075.09		7075.16	0.014543	2.08	70.40	65.29	0.35
Reach 1-3	7073	5-YR	512.38	7072.92	7076.10		7076.30	0.018670	3.56	152.20	110.31	0.44
Reach 1-3	7073	10-YR	847.50	7072.92	7076.53		7076.84	0.024389	4.62	206.88	143.29	0.52
Reach 1-3	7073	25-YR	1108.89	7072.92	7076.79		7077.17	0.027281	5.23	246.03	157.57	0.56
Reach 1-3	7073	50-YR	1497.55	7072.92	7077.12		7077.60	0.029915	5.92	301.53	175.92	0.60
Reach 1-3	7073	100-YR	1763.93	7072.92	7077.34		7077.85	0.030312	6.24	340.57	189.36	0.61
Reach 1-3	7066	2-YR	146.52	7072.86	7075.10		7075.11	0.001822	1.10	132.86	65.32	0.14
Reach 1-3	7066	5-YR	512.38	7072.86	7076.12		7076.20	0.005297	2.43	235.60	153.21	0.25
Reach 1-3	7066	10-YR	847.50	7072.86	7076.55		7076.70	0.007968	3.26	311.70	194.67	0.31
Reach 1-3	7066	25-YR	1108.89	7072.86	7076.82		7077.01	0.009565	3.76	367.39	220.01	0.34
Reach 1-3	7066	50-YR	1497.55	7072.86	7077.18		7077.41	0.010923	4.27	453.77	268.14	0.37
Reach 1-3	7066	100-YR	1763.93	7072.86	7077.40		7077.65	0.011350	4.51	517.48	292.31	0.38
Reach 1-3	7061	2-YR	146.52	7074.14	7074.84		7075.07	0.061517	3.79	38.70	63.32	0.85
Reach 1-3	7061	5-YR	512.38	7074.14	7075.83		7076.13	0.025435	4.55	130.07	154.48	0.64
Reach 1-3	7061	10-YR	847.50	7074.14	7076.26		7076.62	0.024173	5.22	209.57	208.81	0.65
Reach 1-3	7061	25-YR	1108.89	7074.14	7076.56		7076.92	0.021755	5.44	277.37	244.82	0.63
Reach 1-3	7061	50-YR	1497.55	7074.14	7076.98		7077.33	0.018009	5.53	391.98	296.00	0.59
Reach 1-3	7061	100-YR	1763.93	7074.14	7077.24		7077.58	0.015980	5.54	471.95	311.67	0.57
Reach 1-3	7044	2-YR	146.52	7071.83	7074.57		7074.63	0.011669	1.99	73.53	65.56	0.33
Reach 1-3	7044	5-YR	512.38	7071.83	7075.76		7075.82	0.008586	2.36	335.79	371.43	0.28
Reach 1-3	7044	10-YR	847.50	7071.83	7076.25		7076.31	0.007779	2.50	517.98	375.56	0.27
Reach 1-3	7044	25-YR	1108.89	7071.83	7076.57		7076.63	0.007343	2.59	638.71	378.31	0.26
Reach 1-3	7044	50-YR	1497.55	7071.83	7076.99		7077.06	0.006876	2.70	799.29	382.11	0.25
Reach 1-3	7044	100-YR	1763.93	7071.83	7077.25		7077.33	0.006643	2.77	900.17	384.48	0.25
Reach 1-3	6941	2-YR	146.52	7070.47	7073.44		7073.51	0.010173	2.11	69.40	63.80	0.36
Reach 1-3	6941	5-YR	512.38	7070.47	7074.80		7074.92	0.009497	2.91	232.83	285.22	0.33
Reach 1-3	6941	10-YR	847.50	7070.47	7075.44		7075.55	0.008068	3.05	415.74	290.61	0.31
Reach 1-3	6941	25-YR	1108.89	7070.47	7075.80		7075.91	0.007808	3.20	521.00	293.63	0.31
Reach 1-3	6941	50-YR	1497.55	7070.47	7076.26		7076.38	0.007565	3.39	657.11	297.64	0.30
Reach 1-3	6941	100-YR	1763.93	7070.47	7076.54		7076.67	0.007441	3.51	741.48	300.23	0.30
Reach 1-3	6868	2-YR	146.52	7069.50	7072.63		7072.72	0.011818	2.31	63.32	62.60	0.41
Reach 1-3	6868	5-YR	512.38	7069.50	7073.95		7074.12	0.012833	3.33	170.03	128.74	0.39
Reach 1-3	6868	10-YR	847.50	7069.50	7074.63		7074.83	0.012841	3.82	294.61	225.15	0.39
Reach 1-3	6868	25-YR	1108.89	7069.50	7075.04		7075.24	0.012011	3.98	392.51	241.44	0.38
Reach 1-3	6868	50-YR	1497.55	7069.50	7075.55		7075.75	0.011094	4.15	517.20	245.43	0.37
Reach 1-3	6868	100-YR	1763.93	7069.50	7075.85		7076.06	0.010709	4.26	592.36	247.98	0.37
Reach 1-3	6769	2-YR	146.52	7068.73	7071.60		7071.66	0.009530	2.02	72.36	64.18	0.34
Reach 1-3	6769	5-YR	512.38	7068.73	7072.88		7072.99	0.010004	2.84	223.11	152.79	0.32
Reach 1-3	6769	10-YR	847.50	7068.73	7073.53		7073.67	0.010515	3.31	327.20	167.57	0.33
Reach 1-3	6769	25-YR	1108.89	7068.73	7073.94		7074.10	0.010922	3.63	399.17	183.26	0.34
Reach 1-3	6769	50-YR	1497.55	7068.73	7074.45		7074.64	0.011443	4.02	498.64	206.39	0.36
Reach 1-3	6769	100-YR	1763.93	7068.73	7074.76		7074.97	0.011545	4.23	565.49	220.35	0.36

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	6673	2-YR	146.52	7067.90	7070.63		7070.69	0.010553	1.91	76.65	105.51	0.31
Reach 1-3	6673	5-YR	512.38	7067.90	7071.90		7072.00	0.010332	2.67	242.32	181.58	0.30
Reach 1-3	6673	10-YR	847.50	7067.90	7072.56		7072.67	0.009811	2.98	364.53	190.74	0.30
Reach 1-3	6673	25-YR	1108.89	7067.90	7072.95		7073.08	0.009862	3.21	440.60	196.52	0.30
Reach 1-3	6673	50-YR	1497.55	7067.90	7073.44		7073.58	0.010142	3.52	536.55	200.46	0.31
Reach 1-3	6673	100-YR	1763.93	7067.90	7073.73		7073.89	0.010296	3.70	596.02	202.86	0.32
Reach 1-3	6588	2-YR	146.52	7067.13	7069.74		7069.80	0.010543	1.86	78.83	70.24	0.30
Reach 1-3	6588	5-YR	512.38	7067.13	7070.88		7071.00	0.013791	2.98	198.56	124.26	0.34
Reach 1-3	6588	10-YR	847.50	7067.13	7071.50		7071.67	0.015076	3.58	288.37	165.43	0.37
Reach 1-3	6588	25-YR	1108.89	7067.13	7071.90		7072.09	0.014986	3.85	359.28	192.90	0.37
Reach 1-3	6588	50-YR	1497.55	7067.13	7072.40		7072.61	0.014472	4.12	458.53	199.65	0.37
Reach 1-3	6588	100-YR	1763.93	7067.13	7072.70		7072.92	0.014208	4.27	519.06	202.19	0.37
Reach 1-3	6504	2-YR	146.52	7066.40	7068.90		7068.95	0.009951	1.75	89.70	106.84	0.28
Reach 1-3	6504	5-YR	512.38	7066.40	7070.02		7070.08	0.008760	2.32	279.58	188.98	0.27
Reach 1-3	6504	10-YR	847.50	7066.40	7070.66		7070.74	0.008275	2.61	403.56	194.56	0.27
Reach 1-3	6504	25-YR	1108.89	7066.40	7071.08		7071.17	0.008173	2.81	484.37	198.11	0.27
Reach 1-3	6504	50-YR	1497.55	7066.40	7071.57		7071.68	0.008432	3.11	583.32	202.33	0.28
Reach 1-3	6504	100-YR	1763.93	7066.40	7071.86		7071.99	0.008654	3.30	642.85	204.76	0.29
Reach 1-3	6417	2-YR	146.52	7065.42	7067.76		7067.83	0.016527	2.13	68.72	82.32	0.37
Reach 1-3	6417	5-YR	512.38	7065.42	7068.94		7069.07	0.015522	3.03	195.56	174.94	0.36
Reach 1-3	6417	10-YR	847.50	7065.42	7069.59		7069.76	0.015825	3.55	278.01	198.85	0.37
Reach 1-3	6417	25-YR	1108.89	7065.42	7069.97		7070.17	0.016515	3.91	345.79	205.00	0.38
Reach 1-3	6417	50-YR	1497.55	7065.42	7070.43		7070.66	0.016591	4.26	441.48	208.44	0.39
Reach 1-3	6417	100-YR	1763.93	7065.42	7070.71		7070.95	0.016587	4.46	499.67	210.51	0.39
Reach 1-3	6369	2-YR	146.52	7064.37	7067.28		7067.32	0.007479	1.59	92.38	87.75	0.26
Reach 1-3	6369	5-YR	512.38	7064.37	7068.41		7068.49	0.009367	2.45	239.34	143.46	0.28
Reach 1-3	6369	10-YR	847.50	7064.37	7068.99		7069.11	0.010787	2.98	330.40	209.50	0.31
Reach 1-3	6369	25-YR	1108.89	7064.37	7069.36		7069.49	0.011182	3.25	406.63	211.94	0.32
Reach 1-3	6369	50-YR	1497.55	7064.37	7069.81		7069.97	0.011505	3.56	503.58	215.08	0.33
Reach 1-3	6369	100-YR	1763.93	7064.37	7070.08		7070.26	0.011666	3.75	562.76	216.98	0.33
Reach 1-3	6298	2-YR	146.52	7064.05	7066.40		7066.49	0.019941	2.40	61.27	62.92	0.42
Reach 1-3	6298	5-YR	512.38	7064.05	7067.53		7067.65	0.015888	3.04	218.97	178.62	0.37
Reach 1-3	6298	10-YR	847.50	7064.05	7068.09		7068.23	0.015381	3.42	320.87	183.68	0.37
Reach 1-3	6298	25-YR	1108.89	7064.05	7068.42		7068.58	0.015908	3.72	381.62	186.64	0.38
Reach 1-3	6298	50-YR	1497.55	7064.05	7068.81		7069.01	0.017093	4.15	455.50	190.19	0.40
Reach 1-3	6298	100-YR	1763.93	7064.05	7069.04		7069.27	0.017872	4.42	500.14	192.30	0.41
Reach 1-3	6265	2-YR	146.52	7063.23	7065.90		7065.98	0.012685	2.20	66.66	64.40	0.38
Reach 1-3	6265	5-YR	512.38	7063.23	7066.66		7066.94	0.031828	4.26	133.23	140.83	0.57
Reach 1-3	6265	10-YR	847.50	7063.23	7067.05	7066.78	7067.46	0.041090	5.34	198.18	185.65	0.64
Reach 1-3	6265	25-YR	1108.89	7063.23	7067.31	7067.11	7067.77	0.043853	5.85	249.05	203.15	0.67
Reach 1-3	6265	50-YR	1497.55	7063.23	7067.61		7068.14	0.047045	6.46	310.73	206.28	0.69
Reach 1-3	6265	100-YR	1763.93	7063.23	7067.80		7068.37	0.048278	6.79	349.59	208.24	0.70
Reach 1-3	6232	2-YR	146.52	7063.38	7065.39		7065.48	0.018407	2.57	60.97	114.61	0.50
Reach 1-3	6232	5-YR	512.38	7063.38	7066.13		7066.28	0.014018	3.34	170.05	188.56	0.48
Reach 1-3	6232	10-YR	847.50	7063.38	7066.49		7066.71	0.014657	3.93	239.59	200.92	0.51
Reach 1-3	6232	25-YR	1108.89	7063.38	7066.71		7066.97	0.015639	4.38	285.16	208.00	0.53
Reach 1-3	6232	50-YR	1497.55	7063.38	7066.98		7067.31	0.016101	4.83	343.16	210.30	0.55
Reach 1-3	6232	100-YR	1763.93	7063.38	7067.15		7067.52	0.016648	5.13	377.05	211.63	0.57
Reach 1-3	6223	2-YR	146.52	7063.07	7064.84	7064.84	7065.11	0.140119	4.17	35.11	94.97	0.98
Reach 1-3	6223	5-YR	512.38	7063.07	7065.62	7065.62	7066.01	0.074076	5.27	112.56	153.07	0.82
Reach 1-3	6223	10-YR	847.50	7063.07	7065.98	7065.98	7066.43	0.066348	5.89	175.59	195.41	0.81
Reach 1-3	6223	25-YR	1108.89	7063.07	7066.18	7066.18	7066.68	0.066364	6.36	214.80	201.16	0.83
Reach 1-3	6223	50-YR	1497.55	7063.07	7066.40	7066.40	7067.01	0.070836	7.08	260.11	207.46	0.87
Reach 1-3	6223	100-YR	1763.93	7063.07	7066.54	7066.54	7067.21	0.071568	7.44	290.07	209.48	0.88
Reach 1-3	6212	2-YR	146.52	7060.43	7062.21	7062.21	7062.49	0.142503	4.19	34.93	62.76	0.99
Reach 1-3	6212	5-YR	512.38	7060.43	7062.98	7062.98	7063.49	0.091328	5.80	93.90	104.76	0.91
Reach 1-3	6212	10-YR	847.50	7060.43	7063.43	7063.43	7064.04	0.077439	6.49	146.43	126.51	0.88
Reach 1-3	6212	25-YR	1108.89	7060.43	7063.71	7063.71	7064.37	0.072861	6.95	182.03	134.34	0.87
Reach 1-3	6212	50-YR	1497.55	7060.43	7063.99	7063.99	7064.81	0.077075	7.82	220.72	140.44	0.92
Reach 1-3	6212	100-YR	1763.93	7060.43	7064.21	7064.21	7065.09	0.073523	8.13	252.69	148.43	0.91
Reach 1-3	6199	2-YR	146.52	7057.41	7059.80		7059.85	0.009719	1.81	81.09	68.66	0.29
Reach 1-3	6199	5-YR	512.38	7057.41	7060.91		7061.06	0.012343	3.13	169.63	90.04	0.37
Reach 1-3	6199	10-YR	847.50	7057.41	7061.48		7061.73	0.015046	4.02	224.22	100.92	0.42
Reach 1-3	6199	25-YR	1108.89	7057.41	7061.82		7062.13	0.017091	4.62	259.10	107.34	0.46
Reach 1-3	6199	50-YR	1497.55	7057.41	7062.20		7062.63	0.020549	5.46	301.99	119.18	0.51

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	6199	100-YR	1763.93	7057.41	7062.42		7062.94	0.022635	5.97	329.39	126.19	0.54
Reach 1-3	6184	2-YR	146.52	7057.42	7059.78		7059.80	0.001222	0.97	151.17	70.51	0.11
Reach 1-3	6184	5-YR	512.38	7057.42	7060.88		7060.95	0.003521	2.15	260.90	120.90	0.21
Reach 1-3	6184	10-YR	847.50	7057.42	7061.45		7061.57	0.005076	2.87	333.05	132.10	0.26
Reach 1-3	6184	25-YR	1108.89	7057.42	7061.79		7061.94	0.006170	3.34	378.60	138.71	0.29
Reach 1-3	6184	50-YR	1497.55	7057.42	7062.17		7062.39	0.007803	3.98	433.78	146.32	0.33
Reach 1-3	6184	100-YR	1763.93	7057.42	7062.40		7062.66	0.008839	4.38	467.58	150.79	0.35
Reach 1-3	6182	2-YR	146.52	7058.72	7059.70		7059.78	0.039798	2.34	62.61	67.63	0.43
Reach 1-3	6182	5-YR	512.38	7058.72	7060.74		7060.92	0.033327	3.53	160.56	117.46	0.44
Reach 1-3	6182	10-YR	847.50	7058.72	7061.29		7061.53	0.033627	4.18	229.66	131.38	0.47
Reach 1-3	6182	25-YR	1108.89	7058.72	7061.61		7061.90	0.035089	4.63	272.89	137.74	0.48
Reach 1-3	6182	50-YR	1497.55	7058.72	7061.97		7062.34	0.038746	5.27	323.81	144.87	0.52
Reach 1-3	6182	100-YR	1763.93	7058.72	7062.19		7062.61	0.040940	5.65	355.02	149.07	0.54
Reach 1-3	6164	2-YR	146.52	7056.45	7059.30		7059.37	0.013759	2.07	72.57	85.40	0.33
Reach 1-3	6164	5-YR	512.38	7056.45	7060.42		7060.52	0.013539	2.89	219.26	176.25	0.34
Reach 1-3	6164	10-YR	847.50	7056.45	7060.99		7061.12	0.013615	3.30	335.89	227.58	0.34
Reach 1-3	6164	25-YR	1108.89	7056.45	7061.31		7061.46	0.014190	3.60	415.75	265.53	0.35
Reach 1-3	6164	50-YR	1497.55	7056.45	7061.68		7061.85	0.014726	3.92	515.69	270.83	0.37
Reach 1-3	6164	100-YR	1763.93	7056.45	7061.91		7062.09	0.015021	4.11	576.25	273.15	0.37
Reach 1-3	6091	2-YR	146.52	7055.75	7058.22		7058.29	0.016189	2.13	68.78	69.42	0.38
Reach 1-3	6091	5-YR	512.38	7055.75	7059.34		7059.46	0.015959	2.99	214.80	196.48	0.37
Reach 1-3	6091	10-YR	847.50	7055.75	7059.87		7060.02	0.016780	3.49	335.62	270.98	0.38
Reach 1-3	6091	25-YR	1108.89	7055.75	7060.19		7060.35	0.016606	3.71	426.70	304.52	0.38
Reach 1-3	6091	50-YR	1497.55	7055.75	7060.55		7060.72	0.016546	3.97	539.41	314.47	0.39
Reach 1-3	6091	100-YR	1763.93	7055.75	7060.76		7060.94	0.016746	4.14	604.76	316.82	0.39
Reach 1-3	6042	2-YR	146.52	7054.55	7057.65		7057.71	0.008888	1.87	78.38	70.35	0.31
Reach 1-3	6042	5-YR	512.38	7054.55	7058.74		7058.84	0.009928	2.73	256.23	243.81	0.33
Reach 1-3	6042	10-YR	847.50	7054.55	7059.22		7059.35	0.011245	3.25	381.39	290.07	0.35
Reach 1-3	6042	25-YR	1108.89	7054.55	7059.51		7059.65	0.011929	3.55	471.38	332.12	0.36
Reach 1-3	6042	50-YR	1497.55	7054.55	7059.84		7060.01	0.012780	3.91	587.64	353.42	0.38
Reach 1-3	6042	100-YR	1763.93	7054.55	7060.03		7060.20	0.013370	4.14	652.68	355.12	0.39
Reach 1-3	5977	2-YR	146.52	7054.61	7057.17		7057.22	0.010109	1.78	84.07	85.55	0.29
Reach 1-3	5977	5-YR	512.38	7054.61	7058.19		7058.29	0.012640	2.74	261.69	286.49	0.32
Reach 1-3	5977	10-YR	847.50	7054.61	7058.61		7058.73	0.014192	3.21	391.11	336.91	0.35
Reach 1-3	5977	25-YR	1108.89	7054.61	7058.87		7059.00	0.014982	3.48	484.22	385.22	0.36
Reach 1-3	5977	50-YR	1497.55	7054.61	7059.19		7059.33	0.015364	3.76	617.73	432.20	0.37
Reach 1-3	5977	100-YR	1763.93	7054.61	7059.38		7059.52	0.015243	3.88	699.58	434.08	0.37
Reach 1-3	5928	2-YR	146.52	7053.68	7055.92		7055.98	0.017666	2.08	70.75	81.05	0.37
Reach 1-3	5928	5-YR	512.38	7053.68	7056.89		7056.99	0.015844	2.79	266.81	348.40	0.35
Reach 1-3	5928	10-YR	847.50	7053.68	7057.32		7057.42	0.014702	3.02	428.04	397.15	0.34
Reach 1-3	5928	25-YR	1108.89	7053.68	7057.58		7057.68	0.014400	3.18	534.86	427.17	0.34
Reach 1-3	5928	50-YR	1497.55	7053.68	7057.90		7058.01	0.014199	3.38	678.71	465.85	0.35
Reach 1-3	5928	100-YR	1763.93	7053.68	7058.10		7058.21	0.014074	3.50	772.35	491.39	0.35
Reach 1-3	5824	2-YR	146.52	7052.15	7055.14		7055.19	0.007316	1.73	85.57	79.90	0.27
Reach 1-3	5824	5-YR	512.38	7052.15	7056.01		7056.09	0.010321	2.63	296.73	323.29	0.31
Reach 1-3	5824	10-YR	847.50	7052.15	7056.41		7056.51	0.011590	3.07	436.00	371.26	0.34
Reach 1-3	5824	25-YR	1108.89	7052.15	7056.65		7056.76	0.012341	3.33	529.41	399.91	0.35
Reach 1-3	5824	50-YR	1497.55	7052.15	7056.95		7057.08	0.013071	3.64	654.41	428.55	0.36
Reach 1-3	5824	100-YR	1763.93	7052.15	7057.13		7057.27	0.013562	3.83	732.70	448.42	0.37
Reach 1-3	5791	2-YR	146.52	7052.28	7054.75		7054.81	0.012414	1.92	76.55	81.65	0.32
Reach 1-3	5791	5-YR	512.38	7052.28	7055.45		7055.55	0.017810	2.90	259.32	339.38	0.38
Reach 1-3	5791	10-YR	847.50	7052.28	7055.79		7055.91	0.019167	3.32	388.39	399.25	0.40
Reach 1-3	5791	25-YR	1108.89	7052.28	7056.01		7056.14	0.019465	3.53	478.91	425.72	0.40
Reach 1-3	5791	50-YR	1497.55	7052.28	7056.30		7056.43	0.019494	3.78	605.89	464.96	0.41
Reach 1-3	5791	100-YR	1763.93	7052.28	7056.47		7056.62	0.019094	3.89	690.90	482.61	0.41
Reach 1-3	5744	2-YR	146.52	7051.51	7054.48		7054.52	0.007781	1.66	92.54	233.38	0.26
Reach 1-3	5744	5-YR	512.38	7051.51	7055.16		7055.21	0.007409	2.10	364.26	452.43	0.27
Reach 1-3	5744	10-YR	847.50	7051.51	7055.51		7055.56	0.007202	2.30	526.71	480.14	0.27
Reach 1-3	5744	25-YR	1108.89	7051.51	7055.74		7055.80	0.007008	2.41	637.04	499.83	0.27
Reach 1-3	5744	50-YR	1497.55	7051.51	7056.04		7056.10	0.006569	2.51	787.61	504.77	0.26
Reach 1-3	5744	100-YR	1763.93	7051.51	7056.23		7056.30	0.006325	2.57	883.21	507.03	0.26
Reach 1-3	5688	2-YR	143.88	7051.38	7053.85		7053.92	0.010674	2.04	72.18	219.55	0.34
Reach 1-3	5688	5-YR	533.15	7051.38	7054.59		7054.66	0.009243	2.49	317.84	431.68	0.35
Reach 1-3	5688	10-YR	890.80	7051.38	7054.97		7055.04	0.008489	2.72	482.11	439.88	0.34
Reach 1-3	5688	25-YR	1171.00	7051.38	7055.21		7055.29	0.008169	2.86	589.55	445.79	0.34

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	5688	50-YR	1589.80	7051.38	7055.53		7055.62	0.007900	3.06	731.21	453.79	0.34
Reach 1-3	5688	100-YR	1880.40	7051.38	7055.72		7055.83	0.007735	3.18	822.11	458.82	0.34
Reach 1-3	5628	2-YR	143.88	7050.55	7053.43		7053.47	0.007004	1.63	95.74	283.41	0.25
Reach 1-3	5628	5-YR	533.15	7050.55	7054.26		7054.30	0.005290	1.94	410.09	424.62	0.23
Reach 1-3	5628	10-YR	890.80	7050.55	7054.64		7054.69	0.005553	2.21	571.79	427.81	0.25
Reach 1-3	5628	25-YR	1171.00	7050.55	7054.88		7054.94	0.005769	2.40	675.02	429.83	0.25
Reach 1-3	5628	50-YR	1589.80	7050.55	7055.19		7055.27	0.006039	2.63	809.12	432.43	0.26
Reach 1-3	5628	100-YR	1880.40	7050.55	7055.39		7055.48	0.006138	2.77	895.01	434.10	0.27
Reach 1-3	5568	2-YR	143.88	7049.82	7052.52		7052.58	0.011823	1.96	73.32	188.81	0.33
Reach 1-3	5568	5-YR	533.15	7049.82	7053.42		7053.52	0.012765	2.94	260.34	361.74	0.37
Reach 1-3	5568	10-YR	890.80	7049.82	7053.78		7053.90	0.012570	3.26	398.51	387.58	0.38
Reach 1-3	5568	25-YR	1171.00	7049.82	7054.01		7054.14	0.012341	3.44	488.44	389.50	0.38
Reach 1-3	5568	50-YR	1589.80	7049.82	7054.31		7054.46	0.012076	3.67	606.73	392.00	0.38
Reach 1-3	5568	100-YR	1880.40	7049.82	7054.50		7054.66	0.011904	3.81	681.72	393.58	0.38
Reach 1-3	5429	2-YR	143.88	7048.55	7050.99		7051.07	0.018607	2.32	62.07	134.51	0.41
Reach 1-3	5429	5-YR	533.15	7048.55	7051.97		7052.06	0.016378	2.91	281.80	355.57	0.37
Reach 1-3	5429	10-YR	890.80	7048.55	7052.35		7052.46	0.016360	3.22	419.57	358.73	0.38
Reach 1-3	5429	25-YR	1171.00	7048.55	7052.60		7052.71	0.016347	3.41	508.80	360.75	0.38
Reach 1-3	5429	50-YR	1589.80	7048.55	7052.92		7053.05	0.016283	3.65	626.02	363.41	0.38
Reach 1-3	5429	100-YR	1880.40	7048.55	7053.13		7053.27	0.016209	3.79	700.18	365.08	0.38
Reach 1-3	5365	2-YR	143.88	7047.14	7049.90		7049.99	0.015298	2.49	57.89	121.22	0.45
Reach 1-3	5365	5-YR	533.15	7047.14	7050.92		7051.05	0.015205	3.21	262.20	345.08	0.41
Reach 1-3	5365	10-YR	890.80	7047.14	7051.33		7051.46	0.015334	3.55	406.33	361.74	0.41
Reach 1-3	5365	25-YR	1171.00	7047.14	7051.59		7051.73	0.014951	3.71	502.70	363.88	0.41
Reach 1-3	5365	50-YR	1589.80	7047.14	7051.94		7052.09	0.014469	3.92	630.59	366.71	0.40
Reach 1-3	5365	100-YR	1880.40	7047.14	7052.17		7052.31	0.014111	4.03	712.62	368.51	0.40
Reach 1-3	5289	2-YR	143.88	7046.36	7048.96		7049.04	0.015877	2.24	64.33	153.89	0.39
Reach 1-3	5289	5-YR	533.15	7046.36	7050.01		7050.11	0.014882	2.89	275.77	335.37	0.36
Reach 1-3	5289	10-YR	890.80	7046.36	7050.52		7050.61	0.012411	2.98	445.16	339.59	0.33
Reach 1-3	5289	25-YR	1171.00	7046.36	7050.80		7050.90	0.012332	3.15	541.68	341.98	0.33
Reach 1-3	5289	50-YR	1589.80	7046.36	7051.17		7051.28	0.012220	3.37	669.16	345.10	0.33
Reach 1-3	5289	100-YR	1880.40	7046.36	7051.40		7051.52	0.012189	3.51	748.92	347.04	0.34
Reach 1-3	5227	2-YR	143.88	7045.43	7048.08		7048.13	0.011378	1.94	74.27	123.93	0.32
Reach 1-3	5227	5-YR	533.15	7045.43	7049.19		7049.28	0.011649	2.70	268.44	237.12	0.32
Reach 1-3	5227	10-YR	890.80	7045.43	7049.70		7049.81	0.012641	3.17	421.73	326.02	0.34
Reach 1-3	5227	25-YR	1171.00	7045.43	7049.99		7050.10	0.012732	3.37	515.51	328.40	0.34
Reach 1-3	5227	50-YR	1589.80	7045.43	7050.37		7050.50	0.012641	3.60	641.03	331.58	0.34
Reach 1-3	5227	100-YR	1880.40	7045.43	7050.60		7050.74	0.012567	3.74	720.28	333.56	0.34
Reach 1-3	5171	2-YR	143.88	7044.55	7046.77		7046.84	0.015446	2.06	69.74	64.62	0.35
Reach 1-3	5171	5-YR	533.15	7044.55	7047.92		7048.02	0.014425	2.89	252.19	246.82	0.35
Reach 1-3	5171	10-YR	890.80	7044.55	7048.51		7048.62	0.012418	3.10	424.91	338.92	0.33
Reach 1-3	5171	25-YR	1171.00	7044.55	7048.86		7048.96	0.011197	3.16	543.68	341.47	0.32
Reach 1-3	5171	50-YR	1589.80	7044.55	7049.29		7049.40	0.010424	3.30	691.08	344.60	0.31
Reach 1-3	5171	100-YR	1880.40	7044.55	7049.54		7049.66	0.010232	3.41	778.64	346.44	0.31
Reach 1-3	5047	2-YR	143.88	7042.80	7045.34		7045.39	0.010939	1.85	80.05	95.18	0.30
Reach 1-3	5047	5-YR	533.15	7042.80	7046.46		7046.55	0.011726	2.68	230.54	145.30	0.31
Reach 1-3	5047	10-YR	890.80	7042.80	7046.99		7047.13	0.013826	3.29	310.41	153.75	0.35
Reach 1-3	5047	25-YR	1171.00	7042.80	7047.33		7047.51	0.015049	3.68	363.43	164.32	0.37
Reach 1-3	5047	50-YR	1589.80	7042.80	7047.75		7047.97	0.016182	4.12	471.42	310.78	0.39
Reach 1-3	5047	100-YR	1880.40	7042.80	7048.00		7048.24	0.016421	4.33	553.64	335.30	0.39
Reach 1-3	4948	2-YR	143.88	7041.66	7044.21		7044.26	0.011460	1.90	76.00	67.48	0.31
Reach 1-3	4948	5-YR	533.15	7041.66	7045.51		7045.58	0.008576	2.41	326.60	333.85	0.27
Reach 1-3	4948	10-YR	890.80	7041.66	7046.03		7046.10	0.008108	2.62	502.30	338.06	0.27
Reach 1-3	4948	25-YR	1171.00	7041.66	7046.34		7046.42	0.008255	2.81	606.33	340.48	0.27
Reach 1-3	4948	50-YR	1589.80	7041.66	7046.73		7046.82	0.008424	3.04	740.94	343.60	0.28
Reach 1-3	4948	100-YR	1880.40	7041.66	7046.98		7047.08	0.008479	3.17	826.25	345.56	0.28
Reach 1-3	4855	2-YR	143.88	7040.34	7043.52		7043.58	0.008364	1.89	75.99	64.64	0.31
Reach 1-3	4855	5-YR	533.15	7040.34	7044.84		7044.95	0.009627	2.83	256.25	270.78	0.32
Reach 1-3	4855	10-YR	890.80	7040.34	7045.36		7045.48	0.010413	3.27	412.22	326.01	0.33
Reach 1-3	4855	25-YR	1171.00	7040.34	7045.66		7045.79	0.010691	3.50	511.04	328.89	0.34
Reach 1-3	4855	50-YR	1589.80	7040.34	7046.06		7046.20	0.010750	3.75	642.51	332.68	0.34
Reach 1-3	4855	100-YR	1880.40	7040.34	7046.31		7046.46	0.010626	3.88	727.94	335.12	0.34
Reach 1-3	4782	2-YR	143.88	7040.04	7042.96		7043.01	0.007205	1.77	81.18	65.33	0.28
Reach 1-3	4782	5-YR	533.15	7040.04	7044.17		7044.26	0.009236	2.72	278.87	292.98	0.31
Reach 1-3	4782	10-YR	890.80	7040.04	7044.65		7044.76	0.010127	3.14	433.16	334.06	0.32

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	4782	25-YR	1171.00	7040.04	7044.96		7045.07	0.010160	3.33	536.64	336.57	0.33
Reach 1-3	4782	50-YR	1589.80	7040.04	7045.38		7045.51	0.009720	3.50	681.34	340.00	0.32
Reach 1-3	4782	100-YR	1880.40	7040.04	7045.67		7045.79	0.009302	3.58	777.28	342.27	0.32
Reach 1-3	4714	2-YR	143.88	7039.78	7042.35		7042.40	0.011228	1.88	76.46	66.65	0.31
Reach 1-3	4714	5-YR	533.15	7039.78	7043.42		7043.52	0.013338	2.84	273.95	325.07	0.34
Reach 1-3	4714	10-YR	890.80	7039.78	7043.92		7044.02	0.012005	3.02	437.36	330.29	0.32
Reach 1-3	4714	25-YR	1171.00	7039.78	7044.28		7044.37	0.010616	3.06	556.71	333.06	0.31
Reach 1-3	4714	50-YR	1589.80	7039.78	7044.77		7044.86	0.009158	3.11	720.77	337.00	0.29
Reach 1-3	4714	100-YR	1880.40	7039.78	7045.09		7045.19	0.008301	3.13	831.48	339.83	0.28
Reach 1-3	4632	2-YR	143.88	7039.10	7041.54		7041.58	0.009561	1.76	100.53	132.58	0.30
Reach 1-3	4632	5-YR	533.15	7039.10	7042.75		7042.80	0.007079	2.15	364.25	308.57	0.26
Reach 1-3	4632	10-YR	890.80	7039.10	7043.38		7043.43	0.005843	2.26	559.00	314.66	0.24
Reach 1-3	4632	25-YR	1171.00	7039.10	7043.80		7043.85	0.005316	2.34	691.84	318.77	0.23
Reach 1-3	4632	50-YR	1589.80	7039.10	7044.35		7044.41	0.004862	2.46	867.95	324.13	0.22
Reach 1-3	4632	100-YR	1880.40	7039.10	7044.71		7044.77	0.004570	2.52	985.54	327.64	0.22
Reach 1-3	4582	2-YR	143.88	7038.10	7041.23		7041.26	0.004531	1.45	127.05	148.65	0.23
Reach 1-3	4582	5-YR	533.15	7038.10	7042.47		7042.51	0.004873	2.01	390.28	288.74	0.23
Reach 1-3	4582	10-YR	890.80	7038.10	7043.13		7043.18	0.004457	2.18	584.74	297.04	0.22
Reach 1-3	4582	25-YR	1171.00	7038.10	7043.56		7043.62	0.004250	2.30	715.36	301.43	0.21
Reach 1-3	4582	50-YR	1589.80	7038.10	7044.13		7044.19	0.004087	2.45	886.36	307.11	0.21
Reach 1-3	4582	100-YR	1880.40	7038.10	7044.50		7044.56	0.003927	2.53	1001.18	310.85	0.21
Reach 1-3	4534	2-YR	143.88	7038.20	7041.04	7040.13	7041.06	0.003809	1.20	150.72	159.79	0.18
Reach 1-3	4534	5-YR	533.15	7038.20	7042.27		7042.30	0.003695	1.66	440.49	274.75	0.18
Reach 1-3	4534	10-YR	890.80	7038.20	7042.94		7042.98	0.003677	1.89	626.25	280.59	0.18
Reach 1-3	4534	25-YR	1171.00	7038.20	7043.38		7043.43	0.003656	2.03	750.85	284.66	0.19
Reach 1-3	4534	50-YR	1589.80	7038.20	7043.95		7044.00	0.003671	2.22	912.94	290.29	0.19
Reach 1-3	4534	100-YR	1880.40	7038.20	7044.32		7044.38	0.003592	2.32	1023.24	294.18	0.19
Reach 1-3	4296	2-YR	133.68	7036.56	7038.49	7038.49	7038.83	0.057088	4.89	36.03	64.04	0.81
Reach 1-3	4296	5-YR	512.29	7036.56	7039.38	7039.38	7039.96	0.072814	7.32	104.93	91.10	0.91
Reach 1-3	4296	10-YR	863.82	7036.56	7039.91	7039.91	7040.61	0.073899	8.41	157.78	106.39	0.93
Reach 1-3	4296	25-YR	1143.60	7036.56	7040.23	7040.23	7041.03	0.077151	9.19	192.17	112.68	0.96
Reach 1-3	4296	50-YR	1561.30	7036.56	7040.64	7040.64	7041.57	0.079528	10.09	239.94	120.82	0.98
Reach 1-3	4296	100-YR	1848.80	7036.56	7040.77	7040.77	7041.91	0.093130	11.18	255.92	123.41	1.07
Reach 1-3	4084	2-YR	133.68	7033.29	7036.36		7036.36	0.000036	0.24	566.22	226.36	0.03
Reach 1-3	4084	5-YR	512.29	7033.29	7037.58		7037.58	0.000142	0.61	858.49	272.31	0.06
Reach 1-3	4084	10-YR	863.82	7033.29	7038.26		7038.27	0.000217	0.84	1082.94	355.74	0.07
Reach 1-3	4084	25-YR	1143.60	7033.29	7038.71		7038.73	0.000257	0.97	1245.09	359.20	0.08
Reach 1-3	4084	50-YR	1561.30	7033.29	7039.32		7039.34	0.000297	1.13	1462.74	363.80	0.09
Reach 1-3	4084	100-YR	1848.80	7033.29	7039.70		7039.72	0.000316	1.22	1601.49	366.71	0.09
Reach 1-3	3846	2-YR	133.68	7033.20	7035.98	7035.98	7036.30	0.086669	4.53	29.51	126.87	1.02
Reach 1-3	3846	5-YR	512.29	7033.20	7036.87	7036.87	7037.40	0.070822	5.86	87.35	166.03	1.01
Reach 1-3	3846	10-YR	863.82	7033.20	7037.34	7037.34	7038.02	0.067538	6.60	130.89	189.44	1.02
Reach 1-3	3846	25-YR	1143.60	7033.20	7037.61	7037.61	7038.43	0.063023	7.23	158.14	203.00	1.01
Reach 1-3	3846	50-YR	1561.30	7033.20	7037.99	7037.99	7038.98	0.057218	7.96	196.22	221.91	1.00
Reach 1-3	3846	100-YR	1848.80	7033.20	7038.22	7038.22	7039.33	0.055822	8.45	218.78	233.23	1.01
Reach 1-3	3842	2-YR	133.68	7014.12	7016.81		7016.94	0.000171	2.89	47.59	18.21	0.31
Reach 1-3	3842	5-YR	512.29	7014.12	7020.69		7021.01	0.000127	4.52	121.23	19.69	0.31
Reach 1-3	3842	10-YR	863.82	7014.12	7023.44		7023.88	0.000112	5.36	176.64	20.73	0.31
Reach 1-3	3842	25-YR	1143.60	7014.12	7025.35		7025.89	0.000105	5.88	217.11	21.46	0.31
Reach 1-3	3842	50-YR	1561.30	7014.12	7030.09		7030.57	0.000060	5.64	322.90	23.26	0.25
Reach 1-3	3842	100-YR	1848.80	7014.12	7033.27		7033.74	0.000046	5.55	398.87	32.43	0.22
Reach 1-3	3816	2-YR	133.68	7014.12	7016.60	7015.69	7016.91	0.000460	4.49	30.17	12.34	0.50
Reach 1-3	3816	5-YR	512.29	7014.12	7020.20	7017.94	7020.96	0.000340	7.02	75.42	12.83	0.50
Reach 1-3	3816	10-YR	863.82	7014.12	7022.73	7019.54	7023.81	0.000302	8.34	108.40	13.17	0.50
Reach 1-3	3816	25-YR	1143.60	7014.12	7024.51	7020.66	7025.81	0.000283	9.15	132.00	13.41	0.50
Reach 1-3	3816	50-YR	1561.30	7014.12	7029.39	7022.17	7030.51	0.000146	8.49	199.13	14.08	0.38
Reach 1-3	3816	100-YR	1848.80	7014.12	7032.62	7023.12	7033.68	0.000108	8.29	245.21	14.51	0.34
Reach 1-3	3744		Culvert									
Reach 1-3	3719	2-YR	133.68	7013.40	7014.97	7014.97	7015.75	0.002127	7.11	18.96	12.21	1.00
Reach 1-3	3719	5-YR	512.29	7013.40	7017.23	7017.23	7019.16	0.001592	11.15	46.86	12.51	1.01
Reach 1-3	3719	10-YR	863.82	7013.40	7018.82	7018.82	7021.55	0.001413	13.26	67.01	12.72	1.00
Reach 1-3	3719	25-YR	1143.60	7013.40	7019.95	7019.95	7023.23	0.001317	14.52	81.47	12.87	1.00
Reach 1-3	3719	50-YR	1561.30	7013.40	7021.44	7021.44	7025.49	0.001239	16.15	100.78	13.06	1.00
Reach 1-3	3719	100-YR	1848.80	7013.40	7022.42	7022.42	7026.93	0.001186	17.05	113.59	13.19	1.00

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	3711	2-YR	133.68	7002.83	7005.31	7004.39	7005.62	0.000461	4.49	30.04	12.24	0.50
Reach 1-3	3711	5-YR	512.29	7002.83	7008.90	7006.66	7009.67	0.000341	7.02	74.66	12.58	0.50
Reach 1-3	3711	10-YR	863.82	7002.83	7011.44	7008.25	7012.52	0.000303	8.35	106.87	12.82	0.50
Reach 1-3	3711	25-YR	1143.60	7002.83	7013.21	7009.37	7014.52	0.000284	9.17	129.75	12.99	0.50
Reach 1-3	3711	50-YR	1561.30	7002.83	7018.10	7010.87	7019.22	0.000146	8.51	194.36	13.46	0.38
Reach 1-3	3711	100-YR	1848.80	7002.83	7021.32	7011.84	7022.39	0.000108	8.31	238.25	13.77	0.34
Reach 1-3	3676		Culvert									
Reach 1-3	3667	2-YR	133.68	7002.61	7004.18	7004.18	7004.96	0.002121	7.10	18.93	12.15	1.00
Reach 1-3	3667	5-YR	512.29	7002.61	7006.44	7006.44	7008.37	0.001591	11.15	46.61	12.36	1.01
Reach 1-3	3667	10-YR	863.82	7002.61	7008.05	7008.05	7010.77	0.001401	13.23	66.65	12.52	1.00
Reach 1-3	3667	25-YR	1143.60	7002.61	7009.15	7009.15	7012.44	0.001328	14.56	80.49	12.62	1.00
Reach 1-3	3667	50-YR	1561.30	7002.61	7010.65	7010.65	7014.71	0.001240	16.16	99.61	12.77	1.00
Reach 1-3	3667	100-YR	1848.80	7002.61	7011.61	7011.61	7016.15	0.001194	17.09	111.90	12.86	1.00
Reach 1-3	3662	2-YR	133.68	7001.15	7004.40		7004.45	0.001185	1.88	71.24	70.35	0.20
Reach 1-3	3662	5-YR	512.29	7001.15	7005.24		7005.71	0.007146	5.51	93.18	80.94	0.51
Reach 1-3	3662	10-YR	863.82	7001.15	7006.06		7006.95	0.010274	7.57	114.60	93.40	0.63
Reach 1-3	3662	25-YR	1143.60	7001.15	7007.60		7008.45	0.006628	7.42	155.51	119.42	0.54
Reach 1-3	3662	50-YR	1561.30	7001.15	7010.59		7011.29	0.003172	6.73	236.68	344.75	0.40
Reach 1-3	3662	100-YR	1848.80	7001.15	7011.00		7011.90	0.003823	7.62	248.10	410.48	0.44
Reach 1-3	3629	2-YR	133.68	7001.51	7004.41	7002.20	7004.42	0.000424	0.63	211.69	306.80	0.07
Reach 1-3	3629	5-YR	512.29	7001.51	7005.43	7003.02	7005.47	0.001853	1.68	304.59	511.88	0.16
Reach 1-3	3629	10-YR	863.82	7001.51	7006.49	7003.50	7006.57	0.002099	2.15	401.40	583.34	0.18
Reach 1-3	3629	25-YR	1143.60	7001.51	7008.06	7003.80	7008.13	0.001335	2.10	544.06	598.75	0.15
Reach 1-3	3629	50-YR	1561.30	7001.51	7011.00	7004.19	7011.05	0.000657	1.92	811.08	626.52	0.11
Reach 1-3	3629	100-YR	1848.80	7001.51	7011.53	7004.41	7011.60	0.000759	2.15	859.68	631.48	0.12
Reach 1-3	3625	2-YR	133.68	7003.41	7004.39		7004.41	0.001930	1.25	188.59	303.87	0.23
Reach 1-3	3625	5-YR	512.29	7003.41	7005.44		7005.46	0.001374	1.74	637.40	512.42	0.22
Reach 1-3	3625	10-YR	863.82	7003.41	7006.53		7006.54	0.000594	1.53	1251.00	583.71	0.15
Reach 1-3	3625	25-YR	1143.60	7003.41	7008.10		7008.11	0.000188	1.13	2182.62	599.15	0.09
Reach 1-3	3625	50-YR	1561.30	7003.41	7011.03		7011.04	0.000052	0.83	3979.80	626.85	0.05
Reach 1-3	3625	100-YR	1848.80	7003.41	7011.58		7011.58	0.000056	0.90	4322.15	631.90	0.06
Reach 1-3	3618	2-YR	133.68	7002.58	7004.38		7004.40	0.002747	1.59	199.35	299.14	0.21
Reach 1-3	3618	5-YR	512.29	7002.58	7005.43		7005.45	0.002256	1.98	645.91	505.72	0.21
Reach 1-3	3618	10-YR	863.82	7002.58	7006.53		7006.54	0.000916	1.58	1253.50	574.31	0.14
Reach 1-3	3618	25-YR	1143.60	7002.58	7008.10		7008.11	0.000276	1.09	2170.76	589.50	0.08
Reach 1-3	3618	50-YR	1561.30	7002.58	7011.03		7011.04	0.000074	0.75	3939.04	617.35	0.05
Reach 1-3	3618	100-YR	1848.80	7002.58	7011.58		7011.58	0.000079	0.81	4276.24	622.48	0.05
Reach 1-3	3485	2-YR	133.68	7002.22	7003.97		7004.00	0.003744	1.82	164.41	247.64	0.25
Reach 1-3	3485	5-YR	512.29	7002.22	7005.12		7005.15	0.002746	2.21	581.63	468.44	0.23
Reach 1-3	3485	10-YR	863.82	7002.22	7006.42		7006.43	0.000834	1.57	1275.53	570.14	0.14
Reach 1-3	3485	25-YR	1143.60	7002.22	7008.07		7008.08	0.000248	1.07	2229.50	585.92	0.08
Reach 1-3	3485	50-YR	1561.30	7002.22	7011.03		7011.03	0.000069	0.75	4002.92	615.35	0.04
Reach 1-3	3485	100-YR	1848.80	7002.22	7011.57		7011.57	0.000075	0.81	4338.81	620.77	0.05
Reach 1-3	3336	2-YR	133.68	7001.71	7003.43		7003.45	0.003805	1.80	163.19	254.68	0.25
Reach 1-3	3336	5-YR	512.29	7001.71	7004.82		7004.84	0.001765	1.86	712.10	576.97	0.19
Reach 1-3	3336	10-YR	863.82	7001.71	7006.35		7006.35	0.000415	1.18	1608.22	594.18	0.10
Reach 1-3	3336	25-YR	1143.60	7001.71	7008.05		7008.05	0.000150	0.88	2632.84	610.76	0.06
Reach 1-3	3336	50-YR	1561.30	7001.71	7011.02		7011.02	0.000049	0.65	4486.65	637.45	0.04
Reach 1-3	3336	100-YR	1848.80	7001.71	7011.56		7011.56	0.000054	0.71	4833.77	642.31	0.04
Reach 1-3	3198	2-YR	133.68	7001.27	7002.61		7002.67	0.008949	2.29	104.61	203.58	0.37
Reach 1-3	3198	5-YR	512.29	7001.27	7004.71		7004.71	0.000513	1.06	1004.50	508.40	0.10
Reach 1-3	3198	10-YR	863.82	7001.27	7006.31		7006.31	0.000216	0.90	1840.70	535.82	0.07
Reach 1-3	3198	25-YR	1143.60	7001.27	7008.03		7008.04	0.000100	0.74	2784.98	558.26	0.05
Reach 1-3	3198	50-YR	1561.30	7001.27	7011.01		7011.01	0.000039	0.59	4501.75	593.56	0.03
Reach 1-3	3198	100-YR	1848.80	7001.27	7011.55		7011.56	0.000044	0.65	4824.91	600.00	0.04
Reach 1-3	3103	2-YR	133.68	7001.02	7002.58	7001.46	7002.58	0.000208	0.37	362.56	356.62	0.06
Reach 1-3	3103	5-YR	512.29	7001.02	7004.68	7001.77	7004.69	0.000115	0.53	965.38	385.86	0.05
Reach 1-3	3103	10-YR	863.82	7001.02	7006.29	7001.96	7006.30	0.000089	0.61	1428.82	405.88	0.05
Reach 1-3	3103	25-YR	1143.60	7001.02	7008.02	7002.10	7008.03	0.000057	0.59	1923.29	435.13	0.04
Reach 1-3	3103	50-YR	1561.30	7001.02	7011.00	7002.29	7011.01	0.000034	0.56	2786.96	474.67	0.03
Reach 1-3	3103	100-YR	1848.80	7001.02	7011.54	7002.40	7011.55	0.000041	0.62	3040.07	478.81	0.04
Reach 1-3	3057		Culvert									
Reach 1-3	2988	2-YR	133.68	7001.00	7002.23		7002.25	0.002344	1.17	113.74	104.61	0.19
Reach 1-3	2988	5-YR	512.29	7001.00	7003.83		7003.89	0.002075	1.93	264.05	117.77	0.20

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	2988	10-YR	863.82	7001.00	7004.95		7005.03	0.001931	2.32	369.08	126.56	0.21
Reach 1-3	2988	25-YR	1143.60	7001.00	7005.84		7005.94	0.001706	2.50	453.23	130.73	0.20
Reach 1-3	2988	50-YR	1561.30	7001.00	7006.95		7007.07	0.001600	2.78	556.93	132.49	0.20
Reach 1-3	2988	100-YR	1848.80	7001.00	7007.77		7007.90	0.001458	2.89	633.79	133.68	0.20
Reach 1-3	2975	2-YR	101.60	7000.89	7002.18	7001.38	7002.22	0.003758	1.50	67.94	53.21	0.23
Reach 1-3	2975	5-YR	398.70	7000.89	7003.74	7002.10	7003.85	0.004294	2.63	151.65	53.97	0.28
Reach 1-3	2975	10-YR	676.70	7000.89	7004.83	7002.61	7005.00	0.004166	3.21	210.83	54.48	0.29
Reach 1-3	2975	25-YR	931.20	7000.89	7005.70	7003.02	7005.90	0.004039	3.62	258.17	54.87	0.29
Reach 1-3	2975	50-YR	1282.90	7000.89	7006.77	7003.53	7007.03	0.003891	4.06	317.26	55.34	0.30
Reach 1-3	2975	100-YR	1562.40	7000.89	7007.56	7003.89	7007.86	0.003776	4.36	361.07	55.68	0.30
Reach 1-3	2930		Culvert									
Reach 1-3	2879	2-YR	101.60	7000.82	7001.79		7001.88	0.012749	2.23	42.52	55.63	0.41
Reach 1-3	2879	5-YR	398.70	7000.82	7002.77		7003.10	0.016149	4.11	89.78	62.82	0.53
Reach 1-3	2879	10-YR	676.70	7000.82	7003.48		7003.97	0.015861	5.04	123.93	68.21	0.55
Reach 1-3	2879	25-YR	931.20	7000.82	7004.01		7004.65	0.016096	5.74	149.40	72.62	0.57
Reach 1-3	2879	50-YR	1282.90	7000.82	7004.61		7005.47	0.016948	6.63	178.25	77.86	0.61
Reach 1-3	2879	100-YR	1562.40	7000.82	7005.01		7006.05	0.017864	7.28	197.46	81.38	0.63
Reach 1-3	2856	2-YR	101.60	7000.50	7001.39		7001.47	0.029128	2.32	43.93	59.73	0.47
Reach 1-3	2856	5-YR	398.70	7000.50	7002.38		7002.60	0.025373	3.80	107.54	68.53	0.51
Reach 1-3	2856	10-YR	676.70	7000.50	7003.21		7003.48	0.019057	4.26	163.05	74.70	0.47
Reach 1-3	2856	25-YR	931.20	7000.50	7003.79		7004.13	0.017728	4.71	202.47	79.07	0.47
Reach 1-3	2856	50-YR	1282.90	7000.50	7004.45		7004.87	0.017571	5.32	246.54	84.04	0.48
Reach 1-3	2856	100-YR	1562.40	7000.50	7004.88		7005.38	0.017949	5.78	275.95	87.53	0.49
Reach 1-3	2850	2-YR	101.60	7000.17	7000.90	7000.90	7001.12	0.153404	3.77	27.11	62.22	1.00
Reach 1-3	2850	5-YR	398.70	7000.17	7002.28		7002.46	0.019290	3.43	120.59	72.85	0.45
Reach 1-3	2850	10-YR	676.70	7000.17	7003.15		7003.36	0.014181	3.81	184.94	79.38	0.41
Reach 1-3	2850	25-YR	931.20	7000.17	7003.75		7004.01	0.013223	4.21	229.82	83.91	0.41
Reach 1-3	2850	50-YR	1282.90	7000.17	7004.42		7004.75	0.013162	4.75	279.74	88.94	0.42
Reach 1-3	2850	100-YR	1562.40	7000.17	7004.86		7005.26	0.013472	5.16	313.05	92.30	0.43
Reach 1-3	2842	2-YR	101.60	6997.59	7000.70		7000.71	0.000426	0.67	156.06	61.73	0.07
Reach 1-3	2842	5-YR	398.70	6997.59	7002.32		7002.36	0.001369	1.62	264.61	72.77	0.13
Reach 1-3	2842	10-YR	676.70	6997.59	7003.18		7003.25	0.002080	2.24	330.13	78.92	0.17
Reach 1-3	2842	25-YR	931.20	6997.59	7003.78		7003.89	0.002640	2.71	378.76	83.22	0.19
Reach 1-3	2842	50-YR	1282.90	6997.59	7004.46		7004.61	0.003330	3.27	434.83	87.83	0.22
Reach 1-3	2842	100-YR	1562.40	6997.59	7004.91		7005.10	0.003837	3.66	473.30	90.85	0.24
Reach 1-3	2838	2-YR	101.60	6999.13	7000.69		7000.71	0.003233	1.18	86.44	61.60	0.17
Reach 1-3	2838	5-YR	398.70	6999.13	7002.28		7002.35	0.003826	2.11	194.25	73.73	0.22
Reach 1-3	2838	10-YR	676.70	6999.13	7003.13		7003.24	0.004536	2.72	259.78	80.26	0.24
Reach 1-3	2838	25-YR	931.20	6999.13	7003.72		7003.87	0.005119	3.17	308.70	84.80	0.27
Reach 1-3	2838	50-YR	1282.90	6999.13	7004.39		7004.59	0.005836	3.72	366.62	89.89	0.29
Reach 1-3	2838	100-YR	1562.40	6999.13	7004.83		7005.08	0.006351	4.10	407.36	93.30	0.31
Reach 1-3	2830	2-YR	101.60	6997.58	7000.66		7000.68	0.002521	1.08	96.79	65.67	0.15
Reach 1-3	2830	5-YR	398.70	6997.58	7002.25		7002.31	0.004098	1.99	210.90	77.95	0.20
Reach 1-3	2830	10-YR	676.70	6997.58	7003.10		7003.19	0.005083	2.56	279.83	84.81	0.22
Reach 1-3	2830	25-YR	931.20	6997.58	7003.69		7003.82	0.005782	2.96	331.48	89.73	0.24
Reach 1-3	2830	50-YR	1282.90	6997.58	7004.35		7004.52	0.006564	3.43	392.90	95.25	0.26
Reach 1-3	2830	100-YR	1562.40	6997.58	7004.80		7005.00	0.007086	3.75	436.23	98.96	0.28
Reach 1-3	2792	2-YR	101.60	6997.53	7000.58		7000.59	0.002137	1.00	106.26	71.66	0.14
Reach 1-3	2792	5-YR	398.70	6997.53	7002.11		7002.16	0.003611	1.87	226.88	85.47	0.18
Reach 1-3	2792	10-YR	676.70	6997.53	7002.93		7003.01	0.004477	2.39	299.89	93.06	0.21
Reach 1-3	2792	25-YR	931.20	6997.53	7003.50		7003.61	0.005094	2.77	354.57	98.36	0.23
Reach 1-3	2792	50-YR	1282.90	6997.53	7004.15		7004.29	0.005780	3.20	419.61	104.24	0.25
Reach 1-3	2792	100-YR	1562.40	6997.53	7004.58		7004.75	0.006239	3.49	465.45	108.18	0.26
Reach 1-3	2719	2-YR	101.60	6997.47	7000.43		7000.44	0.002207	1.03	110.89	83.05	0.14
Reach 1-3	2719	5-YR	398.70	6997.47	7001.88		7001.92	0.003483	1.83	244.11	98.15	0.18
Reach 1-3	2719	10-YR	676.70	6997.47	7002.64		7002.71	0.004375	2.34	321.42	104.44	0.21
Reach 1-3	2719	25-YR	931.20	6997.47	7003.17		7003.27	0.004993	2.70	378.29	108.95	0.23
Reach 1-3	2719	50-YR	1282.90	6997.47	7003.77		7003.90	0.005733	3.13	444.83	114.29	0.25
Reach 1-3	2719	100-YR	1562.40	6997.47	7004.17		7004.33	0.006237	3.43	491.61	117.95	0.26
Reach 1-3	2680	2-YR	101.60	6997.33	7000.34		7000.35	0.002230	1.00	112.11	88.75	0.14
Reach 1-3	2680	5-YR	398.70	6997.33	7001.74		7001.78	0.003559	1.78	251.79	106.87	0.18
Reach 1-3	2680	10-YR	676.70	6997.33	7002.46		7002.53	0.004516	2.28	331.83	114.89	0.21
Reach 1-3	2680	25-YR	931.20	6997.33	7002.97		7003.06	0.005183	2.64	392.43	122.42	0.23
Reach 1-3	2680	50-YR	1282.90	6997.33	7003.54		7003.66	0.005921	3.06	464.06	129.44	0.25
Reach 1-3	2680	100-YR	1562.40	6997.33	7003.92		7004.07	0.006404	3.34	514.85	134.20	0.26

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	2646	2-YR	101.60	6997.18	7000.27		7000.28	0.002031	1.00	111.56	92.29	0.14
Reach 1-3	2646	5-YR	398.70	6997.18	7001.62		7001.66	0.003222	1.75	258.81	118.67	0.18
Reach 1-3	2646	10-YR	676.70	6997.18	7002.32		7002.39	0.004003	2.22	344.87	126.61	0.21
Reach 1-3	2646	25-YR	931.20	6997.18	7002.81		7002.90	0.004548	2.55	407.88	130.42	0.22
Reach 1-3	2646	50-YR	1282.90	6997.18	7003.36		7003.48	0.005211	2.95	480.55	135.12	0.24
Reach 1-3	2646	100-YR	1562.40	6997.18	7003.73		7003.87	0.005667	3.23	531.21	138.31	0.25
Reach 1-3	2589	2-YR	101.60	6996.89	7000.15		7000.17	0.001966	1.04	113.46	97.65	0.15
Reach 1-3	2589	5-YR	398.70	6996.89	7001.45		7001.49	0.003141	1.77	271.01	139.85	0.19
Reach 1-3	2589	10-YR	676.70	6996.89	7002.11		7002.17	0.003774	2.19	365.75	144.66	0.21
Reach 1-3	2589	25-YR	931.20	6996.89	7002.58		7002.66	0.004254	2.50	433.79	148.15	0.22
Reach 1-3	2589	50-YR	1282.90	6996.89	7003.10		7003.20	0.004838	2.86	511.49	152.39	0.24
Reach 1-3	2589	100-YR	1562.40	6996.89	7003.45		7003.57	0.005248	3.12	565.34	155.27	0.25
Reach 1-3	2545	2-YR	101.60	6997.22	7000.05		7000.07	0.002796	1.05	108.60	99.60	0.15
Reach 1-3	2545	5-YR	398.70	6997.22	7001.29		7001.33	0.004253	1.81	258.74	135.32	0.19
Reach 1-3	2545	10-YR	676.70	6997.22	7001.92		7001.99	0.005232	2.28	346.14	141.99	0.22
Reach 1-3	2545	25-YR	931.20	6997.22	7002.36		7002.45	0.006004	2.63	409.14	146.76	0.24
Reach 1-3	2545	50-YR	1282.90	6997.22	7002.84		7002.96	0.006930	3.04	481.95	157.17	0.26
Reach 1-3	2545	100-YR	1562.40	6997.22	7003.17		7003.31	0.007505	3.32	535.49	169.35	0.27
Reach 1-3	2513	2-YR	101.60	6996.86	6999.97		6999.99	0.002317	1.00	109.44	103.63	0.15
Reach 1-3	2513	5-YR	398.70	6996.86	7001.16		7001.20	0.003825	1.74	261.30	144.07	0.19
Reach 1-3	2513	10-YR	676.70	6996.86	7001.76		7001.82	0.004723	2.18	349.16	149.70	0.22
Reach 1-3	2513	25-YR	931.20	6996.86	7002.17		7002.25	0.005436	2.51	411.50	153.56	0.24
Reach 1-3	2513	50-YR	1282.90	6996.86	7002.62		7002.73	0.006354	2.92	481.59	157.80	0.26
Reach 1-3	2513	100-YR	1562.40	6996.86	7002.92		7003.06	0.006992	3.20	530.10	160.68	0.27
Reach 1-3	2468	2-YR	101.60	6997.15	6999.80		6999.83	0.005871	1.33	81.44	105.57	0.23
Reach 1-3	2468	5-YR	398.70	6997.15	7000.91		7000.97	0.006729	1.98	238.78	176.02	0.24
Reach 1-3	2468	10-YR	676.70	6997.15	7001.48		7001.55	0.007045	2.31	341.77	184.98	0.25
Reach 1-3	2468	25-YR	931.20	6997.15	7001.86		7001.95	0.007489	2.57	413.58	188.77	0.26
Reach 1-3	2468	50-YR	1282.90	6997.15	7002.27		7002.38	0.008320	2.92	491.46	192.79	0.28
Reach 1-3	2468	100-YR	1562.40	6997.15	7002.55		7002.68	0.008912	3.16	545.02	195.51	0.29
Reach 1-3	2405	2-YR	101.60	6997.08	6999.15	6998.79	6999.21	0.018374	2.02	50.28	68.72	0.42
Reach 1-3	2405	5-YR	398.70	6997.08	7000.08		7000.24	0.025680	3.25	132.86	127.00	0.46
Reach 1-3	2405	10-YR	676.70	6997.08	7000.65	6999.90	7000.84	0.023706	3.69	220.87	181.71	0.45
Reach 1-3	2405	25-YR	931.20	6997.08	7000.98		7001.20	0.025116	4.13	285.95	214.49	0.46
Reach 1-3	2405	50-YR	1282.90	6997.08	7001.33		7001.59	0.026005	4.54	361.92	218.30	0.48
Reach 1-3	2405	100-YR	1562.40	6997.08	7001.54		7001.83	0.027859	4.91	407.89	220.56	0.50
Reach 1-3	2399	2-YR	101.60	6997.08	6998.73	6998.73	6998.96	0.157073	3.77	26.93	61.00	1.00
Reach 1-3	2399	5-YR	398.70	6997.08	6999.38	6999.38	6999.91	0.123993	5.87	67.87	66.15	1.02
Reach 1-3	2399	10-YR	676.70	6997.08	6999.89	6999.89	7000.55	0.092351	6.55	107.00	99.74	0.94
Reach 1-3	2399	25-YR	931.20	6997.08	7000.32	7000.32	7000.94	0.065262	6.52	160.88	147.37	0.82
Reach 1-3	2399	50-YR	1282.90	6997.08	7000.70	7000.70	7001.34	0.056620	6.84	224.67	192.71	0.79
Reach 1-3	2399	100-YR	1562.40	6997.08	7000.94	7000.94	7001.58	0.053268	7.07	272.63	215.43	0.78
Reach 1-3	2384	2-YR	101.60	6993.53	6996.04		6996.06	0.003745	1.17	86.61	68.50	0.18
Reach 1-3	2384	5-YR	398.70	6993.53	6997.03		6997.13	0.008446	2.51	161.80	91.06	0.30
Reach 1-3	2384	10-YR	676.70	6993.53	6997.51		6997.68	0.011978	3.42	207.81	102.17	0.37
Reach 1-3	2384	25-YR	931.20	6993.53	6997.85		6998.10	0.014558	4.09	244.68	114.22	0.42
Reach 1-3	2384	50-YR	1282.90	6993.53	6998.21		6998.56	0.017743	4.87	288.68	129.05	0.47
Reach 1-3	2384	100-YR	1562.40	6993.53	6998.47		6998.89	0.019367	5.36	324.51	141.23	0.50
Reach 1-3	2377	2-YR	101.60	6993.46	6996.05		6996.05	0.000509	0.64	158.93	67.86	0.07
Reach 1-3	2377	5-YR	398.70	6993.46	6997.04		6997.08	0.002299	1.71	247.51	111.05	0.17
Reach 1-3	2377	10-YR	676.70	6993.46	6997.53		6997.61	0.003873	2.44	306.16	130.26	0.22
Reach 1-3	2377	25-YR	931.20	6993.46	6997.88		6998.01	0.005087	2.96	354.65	144.45	0.26
Reach 1-3	2377	50-YR	1282.90	6993.46	6998.26		6998.44	0.006690	3.60	413.51	176.57	0.30
Reach 1-3	2377	100-YR	1562.40	6993.46	6998.54		6998.75	0.007638	4.00	469.24	228.12	0.32
Reach 1-3	2375	2-YR	101.60	6994.97	6996.01		6996.05	0.008914	1.54	66.19	68.93	0.27
Reach 1-3	2375	5-YR	398.70	6994.97	6996.95		6997.06	0.012663	2.85	154.37	124.61	0.36
Reach 1-3	2375	10-YR	676.70	6994.97	6997.41		6997.59	0.014804	3.57	218.23	148.67	0.41
Reach 1-3	2375	25-YR	931.20	6994.97	6997.76		6997.97	0.015760	4.03	279.85	232.39	0.43
Reach 1-3	2375	50-YR	1282.90	6994.97	6998.20		6998.41	0.013854	4.18	389.68	253.54	0.41
Reach 1-3	2375	100-YR	1562.40	6994.97	6998.52		6998.72	0.012426	4.22	470.45	257.02	0.40
Reach 1-3	2350	2-YR	101.60	6993.08	6995.84		6995.87	0.005474	1.38	81.43	110.73	0.24
Reach 1-3	2350	5-YR	398.70	6993.08	6996.74		6996.79	0.007904	2.11	262.19	249.29	0.27
Reach 1-3	2350	10-YR	676.70	6993.08	6997.20		6997.27	0.008430	2.44	382.13	263.12	0.28
Reach 1-3	2350	25-YR	931.20	6993.08	6997.56		6997.64	0.008411	2.63	477.42	267.20	0.28
Reach 1-3	2350	50-YR	1282.90	6993.08	6998.01		6998.09	0.008194	2.83	597.54	272.26	0.28

HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	2350	100-YR	1562.40	6993.08	6998.33		6998.42	0.008002	2.96	686.18	276.24	0.28
Reach 1-3	2319	2-YR	101.60	6993.33	6995.64		6995.68	0.007300	1.50	73.75	108.83	0.27
Reach 1-3	2319	5-YR	398.70	6993.33	6996.48		6996.54	0.009338	2.21	259.42	269.01	0.29
Reach 1-3	2319	10-YR	676.70	6993.33	6996.95		6997.01	0.009020	2.46	387.94	278.53	0.29
Reach 1-3	2319	25-YR	931.20	6993.33	6997.32		6997.39	0.008520	2.60	491.76	282.63	0.28
Reach 1-3	2319	50-YR	1282.90	6993.33	6997.78		6997.86	0.007886	2.74	623.61	288.42	0.28
Reach 1-3	2319	100-YR	1562.40	6993.33	6998.12		6998.20	0.007490	2.84	720.71	293.05	0.27
Reach 1-3	2246	2-YR	101.60	6993.16	6995.20		6995.21	0.005908	1.10	126.75	222.41	0.23
Reach 1-3	2246	5-YR	398.70	6993.16	6995.89		6995.92	0.008269	1.72	291.35	250.67	0.25
Reach 1-3	2246	10-YR	676.70	6993.16	6996.40		6996.44	0.007512	1.93	424.76	273.82	0.25
Reach 1-3	2246	25-YR	931.20	6993.16	6996.82		6996.87	0.006703	2.05	542.43	287.27	0.24
Reach 1-3	2246	50-YR	1282.90	6993.16	6997.33		6997.39	0.005963	2.17	692.76	299.27	0.23
Reach 1-3	2246	100-YR	1562.40	6993.16	6997.69		6997.75	0.005591	2.26	802.26	305.97	0.22
Reach 1-3	2181	2-YR	101.60	6992.99	6994.35	6994.29	6994.43	0.044276	2.87	57.74	162.18	0.85
Reach 1-3	2181	5-YR	398.70	6992.99	6995.27		6995.32	0.012834	1.92	237.18	214.74	0.32
Reach 1-3	2181	10-YR	676.70	6992.99	6995.92		6995.97	0.008449	1.98	385.86	244.65	0.26
Reach 1-3	2181	25-YR	931.20	6992.99	6996.41		6996.46	0.006860	2.05	509.13	259.28	0.24
Reach 1-3	2181	50-YR	1282.90	6992.99	6996.97		6997.03	0.005783	2.15	661.14	276.71	0.23
Reach 1-3	2181	100-YR	1562.40	6992.99	6997.36		6997.43	0.005319	2.23	769.52	284.18	0.22
Reach 1-3	2112	2-YR	101.60	6992.58	6993.72		6993.74	0.004084	1.40	108.29	142.13	0.24
Reach 1-3	2112	5-YR	398.70	6992.58	6994.89		6994.93	0.003108	2.01	302.91	188.04	0.24
Reach 1-3	2112	10-YR	676.70	6992.58	6995.60		6995.64	0.002922	2.35	445.00	213.87	0.24
Reach 1-3	2112	25-YR	931.20	6992.58	6996.11		6996.17	0.002824	2.57	559.91	231.80	0.24
Reach 1-3	2112	50-YR	1282.90	6992.58	6996.70		6996.77	0.002728	2.81	698.15	238.28	0.25
Reach 1-3	2112	100-YR	1562.40	6992.58	6997.09		6997.17	0.002727	2.98	792.33	242.17	0.25
Reach 1-3	2046	2-YR	101.60	6991.97	6993.38		6993.40	0.006976	1.27	94.83	104.38	0.19
Reach 1-3	2046	5-YR	398.70	6991.97	6994.61		6994.65	0.005961	1.80	250.40	146.55	0.20
Reach 1-3	2046	10-YR	676.70	6991.97	6995.33		6995.38	0.005674	2.07	362.98	166.73	0.20
Reach 1-3	2046	25-YR	931.20	6991.97	6995.85		6995.91	0.005574	2.26	453.13	181.28	0.20
Reach 1-3	2046	50-YR	1282.90	6991.97	6996.44		6996.52	0.005538	2.48	564.84	197.80	0.21
Reach 1-3	2046	100-YR	1562.40	6991.97	6996.83		6996.92	0.005562	2.63	644.12	210.16	0.21
Reach 1-3	1993	2-YR	101.60	6991.35	6993.07		6993.08	0.005014	1.07	100.43	99.01	0.17
Reach 1-3	1993	5-YR	398.70	6991.35	6994.31		6994.35	0.005361	1.78	242.60	130.60	0.20
Reach 1-3	1993	10-YR	676.70	6991.35	6995.02		6995.08	0.005564	2.15	342.47	149.16	0.21
Reach 1-3	1993	25-YR	931.20	6991.35	6995.53		6995.61	0.005699	2.41	422.53	162.64	0.22
Reach 1-3	1993	50-YR	1282.90	6991.35	6996.12		6996.22	0.005623	2.65	521.85	173.74	0.23
Reach 1-3	1993	100-YR	1562.40	6991.35	6996.50		6996.62	0.005679	2.82	589.62	179.91	0.23
Reach 1-3	1929	2-YR	101.60	6991.32	6992.76		6992.77	0.004731	1.02	110.60	104.83	0.16
Reach 1-3	1929	5-YR	398.70	6991.32	6993.95		6993.99	0.005861	1.75	247.59	125.03	0.19
Reach 1-3	1929	10-YR	676.70	6991.32	6994.64		6994.70	0.006484	2.16	337.53	136.52	0.21
Reach 1-3	1929	25-YR	931.20	6991.32	6995.13		6995.21	0.006902	2.45	406.84	144.54	0.23
Reach 1-3	1929	50-YR	1282.90	6991.32	6995.71		6995.81	0.007222	2.77	492.75	153.95	0.24
Reach 1-3	1929	100-YR	1562.40	6991.32	6996.07		6996.20	0.007557	2.99	550.30	159.95	0.24
Reach 1-3	1884	2-YR	101.60	6991.07	6992.49		6992.51	0.007027	1.27	94.46	99.05	0.19
Reach 1-3	1884	5-YR	398.70	6991.07	6993.63		6993.68	0.008095	2.05	216.18	115.64	0.23
Reach 1-3	1884	10-YR	676.70	6991.07	6994.27		6994.36	0.008779	2.49	293.96	124.26	0.25
Reach 1-3	1884	25-YR	931.20	6991.07	6994.74		6994.85	0.009239	2.80	353.22	130.43	0.26
Reach 1-3	1884	50-YR	1282.90	6991.07	6995.29		6995.43	0.009558	3.13	427.23	137.86	0.27
Reach 1-3	1884	100-YR	1562.40	6991.07	6995.63		6995.80	0.010162	3.40	474.31	142.39	0.28
Reach 1-3	1834	2-YR	101.60	6990.69	6992.15		6992.16	0.006852	1.19	97.32	109.53	0.19
Reach 1-3	1834	5-YR	398.70	6990.69	6993.21		6993.26	0.008597	2.01	219.83	120.74	0.23
Reach 1-3	1834	10-YR	676.70	6990.69	6993.81		6993.89	0.009963	2.52	293.93	127.26	0.26
Reach 1-3	1834	25-YR	931.20	6990.69	6994.23		6994.35	0.010918	2.89	350.49	135.91	0.28
Reach 1-3	1834	50-YR	1282.90	6990.69	6994.77		6994.91	0.011401	3.26	424.47	141.93	0.29
Reach 1-3	1834	100-YR	1562.40	6990.69	6995.06		6995.23	0.012550	3.59	466.53	148.83	0.31
Reach 1-3	1804	2-YR	101.60	6990.58	6991.91		6991.93	0.007509	1.28	95.18	108.80	0.20
Reach 1-3	1804	5-YR	398.70	6990.58	6992.91		6992.96	0.009610	2.12	211.50	123.84	0.25
Reach 1-3	1804	10-YR	676.70	6990.58	6993.46		6993.55	0.011048	2.61	281.13	130.80	0.27
Reach 1-3	1804	25-YR	931.20	6990.58	6993.84		6993.97	0.012111	2.98	333.00	135.74	0.29
Reach 1-3	1804	50-YR	1282.90	6990.58	6994.37		6994.52	0.012086	3.29	409.28	153.68	0.30
Reach 1-3	1804	100-YR	1562.40	6990.58	6994.61		6994.80	0.013592	3.64	446.39	154.67	0.32
Reach 1-3	1707	2-YR	128.60	6989.35	6990.10	6990.10	6990.36	0.040207	4.21	34.67	74.60	0.96
Reach 1-3	1707	5-YR	480.40	6989.35	6990.82	6990.82	6991.33	0.030924	6.26	98.11	101.64	0.96
Reach 1-3	1707	10-YR	763.80	6989.35	6991.22	6991.22	6991.87	0.028562	7.19	140.86	111.64	0.97
Reach 1-3	1707	25-YR	1005.40	6989.35	6991.51	6991.51	6992.25	0.027161	7.79	174.52	118.12	0.97


HEC-RAS Plan: PROP WSEL River: Sand Creek Reach: Reach 1-3 (Continued)


Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	1707	50-YR	1368.30	6989.35	6991.84	6991.84	6992.77	0.028457	8.82	215.00	128.00	1.02
Reach 1-3	1707	100-YR	1585.20	6989.35	6992.10	6992.10	6993.04	0.025470	8.96	249.51	134.94	0.98
Reach 1-3	1663	2-YR	128.60	6987.76	6988.79		6988.85	0.025061	1.93	67.71	83.90	0.34
Reach 1-3	1663	5-YR	480.40	6987.76	6989.61		6989.77	0.031550	3.25	153.45	120.02	0.43
Reach 1-3	1663	10-YR	763.80	6987.76	6990.03		6990.25	0.032873	3.81	205.16	129.81	0.45
Reach 1-3	1663	25-YR	1005.40	6987.76	6990.32		6990.59	0.033309	4.17	243.99	135.19	0.46
Reach 1-3	1663	50-YR	1368.30	6987.76	6990.71		6991.04	0.033606	4.60	297.03	141.88	0.48
Reach 1-3	1663	100-YR	1585.20	6987.76	6990.91		6991.28	0.033681	4.83	326.63	145.44	0.48
Reach 1-3	1622	2-YR	128.60	6986.76	6987.77		6987.81	0.026187	1.47	87.39	138.81	0.33
Reach 1-3	1622	5-YR	480.40	6986.76	6988.54		6988.63	0.024711	2.37	204.32	160.63	0.36
Reach 1-3	1622	10-YR	763.80	6986.76	6988.97		6989.09	0.023903	2.81	275.51	168.36	0.37
Reach 1-3	1622	25-YR	1005.40	6986.76	6989.28		6989.43	0.023528	3.10	328.65	172.52	0.38
Reach 1-3	1622	50-YR	1368.30	6986.76	6989.70		6989.88	0.022846	3.45	401.94	177.35	0.38
Reach 1-3	1622	100-YR	1585.20	6986.76	6989.93		6990.13	0.022583	3.63	442.23	179.93	0.39
Reach 1-3	1411	2-YR	128.60	6982.00	6983.36	6982.88	6983.39	0.017072	1.39	92.56	119.79	0.27
Reach 1-3	1411	5-YR	480.40	6982.00	6984.27	6983.37	6984.35	0.017071	2.31	211.42	139.14	0.31
Reach 1-3	1411	10-YR	763.80	6982.00	6984.77	6983.68	6984.88	0.017090	2.74	282.56	145.14	0.33
Reach 1-3	1411	25-YR	1005.40	6982.00	6985.13	6983.90	6985.27	0.017079	3.04	336.10	149.99	0.33
Reach 1-3	1411	50-YR	1368.30	6982.00	6985.61	6984.19	6985.78	0.017081	3.40	409.67	158.47	0.34
Reach 1-3	1411	100-YR	1585.20	6982.00	6985.87	6984.34	6986.06	0.017090	3.59	451.32	164.69	0.35


HEC-RAS Plan: PROP - FIS Locations: User Defined



River	Reach	River Sta	Profile	Q Total	Min Ch El	W.S. Elev	Crit W.S.	E.G. Elev	E.G. Slope	Flow Area	Top Width	Vel Total	Shear Total	Froude # XS
				(cfs)	(ft)	(ft)	(ft)	(ft)	(ft/ft)	(sq ft)	(ft)	(ft/s)	(lb/sq ft)	
Sand Creek	Reach 1-3	12465	100-YR	1665.90	7177.88	7181.73	7181.73	7184.15	0.026303	265.23	74.32	6.28	5.59	1.16
Sand Creek	Reach 1-3	12465	FIS	2600.00	7177.88	7183.81	7183.81	7186.24	0.015014	433.01	89.70	6.00	4.24	1.00
Sand Creek	Reach 1-3	12366		Culvert										
Sand Creek	Reach 1-3	12253	100-YR	1665.90	7168.00	7178.17		7178.34	0.000630	864.42	105.49	1.93	0.31	0.20
Sand Creek	Reach 1-3	12253	FIS	2600.00	7168.00	7180.28		7180.54	0.000793	1095.66	114.53	2.37	0.45	0.24
Sand Creek	Reach 1-3	12070	100-YR	1665.90	7168.31	7177.38		7177.91	0.002996	541.96	89.95	3.07	1.07	0.42
Sand Creek	Reach 1-3	12070	FIS	2600.00	7168.31	7179.30		7180.02	0.003331	722.99	98.57	3.60	1.44	0.44
Sand Creek	Reach 1-3	11880	100-YR	1665.90	7165.52	7170.54	7170.54	7172.06	0.021199	349.13	101.40	4.77	4.50	0.94
Sand Creek	Reach 1-3	11880	FIS	2600.00	7165.52	7171.62	7171.62	7173.59	0.022534	462.08	106.92	5.63	5.98	0.95
Sand Creek	Reach 1-3	11569	100-YR	1665.90	7159.96	7163.94	7162.22	7164.22	0.013386	506.03	225.92	3.29	2.67	0.42
Sand Creek	Reach 1-3	11569	FIS	2600.00	7159.96	7165.28	7162.96	7165.70	0.014648	746.49	249.28	3.48	2.72	0.53
Sand Creek	Reach 1-3	11368	100-YR	1665.90	7153.99	7158.97	7158.97	7160.23	0.029290	327.67	153.14	5.08	5.45	0.92
Sand Creek	Reach 1-3	11368	FIS	2600.00	7153.99	7160.00	7160.00	7161.48	0.029320	452.92	175.32	5.74	4.67	1.07
Sand Creek	Reach 1-3	11206	100-YR	1665.90	7151.03	7157.39	7155.97	7157.77	0.003920	668.38	184.63	2.49	0.88	0.46
Sand Creek	Reach 1-3	11206	FIS	2600.00	7151.03	7158.39		7158.91	0.004715	857.47	192.20	3.03	1.30	0.48
Sand Creek	Reach 1-3	11103	100-YR	1665.90	7150.00	7154.18	7154.18	7155.13	0.038059	355.69	151.37	4.68	5.55	0.90
Sand Creek	Reach 1-3	11103	FIS	2600.00	7150.00	7155.43	7154.87	7156.24	0.025523	555.70	170.22	4.68	5.17	0.70
Sand Creek	Reach 1-3	10925	100-YR	1665.90	7148.00	7153.76		7153.87	0.002068	645.01	163.17	2.58	0.51	0.24
Sand Creek	Reach 1-3	10925	FIS	2600.00	7148.00	7154.93		7155.09	0.002314	857.76	189.28	3.03	0.65	0.27
Sand Creek	Reach 1-3	10797	100-YR	1665.90	7145.39	7150.49	7149.13	7150.71	0.016255	478.88	183.43	3.48	2.64	0.41
Sand Creek	Reach 1-3	10797	FIS	2600.00	7145.39	7151.35	7149.76	7151.63	0.016596	644.30	199.99	4.04	3.32	0.42


Water Surface Elevation HEC-RAS Analysis For FIS Flows


































































































































































































































































































HEC-RAS Model Plan: PROP - FIS 12/18/2024

River = Sand Creek Reach = Reach 1-3 RS = 1411 Section CU



Legend

- WS FIS
- Crit FIS
- 0.0 ft/s
- 0.5 ft/s
- 1.0 ft/s
- 1.5 ft/s
- 2.0 ft/s
- 2.5 ft/s
- Ground
- Bank Sta

HEC-RAS Plan: PROP - FIS River: Sand Creek Reach: Reach 1-3 Profile: FIS

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	12465	FIS	2600.00	7177.88	7183.81	7183.81	7186.24	0.015014	19.86	433.01	89.70	1.44
Reach 1-3	12366	Culvert										
Reach 1-3	12253	FIS	2600.00	7168.00	7178.06		7178.49	0.001593	6.91	853.26	105.07	0.38
Reach 1-3	12070	FIS	2600.00	7169.86	7176.60	7175.20	7177.71	0.019169	18.34	461.66	88.75	1.25
Reach 1-3	11880	FIS	2600.00	7165.52	7171.62	7171.62	7173.59	0.022534	24.81	462.08	106.92	1.77
Reach 1-3	11569	FIS	2600.00	7159.96	7165.28	7162.96	7165.70	0.014717	13.72	745.28	249.24	1.05
Reach 1-3	11368	FIS	2600.00	7153.99	7160.00	7160.00	7161.48	0.029320	21.03	452.92	175.32	1.51
Reach 1-3	11206	FIS	2600.00	7151.03	7156.93	7156.84	7158.20	0.013869	13.76	584.53	180.71	1.02
Reach 1-3	11103	FIS	2600.00	7150.00	7155.37	7154.87	7156.21	0.026994	18.72	544.93	169.23	1.42
Reach 1-3	10925	FIS	2600.00	7148.00	7152.86		7153.29	0.010343	5.24	507.15	145.76	0.47
Reach 1-3	10797	FIS	2600.00	7145.39	7151.35	7149.76	7151.63	0.016596	4.88	644.30	199.99	0.40
Reach 1-3	10713	FIS	2600.00	7144.30	7150.30		7150.48	0.010815	3.92	797.66	233.26	0.33
Reach 1-3	10617	FIS	2600.00	7143.44	7149.40		7149.55	0.009292	3.63	880.12	267.93	0.30
Reach 1-3	10543	FIS	2600.00	7142.46	7148.62		7148.80	0.009939	4.13	816.24	266.41	0.34
Reach 1-3	10455	FIS	2600.00	7142.32	7148.20		7148.34	0.009943	3.76	928.12	341.21	0.31
Reach 1-3	10411	FIS	2600.00	7141.35	7146.64		7146.86	0.017672	4.59	769.78	324.44	0.40
Reach 1-3	10339	FIS	2600.00	7140.02	7145.68		7145.81	0.010263	3.61	999.97	398.17	0.31
Reach 1-3	10211	FIS	2600.00	7138.89	7144.56		7144.75	0.011698	4.74	845.69	370.25	0.41
Reach 1-3	10113	FIS	2600.00	7137.89	7143.49		7143.62	0.011758	3.07	899.94	326.13	0.31
Reach 1-3	10014	FIS	2600.00	7136.24	7141.94		7142.19	0.020116	4.94	725.37	301.55	0.44
Reach 1-3	9955	FIS	2600.00	7135.86	7140.19	7139.70	7140.55	0.038751	5.97	598.07	298.75	0.60
Reach 1-3	9943	FIS	2600.00	7135.80	7139.25	7139.25	7139.92	0.071985	7.78	419.98	300.61	0.90
Reach 1-3	9926	FIS	2600.00	7131.59	7137.96		7138.30	0.011452	5.33	637.40	286.56	0.41
Reach 1-3	9913	FIS	2600.00	7131.58	7137.97		7138.15	0.005251	3.92	862.47	297.77	0.28
Reach 1-3	9910	FIS	2600.00	7132.63	7137.94		7138.13	0.007210	4.13	807.37	298.69	0.32
Reach 1-3	9875	FIS	2600.00	7131.85	7137.68		7137.86	0.008711	4.14	897.36	301.86	0.34
Reach 1-3	9815	FIS	2600.00	7130.14	7136.97		7137.23	0.013818	4.87	754.04	288.83	0.41
Reach 1-3	9772	FIS	2600.00	7130.91	7136.39		7136.64	0.013857	4.77	732.67	278.79	0.41
Reach 1-3	9727	FIS	2600.00	7129.87	7135.72		7135.98	0.016089	4.92	717.47	276.63	0.43
Reach 1-3	9636	FIS	2600.00	7129.38	7133.68		7133.98	0.034211	5.37	644.86	337.18	0.55
Reach 1-3	9626	FIS	2600.00	7129.34	7132.88	7132.88	7133.49	0.063676	7.42	449.04	336.10	0.84
Reach 1-3	9600	FIS	2600.00	7123.43	7128.92		7129.48	0.022439	6.58	468.91	178.46	0.55
Reach 1-3	9587	FIS	2600.00	7123.38	7128.94		7129.21	0.009500	4.79	696.21	307.49	0.37
Reach 1-3	9584	FIS	2600.00	7124.71	7128.89		7129.18	0.016507	4.43	632.55	315.92	0.45
Reach 1-3	9558	FIS	2600.00	7122.44	7128.54		7128.79	0.012213	4.86	714.32	330.58	0.41
Reach 1-3	9498	FIS	2600.00	7122.10	7127.64	7126.54	7127.88	0.018086	4.58	717.43	276.25	0.41
Reach 1-3	9389	FIS	2600.00	7120.61	7124.97		7125.48	0.029075	4.97	491.90	195.20	0.46
Reach 1-3	9256	FIS	2600.00	7118.36	7123.89		7124.00	0.005203	2.73	993.22	258.84	0.23
Reach 1-3	9243	FIS	2600.00	7119.00	7123.68		7123.80	0.003948	2.87	949.75	249.96	0.24
Reach 1-3	9216	FIS	2600.00	7114.00	7123.74		7123.76	0.000077	1.19	2384.15	300.87	0.07
Reach 1-3	9080	FIS	2600.00	7114.00	7123.73		7123.75	0.000163	1.23	2173.73	272.38	0.07
Reach 1-3	9029	FIS	2600.00	7117.75	7123.68		7123.72	0.000599	1.70	1564.05	304.59	0.12
Reach 1-3	8989	FIS	2600.00	7117.73	7123.66		7123.70	0.000582	1.67	1584.26	301.54	0.12
Reach 1-3	8928	FIS	2600.00	7121.00	7122.77	7122.77	7123.54	0.007432	7.18	375.02	246.75	0.98
Reach 1-3	8852	FIS	2600.00	7102.13	7107.71		7107.84	0.001988	2.89	942.31	272.85	0.22
Reach 1-3	8850	FIS	2600.00	7103.55	7107.62		7107.83	0.004055	2.99	835.51	273.58	0.26
Reach 1-3	8818	FIS	2600.00	7101.03	7107.28		7107.44	0.008894	3.82	877.85	262.86	0.32
Reach 1-3	8786	FIS	2600.00	7101.10	7107.04		7107.16	0.008195	3.36	967.15	284.32	0.28
Reach 1-3	8750	FIS	2600.00	7100.37	7106.12		7106.32	0.013509	4.28	788.37	287.95	0.36
Reach 1-3	8683	FIS	2600.00	7099.61	7105.31		7105.46	0.010461	3.69	885.82	280.05	0.32
Reach 1-3	8578	FIS	2600.00	7099.09	7104.43		7104.60	0.012802	3.88	813.45	264.23	0.34
Reach 1-3	8429	FIS	2600.00	7098.29	7103.09		7103.41	0.015440	5.12	582.45	239.87	0.50
Reach 1-3	8326	FIS	2600.00	7096.32	7101.20	7101.20	7102.10	0.006901	8.13	370.28	199.91	0.86
Reach 1-3	8290	FIS	2600.00	7097.00	7100.38	7100.06	7101.41	0.015200	8.14	319.37	112.30	0.85
Reach 1-3	8276	FIS	2600.00	7097.00	7100.23	7099.86	7101.17	0.014446	7.79	333.87	120.85	0.83
Reach 1-3	8267	FIS	2600.00	7097.00	7099.71	7099.71	7100.93	0.022639	8.85	293.86	123.07	1.01
Reach 1-3	8229	FIS	2600.00	7091.00	7098.35		7098.66	0.002108	4.42	587.80	116.20	0.35
Reach 1-3	8210	FIS	2600.00	7091.00	7098.32		7098.62	0.002089	4.39	592.31	117.66	0.34
Reach 1-3	8209	FIS	2600.00	7093.00	7098.13		7098.57	0.003948	5.35	485.88	116.11	0.46
Reach 1-3	8175	FIS	2600.00	7093.00	7097.90		7098.40	0.004752	5.72	454.86	113.16	0.50
Reach 1-3	8165	FIS	2600.00	7093.00	7097.82		7098.35	0.005005	5.82	446.93	112.59	0.51
Reach 1-3	8155	FIS	2600.00	7093.00	7097.74		7098.29	0.005316	5.94	437.88	111.95	0.53
Reach 1-3	8125	FIS	2600.00	7087.00	7097.87		7098.06	0.000890	3.44	755.43	112.97	0.23
Reach 1-3	8105	FIS	2600.00	7087.00	7097.85		7098.04	0.000896	3.45	753.87	112.99	0.24
Reach 1-3	8104	FIS	2600.00	7089.00	7097.80		7098.02	0.001252	3.83	679.54	112.54	0.27
Reach 1-3	8074	FIS	2600.00	7089.00	7097.34	7093.80	7097.88	0.002257	5.92	439.19	69.00	0.38
Reach 1-3	7949	Culvert										
Reach 1-3	7828	FIS	2600.00	7088.70	7094.36	7093.90	7096.24	0.004610	10.99	236.57	60.61	0.86
Reach 1-3	7788	FIS	2600.00	7088.52	7094.88		7095.27	0.007128	5.32	519.08	111.63	0.37
Reach 1-3	7765	FIS	2600.00	7088.50	7094.73		7095.12	0.006179	5.62	541.89	119.69	0.40
Reach 1-3	7742	FIS	2600.00	7088.50	7094.27		7094.90	0.012430	7.24	437.06	125.69	0.55
Reach 1-3	7708	FIS	2600.00	7088.50	7093.89		7094.28	0.022368	5.62	523.76	139.68	0.43
Reach 1-3	7669	FIS	2600.00	7087.30	7093.37		7093.70	0.009660	5.00	573.51	164.19	0.41
Reach 1-3	7624	FIS	2600.00	7086.89	7092.78		7093.11	0.019079	5.32	631.57	224.91	0.45
Reach 1-3	7584	FIS	2600.00	7086.36	7092.24		7092.45	0.013480	4.35	741.29	229.47	0.36
Reach 1-3	7534	FIS	2600.00	7085.85	7091.47		7091.70	0.017138	3.99	684.93	229.01	0.39

HEC-RAS Plan: PROP - FIS River: Sand Creek Reach: Reach 1-3 Profile: FIS (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	7485	FIS	2600.00	7085.30	7090.28		7090.63	0.029483	5.64	589.40	247.31	0.53
Reach 1-3	7455	FIS	2600.00	7085.01	7089.66		7090.08	0.012977	5.94	516.84	266.51	0.58
Reach 1-3	7445	FIS	2600.00	7085.12	7089.04	7089.04	7089.82	0.041658	8.42	393.99	269.09	0.90
Reach 1-3	7430	FIS	2600.00	7081.82	7086.64	7086.64	7087.50	0.030071	8.54	396.02	217.12	0.80
Reach 1-3	7422	FIS	2600.00	7080.12	7085.90		7086.50	0.018940	6.98	468.05	211.59	0.58
Reach 1-3	7409	FIS	2600.00	7080.12	7085.97		7086.26	0.007748	4.99	660.10	229.62	0.37
Reach 1-3	7406	FIS	2600.00	7081.53	7085.91		7086.22	0.023499	5.02	602.74	231.75	0.43
Reach 1-3	7351	FIS	2600.00	7079.22	7084.96		7085.18	0.014902	4.53	782.52	281.90	0.38
Reach 1-3	7279	FIS	2600.00	7078.10	7084.06		7084.22	0.011983	3.91	881.27	306.28	0.33
Reach 1-3	7213	FIS	2600.00	7077.30	7083.35		7083.52	0.010560	4.19	892.89	321.14	0.36
Reach 1-3	7167	FIS	2600.00	7077.47	7082.73		7082.92	0.016555	4.42	813.10	335.13	0.39
Reach 1-3	7102	FIS	2600.00	7076.78	7080.84	7080.84	7081.47	0.035048	7.69	454.45	331.49	0.84
Reach 1-3	7093	FIS	2600.00	7076.86	7080.38	7080.38	7080.98	0.069798	7.52	444.91	334.23	0.88
Reach 1-3	7073	FIS	2600.00	7072.92	7078.03		7078.52	0.025006	6.45	530.79	331.70	0.57
Reach 1-3	7066	FIS	2600.00	7072.86	7078.08		7078.35	0.010921	4.88	729.28	332.82	0.39
Reach 1-3	7061	FIS	2600.00	7074.14	7077.98		7078.28	0.012058	5.58	717.47	353.96	0.51
Reach 1-3	7044	FIS	2600.00	7071.83	7077.99		7078.07	0.006156	2.97	1184.56	390.23	0.25
Reach 1-3	6941	FIS	2600.00	7070.47	7077.31		7077.45	0.007234	3.83	974.79	307.30	0.30
Reach 1-3	6868	FIS	2600.00	7069.50	7076.64		7076.87	0.010322	4.64	790.90	254.95	0.37
Reach 1-3	6769	FIS	2600.00	7068.73	7075.58		7075.82	0.011294	4.64	748.57	228.35	0.36
Reach 1-3	6673	FIS	2600.00	7067.90	7074.53		7074.73	0.010731	4.21	760.06	209.34	0.33
Reach 1-3	6588	FIS	2600.00	7067.13	7073.52		7073.77	0.013650	4.68	686.23	209.05	0.37
Reach 1-3	6504	FIS	2600.00	7066.40	7072.65		7072.82	0.009254	3.81	806.62	211.38	0.30
Reach 1-3	6417	FIS	2600.00	7065.42	7071.45		7071.74	0.016586	4.96	658.69	216.03	0.40
Reach 1-3	6369	FIS	2600.00	7064.37	7070.82		7071.04	0.012090	4.23	724.12	222.20	0.34
Reach 1-3	6298	FIS	2600.00	7064.05	7069.67		7069.97	0.019992	5.16	621.50	197.90	0.44
Reach 1-3	6265	FIS	2600.00	7063.23	7068.31		7068.99	0.050615	7.62	457.17	213.42	0.73
Reach 1-3	6232	FIS	2600.00	7063.38	7067.58		7068.11	0.018191	5.96	469.17	215.20	0.61
Reach 1-3	6223	FIS	2600.00	7063.07	7066.95	7066.95	7067.78	0.071436	8.32	375.43	212.79	0.91
Reach 1-3	6212	FIS	2600.00	7060.43	7064.78	7064.78	7065.82	0.068412	9.01	342.87	166.47	0.91
Reach 1-3	6199	FIS	2600.00	7057.41	7063.02		7063.76	0.027759	7.29	408.68	141.22	0.62
Reach 1-3	6184	FIS	2600.00	7057.42	7063.01		7063.39	0.011570	5.42	562.59	162.87	0.41
Reach 1-3	6182	FIS	2600.00	7058.72	7062.75		7063.33	0.046558	6.67	441.61	160.16	0.59
Reach 1-3	6164	FIS	2600.00	7056.45	7062.50		7062.73	0.015828	4.63	741.08	279.32	0.39
Reach 1-3	6091	FIS	2600.00	7055.75	7061.31		7061.53	0.017401	4.62	780.91	322.71	0.40
Reach 1-3	6042	FIS	2600.00	7054.55	7060.52		7060.74	0.014780	4.71	829.29	359.68	0.42
Reach 1-3	5977	FIS	2600.00	7054.61	7059.87		7060.03	0.015476	4.24	913.36	438.96	0.38
Reach 1-3	5928	FIS	2600.00	7053.68	7058.59		7058.72	0.013687	3.78	1029.47	528.83	0.35
Reach 1-3	5824	FIS	2600.00	7052.15	7057.60		7057.76	0.014782	4.33	956.04	501.99	0.39
Reach 1-3	5791	FIS	2600.00	7052.28	7056.92		7057.08	0.018835	4.22	914.99	512.15	0.41
Reach 1-3	5744	FIS	2600.00	7051.51	7056.66		7056.76	0.006679	2.89	1104.60	510.62	0.27
Reach 1-3	5688	FIS	2600.00	7051.38	7056.16		7056.29	0.007461	3.44	1026.13	469.56	0.34
Reach 1-3	5628	FIS	2600.00	7050.55	7055.83		7055.94	0.006347	3.06	1085.09	437.77	0.28
Reach 1-3	5568	FIS	2600.00	7049.82	7054.93		7055.11	0.011654	4.12	848.11	397.07	0.39
Reach 1-3	5429	FIS	2600.00	7048.55	7053.58		7053.74	0.016002	4.09	866.99	368.80	0.38
Reach 1-3	5365	FIS	2600.00	7047.14	7052.66		7052.82	0.013523	4.29	894.61	372.48	0.40
Reach 1-3	5289	FIS	2600.00	7046.36	7051.92		7052.06	0.012026	3.80	929.15	351.39	0.34
Reach 1-3	5227	FIS	2600.00	7045.43	7051.13		7051.29	0.012474	4.04	896.18	337.93	0.35
Reach 1-3	5171	FIS	2600.00	7044.55	7050.06		7050.20	0.010383	3.73	959.10	350.20	0.32
Reach 1-3	5047	FIS	2600.00	7042.80	7048.55		7048.81	0.015895	4.63	738.42	339.86	0.39
Reach 1-3	4948	FIS	2600.00	7041.66	7047.53		7047.65	0.008547	3.46	1017.44	349.91	0.29
Reach 1-3	4855	FIS	2600.00	7040.34	7046.88		7047.05	0.010285	4.13	920.24	339.63	0.34
Reach 1-3	4782	FIS	2600.00	7040.04	7046.28		7046.42	0.008646	3.77	990.57	347.24	0.31
Reach 1-3	4714	FIS	2600.00	7039.78	7045.76		7045.87	0.007473	3.27	1060.74	345.59	0.27
Reach 1-3	4632	FIS	2600.00	7039.10	7045.40		7045.48	0.004533	2.76	1214.07	334.31	0.22
Reach 1-3	4582	FIS	2600.00	7038.10	7045.18		7045.26	0.004099	2.81	1216.49	317.76	0.22
Reach 1-3	4534	FIS	2600.00	7038.20	7045.00		7045.07	0.003919	2.63	1223.37	301.12	0.20
Reach 1-3	4296	FIS	2600.00	7036.56	7041.56	7041.56	7042.56	0.067049	10.78	387.91	178.88	0.93
Reach 1-3	4084	FIS	2600.00	7033.29	7042.06		7042.07	0.000157	1.08	2487.77	384.73	0.07
Reach 1-3	3831	FIS	2600.00	7032.08	7042.05		7042.05	0.000029	0.51	5200.74	627.72	0.03
Reach 1-3	3785	FIS	2600.00	7039.97	7041.40	7041.40	7041.99	0.007652	6.31	434.21	379.57	0.96
Reach 1-3	3625	FIS	2600.00	7003.41	7012.50		7012.51	0.000074	1.11	4908.33	640.50	0.07
Reach 1-3	3618	FIS	2600.00	7002.58	7012.50		7012.51	0.000103	0.98	4854.41	631.20	0.06
Reach 1-3	3485	FIS	2600.00	7002.22	7012.49		7012.49	0.000099	0.99	4913.78	629.94	0.05
Reach 1-3	3336	FIS	2600.00	7001.71	7012.48		7012.48	0.000073	0.88	5426.21	650.52	0.05
Reach 1-3	3198	FIS	2600.00	7001.27	7012.47		7012.47	0.000061	0.81	5377.79	609.23	0.04
Reach 1-3	3103	FIS	2600.00	7001.02	7012.45	7002.68	7012.46	0.000057	0.78	3478.53	485.07	0.04
Reach 1-3	3057	Culvert										
Reach 1-3	2988	FIS	2600.00	7001.00	7010.59		7010.72	0.000900	2.87	898.86	149.49	0.16
Reach 1-3	2975	FIS	2600.00	7000.89	7010.26	7005.09	7010.67	0.003326	5.13	513.05	56.85	0.30
Reach 1-3	2930	Culvert										
Reach 1-3	2879	FIS	2600.00	7000.82	7006.11		7007.90	0.022275	9.54	250.82	86.95	0.74
Reach 1-3	2856	FIS	2600.00	7000.50	7006.13		7006.94	0.020557	7.34	360.13	98.05	0.55
Reach 1-3	2850	FIS	2600.00	7000.17	7006.15		7006.78	0.015412	6.54	408.98	101.57	0.48
Reach 1-3	2842	FIS	2600.00	6997.59	7006.22		7006.55	0.005468	4.89	587.36	100.64	0.30
Reach 1-3	2838	FIS	2600.00	6999.13	7006.13		7006.53	0.007986	5.29	534.88	103.78	0.36

HEC-RAS Plan: PROP - FIS River: Sand Creek Reach: Reach 1-3 Profile: FIS (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Chnl (ft/s)	Flow Area (sq ft)	Top Width (ft)	Froude # Chl
Reach 1-3	2830	FIS	2600.00	6997.58	7006.11		7006.43	0.008562	4.70	572.65	109.86	0.31
Reach 1-3	2792	FIS	2600.00	6997.53	7005.85		7006.13	0.007523	4.36	610.05	119.79	0.29
Reach 1-3	2719	FIS	2600.00	6997.47	7005.36		7005.62	0.007720	4.33	637.50	128.78	0.30
Reach 1-3	2680	FIS	2600.00	6997.33	7005.06		7005.30	0.007713	4.15	673.07	143.59	0.29
Reach 1-3	2646	FIS	2600.00	6997.18	7004.83		7005.05	0.007011	4.07	688.08	147.75	0.29
Reach 1-3	2589	FIS	2600.00	6996.89	7004.48		7004.68	0.006505	3.91	730.31	163.76	0.28
Reach 1-3	2545	FIS	2600.00	6997.22	7004.15		7004.36	0.008920	4.09	705.49	178.12	0.31
Reach 1-3	2513	FIS	2600.00	6996.86	7003.83		7004.06	0.008884	4.06	679.74	169.54	0.31
Reach 1-3	2468	FIS	2600.00	6997.15	7003.37		7003.58	0.010665	3.91	709.51	203.63	0.32
Reach 1-3	2405	FIS	2600.00	6997.08	7002.14		7002.58	0.034259	6.09	542.74	227.05	0.56
Reach 1-3	2399	FIS	2600.00	6997.08	7001.49	7001.49	7002.30	0.054615	8.17	395.57	224.57	0.82
Reach 1-3	2384	FIS	2600.00	6993.53	6999.41		6999.94	0.019981	6.35	494.95	237.14	0.53
Reach 1-3	2377	FIS	2600.00	6993.46	6999.52		6999.78	0.008003	4.64	710.86	251.31	0.34
Reach 1-3	2375	FIS	2600.00	6994.97	6999.53		6999.75	0.009340	4.33	737.13	268.14	0.36
Reach 1-3	2350	FIS	2600.00	6993.08	6999.37		6999.49	0.007285	3.31	980.69	288.69	0.28
Reach 1-3	2319	FIS	2600.00	6993.33	6999.19		6999.29	0.006589	3.14	1041.94	307.03	0.26
Reach 1-3	2246	FIS	2600.00	6993.16	6998.82		6998.90	0.004832	2.54	1159.27	325.62	0.21
Reach 1-3	2181	FIS	2600.00	6992.99	6998.54		6998.62	0.004519	2.50	1115.52	304.33	0.21
Reach 1-3	2112	FIS	2600.00	6992.58	6998.27		6998.38	0.002806	3.54	1084.31	253.87	0.26
Reach 1-3	2046	FIS	2600.00	6991.97	6998.00		6998.13	0.005208	2.94	908.17	239.55	0.21
Reach 1-3	1993	FIS	2600.00	6991.35	6997.67		6997.83	0.005789	3.31	809.56	196.36	0.24
Reach 1-3	1929	FIS	2600.00	6991.32	6997.20		6997.40	0.008182	3.60	741.41	177.16	0.26
Reach 1-3	1884	FIS	2600.00	6991.07	6996.68		6996.95	0.011261	4.12	630.82	153.28	0.31
Reach 1-3	1834	FIS	2600.00	6990.69	6996.06		6996.33	0.013748	4.34	629.31	170.98	0.34
Reach 1-3	1804	FIS	2600.00	6990.58	6995.56		6995.87	0.014633	4.35	595.20	158.55	0.34
Reach 1-3	1707	FIS	2600.00	6989.35	6992.93	6992.93	6994.10	0.023245	10.29	367.51	149.70	0.98
Reach 1-3	1663	FIS	2600.00	6987.76	6991.72		6992.24	0.033833	5.65	449.20	157.22	0.50
Reach 1-3	1622	FIS	2600.00	6986.76	6990.75		6991.05	0.023764	4.44	592.61	187.44	0.42
Reach 1-3	1411	FIS	2600.00	6982.00	6990.04	6984.98	6990.10	0.001726	1.97	1397.28	286.43	0.13

Appendix D
Grouted Boulder Drop Structure Design Calculations

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

1) GSB Rock Sizing Calculations

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] Q ₁₀₀ (cfs):	1486.6	1486.6	1763.9	1763.9	1763.9	1643.0	1643.0	1643.0
[2] V _c (ft/s)	14.38	8.50	11.24	9.39	13.60	9.27	15.39	12.55
[3] S (ft/ft)	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
[4] Rock Sizing Parameter	8.51	5.03	6.65	5.56	8.05	5.48	9.10	7.42
[5] Design Diameter (in):	48	36	42	36	48	36	48	42

[1] Channel total flow rate, Q₁₀₀

[2] Critical velocity in drop from HEC-RAS

[3] GSB slope

[4] Rock Sizing Parameter:

$$R_p = \frac{V_c S^{0.17}}{(S_s - 1)^{0.66}} \quad \begin{array}{l} V_c \text{ from HEC-RAS model} \\ * \text{Assumed } S_s = 2.55 \end{array}$$

[5] Design rock size

Table HS-5—Boulder Sizes for Various Rock Sizing Parameters

Rock Sizing Parameter, R _p	UngROUTED Boulders		Grouted Boulders *	
	Minimum Dimensions of Boulder, D _r	Boulder Classification	Minimum Dimensions of Boulder, D _r	Boulder Classification
Less than 4.50	18 inches	B18	18 inches	B18
4.50 to 4.99	24 inches	B24	18 inches	B18
5.00 to 5.59	30 inches	B30	24 inches	B24
5.60 to 6.39	36 inches	B36	30 inches	B30
6.40 to 6.99	42 inches	B42	36 inches	B36
7.00 to 7.49	48 inches	B48	42 inches	B42
7.50 to 8.00	n/a	n/a	48 inches	B48

* Grouted to no less than 1/2 the height (+1" / - 0"), no more than 1/3 (+0" / - 1") of boulder height.

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

2) GSB Stilling Basin Calculations

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] Crest STA:	23+99.00	28+56.00	62+24.00	70+95.00	74+47.00	92+47.00	96+31.00	99+47.00
[2] Q_{100} (cfs):	1486.6	1486.6	1763.9	1763.9	1763.9	1643.0	1643.0	1643.0
[3] V_1 (ft/s)	14.38	8.50	11.24	9.39	13.60	9.27	15.39	12.55
[4] Fr_1 :	2.10	1.00	1.51	1.52	2.02	1.78	2.37	1.70
[5] y_1 (ft):	2.75	2.85	4.75	3.99	4.65	7.81	4.67	4.96
[6] y_2 (ft)(w/o basin):	3.80	2.35	3.45	2.91	3.55	1.52	3.12	2.91
[7] L/y_2 :	4.30	4.00	4.00	4.00	4.30	4.00	4.50	4.00
[8] L (ft):	16.34	9.40	13.80	11.64	15.27	6.08	14.04	11.64
[9] $0.60L^*$ (ft):	9.80	5.64	8.28	6.98	9.16	3.65	8.42	6.98
[10] Design Length* (ft):	10.00	10.00	15.00	12.00	15.00	15.00	15.00	15.00

- [1] Sand Creek Φ Station
- [2] Channel total flow rate, Q_{100}
- [3] Supercritical velocity from HEC-RAS @ Toe
- [4] Supercritical Froude Number from HEC-RAS @ Toe
- [5] Supercritical depth from HEC-RAS @ Toe
- [6] Sequent depth from HEC-RAS @ crest
- [7] Values from Figure "Length in Terms of Sequent Depth of Jumps in Horizontal Channels", USBR, 1955.
- [8] Jump Length: Row [7]*Row [6]
- [9] Stilling basin to contain minimum of 60% of the hydraulic jump. 60% of Jump Length. $0.60^*Row [8]$.
- [10] Proposed stilling basin length.

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

3) GSB Seepage Calculations

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] WSEL (ft):	7000.88	7002.85	7066.52	7079.77	7088.67	7120.52	7132.46	7138.71
[2] Crest Elev (ft):	6997.08	7000.50	7063.07	7076.86	7085.12	7119.00	7129.34	7135.80
[3] Sill Elev (ft):	6994.97	6999.13	7058.72	7074.14	7081.53	7114.00	7124.71	7132.63
[4] Drop Height (ft):	2.11	1.37	4.35	2.72	3.59	5.00	4.63	3.17
[5] U/S Boulder Apron STA:	24+07.00	28+64.00	62+32.00	71+07.00	74+59.00	92+55.00	96+39.00	99+55.00
[6] Crest STA:	23+99.00	28+56.00	62+24.00	70+95.00	74+47.00	92+47.00	96+31.00	99+47.00
[7] Toe STA:	23+84.00	28+50.00	62+01.00	70+75.00	74+24.00	92+17.00	96+04.00	99+31.00
[8] Sill STA:	23+75.00	28+38.00	61+84.00	70+63.00	74+08.00	92+32.00	95+89.00	99+14.00
[9] Total Length (ft):	32.0	26.0	48.00	44.00	51.00	23.00	50.00	41.00
[10] Boulder Diameter (ft):	4.0	3.0	3.5	3.0	4.0	3.0	4.0	3.5
[11a] Minimum Seepage Cutoff Depth (ft):	4.0	4.0	4.0	4.0	4.0	4.0	4.0	4.0
[11b] Cutoff Wall depth (ft):	6.0	8.0	10.0	14.0	15.0	13.0	10	16
[12] Sill Diameter (ft):	2.00	2.00	2.00	2.00	2.00	2.00	3.00	3.00
[13] L_v (ft)=	18.0	21.0	25.5	33.0	36.0	31.0	27.0	38.5
[14] L_h (ft)=	36.00	29.00	51.50	47.00	55.00	26.00	54.00	44.50
[15] H_s (ft)=	5.91	3.72	7.80	5.63	7.14	6.52	7.75	6.08
[16] C_w =	5.1	8.2	5.5	8.6	7.6	6.1	5.8	8.8

- [1] Water surface elevation at drop crest from HEC-RAS
- [2] Finish grade Elevation at drop crest
- [3] Finish grade Elevation at top of sill wall
- [4] Total drop height along flow path crest to toe Row[2]-Row[3]
- [5] Sand Creek Φ Station
- [6] Sand Creek Φ Station
- [7] Sand Creek Φ Station
- [8] Sand Creek Φ Station
- [9] Total Horizontal length along drop Row[5]-Row[7]
- [10] Grouted boulder D_{50}
- [11a] Minimum Seepage Cutoff Depth. Max of $0.80 \cdot H_d$ or 4'.
- [11b] Sheet Pile Cutoff Wall depth below grouted boulders
- [12] Sill wall boulder diameter
- [13] Vertical Distance for Lane's Creep Method Row[9]+2*Row[10]+Row[11]
- [14] Horizontal Distance for Lane's Creep Method Row[8]+Row[9]
- [15] Differential Head between analysis points for Lane's Creep Method
- [16] Creep Ratio (Row[13]/3+Row[12])/Row[14]

Table 8-3. Lane's Weighted Creep: Recommended Minimum Ratios

Material	Ratio
Very fine sand or silt	8.5
Fine sand	7.0
Medium sand	6.0
Coarse sand	5.0
Fine gravel	4.0
Medium gravel	3.0
Coarse gravel including cobbles	3.0
Boulders with some cobbles and gravel	3.0
Soft clay	3.0
Medium clay	2.0
Hard clay	1.8
Very hard clay or hardpan	1.6



Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

4) GSB Bouyancy Calculations

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] U/S Boulder Apron STA:	24+07.00	28+64.00	62+32.00	71+07.00	74+59.00	92+55.00	96+39.00	99+55.00
[2] Toe STA:	23+84.00	28+50.00	62+01.00	70+75.00	74+24.00	92+17.00	96+04.00	99+31.00
[3] Sill STA:	23+75.00	28+38.00	61+84.00	70+63.00	74+08.00	92+32.00	95+89.00	99+14.00
[4] Total Length (ft):	32.0	26.0	48.00	44.00	51.00	23.00	50.00	41.00
[5] Boulder Diameter (ft):	4.0	3.0	3.5	3.0	4.0	3.0	4.0	3.5
[6] GSB Area (sf):	1,943	1,691	1,816	2,716	2,972	2,440	2156.0	2707.0
[7] Sill Diameter (ft):	2.00	2.00	2.00	2.00	2.00	2.00	3.00	3.00
[8] Total GSB Volume (cu ft):	7,772	5,073	6,356	8,148	11,888	7,320	8,624	9,475
[9] Total GSB Weight (lbs):	1,165,800	760,950	953,400	1,222,200	1,783,200	1,098,000	1,293,600	1,421,175
[10] Displaced Water Weight (lbs):	484,973	316,555	396,614	508,435	741,811	456,768	538,138	591,209
[11] Bouyant Force (lbs):	-680,827	-444,395	-556,786	-713,765	-1,041,389	-641,232	-755,462	-829,966

- [1] Sand Creek Φ Station
- [2] Sand Creek Φ Station
- [3] Sand Creek Φ Station
- [4] Total Horizontal length along drop Row[1]-Row[3]
- [5] Grouted boulder D_{50}
- [6] Area of GSB structure
- [7] Sill wall boulder diameter
- [8] GSB volume Row[5]*Row[6]
- [9] GSB Weight Row[8]*150 pcf (150 pcf assumed for combined boulder/grout)
- [10] Displaced Water Weight Row[8]*62.4 pcf
- [11] Net Buoyant Force, (negative values denote stability) Row[9]-Row[10]

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

5) GSB Shear Stress Calculations

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] Crest STA:	23+99.00	28+56.00	62+24.00	70+95.00	74+47.00	92+47.00	96+31.00	99+47.00
[2] Toe STA:	23+84.00	28+50.00	62+01.00	70+75.00	74+24.00	92+17.00	96+04.00	99+31.00
[3] Sill STA:	23+75.00	28+38.00	61+84.00	70+63.00	74+08.00	92+32.00	95+89.00	99+14.00
[4] Depth at Crest (ft):	3.80	2.35	3.45	2.91	3.55	1.52	3.12	2.91
[5] Depth at Toe (ft):	2.75	2.85	3.36	3.47	3.28	0.87	2.67	3.02
[6] Depth at Sill (ft):	2.49	2.80	2.71	2.55	2.89	4.62	2.41	2.98
[7] EGL Slope at Crest:	0.047618	0.155877	0.127575	0.127575	0.038885	0.091820	0.044598	0.071473
[8] EGL Slope at Toe:	0.465661	0.081938	0.133281	0.133281	0.174466	0.374171	0.502196	0.250692
[9] EGL Slope at Sill:	0.062530	0.081520	0.052175	0.052175	0.032729	0.016044	0.107230	0.059879
[10] Shear Stress at Crest (lbs/ft ²):	11.291	22.858	27.464	23.166	8.614	8.709	8.683	12.978
[11] Shear Stress at Toe (lbs/ft ²):	79.907	14.572	27.944	28.859	35.708	20.313	83.670	47.242
[12] Shear Stress at Sill (lbs/ft ²):	9.716	14.243	8.823	8.302	5.902	4.625	16.126	11.135
[13] Shear Stress at Flood Plain (lbs/ft ²):			3.9936	4.368				

- [1] Sand Creek Φ Station
- [2] Sand Creek Φ Station
- [3] Sand Creek Φ Station
- [4] 100-Year flow depth at Φ from HEC-RAS
- [5] 100-Year flow depth at Φ from HEC-RAS
- [6] 100-Year flow depth at Φ from HEC-RAS
- [7] Energy Grade Line slope from HEC-RAS
- [8] Energy Grade Line slope from HEC-RAS
- [9] Energy Grade Line slope from HEC-RAS
- [10] Shear Stress: $62.4 * \text{Row}[4] * \text{Row}[7]$
- [11] Shear Stress: $62.4 * \text{Row}[5] * \text{Row}[8]$
- [12] Shear Stress: $62.4 * \text{Row}[6] * \text{Row}[9]$
- [13] Calculated from Maximum Depth in the Flood Terrace & E.G. Slope

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

6) GSB Shear Stress Calculations

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] GSB STA:	23+99.00	28+56.00	62+24.00	70+95.00	74+47.00	92+47.00	96+31.00	99+47.00
[2] Froude Number:	2.10	1.00	1.51	1.52	2.02	1.78	2.37	1.70
[3] Coefficient of Pressure Fluctuation, C_p :	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4	< 0.4

- [1] Sand Creek. Location of highest Froude Number on drop.
 [2] Froude Number from HEC-RAS model, mixed-flow analysis.
 [3] Coefficient of Pressure Fluctuation, C_p from Figure HS-4, UDFCD DCM Chapter 8, for toe of jump at base.
 Maximum recommended value is 0.7.




Figure HS-4—Coefficient of Pressure Fluctuation, C_p , at a Hydraulic Jump




Figure HS-5—Pressure Fluctuation Coefficient, C_p , Normalized for Consideration of Slope and Jump Beginning on Slope

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

POINT #	FLOW DEPTH (FT)	SLOPE (FT/FT)	SHEAR (LB/FT^2)	
RS 10041	1	0.35	0.05	1.09
	2	0.93	0.12	6.96
	3	0.96	0.12	7.19
	4	0.8	0.03	1.50
RS 10004	1	0.3	0.05	0.94
	2	0.68	0.12	5.09
	3	0.82	0.12	6.14
	4	0.55	0.02	0.69
RS 9982	1	1.22	0.05	3.81
	2	0.8	0.03	1.50
	3	0.41	0.03	0.77
RS 9981	1	0.75	0.03	1.40
	2	0.49	0.03	0.92
RS 9693	1	0.29	0.12	2.17
	2	0.8	0.12	5.99
	3	0.98	0.02	1.22
RS 9660	1	1.33	0.12	9.96
RS 9648	1	0.75	0.08	3.74
RS 9641	1	0.78	0.08	3.89
RS 7538	1	1.09	0.13	8.84
	2	0.87	0.075	4.07
RS 7515	1	0.83	0.19	9.84
	2	0.68	0.1	4.24
RS 7457	1	0.33	0.04	0.82
	2	0.51	0.095	3.02
RS 7146	1	0.72	0.0175	0.79
RS 7132	1	0.71	0.083	3.68
RS 7124	1	0.71	0.085	3.77
	2	0.61	0.08	3.05
RS 7118	1	0.55	0.085	2.92
	2	0.63	0.08	3.14
RS 6281	1	0.55	0.12	4.12
	2	1	0.15	9.36
	3	0.42	0.15	3.93
RS 6266	1	0.74	0.14	6.46
RS 6253	1	1.47	0.13	11.92
	2	0.56	0.15	5.24
RS 6242	1	1.19	0.13	9.65
	2	0.92	0.14	8.04
RS 2396	1	1.41	0.01	0.88
	2	0.9	0.01	0.56
	3	0.51	0.01	0.32
RS 2387	1	1.24	0.12	9.29
	2	0.73	0.047	2.14
	3	0.25	0.057	0.89
RS 2362	1	0.87	0.075	4.07
	2	0.44	0.055	1.51
	3	0.77	0.05	2.40
RS 2359	1	1.15	0.075	5.38
	2	0.74	0.055	2.54
	3	0.77	0.05	2.40

Subdivision: Sterling Ranch
 Project Name: Sand Creek Channel Improvements
 Project No.: 25188.04
 Calculated By: DJV
 Date: November 22, 2024

8) Drop Structure Manning's *n*

	GSB #1	GSB #2	GSB #3	GSB #4	GSB #5	GSB #6	GSB #7	GSB #8
[1] <i>y</i> (ft)	3.8	2.4	3.5	2.9	3.6	1.5	3.1	2.9
[2] <i>D</i> (ft)	4.0	3.0	3.5	3.0	4.0	3.0	4.0	3.5
[3] <i>y</i> / <i>D</i>	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00
Roughness	0.092	0.092	0.092	0.092	0.092	0.092	0.092	0.092

Depth of flow above top
 [1] of rock at drop crest (ft)

When the upper one-half (plus or minus 1inch) of the rock height is ungrouted, the equation for *n* is:

$$n_{24^{\circ}-42^{\circ}(1/2)} = \frac{0.097(y/D)^{0.16}}{\ln(2.55y/D)} \quad \text{Equation 9-1}$$

When the upper one-third (plus or minus 1 inch) of the rock height is ungrouted, the equation for *n* is:

$$n_{24^{\circ}-42^{\circ}(2/3)} = \frac{0.086(y/D)^{0.16}}{\ln(2.55y/D)} \quad \text{Equation 9-2}$$

Where:





y = depth of flow above top of rock (feet)





D = diameter of the boulder (feet)





The upper limit for Equation 9-1 is $n \leq 0.104$ and for Equation 9-2 is $n \leq 0.092$. Determine the value for "y" by reviewing the HEC_RAS cross sections and determining an appropriate representation of the average flow depth over the structure. If the value for *y*/*D* is < 1, use 1.





Mixed Flow HEC-RAS Analysis for GSB Design





Slope/Depth Calculations for GSB Armoring Extents



















































































Mixed Flow Evaluation for GSB Design

HEC-RAS Plan: PROP - Shear Locations: User Defined

River	Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Flow Area (sq ft)	Top Width (ft)	Max Chl Dpth (ft)	Mann Wtd Left	Mann Wtd Chnl	Mann Wtd Right	Froude # XS	Vel Total (ft/s)	Vel Chnl (ft/s)
Sand Creek	Reach 1-3	9955	2-YR	154.80	7135.86	7137.87	7137.62	7138.02	0.010379	49.64	105.93	2.01		0.045		0.61	3.12	3.12
Sand Creek	Reach 1-3	9955	5-YR	475.50	7135.86	7138.52	7138.52	7138.87	0.015806	120.43	254.30	2.66	0.060	0.049	0.060	1.21	3.95	4.88
Sand Creek	Reach 1-3	9955	100-YR	1643.00	7135.86	7139.17	7139.33	7139.89	0.028362	298.12	286.86	3.31	0.060	0.050	0.060	1.18	5.51	8.03
Sand Creek	Reach 1-3	9943	2-YR	154.80	7135.80	7137.42	7137.42	7137.71	0.140070	35.79	132.39	1.62		0.090		0.99	4.33	4.33
Sand Creek	Reach 1-3	9943	5-YR	475.50	7135.80	7138.14	7138.25	7138.53	0.074404	103.24	251.71	2.34	0.076	0.090	0.046	1.36	4.61	5.18
Sand Creek	Reach 1-3	9943	100-YR	1643.00	7135.80	7138.71	7138.84	7139.37	0.071473	260.99	294.12	2.91	0.064	0.090	0.045	1.22	6.30	6.53
Sand Creek	Reach 1-3	9926	2-YR	154.80	7131.59	7134.20	7133.20	7134.24	0.004987	101.20	70.12	2.61	0.090	0.090	0.090	0.23	1.53	1.54
Sand Creek	Reach 1-3	9926	5-YR	475.50	7131.59	7135.21	7133.84	7135.33	0.008203	180.81	92.26	3.62	0.090	0.090	0.090	0.34	2.63	2.77
Sand Creek	Reach 1-3	9926	100-YR	1643.00	7131.59	7136.55	7135.46	7137.01	0.019995	324.87	123.84	4.96	0.090	0.090	0.090	0.60	5.06	5.73
Sand Creek	Reach 1-3	9913	2-YR	154.80	7131.58	7134.19		7134.20	0.001164	160.47	70.60	2.61	0.000	0.090	0.090	0.11	0.96	0.96
Sand Creek	Reach 1-3	9913	5-YR	475.50	7131.58	7135.19		7135.25	0.003170	247.27	111.15	3.61	0.090	0.090	0.089	0.24	1.92	2.03
Sand Creek	Reach 1-3	9913	100-YR	1643.00	7131.58	7136.57		7136.78	0.007808	477.91	246.24	4.99	0.081	0.090	0.058	0.47	3.44	4.01
Sand Creek	Reach 1-3	9910	2-YR	154.80	7132.63	7134.14		7134.19	0.008790	85.66	70.55	1.51	0.090	0.090	0.090	0.29	1.81	1.81
Sand Creek	Reach 1-3	9910	5-YR	475.50	7132.63	7135.08		7135.23	0.011968	167.14	111.78	2.45	0.090	0.090	0.090	0.43	2.84	3.06
Sand Creek	Reach 1-3	9910	100-YR	1643.00	7132.63	7136.46		7136.74	0.014646	402.95	244.56	3.83	0.068	0.090	0.059	0.59	4.08	4.67
Sand Creek	Reach 1-3	9875	2-YR	154.80	7131.85	7133.56	7133.50	7133.81	0.012493	38.27	59.35	1.70		0.037		0.89	4.05	4.05
Sand Creek	Reach 1-3	9875	5-YR	475.50	7131.85	7134.54	7134.17	7134.85	0.008966	112.87	146.19	2.89	0.060	0.042	0.060	0.90	4.21	4.49
Sand Creek	Reach 1-3	9875	100-YR	1643.00	7131.85	7136.20		7136.47	0.004812	480.04	258.88	4.35	0.060	0.045	0.060	0.54	3.42	4.88
Sand Creek	Reach 1-3	9626	2-YR	154.80	7129.34	7130.99	7130.99	7131.27	0.138047	36.28	62.07	1.65		0.090		0.98	4.27	4.27
Sand Creek	Reach 1-3	9626	5-YR	475.50	7129.34	7131.74	7131.74	7132.02	0.055418	116.69	213.48	2.40	0.090	0.090	0.048	0.97	4.07	4.50
Sand Creek	Reach 1-3	9626	100-YR	1643.00	7129.34	7132.48	7132.48	7132.96	0.042216	314.86	331.57	3.14	0.058	0.090	0.049	1.00	5.22	5.35
Sand Creek	Reach 1-3	9614	2-YR	154.80	7126.48	7128.03	7128.18	7128.54	0.355590	27.01	60.37	1.55		0.090		1.51	5.73	5.73
Sand Creek	Reach 1-3	9614	5-YR	475.50	7126.48	7128.29	7128.87	7130.21	0.756662	42.81	62.44	1.81		0.090		2.36	11.11	11.11
Sand Creek	Reach 1-3	9614	100-YR	1643.00	7126.48	7129.32	7130.02	7131.67	0.325567	148.42	159.10	2.84	0.090	0.090	0.089	2.25	11.07	13.01
Sand Creek	Reach 1-3	9600	2-YR	154.80	7123.43	7125.83	7125.05	7125.88	0.008503	86.52	70.84	2.40	0.090	0.090	0.090	0.29	1.79	1.79
Sand Creek	Reach 1-3	9600	5-YR	475.50	7123.43	7126.83	7125.69	7126.95	0.010102	174.17	104.67	3.40	0.049	0.090	0.090	0.38	2.73	2.87
Sand Creek	Reach 1-3	9600	100-YR	1643.00	7123.43	7128.10	7127.21	7128.50	0.018383	333.97	148.39	4.67	0.044	0.090	0.090	0.60	4.92	5.18
Sand Creek	Reach 1-3	9587	2-YR	154.80	7123.38	7125.82		7125.83	0.001463	148.17	74.52	2.44	0.040	0.090	0.090	0.13	1.04	1.05
Sand Creek	Reach 1-3	9587	5-YR	475.50	7123.38	7126.81		7126.87	0.002964	264.62	150.53	3.43	0.040	0.090	0.090	0.25	1.80	1.91
Sand Creek	Reach 1-3	9587	100-YR	1643.00	7123.38	7128.12		7128.31	0.005905	489.18	227.72	4.73	0.040	0.090	0.090	0.39	3.36	3.38
Sand Creek	Reach 1-3	9584	2-YR	154.80	7124.71	7125.72		7125.82	0.023604	63.77	67.88	1.01		0.090		0.44	2.43	2.43
Sand Creek	Reach 1-3	9584	5-YR	475.50	7124.71	7126.73		7126.85	0.021540	177.47	152.36	2.02		0.090		0.44	2.68	2.68
Sand Creek	Reach 1-3	9584	100-YR	1643.00	7124.71	7128.01		7128.28	0.022448	400.37	238.30	3.30	0.040	0.090	0.040	0.51	4.10	4.11
Sand Creek	Reach 1-3	9558	2-YR	154.80	7122.44	7125.18		7125.26	0.017707	67.92	64.13	2.74		0.090		0.39	2.28	2.28
Sand Creek	Reach 1-3	9558	5-YR	475.50	7122.44	7126.18		7126.34	0.016056	146.97	115.42	3.74	0.040	0.090	0.043	0.48	3.24	3.33
Sand Creek	Reach 1-3	9558	100-YR	1643.00	7122.44	7127.44		7127.75	0.016736	371.96	295.93	5.00	0.040	0.090	0.041	0.67	4.42	4.70
Sand Creek	Reach 1-3	9256	2-YR	154.80	7118.36	7120.05	7119.62	7120.07	0.004027	122.21	195.40	1.69	0.060	0.056	0.060	0.28	1.27	1.27
Sand Creek	Reach 1-3	9256	5-YR	475.50	7118.36	7120.60	7119.98	7120.67	0.004937	233.75	205.65	2.24	0.060	0.057	0.060	0.34	2.03	2.07
Sand Creek	Reach 1-3	9256	100-YR	1643.00	7118.36	7122.00	7120.73	7122.15	0.004229	536.43	227.70	3.64	0.058	0.058	0.053	0.36	3.06	3.15
Sand Creek	Reach 1-3	9243	2-YR	154.80	7119.00	7119.38	7119.38	7119.54	0.172959	49.01	158.23	0.38		0.090	0.040	1.00	3.16	3.16
Sand Creek	Reach 1-3	9243	5-YR	475.50	7119.00	7119.73	7119.73	7120.04	0.131026	105.74	169.55	0.73	0.040	0.090	0.040	1.00	4.50	4.49
Sand Creek	Reach 1-3	9243	100-YR	1643.00	7119.00	7121.68		7121.87	0.010410	486.97	215.43	2.68	0.040	0.090	0.040	0.41	3.37	3.19
Sand Creek	Reach 1-3	9216	2-YR	154.80	7114.00	7118.32	7114.26	7118.32	0.000002	942.51	236.53	4.32	0.035	0.032	0.032	0.01	0.16	0.17
Sand Creek	Reach 1-3	9216	5-YR	475.50	7114.00	7118.78	7114.56	7118.78	0.000013	1052.11	240.55	4.78	0.035	0.032	0.032	0.04	0.45	0.47
Sand Creek	Reach 1-3	9216	100-YR	1643.00	7114.00	7121.80		7121.82	0.000027	1831.41	273.88	7.80	0.035	0.032	0.032	0.06	0.90	0.95
Sand Creek	Reach 1-3	7455	2-YR	146.52	7085.01	7087.21		7087.36	0.007531	47.24	53.95	2.20		0.042		0.58	3.10	3.10
Sand Creek	Reach 1-3	7455	5-YR	512.38	7085.01	7088.15		7088.32	0.004929	185.15	232.10	3.14	0.070	0.042	0.032	0.62	2.77	3.68

Mixed Flow Evaluation for GSB Design

HEC-RAS Plan: PROP - Shear Locations: User Defined (Continued)


River	Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Flow Area (sq ft)	Top Width (ft)	Max Chl Dpth (ft)	Mann Wtd Left	Mann Wtd Chnl	Mann Wtd Right	Froude # XS	Vel Total (ft/s)	Vel Chnl (ft/s)
Sand Creek	Reach 1-3	7455	100-YR	1763.93	7085.01	7089.00		7089.46	0.008375	367.76	251.31	3.99	0.070	0.042	0.032	0.74	4.80	6.14
Sand Creek	Reach 1-3	7445	2-YR	146.52	7085.12	7086.85	7086.85	7087.16	0.081069	32.79	86.45	1.73		0.070		0.98	4.47	4.47
Sand Creek	Reach 1-3	7445	5-YR	512.38	7085.12	7087.88	7087.88	7088.20	0.029482	135.27	239.63	2.75	0.069	0.070	0.070	1.00	3.79	4.89
Sand Creek	Reach 1-3	7445	100-YR	1763.93	7085.12	7088.67	7088.67	7089.28	0.038885	308.27	259.65	3.55	0.067	0.070	0.070	0.94	5.72	7.37
Sand Creek	Reach 1-3	7430	2-YR	146.52	7081.82	7083.05	7083.58	7084.88	0.316120	13.52	15.26	1.23		0.070		2.03	10.84	10.84
Sand Creek	Reach 1-3	7430	5-YR	512.38	7081.82	7083.68	7084.44	7086.72	0.695591	36.63	51.63	1.86		0.070		2.93	13.99	13.99
Sand Creek	Reach 1-3	7430	100-YR	1763.93	7081.82	7085.07	7085.91	7087.99	0.179042	138.78	121.87	3.25	0.070	0.070	0.070	2.27	12.71	14.18
Sand Creek	Reach 1-3	7422	2-YR	146.52	7080.12	7081.30	7081.85	7083.32	0.120598	12.87	15.16	1.18		0.040		2.18	11.38	11.38
Sand Creek	Reach 1-3	7422	5-YR	512.38	7080.12	7082.05	7082.68	7084.27	0.138369	42.85	52.69	1.93		0.040		2.34	11.96	11.96
Sand Creek	Reach 1-3	7422	100-YR	1763.93	7080.12	7083.25	7084.41	7086.98	0.075843	117.29	75.48	3.13	0.040	0.040	0.040	2.19	15.04	15.66
Sand Creek	Reach 1-3	7409	2-YR	146.52	7080.12	7082.49	7080.78	7082.51	0.000436	118.31	56.18	2.37	0.040	0.040		0.15	1.24	1.24
Sand Creek	Reach 1-3	7409	5-YR	512.38	7080.12	7083.50	7081.64	7083.61	0.001246	212.24	112.44	3.38	0.040	0.040	0.040	0.34	2.41	2.71
Sand Creek	Reach 1-3	7409	100-YR	1763.93	7080.12	7082.45	7083.68	7086.05	0.067594	115.80	55.81	2.32				1.86	15.23	15.23
Sand Creek	Reach 1-3	7406	2-YR	146.52	7081.53	7082.20	7082.17	7082.48	0.054429	34.32	53.87	0.67		0.060		0.94	4.27	4.27
Sand Creek	Reach 1-3	7406	5-YR	512.38	7081.53	7083.06	7083.06	7083.56	0.033673	97.36	104.85	1.53	0.060	0.060	0.060	1.04	5.26	5.84
Sand Creek	Reach 1-3	7406	100-YR	1763.93	7081.53	7084.22	7084.41	7085.19	0.034244	243.17	173.02	2.69	0.058	0.060	0.060	1.17	7.25	8.70
Sand Creek	Reach 1-3	7351	2-YR	146.52	7079.22	7081.38		7081.50	0.008121	51.45	59.46	2.15		0.046		0.54	2.85	2.85
Sand Creek	Reach 1-3	7351	5-YR	512.38	7079.22	7082.24		7082.51	0.010699	139.79	138.31	3.02	0.060	0.051	0.060	0.73	3.67	4.36
Sand Creek	Reach 1-3	7351	100-YR	1763.93	7079.22	7083.34	7083.23	7083.94	0.015970	343.17	240.45	4.12	0.060	0.052	0.060	0.91	5.14	7.08
Sand Creek	Reach 1-3	7093	2-YR	146.52	7076.86	7078.58	7078.58	7078.86	0.148429	34.11	60.93	1.72		0.090		1.01	4.30	4.30
Sand Creek	Reach 1-3	7093	5-YR	512.38	7076.86	7079.48	7079.48	7079.70	0.040238	154.76	305.84	2.62	0.088	0.090	0.048	0.92	3.31	4.11
Sand Creek	Reach 1-3	7093	100-YR	1763.93	7076.86	7079.74	7080.02	7080.72	0.144097	235.74	322.35	2.88	0.083	0.090	0.048	1.63	7.48	8.70
Sand Creek	Reach 1-3	7073	2-YR	146.52	7072.92	7075.06	7074.52	7075.15	0.014880	89.89	65.23	2.16		0.090		0.36	2.10	2.10
Sand Creek	Reach 1-3	7073	5-YR	512.38	7072.92	7074.63	7075.25	7077.05	0.995374	41.00	61.59	1.70		0.090		2.70	12.50	12.50
Sand Creek	Reach 1-3	7073	100-YR	1763.93	7072.92	7076.42	7076.91	7077.96	0.126848	191.74	137.24	3.50	0.090	0.090	0.090	1.48	9.20	10.22
Sand Creek	Reach 1-3	7066	2-YR	146.52	7072.86	7075.09		7075.11	0.001842	132.38	65.26	2.23		0.090		0.14	1.11	1.11
Sand Creek	Reach 1-3	7066	5-YR	512.38	7072.86	7076.07	7074.20	7076.16	0.005663	228.37	148.68	3.21	0.090	0.090	0.090	0.35	2.24	2.48
Sand Creek	Reach 1-3	7066	100-YR	1763.93	7072.86	7077.22	7076.22	7077.52	0.014342	464.22	273.65	4.36	0.087	0.090	0.090	0.60	3.80	4.92
Sand Creek	Reach 1-3	7061	2-YR	146.52	7074.14	7074.77	7074.77	7075.06	0.022658	34.33	62.77	0.63		0.035		1.02	4.27	4.27
Sand Creek	Reach 1-3	7061	5-YR	512.38	7074.14	7075.57	7075.57	7076.08	0.012979	95.39	115.56	1.43	0.040	0.035	0.035	1.11	5.37	5.77
Sand Creek	Reach 1-3	7061	100-YR	1763.93	7074.14	7076.77	7076.77	7077.43	0.009219	330.83	274.11	2.63	0.050	0.035	0.041	1.05	5.33	7.50
Sand Creek	Reach 1-3	7044	2-YR	146.52	7071.83	7073.71	7073.94	7074.52	0.035598	20.23	53.23	1.88		0.038		2.07	7.24	7.24
Sand Creek	Reach 1-3	7044	5-YR	512.38	7071.83	7074.31	7074.67	7075.57	0.067823	56.92	63.50	2.48		0.045		1.68	9.00	9.00
Sand Creek	Reach 1-3	7044	100-YR	1763.93	7071.83	7076.53	7075.95	7076.70	0.004947	625.04	377.98	4.70	0.060	0.052	0.060	0.46	2.82	4.22
Sand Creek	Reach 1-3	6232	2-YR	146.52	7063.38	7065.23		7065.40	0.012936	44.96	90.78	1.85		0.042	0.032	0.83	3.26	3.33
Sand Creek	Reach 1-3	6232	5-YR	512.38	7063.38	7065.98	7065.73	7066.20	0.008641	142.50	184.98	2.60	0.081	0.044	0.032	0.76	3.60	3.98
Sand Creek	Reach 1-3	6232	100-YR	1763.93	7063.38	7066.34	7066.71	7067.59	0.036706	210.95	193.07	2.96	0.064	0.044	0.032	1.51	8.36	9.44
Sand Creek	Reach 1-3	6223	2-YR	146.52	7063.07	7064.83	7064.83	7065.11	0.148335	34.50	94.19	1.76		0.090		1.01	4.25	4.25
Sand Creek	Reach 1-3	6223	5-YR	512.38	7063.07	7065.61	7065.61	7066.00	0.075480	111.22	152.15	2.54	0.090	0.090	0.085	1.04	4.61	5.30
Sand Creek	Reach 1-3	6223	100-YR	1763.93	7063.07	7066.52	7066.52	7067.18	0.068421	285.78	209.31	3.45	0.089	0.090	0.076	0.98	6.17	7.23
Sand Creek	Reach 1-3	6212	2-YR	146.52	7060.43	7061.99	7062.19	7062.65	0.409740	22.58	46.48	1.56		0.090		1.64	6.49	6.49
Sand Creek	Reach 1-3	6212	5-YR	512.38	7060.43	7062.43	7062.98	7064.15	0.595070	48.75	64.48	2.00		0.090		2.13	10.51	10.51
Sand Creek	Reach 1-3	6212	100-YR	1763.93	7060.43	7063.53	7064.21	7065.76	0.269324	158.78	130.36	3.10	0.090	0.090	0.090	1.91	11.11	12.57
Sand Creek	Reach 1-3	6199	2-YR	146.52	7057.41	7059.59	7059.10	7059.66	0.017564	67.06	66.57	2.18		0.090		0.38	2.19	2.19
Sand Creek	Reach 1-3	6199	5-YR	512.38	7057.41	7060.62	7059.81	7060.82	0.020155	143.86	84.42	3.21	0.090	0.090	0.090	0.49	3.56	3.64
Sand Creek	Reach 1-3	6199	100-YR	1763.93	7057.41	7062.15	7061.38	7062.77	0.030034	296.15	117.54	4.74	0.090	0.090	0.090	0.70	5.96	6.54

Mixed Flow Evaluation for GSB Design


HEC-RAS Plan: PROP - Shear Locations: User Defined (Continued)

River	Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Flow Area (sq ft)	Top Width (ft)	Max Chl Dpth (ft)	Mann Wtd Left	Mann Wtd Chnl	Mann Wtd Right	Froude # XS	Vel Total (ft/s)	Vel Chnl (ft/s)
Sand Creek	Reach 1-3	6184	2-YR	146.52	7057.42	7059.57		7059.59	0.001662	136.78	66.79	2.15		0.090		0.13	1.07	1.07
Sand Creek	Reach 1-3	6184	5-YR	512.38	7057.42	7060.56		7060.65	0.005209	223.72	111.45	3.14	0.090	0.090	0.090	0.30	2.29	2.44
Sand Creek	Reach 1-3	6184	100-YR	1763.93	7057.42	7062.12		7062.42	0.011156	425.24	145.16	4.70	0.090	0.090	0.079	0.46	4.15	4.72
Sand Creek	Reach 1-3	6182	2-YR	146.52	7058.72	7059.28	7059.28	7059.55	0.064778	35.01	64.57	0.56		0.060		1.00	4.18	4.18
Sand Creek	Reach 1-3	6182	5-YR	512.38	7058.72	7060.01	7060.01	7060.58	0.045857	86.08	81.93	1.29	0.060	0.060	0.060	1.04	5.95	6.06
Sand Creek	Reach 1-3	6182	100-YR	1763.93	7058.72	7061.41	7061.41	7062.33	0.030039	245.65	133.77	2.69	0.060	0.060	0.059	1.00	7.18	8.15
Sand Creek	Reach 1-3	6164	2-YR	146.52	7056.45	7058.88	7058.63	7059.03	0.011062	46.00	55.84	2.43		0.047		0.62	3.19	3.19
Sand Creek	Reach 1-3	6164	5-YR	512.38	7056.45	7059.80	7059.57	7060.10	0.012330	129.24	126.76	3.35	0.058	0.051	0.060	0.77	3.96	4.63
Sand Creek	Reach 1-3	6164	100-YR	1763.93	7056.45	7061.13	7060.80	7061.61	0.011792	369.81	244.89	4.68	0.056	0.053	0.060	0.79	4.77	6.33
Sand Creek	Reach 1-3	2856	2-YR	101.60	7000.50	7001.39		7001.47	0.029128	43.93	59.73	0.89	0.090	0.090	0.090	0.48	2.31	2.32
Sand Creek	Reach 1-3	2856	5-YR	398.70	7000.50	7002.18		7002.47	0.038527	94.37	67.04	1.68	0.090	0.090	0.090	0.63	4.22	4.32
Sand Creek	Reach 1-3	2856	100-YR	1562.40	7000.50	7002.75	7003.36	7004.98	0.199976	132.42	71.30	2.25	0.090	0.090	0.090	1.51	11.80	12.12
Sand Creek	Reach 1-3	2850	2-YR	101.60	7000.17	7000.90	7000.90	7001.12	0.153404	27.11	62.22	0.72	0.090	0.090	0.090	1.01	3.75	3.77
Sand Creek	Reach 1-3	2850	5-YR	398.70	7000.17	7001.55	7001.55	7002.07	0.111722	69.37	67.25	1.38	0.090	0.090	0.090	1.01	5.75	5.87
Sand Creek	Reach 1-3	2850	100-YR	1562.40	7000.17	7003.47	7003.09	7004.37	0.050787	208.98	81.81	3.30	0.090	0.090	0.090	0.80	7.48	7.78
Sand Creek	Reach 1-3	2842	2-YR	101.60	6997.59	7000.19	6998.26	7000.20	0.000829	125.46	58.25	2.60	0.090	0.090	0.090	0.10	0.81	0.83
Sand Creek	Reach 1-3	2842	5-YR	398.70	6997.59	7001.50	6999.01	7001.56	0.002796	207.56	67.18	3.91	0.090	0.090	0.090	0.20	1.92	2.03
Sand Creek	Reach 1-3	2842	100-YR	1562.40	6997.59	7003.61		7003.93	0.008315	364.60	81.98	6.02	0.090	0.090	0.090	0.38	4.29	4.72
Sand Creek	Reach 1-3	2838	2-YR	101.60	6999.13	7000.14		7000.19	0.014543	53.75	57.87	1.01		0.090		0.35	1.89	1.89
Sand Creek	Reach 1-3	2838	5-YR	398.70	6999.13	7001.40		7001.54	0.012715	132.12	66.96	2.27	0.090	0.090	0.090	0.38	3.02	3.05
Sand Creek	Reach 1-3	2838	100-YR	1562.40	6999.13	7003.36		7003.87	0.019350	278.48	82.02	4.23	0.080	0.090	0.077	0.55	5.61	5.83
Sand Creek	Reach 1-3	2830	2-YR	101.60	6997.58	7000.11		7000.15	0.002135	61.58	61.21	2.53	0.060	0.046	0.060	0.29	1.65	1.67
Sand Creek	Reach 1-3	2830	5-YR	398.70	6997.58	7001.38		7001.49	0.003085	144.56	71.10	3.78	0.057	0.051	0.057	0.35	2.76	2.87
Sand Creek	Reach 1-3	2830	100-YR	1562.40	6997.58	7003.33		7003.77	0.005548	299.22	86.69	5.74	0.049	0.053	0.049	0.51	5.22	5.52
Sand Creek	Reach 1-3	2405	2-YR	101.60	6997.08	6998.99		6999.09	0.008004	39.57	66.34	1.91		0.044		0.59	2.57	2.57
Sand Creek	Reach 1-3	2405	5-YR	398.70	6997.08	6999.86		7000.09	0.010282	108.10	107.24	2.78	0.040	0.050	0.060	0.67	3.69	3.84
Sand Creek	Reach 1-3	2405	100-YR	1562.40	6997.08	7001.18		7001.65	0.012297	330.06	216.73	4.10	0.040	0.053	0.060	0.79	4.73	6.05
Sand Creek	Reach 1-3	2399	2-YR	101.60	6997.08	6998.73	6998.73	6998.96	0.161676	26.69	60.97	1.65		0.090		1.01	3.81	3.81
Sand Creek	Reach 1-3	2399	5-YR	398.70	6997.08	6999.38	6999.38	6999.91	0.124367	67.81	66.14	2.30		0.090		1.02	5.88	5.88
Sand Creek	Reach 1-3	2399	100-YR	1562.40	6997.08	7000.93	7000.93	7001.51	0.047494	271.58	215.32	3.85	0.068	0.090	0.067	0.96	5.75	6.67
Sand Creek	Reach 1-3	2394	2-YR	101.60	6995.80	6997.30	6997.45	6997.77	0.317914	18.44	40.02	1.50		0.090		1.43	5.51	5.51
Sand Creek	Reach 1-3	2394	5-YR	398.70	6995.80	6997.81	6998.11	6998.83	0.353806	49.18	64.99	2.00		0.090		1.64	8.11	8.11
Sand Creek	Reach 1-3	2394	100-YR	1562.40	6995.80	6999.01	6999.72	7000.92	0.201643	148.31	105.44	3.21	0.090	0.090	0.090	1.65	10.53	11.29
Sand Creek	Reach 1-3	2389	2-YR	101.60	6994.62	6996.23	6996.27	6996.50	0.209568	24.67	60.85	1.61		0.090		1.14	4.12	4.12
Sand Creek	Reach 1-3	2389	5-YR	398.70	6994.62	6996.76	6996.91	6997.48	0.205702	58.47	67.21	2.14		0.090	0.090	1.29	6.82	6.82
Sand Creek	Reach 1-3	2389	100-YR	1562.40	6994.62	6997.80	6998.46	6999.91	0.218676	137.31	87.14	3.18	0.057	0.090	0.090	1.64	11.38	11.82
Sand Creek	Reach 1-3	2384	2-YR	101.60	6993.53	6995.77	6995.12	6995.80	0.007992	68.04	66.20	2.24		0.090		0.26	1.49	1.49
Sand Creek	Reach 1-3	2384	5-YR	398.70	6993.53	6996.73	6995.76	6996.66	0.014166	135.88	79.23	3.19	0.040	0.090	0.090	0.40	2.93	2.94
Sand Creek	Reach 1-3	2384	100-YR	1562.40	6993.53	6996.77	6997.38	6998.74	0.200807	139.44	81.04	3.24	0.040	0.090	0.090	1.51	11.21	11.25
Sand Creek	Reach 1-3	2377	2-YR	101.60	6993.46	6995.77		6995.78	0.000738	140.71	65.85	2.31		0.090		0.09	0.72	0.72
Sand Creek	Reach 1-3	2377	5-YR	398.70	6993.46	6996.74		6996.80	0.003243	216.10	98.15	3.28	0.090	0.090	0.090	0.23	1.84	1.91
Sand Creek	Reach 1-3	2377	100-YR	1562.40	6993.46	6998.12	6996.27	6998.40	0.010895	390.59	155.77	4.86	0.083	0.090	0.076	0.48	4.00	4.50
Sand Creek	Reach 1-3	2375	2-YR	101.60	6994.97	6995.69		6995.77	0.030806	44.98	65.15	0.72		0.090		0.48	2.26	2.26
Sand Creek	Reach 1-3	2375	5-YR	398.70	6994.97	6996.54		6996.76	0.031436	109.14	96.66	1.57	0.090	0.090	0.090	0.63	3.65	3.83
Sand Creek	Reach 1-3	2375	100-YR	1562.40	6994.97	6997.52	6997.52	6998.30	0.062814	233.96	153.78	2.54	0.090	0.090	0.077	1.01	6.68	7.56


Appendix E
Detention Pond Design Calculations




SRMD Pond 1 Outfall - 5-YR




SRMD Pond 1 Outfall - 100-YR






SRMD Pond 2 Outfall - 5-YR



SRMD Pond 2 Outfall - 100-YR



Scenario: 5-YR
Current Time Step: 0.000 h
Conduit FlexTable: Combined Pipe/Node Report

Upstream Structure	Label	Flow (cfs)	Capacity (Full Flow) (cfs)	Rise (ft)	Span (ft)	Length (User Defined) (ft)	Slope (Calculated) (ft/ft)	Invert (Start) (ft)	Invert (Stop) (ft)	Elevation Ground (Start) (ft)	Elevation Ground (Stop) (ft)	HGL (In) (ft)	HGL (Out) (ft)	Energy Grade Line (In) (ft)	Energy Grade Line (Out) (ft)	Velocity (ft/s)	Manning's n	Upstream Structure Headloss Coefficient
SRMD Pond 1 Outlet Structure	Pipe - (1) (SRMD Pond 1)	537.00	860.07	10.0	12.0	115.6	0.001	7,011.52	7,011.40	7,036.02	7,025.01	7,016.18	7,015.37	7,017.61	7,017.35	7.59	0.013	1.320
SRMD Pond 1 Junction Box	Pipe - (2) (SRMD Pond 1)	537.00	2,450.71	10.0	12.0	25.3	0.008	7,002.83	7,002.62	7,025.01	7,020.64	7,006.80	7,006.09	7,008.78	7,008.68	16.06	0.013	1.320
SRMD Pond 2 Outlet Structure	Pipe - (3) (SRMD Pond 2)	487.00	1,333.67	10.0	10.0	87.2	0.004	7,101.02	7,100.67	7,117.76	7,124.81	7,105.21	7,104.66	7,107.31	7,106.98	12.29	0.013	1.320

X:\2510000.all\2518804\StormCAD\2518804 StormCAD.stsw

Scenario: 100-YR
Current Time Step: 0.000 h
Conduit FlexTable: Combined Pipe/Node Report

Upstream Structure	Label	Flow (cfs)	Capacity (Full Flow) (cfs)	Rise (ft)	Span (ft)	Length (User Defined) (ft)	Slope (Calculated) (ft/ft)	Invert (Start) (ft)	Invert (Stop) (ft)	Elevation Ground (Start) (ft)	Elevation Ground (Stop) (ft)	HGL (In) (ft)	HGL (Out) (ft)	Energy Grade Line (In) (ft)	Energy Grade Line (Out) (ft)	Velocity (ft/s)	Manning's n	Upstream Structure Headloss Coefficient
SRMD Pond 1 Outlet Structure	Pipe - (1) (SRMD Pond 1)	1,978.00	860.07	10.0	12.0	115.6	0.001	7,011.52	7,011.40	7,036.02	7,025.01	7,021.97	7,020.85	7,026.19	7,025.58	16.48	0.013	1.320
SRMD Pond 1 Junction Box	Pipe - (2) (SRMD Pond 1)	1,978.00	2,450.71	10.0	12.0	25.3	0.008	7,002.83	7,002.62	7,025.01	7,020.64	7,012.29	7,011.35	7,017.01	7,016.89	23.02	0.013	1.320
SRMD Pond 2 Outlet Structure	Pipe - (3) (SRMD Pond 2)	1,649.00	1,333.67	10.0	10.0	87.2	0.004	7,101.02	7,100.67	7,117.76	7,124.81	7,111.04	7,110.12	7,115.26	7,114.85	16.49	0.013	1.320

X:\2510000.all\2518804\StormCAD\2518804 StormCAD.stsw

Existing Stock Pond 1 Proposed Outlet Structure

width	25	area	625	open area x 70%	218.75	0.25
length	25	blockage	0.5			
perimeter	100	blockage	0	avail perm.	100	
Elev (ft)	Head (ft)			Orifice	Weir	
7036	0			0	0	
7036.25	0.25			526.6381	38.75	
7036.5	0.5			744.7787	109.6016	
7036.75	0.75			912.1639	201.3509	
7037	1			1053.276	310	
7037.25	1.25			1177.599	433.2382	
7037.5	1.5			1289.995	569.5064	
7037.75	1.75			1393.353	717.66	
7038	2			1489.557	876.8124	
7038.25	2.25			1579.914	1046.25	
7038.5	2.5			1665.376	1225.383	
7038.75	2.75			1746.661	1413.711	
7039	3			1824.328	1610.807	
7039.25	3.25			1898.821	1816.296	
7039.5	3.5			1970.499	2029.849	
7039.75	3.75			2039.66	2251.172	
7040	4			2106.552	2480	
7040.25	4.25			2171.384	2716.096	
7040.5	4.5			2234.336	2959.242	
7040.75	4.75			2295.562	3209.239	
7041	5			2355.197	3465.905	
7041.25	5.25			2413.359	3729.071	
7041.5	5.5			2470.152	3998.579	
7041.75	5.75			2525.667	4274.285	
7042	6			2579.989	4556.051	
7042.25	6.25			2633.19	4843.75	
7042.5	6.5			2685.338	5137.262	
7042.75	6.75			2736.492	5436.474	
7043	7			2786.707	5741.28	
7043.25	7.25			2836.033	6051.579	
7043.5	7.5			2884.516	6367.275	
7043.75	7.75			2932.197	6688.277	
7044	8			2979.115	7014.499	
7044.25	8.25			3025.305	7345.859	
7044.5	8.5			3070.801	7682.279	
7044.75	8.75			3115.633	8023.683	
7045	9			3159.828	8370	
7045.25	9.25			3203.414	8721.161	
7045.5	9.5			3246.415	9077.1	
7045.75	9.75			3288.854	9437.753	
7046	10			3330.752	9803.061	
7046.25	10.25			3372.129	10172.96	
7046.5	10.5			3413.005	10547.41	
7046.75	10.75			3453.397	10926.33	
7047	11			3493.322	11309.69	
7047.25	11.25			3532.796	11697.43	
7047.5	11.5			3571.833	12089.5	
7047.75	11.75			3610.449	12485.86	
7048	12			3648.656	12886.46	

Existing Stock Pond 2 Proposed Outlet Structure

width	25	area	625	open area x 70%	218.75
length	25	blockage	0.5		
perimeter	100	blockage	0	avail perm.	100
Elev (ft)	Head (ft)			Orifice	Weir
7117.75	0			0	0
7118	0.25			526.6381	38.75
7118.25	0.5			744.7787	109.6016
7118.5	0.75			912.1639	201.3509
7118.75	1			1053.276	310
7119	1.25			1177.599	433.2382
7119.25	1.5			1289.995	569.5064
7119.5	1.75			1393.353	717.66
7119.75	2			1489.557	876.8124
7120	2.25			1579.914	1046.25
7120.25	2.5			1665.376	1225.383
7120.5	2.75			1746.661	1413.711
7120.75	3			1824.328	1610.807
7121	3.25			1898.821	1816.296
7121.25	3.5			1970.499	2029.849
7121.5	3.75			2039.66	2251.172
7121.75	4			2106.552	2480
7122	4.25			2171.384	2716.096
7122.25	4.5			2234.336	2959.242
7122.5	4.75			2295.562	3209.239
7122.75	5			2355.197	3465.905
7123	5.25			2413.359	3729.071
7123.25	5.5			2470.152	3998.579
7123.5	5.75			2525.667	4274.285
7123.75	6			2579.989	4556.051
7124	6.25			2633.19	4843.75
7124.25	6.5			2685.338	5137.262
7124.5	6.75			2736.492	5436.474
7124.75	7			2786.707	5741.28
7125	7.25			2836.033	6051.579
7125.25	7.5			2884.516	6367.275
7125.5	7.75			2932.197	6688.277
7125.75	8			2979.115	7014.499
7126	8.25			3025.305	7345.859
7126.25	8.5			3070.801	7682.279
7126.5	8.75			3115.633	8023.683
7126.75	9			3159.828	8370
7127	9.25			3203.414	8721.161
7127.25	9.5			3246.415	9077.1
7127.5	9.75			3288.854	9437.753
7127.75	10			3330.752	9803.061
7128	10.25			3372.129	10172.96
7128.25	10.5			3413.005	10547.41
7128.5	10.75			3453.397	10926.33
7128.75	11			3493.322	11309.69
7129	11.25			3532.796	11697.43
7129.25	11.5			3571.833	12089.5
7129.5	11.75			3610.449	12485.86
7129.75	12			3648.656	12886.46



Grouted Boulder Stilling Basin Calculations for SRMD Pond #1 & 2 Outfalls

Pond 1 (Lower)

	Q	Froude (From StormCAD)	Velocity (from StormCAD)	Y2 (from HEC)	L (from chart)	Y1 (from HEC)	L (from calc)
2-Yr	142	1.68	10.24	1.2	4.8	0.59	4.010722837
5-Yr	513	1.699	15.83	3.06	12.24	1.17	8.175549096
10-Yr	560	1.694	16.27	4.21	16.84	1.6	11.10031821
25-Yr	1155	1.62	20.1	4.97	19.88	1.91	11.83886596
50-Yr	1591	1.563	21.85	6.34	25.36	2.37	13.34018799
100-Yr	1875	1.529	22.73	7.17	28.68	2.68	14.17446829

Pond 2 (Upper)

	Q	Froude (From StormCAD)	Velocity (from StormCAD)	Y2 (from HEC)	L (from chart)	Y1 (from HEC)	L (from calc)
2-Yr	155	1.501	10.4	0.89	3.56	0.64	3.205845838
5-Yr	480	1.524	15.38	1.58	6.32	1.3	6.81071213
10-Yr	783	1.395	16.99	2	8	1.52	6.003354922
25-Yr	1036	1.345	18.21	2.3	9.2	1.62	5.588541897
50-Yr	1409	1.281	19.52	2.74	10.96	1.72	4.832937184
100-Yr	1665	1.309	20.87	3.03	12.12	1.78	5.499838345



Length of hydraulic jump [edit]

Length of a hydraulic jump is often hard to measure in the field and during laboratory investigations due to the sudden changes in surface turbulence, in addition to the formation of roller and eddies.^[9] The length of a hydraulic jump is often an important factor to know when considering the design of structures like settling basins. Comprehensive studies are applying six-legged components for the bed lining of stilling basins. The results imply that appropriate settings of the elements can decrease the length of the hydraulic jump, the length of stilling basin, the conjugated depth, and consequently reduce the scour depth downstream of the basin.^[10] The equation derived for length is based on experimental data, and relates the length to the upstream Froude number.

$$(1) L = 220 \times y_1 \times \tanh \frac{Fr_1 - 1}{22} \quad [11]$$

HY-8 Culvert Analysis Report

Crossing Discharge Data

Discharge Selection Method: Specify Minimum, Design, and Maximum Flow

Minimum Flow: 0 cfs

Design Flow: 1550 cfs

Maximum Flow: 2600 cfs

Table 1 - Summary of Culvert Flows at Crossing: SRR (separate berm)

Headwater Elevation (ft)	Total Discharge (cfs)	Culvert 1 Discharge (cfs)	Culvert 2 (low flow) Discharge (cfs)	Roadway Discharge (cfs)	Iterations
7000.88	0.00	0.00	0.00	0.00	0
7003.13	260.00	151.32	108.64	0.00	3
7004.37	520.00	339.63	180.32	0.00	4
7005.52	780.00	552.62	227.38	0.00	4
7006.71	1040.00	773.45	266.59	0.00	4
7008.18	1300.00	994.87	305.19	0.00	4
7009.91	1550.00	1205.48	344.57	0.00	4
7011.14	1820.00	1333.23	369.90	115.89	7
7011.40	2080.00	1359.45	375.23	344.67	5
7011.62	2340.00	1380.22	379.47	580.03	5
7011.81	2600.00	1398.22	383.17	817.61	4
7010.88	1672.34	1307.58	364.76	0.00	Overtopping

Rating Curve Plot for Crossing: SRR (separate berm)

Total Rating Curve

Crossing: SRR (separate berm)




Table 2 - Culvert Summary Table: Culvert 1


Total Discharge (cfs)	Culvert Discharge (cfs)	Headwater Elevation (ft)	Inlet Control Depth (ft)	Outlet Control Depth (ft)	Flow Type	Normal Depth (ft)	Critical Depth (ft)	Outlet Depth (ft)	Tailwater Depth (ft)	Outlet Velocity (ft/s)	Tailwater Velocity (ft/s)
0.00	0.00	7000.88	0.000	0.000	0-NF	0.000	0.000	0.000	0.000	0.000	0.000
260.00	151.32	7003.13	1.745	1.751	3-M2t	1.225	1.017	1.177	1.738	4.944	2.537
520.00	339.63	7004.37	2.954	2.998	3-M2t	2.077	1.743	2.032	2.593	6.429	3.216
780.00	552.62	7005.52	4.097	4.143	3-M2t	2.886	2.412	2.703	3.264	7.863	3.673
1040.00	773.45	7006.71	5.326	5.184	3-M2t	3.644	3.018	3.274	3.835	9.085	4.027
1300.00	994.87	7008.18	6.800	6.142	7-M2t	4.000	3.569	3.780	4.341	10.124	4.318
1550.00	1205.48	7009.91	8.531	4.111	5-M2t	4.000	4.000	3.780	4.781	0.000	4.558
1820.00	1333.23	7011.14	9.756	4.548	5-M2t	4.000	4.000	3.780	5.218	10.124	4.786
2080.00	1359.45	7011.40	10.024	4.939	5-M2t	4.000	4.000	3.780	5.609	10.124	4.982
2340.00	1380.22	7011.62	10.241	5.306	5-M2t	4.000	4.000	3.780	5.976	10.124	5.159
2600.00	1398.22	7011.81	10.431	5.652	5-M2t	4.000	4.000	3.780	6.322	10.124	5.322

Straight Culvert

Inlet Elevation (invert): 7001.38 ft, Outlet Elevation (invert): 7001.27 ft

Culvert Length: 84.00 ft, Culvert Slope: 0.0013


Culvert Performance Curve Plot: Culvert 1



Water Surface Profile Plot for Culvert: Culvert 1

Crossing - SRR (separate berm), Design Discharge - 1550.0 cfs

Culvert - Culvert 1, Culvert Discharge - 1205.5 cfs



Site Data - Culvert 1

Site Data Option: Culvert Invert Data

Inlet Station: 0.00 ft

Inlet Elevation: 7001.38 ft

Outlet Station: 84.00 ft

Outlet Elevation: 7001.27 ft

Number of Barrels: 2

Culvert Data Summary - Culvert 1

Barrel Shape: Concrete Box

Barrel Span: 13.00 ft

Barrel Rise: 4.00 ft

Barrel Material: Concrete

Embedment: 0.00 in

Barrel Manning's n: 0.0120

Culvert Type: Straight

Inlet Configuration: Square Edge (90°) Headwall

Inlet Depression: None

Table 3 - Culvert Summary Table: Culvert 2 (low flow)

Total Discharge (cfs)	Culvert Discharge (cfs)	Headwater Elevation (ft)	Inlet Control Depth (ft)	Outlet Control Depth (ft)	Flow Type	Normal Depth (ft)	Critical Depth (ft)	Outlet Depth (ft)	Tailwater Depth (ft)	Outlet Velocity (ft/s)	Tailwater Velocity (ft/s)
0.00	0.00	7000.88	0.000	0.000	0-NF	0.000	0.000	0.000	0.000	0.000	0.000
260.00	108.64	7003.13	2.213	2.235	7-M1t	1.340	1.294	1.738	1.738	4.808	2.537
520.00	180.32	7004.37	3.494	3.860	4-FFf	1.865	1.815	2.000	2.593	6.935	3.216
780.00	227.38	7005.52	4.644	5.380	4-FFf	2.000	2.000	2.000	3.264	8.745	3.673
1040.00	266.59	7006.71	5.825	6.807	4-FFf	2.000	2.000	2.000	3.835	10.253	4.027
1300.00	305.19	7008.18	7.300	8.288	4-FFf	2.000	2.000	2.000	4.341	11.738	4.318
1550.00	344.57	7009.91	9.031	9.860	4-FFf	2.000	2.000	2.000	4.781	13.253	4.558
1820.00	369.90	7011.14	10.255	11.097	4-FFf	2.000	2.000	2.000	5.218	14.227	4.786
2080.00	375.23	7011.40	10.524	11.663	4-FFf	2.000	2.000	2.000	5.609	14.432	4.982
2340.00	379.47	7011.62	10.740	12.172	4-FFf	2.000	2.000	2.000	5.976	14.595	5.159
2600.00	383.17	7011.81	10.931	12.642	4-FFf	2.000	2.000	2.000	6.322	14.737	5.322

Straight Culvert


Inlet Elevation (invert): 7000.88 ft, Outlet Elevation (invert): 7000.71 ft

Culvert Length: 84.00 ft, Culvert Slope: 0.0020

Culvert Performance Curve Plot: Culvert 2 (low flow)

Performance Curve


Culvert: Culvert 2 (low flow)



Water Surface Profile Plot for Culvert: Culvert 2 (low flow)

Crossing - SRR (separate berm), Design Discharge - 1550.0 cfs

Culvert - Culvert 2 (low flow), Culvert Discharge - 344.6 cfs



Site Data - Culvert 2 (low flow)

Site Data Option: Culvert Invert Data

Inlet Station: 0.00 ft

Inlet Elevation: 7000.88 ft

Outlet Station: 84.00 ft

Outlet Elevation: 7000.71 ft

Number of Barrels: 1

Culvert Data Summary - Culvert 2 (low flow)

Barrel Shape: Concrete Box

Barrel Span: 13.00 ft

Barrel Rise: 2.00 ft

Barrel Material: Concrete

Embedment: 0.00 in

Barrel Manning's n: 0.0120

Culvert Type: Straight

Inlet Configuration: Square Edge (90°) Headwall

Inlet Depression: None

Table 4 - Downstream Channel Rating Curve (Crossing: SRR (separate berm))

Flow (cfs)	Water Surface Elev (ft)	Depth (ft)	Velocity (ft/s)	Shear (psf)	Froude Number
0.00	7000.71	0.00	0.00	0.00	0.00
260.00	7002.45	1.74	2.54	0.22	0.36
520.00	7003.30	2.59	3.22	0.32	0.38
780.00	7003.97	3.26	3.67	0.41	0.39
1040.00	7004.55	3.84	4.03	0.48	0.40
1300.00	7005.05	4.34	4.32	0.54	0.41
1550.00	7005.49	4.78	4.56	0.60	0.41
1820.00	7005.93	5.22	4.79	0.65	0.42
2080.00	7006.32	5.61	4.98	0.70	0.42
2340.00	7006.69	5.98	5.16	0.75	0.43
2600.00	7007.03	6.32	5.32	0.79	0.43

Tailwater Channel Data - SRR (separate berm)

Tailwater Channel Option: Trapezoidal Channel

Bottom Width: 52.00 ft

Side Slope (H:V): 4.00 (4:1)

Channel Slope: 0.0020

Channel Manning's n: 0.0350

Channel Invert Elevation: 7000.71 ft

Roadway Data for Crossing: SRR (separate berm)

Roadway Profile Shape: Constant Roadway Elevation

Crest Length: 300.00 ft

Crest Elevation: 7010.88 ft

Roadway Surface: Paved

Roadway Top Width: 52.00 ft

Appendix F
Excerpts From Reference Material



To: Tristin Bonser, PE JR Engineering

From: David Bidelspach, 5 Smooth Stones Restoration, PLLC

CC:

Date: April 6th, 2021

Re: Sand Creek Channel Stabilization Project; El Paso County - General Guidelines for Geomorphic Assessment / Design and Performance Standards

Five Smooth Stones Restoration (5SSR) was tasked with developing general guidelines for geomorphic assessment and conceptual design for the drainage referred to as Sand Creek adjacent to the current private development within El Paso County, Colorado. The location of Sand Creek limits and development is shown below in Error! Reference source not found.. This memo discusses the geomorphic findings from field survey and site visit along with general guidelines used to develop the suggested parameters for the reaches within the Sand Creek.

Background

Development is currently on going adjacent to the site. Most of the infrastructure for the development is near completion and it also appears most development drainage systems to Sand Creek, such as culverts and detention basins have been installed.

Development flows were provided to 5SSR from JR Engineering from The Sand Creek Basing Planning Study of $Q_{10} = 700\text{cfs}$ and $Q_{100} = 2,620\text{ cfs}$ and used for the evaluation of performance standards for the site.

Drainage Areas and current watershed uses using USGS StreamStats (<https://streamstats.usgs.gov>) and used for initial investigation for regional curve comparisons and existing conditions evaluation.

Project Objectives

5SSR identified five objectives to direct the project study for Sand Creek channels. The objectives of the study are:

1. Perform geomorphic assessment of current conditions
2. Identify potential future conditions
3. Provide MCDA Alternative Analysis for Design Options
4. Provide design dimensions (Performance Standards) for a multi-stage channel to handle proposed development flows for different Alternatives.
5. Improve the riparian functions of stability, habitat, and aesthetics.




Figure 1 – Project Location Map




Figure 2 – Project Site Location Map

Geomorphic Assessment

A geomorphic survey and assessment were performed in March 10th, 2021 on approximately 9000ft of Sand Creek. Data collection consisted of visual inspection, photo documentation, profile, pattern and cross-sections for the entire length of the project of Sand Creek, Error! Reference source not found.. Data from this assessment were used to evaluate existing conditions of the project area, informing stable slope angles, channel dimensions, trajectory and current function. Existing dimension, pattern, and profile data was analyzed and provided as separate items attached to this memo.

The site consists of multiple ponds and detection structures that have impacted stream function and process. Vegetation is very limited on the project other than presence of willows in the lower laying areas with the typical shrubs on the upper riparian zones. The upper section of the reach (Figure 3, Figure 6) has good floodplain connection leading into the ponds with minimal erosion impacts in a more of a semi confined valley with low bank heights being in the 2-3ft range. Downstream of the second pond, there is a significant change in bed elevation and we start to see the valley become more confined with more upper terrace erosion and down valley migration tendencies, Figure 4, Figure 7. It is theorized that at one point the stream had an active head cut and incision occurred, then over time the channel carved new floodplain to balance equilibrium. And some point the ponds were installed and changed the how the valley functioned to how it sits today. Near the Development a blockage of a road, Figure 5, has affected the hydrology and downstream there is another large pond. Towards the end of the reach, we still see channel migration into high terrace banks but do appear to have more floodplain access and less confinement.



Figure 3, 4 – Upper Reach Ponds and Down Valley Migration Example



Figure 5 – Road Detention and Pond #3

Existing cross-sections through the site show increased channel incision (disconnection from floodplains) and low bank heights reaching as high as 12ft. the average slope through the reach is 0.016 ft/ft. The existing channel sinuosity, or stream length/valley length, is nearly 1.2.



Figure 6 – Start of Reach – Unconfined



Figure 7 – DW Pond #2 Confined Valley




Figure 8 – Willows in Riparian Zone



Figure 9 – Confined Valley, Limited Bank Erosion



Figure 10 – Down Valley Migration



Figure 11 – Headcut



Figure 12 – High Terrace with open floodplain towards end of project

Bankfull Channel Dimensions

USGS StreamStats (<https://streamstats.usgs.gov>) was used to evaluate the drainage area, in square miles (A) and mean annual rainfall, in inches per year, for the reaches. The mean annual rainfall and drainage area used for upper and lower limits are 19.84 inches/year and 2.6 square miles at the start and 3.4 square miles at the end of the project reach. From the existing conditions survey, cross-sections were analyzed using in field bankfull calls thought the reach and are listed in the table below:

Table 1 - Existing Bankfull Dimensions								
	XS STA	Area (sq mi)	WBKF (ft)	DBKF	ABKF (sq ft)	W/D	Entrenchment Ratio	Stream Type
1	97	2.62	15.6	0.58	9	27	1.46	B
6	927	2.75	24.9	0.33	8.09	75	<5	C
7	1725	2.86	16.7	0.59	9.84	28	1.61	B
13	4770	3.21	20.5	0.62	12.7	33	1.52	B
17	6612	3.35	29.2	0.36	10.6	81.11	1.72	B
21	9940	3.48	22.2	0.71	15.9	31.27	2.78	C

From this data, a local mini-regional curve was also used to evaluate the validity of 1) compared to expected watershed response factor (WRF) using the Southwest Regional Curve intercept graph and 2) compared to other local curves collected thought the front range for suggested bankfull areas. Typically, there is a high correlation between the bankfull cross-sectional area and the associated drainage area. This is evident for this mini-regional curve.




Figure 13 – Regional Curve Comparison.

Using the Southwest Regional Curve Intercept graph (Error! Reference source not found.) to relate the mean annual rainfall to the cross-sectional area y-intercept, a.k.a. watershed response factor (WRF), along with field observations and measurements, a WRF of 7.9 was used to calculate the recommended bankfull cross-sectional area, A_{BKF} , for the reaches.

$$A_{BKF} = WRF * DA^{0.67}$$

Reference design bankfull width-to-depth ratios (WDR_{BKF}) between 18 and 22 should be evaluated for the channel design. The WDR is defined as the bankfull width (W_{BKF}) divided by the mean depth of the bankfull cross-section d_{BKF} .

$$WDR = \frac{W_{BKF}}{d_{BKF}}$$

Using the WDR the recommended design bankfull widths can be calculated using:

$$W_{BKF} = \sqrt{WDR * A_{BKF}}$$




Figure 14 – Southwest Regional Curve Intercept.

Bankfull cross-sectional areas ranging from approximately 8 to 15 square feet were observed on-site with a degree of uncertainty, but for the most part fell within range of what we would expect.

MCDA Alternative Analysis

Design Alternatives Analysis

The design alternative analysis was done using the Multi-Criterial Decision Analysis (MCDA), the MCDA is a scoring system that compares the different design alternatives based on the goals and objectives of the project. For Sand Creek the goals are to reduce maintenance, enhance ecosystem and habitat, reduce sediment transport, and increase channel stability while reducing the risk of further degradation. For this project four alternatives are considered:

Alternative 1: Do nothing

The do-nothing alternative sees what is going to happen if no action is taken for stream restoration, for Sand Creek these means further erosion of the banks, movement of the channel trajectory overtime, and increase in risk of damaging private property with increased flows due to the proposed development. The initial capital cost for this alternative is nothing but the maintenance cost would be the maximum potential cost.

Alternative 2: Priority II restoration with 700ft with floodplain

The priority II restoration main objective is to widen the floodplain at the existing channel elevation to reduce shear stress. For Sand Creek this means that the channel width/floodplain would be about 700ft in order maintain shear stress to about 1.2 lbf/ft^2 , the increase of the channel width will happen in 4 stages (Inner berm, Bankfull, Flood Terrace, and Floodplain) (Figure 5). Priority II restoration produces very stable streams however it requires more floodplain grading, some structures and periodic maintenance making this this alternative more expensive compared to priority I or II. Priority III restoration for Sand Creek comes with a few challenges, one of them being the confinement of the channel between two urban areas, limiting the channel width to about 200 to 300 ft, making the shear stress greater than 1.2 lbf/ft^2 , due to the higher shear stress the channel restoration would require more structures to stabilize the banks to reduce the risk of bank erosion. The initial capital construction, design and permitting cost for this 10,800ft reach would be 4.9 Million dollars with the low maintenance cost of less \$2,000/year.

Alternative 3: Priority II four stages channel with 1-2ft floodplain drops.

Alternative 3 restoration for Sand Creek it is the same as alternative 2 with the difference that instead of increasing the floodplain width to 700ft, alternative 3 will take into consideration the current channel dimensions and fit the channel design with 4 stages with 1 – 2 ft drops, however, due to the constraints of the channel dimensions, more structure would be needed to stabilize banks. SSSR's assumption is that in some areas the available floodplain width may only be 200ft. With an approximate 200ft floodplain this would require channel slope of $.006 \text{ ft/ft}$ to obtain 1.2 lbf/ft and would also require around 100 - 1ft riffle drops to make up for the project reach. The design could have a riffle/drop structure as close as every 100ft. This alternative also has assumed 2 smaller stock ponds and 1 larger pond online with Sand Creek will remain with the proposed development. This alternative requires less floodplain grading than Alternative 2 but will be more costly due to importing more boulders for structures and



grade control. The initial capital construction, design and permitting cost for this 10,800ft reach would be 6.3 Million dollars with the low maintenance cost of less \$2,500/year.

Alternative 4: Priority II/III channel realignment as needed and rip rap floodplain protection and bank stabilization.

This alternative prioritizes the most vulnerable places along the channel and proposes realignment of the channel where bank erosion could be a risk for private property. In places where stabilization is needed, the banks would be stabilized using sill joint planted rip rap, coir and transplants. This alternative is not ideal however address the main issues of bank erosion of the channel. This alternative would allow the maximum floodplain slope to increase to .016 ft/ft average slope with ~200ft flood width and no drop structures. The applied shear of less than 3psf for this alternative would be higher than the natural stable reference threshold shear for vegetated floodplains in the region. The initial capital construction, design and permitting cost for this 10,800ft reach would be 9.1 Million dollars with the low maintenance cost of less \$3,600/year.

Table 2: MCDA matrix table

Option #	Concept Option Description	Reduce Maintenance		Ecosystem and Habitat Enhancements			Sediment Reduction and Stabilization			Risk Reduction					MCDA Matrix Score	MCDA RANKING	
		Sustainability and Robustness	Minimize the need for future maintenance	Habitat Improvements	Ecological Resiliency	Floodplain Restoration and Connectivity	Reduction of Bank Erosion and Lateral Bank Migration	Minimize Vertical Instability by adding needed grade control	Sustainable Sediment Transport Balance	No Increase in Liability to Funders	No Rise in Flood Stage or Flood Stage Reduction (No CLOMR and LOMR project requirements)	Protect and not disturb the cultural resource area.	Engineering Design Life Span and Risk Reduction	Minimize disturbance as required by permit conditions of the existing USACE NWP 27 and the Preble's Mouse			
Option #1	Do nothing	4	4	5	5	4	4	5	4	3	1	1	5	5	1	115	4
Option #2	Priority II - Stabilize Banks with Coir, River NCD Structures and Regrade Floodplain to 700ft	1	1	2	1	1	1	1	1	1	1	3	1	1	4	60	1
Option #3	Priority II - Stabilize Banks with Coir, River NCD Structures and Regrade Floodplain 1-2ft drops to fit into design	2	2	2	3	3	3	3	2	3	2	3	3	3	3	92	2
Option #4	Priority III - Realignment as needed stabilize banks with sill joint planted rip rap, coir and transplants	3	3	3	3	4	3	3	2	3	1	2	4	2	97	3	

Performance Standards and Design Recommendations

Reference dimensionless ratios, based on the valley type, channel slopes, and region, informed the recommended pattern design of each of the reaches based on the proposed bankfull width. Pool-to-pool spacing recommended to be between 4.5 to 6.0 times the W_{BKF} . Radius of curvatures are recommended to be 2.5 to 3.5 times W_{BKF} . Riffle lengths are recommended to be between 1.5 to 2.5 times W_{BKF} . Meander wavelengths are recommended to be between 9 and 12 times W_{BKF} . Channel belt widths are recommended to be between 2 and 3.5 times W_{BKF} . For Sand Creek, it is recommended that a multi stage channel be designed that includes an Inner Berm feature, Bankfull Feature, Floodplain Terrace, and a 10 and 100-year bench to handle flood flows and reducing shear stresses to around 1.2 lb/sqft.

Bankfull Design

Using the existing conditions site values as well as regional curve information from other locations it is determined to size the channel with a bankfull area of 14sq ft, bankfull width of 17ft and mean depth of 0.71 ft. The low flow should account for 33% of the bankfull area.

Floodplain Design

The area for flood terraces for each of the reaches is recommended to be designed to approximately 300% of the A_{BKF} . The flood terrace width-to-depth ratio (WDR_{FLTR}) is recommended to be three times that of the WDR_{BKF} .

JRE provided 100-year flows for each of the reaches for the ultimate buildout condition. Floodplain widths and depths were designed to accommodate the estimated 100-year peak flood assuming a 100-year design shear stress not to exceed 1.2 pounds per square foot. Discharge and velocity estimates were calculated assuming a manning's "n" of 0.055. Width required for this alternative would require close to 700ft of floodplain, which is most likely not an option. Other design alternatives such as using drop structures to manage the slope was evaluated to keep the shear at 1.2 assuming a maximum width of 200ft. The alternative of looking at the max shear based on a 200ft floodplain width was also evaluated for consideration of design for a steeper slope.

Drop Structures Evaluation

The use of drop structures maybe required to reduce channel slope where proposed corridor widths make it implausible to construct a floodplain wide enough to convey the 100-year discharge while staying below the 100-year design shear stress. The concepts evaluated for using drops in each of these reaches will need to be further evaluated to ensure that the channel designs fit the landscape. The concepts should also be optimized, potentially reducing the required channel/floodplain corridor.

Design Considerations

100-year floodplain design assumes that vegetation at each of the reaches can provide stability up to an applied shear stress of 1.2 psf. Bank stabilization can be used to reduce risk to areas that the applied shear stress nears, exceeds, or is expected to exceed 1.2 psf.

Common treatment methods based on shear are listed as follows:

- 0 – 1 psf - Treatment Seed and Straw with Riparian Plantings
- 1 – 1.4 psf – Treatment Floodplain Coir Matting / Seed and Straw with Riparian Plantings
- 1.5 – 2.5 psf - Treatment Floodplain Boulder/ Log Sills, Floodplain Coir Matting / Seed and Straw with Riparian Plantings
- 2.6 – 4.0 psf - Treatment Floodplain Vegetated Rip-Rap, Floodplain Coir Matting / Seed and Straw with Riparian Plantings

Riffle grade control structures are being recommended to stabilize channel grade throughout the design. Where cascade riffles are not utilized, augmenting each of the riffles with 4 to 8-inch riprap is recommended to reduce the risk of scour at the riffles. This is particularly important at regions downstream of “clear water” discharge points or where threshold riffle design, a riffle with minimal movement, is required. The 4-8-inch riprap will be stable in-place for all design discharges that have an applied shear stress less than 1.2 psf. **Figure 15** shows the Shield’s/Rosgen Entrainment Function used for sizing particles for applied shear stress.




Figure 15: Shield’s/Rosgen Entrainment Function. The red trendline shows the Shields function, while the blue trendline shows Rosgen function.

Joint planted riprap is recommended at the terminus of the project reach for scour protection at the catchment pond. The in-line pond outlet structure design required for the successful implementation of Alternatives 2-4 has not been investigated at this time. This report is to serve as a conceptual reconnaissance level geomorphic assessment. The later design process will require a greater detail of investigation and analysis. The 5SSR team has assumed that the

Potential Structures In-streams Structures

Gravel Constructed Riffle

Gravel constructed riffles utilize immobile gravel in the riffle section of the channel. Gravel armors the channel, increases channel roughness, provides grade control, and promotes macroinvertebrate habitat. Gravel augmented riffles promote channel stability in high shear stress situations within perennial channels. All gravel riffles would be designed to a threshold shear of 1.2psf with gravel having a D50 exceeding 100mm and a D84 exceeding 180mm.




Figure 1: Gravel Constructed Riffle

Toe wood Bank Stabilization

Toe wood structures incorporate native woody material into a submerged undercut bank to replicate natural stream banks. The structure consists of large woody debris such as logs, branches, brush, and roots buried at the bankfull bench. The bottom layer consists of woody debris and soil as fill. Root wads are placed to cantilever foundation logs; the root wads protrude from the stream bank, protecting it from the shearing force of flow. Filler materials such as small logs, limbs, and tree branches are placed on the second layer. The top layer consists of backfill with overlying coir-wrapped soil lifts and live stakes. Toe

wood can be placed along the geomorphic channel streambanks. When placed in the outside meander bank, toe wood helps protect it from lateral migration and subsequent bank erosion while promoting revegetation. Toe wood is also a cost-effective stream stabilization method, as it reuses woody material harvested from site clearing. There is a possibility with later design phases that the wood toe stabilization could be substituted by hay bales for cost reduction or coir lifts if wood is unavailable.




Figure 2: Toe Wood and Bank Stabilization




Figure 18 Typical riffle (tangent section) channel cross-section and channel acronyms.

Table 3: Performance Standard

Reach #	Rainfall	Reach Name	Watershed Area	Existing Reach Drop	Existing Reach Length	Existing Reach Slope	Regional Relationship	Assumed Bankfull Velocity	Design Bankfull XS Area	Design Bankfull WDR	Design Bankfull XS Width	Design Pool-Pool Spacing Ratio	Design Pool-Pool Spacing	% Flood Terrace Channel	Design Flood Terrace Area	Design Flood Terrace WDR	Design Flood Terrace Width	Depth for Offset	% Low Flow Channel	Design Inner Berm	Design Inner Berm WDR	Design Inner Berm Width	100-yr Design Discharge	100-yr Design Shear Stress	100-yr Design Average Depth	100-yr Floodplain Velocity	100-yr Floodplain Area	100-yr Floodplain Width	Min Riffle Substrate D84	Min Riffle Substrate D50	Min. Design Scour Depth of Riffles
1	19.84	R1	2.4	46.47	2286	0.020	8.11	3	14.59	20	17.08	4	68.32	3	43.76	60	51.24	0.85	0.3	4.38	16	8.37	2620	1.2	0.95	3.41	768.01	811.83	6.84	3.71	17.11
2	19.84	R2	2.9	59.51	3840	0.015	8.11	3	16.56	20	18.20	4	72.79	3	49.68	60	54.59	0.91	0.3	4.97	16	8.92	2620	1.2	1.24	3.57	733.39	591.01	6.84	3.71	17.11
3	19.84	R3	3.4	43	3600	0.012	8.11	3	18.42	20	19.19	4	76.78	3	55.26	60	57.58	0.96	0.3	7.74	16	11.13	2620	1.2	1.61	3.73	701.63	435.79	6.84	3.71	17.11
ALT 1	19.84	ALT 3	2.4	43	3600	0.016	8.11	3	14.59	20	17.08	5	85.40	3	43.76	60	51.24	0.85	0.3	4.38	16	8.37	2620	1.2	1.20	3.55	737.38	613.50	6.84	3.71	17.11
ALT 3	19.84	ALT 3	2.4	43	3600	0.006	8.11	3	14.59	20	17.08	5	85.40	3	43.76	60	51.24	0.85	0.3	4.38	16	8.37	2620	1.2	3.13	4.18	626.56	200.00	6.84	3.71	17.11
ALT 4	19.84	ALT 4	2.4	43	3600	0.016	8.11	3	14.59	20	17.08	4	68.32	3	43.76	60	51.24	0.85	0.3	4.38	16	8.37	2620	2.26	2.26	5.43	482.49	213.15	10.90	7.18	27.24



Table 4: Channel alternatives

WS (ft)	Depth Y (ft)	XS Area (ft ²)	Top Width (ft)	V (ft/s)	Hydraulic Depth (ft)	Hydraulic Radius (ft)	Shear Stress	Stream Power	Slope (ft/ft)	Q (cfs)	Alternative
97.33	0.68	4.32	12.90	1.01	0.33	0.33	0.13	0.13	0.006	4.36	IB-ALT3
98.00	1.35	14.29	16.85	1.85	0.85	0.83	0.32	0.59	0.006	26.44	BKF-ALT3
98.96	2.31	66.83	57.62	2.30	1.16	1.15	0.43	1.00	0.006	153.52	FLD TERRACE ALT3
100.03	3.38	267.60	191.36	2.62	1.40	1.39	0.52	1.37	0.006	700.00	Q10 - ALT3
101.74	5.09	603.92	201.55	4.34	3.00	2.97	1.12	4.87	0.006	2620.00	Q100 -ALT3
99.66	3.02	198.45	189.28	3.53	1.05	1.04	1.05	3.69	0.016	700.00	Q10 - ALT4
100.94	4.30	445.58	196.98	5.88	2.26	2.25	2.26	13.28	0.016	2620.00	Q100 - ALT4
99.38	2.73	313.05	593.57	2.24	0.53	0.53	0.53	1.18	0.016	700.00	Q10 - Alt 2
100.01	3.37	692.92	597.18	3.78	1.16	1.16	1.16	4.38	0.016	2620.00	Q100 Alt 2

SAND CREEK RESTORATION

STERLING RANCH, CO

GEOTECHNICAL BORING LOCATIONS



GEOTECHNICAL BORING
LOCATIONS
SAND CREEK RESTORATION
JOB NO. 25188.04
1/28/22
SHEET 1 OF 3





Centennial 303-740-9393 • Colorado Springs 719-593-2593
Fort Collins 970-491-9888 • www.jrengineering.com

SAND CREEK RESTORATION

STERLING RANCH, CO

GEOTECHNICAL BORING LOCATIONS



GEOTECHNICAL BORING
LOCATIONS
SAND CREEK RESTORATION
JOB NO. 25188.04
1/28/22
SHEET 2 OF 3


J-R ENGINEERING
A Westrian Company

Centennial 303-740-9393 • Colorado Springs 719-593-2593
Fort Collins 970-491-9888 • www.jrengineering.com

SAND CREEK RESTORATION

STERLING RANCH, CO

GEOTECHNICAL BORING LOCATIONS



GEOTECHNICAL BORING
LOCATIONS
SAND CREEK RESTORATION
JOB NO. 25188.04
1/28/22
SHEET 3 OF 3



Centennial 303-740-9393 • Colorado Springs 719-593-2593
Fort Collins 970-491-9888 • www.jrengineering.com



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
COLORADO SPRINGS, CO 80907
PHONE (719) 531-5599
FAX (719) 531-5238

**SUBSURFACE SOIL INVESTIGATION
STERLING RANCH
SAND CREEK CHANNEL IMPROVEMENTS
COLORADO SPRINGS, COLORADO**

Prepared for

C&C Land

20 Boulder Crescent 2nd Floor
Colorado Springs, Colorado 80903

Attn: Chaz Collins

April 5, 2022

Respectfully Submitted,

ENTECH ENGINEERING, INC.

Stuart Wood
Geologist

AMN/el

Encl.

Entech Job No. 211647
AAprojects/2021/211647 ssi

Reviewed by:



Austin M. Nossokoff P.E.

Table of Contents

1.0 INTRODUCTION..... 1

2.0 PROJECT AND SITE DESCRIPTION..... 2

3.0 SUBSURFACE EXPLORATIONS AND LABORATORY TESTING..... 2

4.0 SUBSURFACE CONDITIONS 3

 4.1 Soil and Rock 3

 4.2 Groundwater..... 4

5.0 GEOTECHNICAL EVALUATION AND RECOMMENDATIONS 5

 5.1 Shallow Foundation Parameters..... 5

 5.2 Bearing Capacity/Lateral Pressures 6

 5.3 Concrete 7

 5.4 Structural Fill..... 7

 5.5 Winter Construction 7

 5.6 Construction Observations 8

6.0 CLOSURE..... 8

TABLE

Table 1: Summary of Laboratory Test Results

FIGURES

- Figure 1: Site Vicinity Map
- Figure 2A: Site Plan/Test Boring Map
- Figure 2B: Site Plan/Test Boring Map
- Figure 2C: Site Plan/Test Boring Map

APPENDICES

- Appendix A: Test Boring Logs
- Appendix B: Laboratory Test Results

**SUBSURFACE SOIL INVESTIGATION
STERLING RANCH
SAND CREEK CHANNEL IMPROVEMENTS
COLORADO SPRINGS, COLORADO**

1.0 INTRODUCTION

C&C Land is planning the construction of four drop structures and improvements to two pond embankments along Sand Creek in the Sterling Ranch Subdivision. The project site is located east of Vollmer Road and northeast of the proposed Marksheffel Drive in Colorado Springs, Colorado. A Vicinity Map is presented in Figure 1. The Site Plan/Test Boring Location Map, Figure 2 indicates the approximate project location and test boring locations.

This report describes the subsurface conditions encountered in test borings drilled in the vicinity of the proposed drop structures and embankment dams and provides recommendations for design and construction. The subsurface investigation for the channel improvements consisted of drilling eight borings placed along the channel, one in the vicinity of each drop structure and two at each proposed embankment location, collecting samples of soil from the borings, performing laboratory tests on selected samples and conducting a geotechnical evaluation of the investigation findings. Drilling and subsurface investigation activities for the test borings were performed by Entech Engineering, Inc. (Entech). The contents of this report, including the geotechnical evaluation and recommendations, are subject to the limitations and assumptions presented in Section 6.

2.0 PROJECT AND SITE DESCRIPTION

It is Entech's understanding that the project will consist of the construction of four drop structures and pond embankment improvements for 2 holding ponds and associated channel improvements. Adjacent properties consist of future residential parcels and existing residential parcels. At the time of drilling, water was flowing in the channel. The channel flows to the southwest towards Colorado Springs.

3.0 SUBSURFACE EXPLORATIONS AND LABORATORY TESTING

The subsurface conditions on this site were investigated by drilling eight exploratory test borings. Four of the test borings were placed adjacent to the proposed location of each drop structure and two were placed adjacent to two separate pond embankment locations. The locations of the test borings are indicated on the Site/Test Boring Location Map, Figure 2. Test boring locations were staked by JR Engineering. Test Boring No. 6 was moved to the top of the embankment. The test borings were advanced with a power-driven continuous-flight auger-drilling rig to depths of 15 to 30 feet. Samples were obtained during drilling using the Standard Penetration Test, ASTM D-1586, utilizing a California sampler. Results of the Standard Penetration Testing (SPT) are included on the boring logs in terms of N-values expressed in blows per foot (bpf). Soil samples recovered from the borings were visually classified in the field and described on the boring logs. The field classifications were later verified using laboratory testing and grouped by soil type. The soil types (identified by number) are included on the boring logs. The Test Boring Logs are presented in Appendix A.

Water content testing (ASTM D-2216) was performed on samples recovered from the borings and the results are shown on the boring logs. Grain-Size Analysis (ASTM D-422) and Atterberg Limits testing (ASTM D-4318) were performed on selected samples to assist in classifying the materials encountered in the borings. Volume change testing was performed on selected samples using Swell/Consolidation and FHA swell tests in order to evaluate potential expansion/compression characteristics of the soil. Soluble sulfate testing was performed on samples of soil to evaluate the potential for below grade degradation of concrete due to sulfate attack. The laboratory testing results are summarized on Table 1 and are presented in Appendix B.

4.0 SUBSURFACE CONDITIONS

Two soil types and one bedrock type were encountered in the borings drilled for the proposed drop structures and embankments: Soil Type 1: native slightly silty to silty to clayey sand and silty to very silty sand fill (SM, SM-SW, SC), Soil Type 2: native sandy to very sandy clay (CL), and Soil Type 3: slightly silty to very silty sandstone bedrock (SM, SM-SW). The soil was classified using the results of the laboratory testing and the Unified Soil Classification System (USCS). Observations for groundwater presence were made in each of the boreholes following completion of drilling.

4.1 Soil and Rock

Soil Type 1 classifies as native slightly silty to silty to clayey sand and silty to very silty sand fill (SM, SM-SW, SC). The fill soils are from an existing earthen dam at Test Boring No. 6. The sand was encountered in all of the test borings from the existing ground surface and at 3 feet bgs in Test Boring No. 3 and extending to depths of 4 to 19 feet below ground surface (bgs). Standard Penetration Testing resulted in N-values of 4 to 26 bpf, indicating loose to medium dense states. Water content and grain size testing resulted in approximately 6 to 20 percent water content and approximately 11 to 40 percent of the soil size particles passing the No. 200 sieve. Atterberg Limits testing on the sand resulted in no values. Swell/Consolidation Testing on a sample of silty sand from Test Boring No. 1 and 8 at depths of 10 and 15 feet resulted in volume changes of 0.1 and 0.0 percent, respectively, indicating a low potential for expansion or consolidation. FHA swell testing on a sample of the very clayey sand resulted in a swell pressure of 120 psf, indicating low expansion potential. Sulfate testing performed on samples of the sand resulted in less than 0.01 percent sulfate by weight, indicating the sand exhibits negligible potential for concrete degradation due to below grade sulfate attack.

Soil Type 2 classifies as a native sandy to very sandy clay (CL). The clay was encountered in Test Boring Nos. 3 and 6 at the ground surface in Test Boring No. 3 and 19 feet bgs in Test Boring No. 6 and extending to 3 or up to 24 feet bgs. Standard Penetration Testing resulted in N-values of 9 and 14, indicating firm consistencies. Water content and grain size testing resulted in approximately 18 to 25 percent water content and 52.5 to 76.5 percent of the soil size particles passing the No. 200 sieve.

Soil Type 3 classifies as slightly silty to very silty sandstone bedrock (SM, SM-SW). The sandstone was encountered in all of the test borings at a depth of 4 to 24 feet bgs and extended to the termination of borings at 15 to 30 feet bgs. Standard Penetration Testing resulted in N-values of 36 to greater than 50 bpf, indicating dense to very dense states. Water content and grain size testing resulted in approximately 11 to 16.5 percent water content and approximately 6 to 24.5 percent of the soil size particles passing the No. 200 sieve. Atterberg Limits testing on the sandstone resulted in no values. Swell/Consolidation Testing on the sandstone resulted in volume changes of 0.00 to 0.10 percent indicating a low expansion/consolidation potential.

Additional soil descriptions can be seen on the enclosed drill logs. (Appendix A). A summary of the laboratory test results is presented in Table 1. Laboratory results are presented in Appendix B. It should be noted that the soil classification shown on the logs is based on the engineer's visual classification of the samples at the depths indicated. The soil types may vary between samples and locations tested. Also, stratification lines shown on the logs represent the approximate boundary between soil types and the actual transition may be gradual and vary with location.

4.2 Groundwater

Groundwater was encountered in all of the test borings at depths ranging from 2.5 to 9 feet bgs, during and subsequent to drilling. Groundwater will impact construction of the channel improvements and excavations during installation of drop structures and embankment improvements. Dewatering techniques will be required. Creek flow will vary due to variations in rainfall, drainage and other factors not readily apparent at this time. It should be noted that groundwater levels observed at the time of the subsurface investigation could change due to seasonal variations, changes in land runoff characteristics, and future development of nearby areas.

5.0 GEOTECHNICAL EVALUATION AND RECOMMENDATIONS

The following discussion is based on the subsurface conditions encountered in the borings drilled for the channel improvements to be constructed at the location previously described. If subsurface conditions different from those described herein are encountered during construction or if the project elements change from those described, Entech Engineering, Inc. should be notified so that the evaluation and recommendations presented below can be reviewed and revised if necessary.

Subsurface conditions in the channel improvement area consist of silty and clayey sands with some clay lenses overlying silty sandstone bedrock. The bedrock was encountered at 4 to 24 feet bgs in the test borings. It should be noted that Test Boring No. 6 was drilled on top of the existing embankment, which is where the bedrock was encountered at 24 feet. Water was encountered between 2.5 and 9 feet in the test borings. Water was flowing in the channel at the time of the investigation. SPT N-values measured in the soils and bedrock indicated overall medium dense to very dense states with some loose pockets generally encountered near the groundwater table.

Any newly placed fill should be placed according to the “Structural Fill” paragraph. Prior to placing the structural fill, the surface should be scarified, moisture-conditioned and compacted. The structural fill should be moisture-conditioned to within $\pm 2\%$ of its optimum moisture content to aid in compaction. Density tests should be performed to verify compaction with the first density test performed at subgrade and then when 12 to 18 inches of fill have been placed.

Sheet pile walls constructed in the channel should extend into the bedrock. Concrete cutoff walls should extend into bedrock or be installed over stabilized subgrade.

5.1 Shallow Foundation Parameters

Structures associated with the channel improvements can be supported with shallow foundations resting on native medium dense sand soils, imported structural fill, and sandstone bedrock. It should be noted that due to the shallow groundwater on this site, extensive subgrade improvements are anticipated to support shallow foundations, if installed. The drop structure walls should bear on native medium dense sand soils, imported structural fill, and undisturbed sandstone. Provided the above recommendations are followed an allowable bearing pressure of

2400 for the native medium dense sand soils and imported structural fill and 3500 psf is recommended for the sandstone bedrock.

Entech should observe excavated subgrades to evaluate if the exposed conditions are consistent with those described in this report. Entech should also provide recommendations for overexcavation depth and other subgrade improvements, if necessary, and the need for drain systems and stabilization methods based on the excavation conditions observed at that time.

5.2 Bearing Capacity/Lateral Pressures

The following values are recommended for use in designing below grade foundation walls subjected to unbalanced lateral loads and/or retaining walls that may be associate with this project.

Recommended Design Values – Lateral Loading*

Equivalent fluid density for lateral earth pressure (active case), pcf (sand)	45
Equivalent fluid density for lateral earth pressure (active case), pcf (saturated)	110
Equivalent fluid density for lateral earth pressure (passive case), pcf	250
Soil density (loose sand and gravel), psf	115
Soil density (compacted sand and gravel), psf	125
Angle of Internal Friction (loose sand), degrees	28
Angle of Internal Friction (compacted sand), degrees	34
Coefficient of sliding between concrete and sand/gravel	0.35

*Note: The passive pressure should be evaluated for site-specific conditions. The above lateral loading design values are for non-expansive, granular backfill conditions with level backslope angles and no surcharge loads. If wall backfill is submerged, water pressures must be taken into account as additional wall loading. If the backfill slope angles are greater than zero degrees, if the backfill is surcharged, or if the backfill is not free draining, the design values must be adjusted to account for additional lateral loading.

Site granular materials should be approved prior to hauling or placement. Granular backfill material should be compacted to a minimum of 95% of its maximum Modified Proctor Dry Density (ASTM D-1557). Granular backfill should be placed at a moisture content of $\pm 2\%$ of its optimum

moisture content. Density tests should be taken on the backfill to verify compaction, at 1-foot intervals.

5.3 Concrete

Type II cement is recommended for concrete at this site. To further avoid concrete degradation during construction it is recommended that concrete not be placed on frozen or wet ground. Care should be taken to prevent the accumulation or ponding of water in the foundation excavation prior to the placement of concrete. If standing water is present in the foundation excavation, it should be removed by ditching to sumps and pumping the water away from the foundation area prior to concrete placement. If concrete is placed during periods of cold temperatures, the concrete must be kept from freezing. This may require covering the concrete with insulated blankets and adding heat to prohibit freezing.

5.4 Structural Fill

Areas to receive fill should have all topsoil, organic material or debris removed. Fill must be properly benched. The surface should be scarified and moisture conditioned to within ± 2 percent of its optimum moisture content and compacted to 95 percent of its maximum Modified Proctor Dry Density (ASTM D-1557) for granular soils and 95 percent of its maximum Standard Proctor Dry Density (ASTM D-698) prior to placing new fill. New fill should be placed in thin lifts not to exceed 6 inches after compaction while maintaining at least 95 percent (95 percent for cohesive) of its maximum Modified Proctor Dry Density (ASTM D-1557). Standard (ASTM D-698 cohesive) fill materials should be placed at a moisture content conducive to compaction, usually ± 2 percent of Proctor optimum moisture content. The placement and compaction of fill should be observed and tested by Entech Engineering, Inc. Any imported soils should be approved by Entech Engineering, Inc. prior to being hauled to the site.

5.5 Winter Construction

In the event construction of the planned facility occurs during winter, foundations and subgrades should be protected from freezing conditions. Concrete should not be placed on frozen soil and once concrete has been placed, it should not be allowed to freeze. Similarly, once exposed, the subgrade should not be allowed to freeze. During site grading and subgrade preparation, care should be taken to avoid burial of snow, ice or frozen material within the planned construction area.

5.6 Construction Observations

It is recommended that Entech observe and document the following activities during construction.

- Excavated subgrades and subgrade preparation.
- Placement of drains (if installed).
- Placement/compaction of fill material.

6.0 CLOSURE

The subsurface investigation, geotechnical evaluation and recommendations presented in this report are intended for use by C&C Land with application to the planned channel improvements in Sand Creek northeast of proposed Markheffel Road in northeastern Colorado Springs, Colorado. In conducting the subsurface investigation, laboratory testing, engineering evaluation and reporting, Entech Engineering, Inc. endeavored to work in accordance with generally accepted professional geotechnical and geologic practices and principles consistent with the level of care and skill ordinarily exercised by members of the geotechnical profession currently practicing in same locality and under similar conditions. No other warranty, expressed or implied is made. During final design and/or construction, if conditions are encountered which appear different from those described in this report, Entech Engineering, Inc. requests that it be notified so that the evaluation and recommendations presented herein can be reviewed and modified as appropriate.

If there are any questions regarding the information provided herein or if Entech Engineering, Inc. can be of further assistance, please do not hesitate to contact us.


TABLE

TABLE 1
SUMMARY OF LABORATORY TEST RESULTS

CLIENT: C&C LAND
 PROJECT: CHANNEL IMPROVEMENTS
 JOB NO.: 211647

SOIL TYPE	TEST BORING NO.	DEPTH (FT)	WATER (%)	DRY DENSITY (PCF)	PASSING NO. 200 SIEVE (%)	LIQUID LIMIT (%)	PLASTIC INDEX (%)	SULFATE (WT %)	FHA SWELL (PSF)	SWELL/CONSOL (%)	UNIFIED CLASSIFICATION	SOIL DESCRIPTION
1	1	10	12.3	109.3	34.9	NV	NP			-0.1	SM	SAND, SILTY
1	2	5			33.5				120		SM	SAND, SILTY
1	5	2-3			40.1	NV	NP	<0.01			SM	SAND, VERY SILTY
2	3	2-3			76.5						CL	CLAY, SANDY
2	6	20			52.5						CL	CLAY, VERY SANDY
3	1	15			41.4	NV	NP				SM	SANDSTONE, VERY SILTY
3	4	20			24.5	NV	NP				SM	SANDSTONE, SILTY
3	6	25	16.5	112.3	11.8					0.1	SM-SW	SANDSTONE, SLIGHTLY SILTY
3	7	5			6.0						SM-SW	SANDSTONE, SLIGHTLY SILTY
3	8	15	8.3	119.1	10.0					0.0	SM-SW	SANDSTONE, SLIGHTLY SILTY

FIGURES




**ENTECH
ENGINEERING, INC.**
505 ELKTON DRIVE
COLORADO SPRINGS, CO 80907 (719) 531-5599


**VICINITY MAP
SAND CREEK CHANNEL IMPROVEMENTS
EL PASO COUNTY, CO
FOR: C & C LAND**

DRAWN: JHR	DATE: 3/28/22	CHECKED: AMN	DATE: 3-31-22
----------------------	-------------------------	------------------------	-------------------------


JOB NO.:
211647

FIG NO.:
1

STERLING RANCH, CO
GEOTECHNICAL BORING LOCATIONS



⊕ TB-2- APPROXIMATE TEST BORING LOCATION AND NUMBER




REVISIONS	BY:

ENTTECH
ENGINEERING, INC.
 505 ELKTON DRIVE
 COLORADO SPRINGS, CO. 80907 (719) 531-5599

SITE PLAN/TEST BORING MAP
 SAND CREEK CHANNEL IMPROVEMENTS
 EL PASO COUNTY, CO
 FOR: C & C LAND

DRAWN BY: JER
CHECKED BY: AMN
CHECKED BY:
DATE: 3/24/2022
SCALE: AS SHOWN
JOB NO.: 211647
FIGURE NO.: 2A

SAND CREEK RESTORATION
 STERLING RANCH, CO
GEOTECHNICAL BORING LOCATIONS



⊕ TB-2- APPROXIMATE TEST BORING LOCATION AND NUMBER


REVISIONS	BY:

ENTTECH
ENGINEERING, INC.
 505 ELKTON DRIVE
 COLORADO SPRINGS, CO. 80907 (719) 531-5599


SITE PLAN/TEST BORING MAP
 SAND CREEK CHANNEL IMPROVEMENTS
 EL PASO COUNTY, CO
 FOR: C & C LAND

DRAWN BY: JBR
CHECKED BY: AMH
DATE: 3/24/2022
SCALE: AS SHOWN
JOB NO.: 211647
FIGURE NO.: 2B

SAND CREEK RESTORATION
STERLING RANCH, CO
GEOTECHNICAL BORING LOCATIONS



⊕ TB-2- APPROXIMATE TEST BORING LOCATION AND NUMBER



REVISIONS	BY:

ENTTECH
ENGINEERING, INC.
 505 ELKTON DRIVE
 COLORADO SPRINGS, CO. 80907 (719) 531-5599

SITE PLAN/TEST BORING MAP
 SAND CREEK CHANNEL IMPROVEMENTS
 EL PASO COUNTY, CO
 FOR: C & C LAND

DRAWN BY: JER
DESIGNED BY: AMH
CHECKED BY:
DATE: 8/24/2022
SCALE: AS SHOWN
JOB NO.: 211647
FIGURE NO.: 2C

APPENDIX A: Test Boring Logs

TEST BORING NO. 1
 DATE DRILLED 2/26/2022
 Job # 211647

TEST BORING NO. 2
 DATE DRILLED 2/26/2022
 CLIENT C&C LAND
 LOCATION CHANNEL IMPROVEMENTS

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
WATER @ 5', 2/28/22							WATER @ 9', 2/28/22						
SAND, SLIGHTLY SILTY TO SILTY, FINE TO COARSE GRAINED, TAN TO GRAY BROWN, LOOSE TO DENSE, MOIST	5			9	7.1	1	SAND, SILTY, FINE TO COARSE GRAINED, BROWN, MEDIUM DENSE, MOIST	5			22	3.5	1
	5			7	12.8	1		5			22	11.4	1
WEATHERED TO FORMATIONAL SANDSTONE, VERY SILTY, FINE GRAINED, GRAY BROWN, VERY DENSE, MOIST	10			36	10.6	3	SANDSTONE, SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	10			29	2.4	1
	15			50 7"	12.5	3		15			50 3"	12.2	3
	20			50 4"	11.6	3		20			50 4"	16.5	3



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

JOB NO.:
 211647

FIG NO.:
 A- 1

TEST BORING NO. 3
 DATE DRILLED 2/26/2022
 Job # 211647

TEST BORING NO. 4
 DATE DRILLED 2/26/2022
 CLIENT C&C LAND
 LOCATION CHANNEL IMPROVEMENTS

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
WATER @ 2.5', 2/28/22							WATER @ 4', 2/28/22						
CLAY, SANDY WITH ORGANICS, BLACK, FIRM, MOIST	0 - 2.5	[Hatched]		9	17.6	2	SAND, SILTY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE TO LOOSE, MOIST	0 - 4	[Dotted]		11	6.7	1
SAND, VERY SILTY, FINE GRAINED, BROWN, LOOSE, MOIST	2.5 - 5	[Dotted]		7	20.1	1		4 - 5	[Dotted]		13	10.6	1
SANDSTONE, SILTY, FINE TO COARSE GRAINED, GRAY BROWN, VERY DENSE, MOIST	5 - 10	[Dotted]		50 4"	12.8	3		5 - 10	[Dotted]		10	10.3	1
	10 - 15	[Dotted]		50 3"	12.9	3	SANDSTONE, SILTY, FINE TO COARSE GRAINED, BROWN, VERY DENSE, MOIST	10 - 15	[Dotted]		8	12.5	1
	15 - 20	[Dotted]						15 - 20	[Dotted]		50 3"	18.9	3
	20 - 25	[Dotted]						20 - 25	[Dotted]		50 3"	11.4	3



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

JOB NO.:
 211647

FIG NO.:
 A- 2

TEST BORING NO. 5
 DATE DRILLED 2/26/2022
 Job # 211647

TEST BORING NO. 6
 DATE DRILLED 2/26/2022
 CLIENT C&C LAND
 LOCATION CHANNEL IMPROVEMENTS

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
WATER @ 2.5', 2/28/22							WATER @ 7', 2/28/22						
SAND, VERY SILTY, FINE TO MEDIUM GRAINED, GRAY BROWN, LOOSE TO MEDIUM DENSE, MOIST	0-4'			9	29.2	1	FILL 0-14', SAND, SILTY TO VERY SILTY, FINE TO COARSE GRAINED, BROWN TO BLACK, MEDIUM DENSE TO LOOSE, MOIST	0-14'			21	9.0	1A
SANDSTONE, SILTY, FINE TO COARSE GRAINED, GRAY BROWN, VERY DENSE, MOIST	5			50 5"	15.6	3		5			20	11.9	1A
	10			50 2"	13.2	3		10			6	15.7	1A
	15			50 5"	11.3	3	BLACK LENS SAND, SILTY, FINE TO COARSE GRAINED, BROWN, MEDIUM DENSE, MOIST	15			11	8.7	1
	20						CLAY, VERY SANDY, BLACK, FIRM, MOIST	20			14	24.9	2
							SANDSTONE, SLIGHTLY SILTY, FINE TO COARSE GRAINED, GRAY BROWN, VERY DENSE, MOIST	25			50 7"	15.8	3
								30			50 1"	10.6	3



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG

DRAWN:

DATE:

CHECKED:

DATE:

JOB NO.
 211647

FIG NO.
 A-3

TEST BORING NO. 7
 DATE DRILLED 2/26/2022
 Job # 211647

TEST BORING NO. 8
 DATE DRILLED 2/26/2022
 CLIENT C&C LAND
 LOCATION CHANNEL IMPROVEMENTS

REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type	REMARKS	Depth (ft)	Symbol	Samples	Blows per foot	Watercontent %	Soil Type
WATER @ 3.5', 2/28/22							WATER @ 4.5', 2/28/22						
SAND, SILTY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, MOIST				16	14.0	1	SAND, SILTY TO CLAYEY, FINE TO COARSE GRAINED, TAN, MEDIUM DENSE, MOIST				12	22.2	1
SANDSTONE, SLIGHTLY SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	5		50 7"	50 7"	11.9	3	SANDSTONE, SLIGHTLY SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	5		6	6	10.8	1
	10		50 6"	50 6"	11.4	3	SANDSTONE, SLIGHTLY SILTY, FINE TO COARSE GRAINED, TAN, VERY DENSE, MOIST	10					
	15		50 4"	50 4"	14.7	3		15		50 4"	50 4"	11.4	3
	20							20		50 5"	50 5"	11.2	3



ENTECH
ENGINEERING, INC.
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

TEST BORING LOG


DRAWN:	DATE:	CHECKED:	DATE:
--------	-------	----------	-------

JOB NO.:
211647

FIG NO.:
A- 4

APPENDIX B: Laboratory Test Results

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	1	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	10	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	99.3%
10	83.9%
20	65.5%
40	57.5%
100	44.4%
200	34.9%

<u>Atterberg Limits</u>	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

<u>Swell</u>	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> SW	<u>DATE:</u> 4-1-22
---------------	--------------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-1

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	2	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	98.9%
10	88.8%
20	79.3%
40	70.8%
100	46.7%
200	33.5%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

<u>Swell</u>	
Moisture at start	12.2%
Moisture at finish	19.7%
Moisture increase	7.6%
Initial dry density (pcf)	104
Swell (psf)	120



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-2

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	1	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	5	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	2-3	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	99.4%
10	84.5%
20	71.0%
40	63.2%
100	50.0%
200	40.1%

<u>Atterberg Limits</u>	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

<u>Swell</u>	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

**LABORATORY TEST
RESULTS**

DRAWN:

DATE:

CHECKED: SW


DATE: 4-1-22

JOB NO.:
211647

FIG NO.:

B-3

<u>UNIFIED CLASSIFICATION</u>	CL	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	2	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	3	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	2-3	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	100.0%
10	98.4%
20	94.7%
40	90.5%
100	82.3%
200	76.5%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


LABORATORY TEST RESULTS

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-4

UNIFIED CLASSIFICATION	CL	CLIENT	C&C LAND
SOIL TYPE #	2	PROJECT	CHANNEL IMPROVEMENTS
TEST BORING #	6	JOB NO.	211647
DEPTH (FT)	20	TEST BY	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	100.0%
3/8"	94.4%
4	89.5%
10	81.7%
20	74.1%
40	69.0%
100	59.0%
200	52.5%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-5

UNIFIED CLASSIFICATION	SM	CLIENT	C&C LAND
SOIL TYPE #	3	PROJECT	CHANNEL IMPROVEMENTS
TEST BORING #	1	JOB NO.	211647
DEPTH (FT)	15	TEST BY	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	100.0%
10	94.7%
20	81.1%
40	67.5%
100	51.4%
200	41.4%

Atterberg Limits	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

Swell	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



ENTECH ENGINEERING, INC.
505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


LABORATORY TEST RESULTS

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-6

<u>UNIFIED CLASSIFICATION</u>	SM	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	4	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	20	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	
4	
10	100.0%
20	98.4%
40	92.4%
100	42.7%
200	24.5%

<u>Atterberg Limits</u>	
Plastic Limit	NP
Liquid Limit	NV
Plastic Index	NP

<u>Swell</u>	
Moisture at start	
Moisture at finish	
Moisture increase	
Initial dry density (pcf)	
Swell (psf)	



ENTECH
ENGINEERING, INC.
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-7

<u>UNIFIED CLASSIFICATION</u>	SM-SW	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	6	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	25	<u>TEST BY</u>	BL



<u>U.S. Sieve #</u>	<u>Percent Finer</u>
3"	
1 1/2"	
3/4"	
1/2"	
3/8"	100.0%
4	86.4%
10	62.9%
20	44.2%
40	32.5%
100	17.1%
200	11.8%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

<u>DRAWN:</u>	<u>DATE:</u>	<u>CHECKED:</u> SW	<u>DATE:</u> 4-1-22
---------------	--------------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-8

<u>UNIFIED CLASSIFICATION</u>	SM-SW	<u>CLIENT</u>	C&C LAND
<u>SOIL TYPE #</u>	3	<u>PROJECT</u>	CHANNEL IMPROVEMENTS
<u>TEST BORING #</u>	7	<u>JOB NO.</u>	211647
<u>DEPTH (FT)</u>	5	<u>TEST BY</u>	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	100.0%
3/8"	82.7%
4	74.5%
10	50.2%
20	29.4%
40	20.4%
100	9.3%
200	6.0%

- Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index
- Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**
 505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907


**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------

JOB NO.:
211647

FIG NO.:
B-9

UNIFIED CLASSIFICATION	SM-SW	CLIENT	C&C LAND
SOIL TYPE #	3	PROJECT	CHANNEL IMPROVEMENTS
TEST BORING #	8	JOB NO.	211647
DEPTH (FT)	15	TEST BY	BL



U.S. Sieve #	Percent Finer
3"	
1 1/2"	
3/4"	
1/2"	100.0%
3/8"	95.7%
4	87.4%
10	62.7%
20	42.5%
40	29.5%
100	15.4%
200	10.0%

Atterberg Limits
 Plastic Limit
 Liquid Limit
 Plastic Index

Swell
 Moisture at start
 Moisture at finish
 Moisture increase
 Initial dry density (pcf)
 Swell (psf)



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

**LABORATORY TEST
RESULTS**

DRAWN:	DATE:	CHECKED: SW	DATE: 4-1-22
--------	-------	-------------	--------------


JOB NO.:
211647

FIG NO.:
B-10

CONSOLIDATION TEST RESULTS

TEST BORING #	1	DEPTH(ft)	10
DESCRIPTION	SM	SOIL TYPE	1
NATURAL UNIT DRY WEIGHT (PCF)			109
NATURAL MOISTURE CONTENT			12.3%
SWELL/CONSOLIDATION (%)			-0.1%

JOB NO. 211647
 CLIENT C&C LAND
 PROJECT CHANNEL IMPROVEMENTS



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

SWELL CONSOLIDATION
 TEST RESULTS

DRAWN:

DATE:

CHECKED: *SW*

DATE: *4-1-22*


JOB NO.:
 211647

FIG NO.:
B-11

CONSOLIDATION TEST RESULTS

TEST BORING #	6	DEPTH(ft)	25
DESCRIPTION	SM-SV	SOIL TYPE	3
NATURAL UNIT DRY WEIGHT (PCF)			112
NATURAL MOISTURE CONTENT			16.5%
SWELL/CONSOLIDATION (%)			0.1%

JOB NO. 211647
CLIENT C&C LAND
PROJECT CHANNEL IMPROVEMENTS



**ENTECH
ENGINEERING, INC.**

505 ELKTON DRIVE
COLORADO SPRINGS, COLORADO 80907

**SWELL CONSOLIDATION
TEST RESULTS**

DRAWN:	DATE:	CHECKED: <i>SW</i>	DATE: <i>4-1-22</i>
--------	-------	--------------------	---------------------


JOB NO.:
211647

FIG NO.:
B-12

CONSOLIDATION TEST RESULTS

TEST BORING #	8	DEPTH(ft)	15
DESCRIPTION	SM-SW	SOIL TYPE	1
NATURAL UNIT DRY WEIGHT (PCF)			119
NATURAL MOISTURE CONTENT			8.3%
SWELL/CONSOLIDATION (%)			0.0%

JOB NO. 211647
 CLIENT C&C LAND
 PROJECT CHANNEL IMPROVEMENTS



ENTECH
ENGINEERING, INC.

505 ELKTON DRIVE
 COLORADO SPRINGS, COLORADO 80907

**SWELL CONSOLIDATION
 TEST RESULTS**

DRAWN:

DATE:

CHECKED: *SW*

DATE: *4-1-22*

JOB NO.:
 211647

FIG NO.:

B-13

Channel
Design Report
Sand Creek Stabilization
at Aspen Meadows
Subdivision Filing No. 1

Prepared on behalf of:



Prepared by:



2435 Research Parkway, Suite 300
Colorado Springs, Colorado 80920
Phone: 719.575.0100
Fax: 719.575.0208
matrixdesigngroup.com

February 11, 2020



wetland and riparian vegetation within and adjacent to the channel. Upland vegetation is included for the more upland areas extending into and out of the floodplain. Minor realignment of the channel will take place in three sections along the project reach: Sta. 85+31 to 88+98, Sta. 103+00 to 104+10, and Sta. 108+00 to 110+20. The project seeks to preserve the existing stable reaches of Sand Creek. To maintain a stable slope in the channel, a series of drop structures are proposed.

E. Variances

Variances are required for some proposed improvements as described in Section V of this report. A variance request is submitted to the City under separate cover.

F. Maintenance and Access

It is anticipated that proposed channel improvements will be conveyed to the City for ownership and maintenance upon completion and acceptance. Permanent access for maintenance is shown in the Design Plans on the overall drainage plan (DR01). Access routes are shown to all nine grouted boulder drop structures and to both sheet pile cutoff walls.

G. Tributary Stormwater Facilities

Not applicable.

V. Channel, Structure and Utility Crossing Design

A. Variances to DBPS

Design hydrology was taken from the "Sand Creek Channel Study (North of Woodman Road) Hydrologic Analysis" prepared by M&S Civil in October 2016.

B. Hydrologic and Hydraulic Criteria

Flows in the project reach have been estimated from various sources, including the FEMA Flood Insurance Study dated December 7, 2018, (FIS) and LOMRs, the Sand Creek Drainage Basin Planning Study (Kiowa, 1996), the Upper Sand Creek Hydrologic Analysis (Wilson, 2011) and USGS and CWCB regression equations. Results from these sources are discussed and summarized in a Technical Memorandum entitled Sand Creek Channel Study (North of Woodmen Road) Hydrologic Analysis) by MS Civil Consultants, Inc. (MS Civil) dated October 2016. The technical memorandum includes an analysis of the upstream watershed based on the newly adopted DCM, which changed the design storm distribution and other hydrologic modeling parameters.

Design flows were based on a combination of sources:

- Major flood flows (10-, 50-, and 100-year) come from the FEMA hydrology
- Minor flood flows are based on the M&S hydrologic study, referencing the existing conditions (2016) for a design point just upstream of Regional Pond 3
- The low flow was determined to be $Q = 40$ cfs based on a survey of existing conditions, since the design aims to preserve existing healthy conditions. The calculations of the low flow discharge are included in the appendix.

A summary of the design flows are given in the following table:

Return Period	Low Flow	2-Year	5-Year	10-Year	50-Year	100-Year
Flow (cfs)	40	262	454	1200	2100	2600
Source	Matrix	M&S	M&S	FEMA	FEMA	FEMA

Table 1- Design Hydrology (cfs)

The primary source of design criteria is the DCM. However, additional criteria provided in the USDCM was also applied.

C. Site Constraints

Several constraints were identified for the project including, but not limited to:

- The proposed Marksheffel Road Crossing – The proposed channel improvements must tie in to the proposed upstream and downstream extents of the Marksheffel Road Crossing
- Utility crossings between Stations 89+50 and 91+50- The design avoids placing drop structures over the utilities.
- Existing concrete drop structure at Station 85+40 – The channel improvements tie into the invert of this structure.
- Delineated wetlands – Disturbance in these areas is to be minimized.

D. Major Channel Components/Attributes

The channel improvements consist primarily of grade control drop structures (boulder cross vanes and grouted boulder), earthwork grading, and revegetation. The approach considers two distinct perspectives from the City and from the USACE. Early in the design process the USACE indicated a Regional Permit 37 would be adequate if disturbances were limited, while the City has indicated long-term potential degradation is a high priority. The design components meet the objectives of both the USACE and City by limiting permanent disturbance using small structures and protecting existing vegetation as well as preparing for long-term degradation by burying larger structures. By completely burying the structures, disturbance is considered temporary.

Given the general healthy condition of the channel a design is preferred that provides immediate stabilization as well as protection from perceived long-term channel degradation. To this point, drop structures are proposed at or near existing channel elevations, as well as at anticipated long-term degraded elevations. In order to maintain the current ecological integrity of the project area seven smaller boulder vane drops are recommended for limited disturbance. Nine grouted boulder structures are proposed to be installed, but only five will be placed to address current conditions. Four of the grouted drop structures will be buried in anticipation of long-term degradation.

**FINAL DRAINAGE REPORT
For
Aspen Meadows**

**Sand Creek
Drainage Basin**

Prepared for:
City of Colorado Springs
Engineering Development Review Division Team
30 North Nevada Avenue, Suite 401
Colorado Springs, CO 80903

On Behalf of:

COLA, LLC.
7910 Gateway Boulevard, Suite 102
El Paso, TX 79915

Prepared by:



2435 Research Parkway, Suite 300
Colorado Springs, CO 80920
(719) 575-0100
fax (719) 572-0208

January 2019

Project No. 17.886.004

D. Four-Step Process

Per the DCM Chapter 1, Section 4, the City of Colorado Springs require the UDFCD Four Step Process for receiving water protection that focuses on reducing runoff volumes, treating the water quality capture volume (WQCV), stabilizing draingeways, and implementing long-term source controls. Stonebridge Development complies with this process in the following ways:

1. Reducing runoff volumes – the runoff reduction worksheet has been completed and can be found in Appendix C. An example of this step would be to provide landscaping in the available open space areas. Majority of runoff generated from this site area is being released/conveyed through overland flow and grassed swales which help to eliminate unnecessary impervious area.
2. These flows eventually discharge into Pond 1 which has been designed to treat the runoff for water quality and release flows at historic rates.
3. The runoff is routed through proposed storm sewer into proposed Pond 1. Downstream from Pond 1, treated release runoff enters existing Sand Creek Channel that conveys flows approximately 2,875 feet downstream, to another existing Detention Facility “Pond 3”.
4. Implementing long-term source controls – source control BMP’s such as temporary sedimentation basins, covering storage/handling areas and implementing containment/control measures, particularly around vehicular activities should be utilized to control potential source contaminants. The specific location(s) of source control areas will be identified within the SWMP as determined by the site superintendent.

E. Detention and Water Quality

Development of the site requires that full spectrum detention be provided to reduce the fully developed flows from the site to pre-project levels. This is due in part to the master planning of the area, as well as consideration of environmental impacts to existing downstream facilities. A full spectrum extended detention basin is proposed to treat the full spectrum of runoff from the single-family development and an extended water quality control volume detention area is proposed to treat runoff to Marksheffel Road. Please refer to Appendix C for UD-detention spreadsheet calculations for Pond 1 and the Marksheffel WQCV treatment pond.

To effectively treat the water quality runoff volume, each pond utilizes a small outlet structure to extend the time required to discharge the full volume of runoff. Treating the water quality volume requires an extended discharge time of 40 hours. This is the time required to achieve removal of a significant amount of total suspended solids (TSS). The ponds will also have low flow trickle channels which drain to a micro pool at the outlet structure, which is in place to promote biological uptake. Pond 1 was designed with a total watershed area of 21.45 Acres and 55.9% imperviousness. The WQCV treatment pond for Marksheffel Road was designed with a watershed of 8.09 Acres (including 5.7 Acres from Sub-basins A12 through A17 and 2.49 Acres from Sub-basins

RP-7C and RP-7D), and 91.2% watershed imperviousness. The basins and their structures are sized based on pre-development peak flows as calculated by the UD-Detention spreadsheet from UDFCD. The spreadsheets can be found in Appendix C.

The overall volume requirement calculated for the full spectrum EDB, which includes the water quality control volume, the excess urban runoff volume, and detention for storms from the 5-year (20% probability) to the 100-year (1% probability) is 2.32 acre-ft or 101,234 cubic feet. This total detention volume is slightly higher than the value indicated by UD-Detention (2.25 Acre-ft) in order to account for additional flows to Marksheffel Drive from portions of the development along Marksheffel Drive which cannot be diverted to Pond 1. The EURV volume in the lower portion of the detention volume will allow for low and high probability storms to be released to Sand Creek at rates which approximate pre-development conditions. This also reduces the higher probability storms (i.e. less than 2-year (50% probability)) to a level which is at or near the sediment carrying threshold value for the downstream drainageways. The proposed storm sewer drainage facilities will be publicly owned and maintained by the metro district.

The proposed outfall for Pond 1 must discharge the Q100 (1% probability flow) at 90% of the pre-development rate of 7.2 cfs for the development to comply with city requirements. The peak discharge rate is further decreased (overdetained) to 3.7 cfs to account for the portion of Aspen Meadows which adds a flow of approximately 3.5 cfs over the UD-Detention calculation for pre-development flows to Marksheffel Drive. This is a reduction from the pre-project Q100 discharge for the site which is estimated to be approximately 46 cfs.

The emergency overflow for the pond will be at the 5' stage and will discharge directly to Sand Creek.

Channel Improvements


Sand Creek runs directly adjacent to the proposed Aspen Meadows development, running from the northeast to the southwest. Improvements to this channel are one of the conditions of development and Matrix Design Group, Inc. is designing these improvements under a different project and which will be covered under a separate submittal. Based on previous similar rehabilitation projects a rough estimate of stream rehabilitation for Sand Creek ranges from \$705 to \$1,340 per linear foot of channel improvement. For the 4,250-foot proposed project this means a range of \$2,996,250 to \$5,695,000 in projected construction costs. In the future, as the designs are refined, we will be able to narrow the cost estimate window.

VIII. Erosion Control Plan

Per the city of Colorado Springs Drainage Criteria Manual Volume 1, an erosion control plan is required to be included with the drainage analysis. At this time, it is respectfully

DETENTION BASIN STAGE-STORAGE TABLE BUILDER

UD-Detention, Version 3.07 (February 2017)




Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)

Project: **Aspen Meadows**

Basin ID: **SINGLE FAMILY AREA OF 21.45 ACRES**



Example Zone Configuration (Retention Pond)

	Stage (ft)	Zone Volume (ac-ft)	Outlet Type
Zone 1 (WQCV)	2.75	0.399	Orifice Plate
Zone 2 (EURV)	3.65	1.021	Rectangular Orifice
Zone 3 (100-year)	4.31	0.825	Weir&Pipe (Circular)
		2.246	Total

User Input: Orifice at Underdrain Outlet (typically used to drain WQCV in a Filtration BMP)

Underdrain Orifice Invert Depth =	N/A	ft (distance below the filtration media surface)
Underdrain Orifice Diameter =	N/A	inches

Calculated Parameters for Underdrain

Underdrain Orifice Area =	N/A	ft ²
Underdrain Orifice Centroid =	N/A	feet

User Input: Orifice Plate with one or more orifices or Elliptical Slot Weir (typically used to drain WQCV and/or EURV in a sedimentation BMP)

Invert of Lowest Orifice =	0.00	ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Orifice Plate =	2.73	ft (relative to basin bottom at Stage = 0 ft)
Orifice Plate: Orifice Vertical Spacing =	10.90	inches
Orifice Plate: Orifice Area per Row =	1.00	sq. inches (diameter = 1-1/8 inches)

Calculated Parameters for Plate

WQ Orifice Area per Row =	6.944E-03	ft ²
Elliptical Half-Width =	N/A	feet
Elliptical Slot Centroid =	N/A	feet
Elliptical Slot Area =	N/A	ft ²

User Input: Stage and Total Area of Each Orifice Row (numbered from lowest to highest)

	Row 1 (required)	Row 2 (optional)	Row 3 (optional)	Row 4 (optional)	Row 5 (optional)	Row 6 (optional)	Row 7 (optional)	Row 8 (optional)
Stage of Orifice Centroid (ft)	0.00	0.91	1.82					
Orifice Area (sq. inches)	1.00	1.00	1.00					

	Row 9 (optional)	Row 10 (optional)	Row 11 (optional)	Row 12 (optional)	Row 13 (optional)	Row 14 (optional)	Row 15 (optional)	Row 16 (optional)
Stage of Orifice Centroid (ft)								
Orifice Area (sq. inches)								

User Input: Vertical Orifice (Circular or Rectangular)

	Zone 2 Rectangular	Not Selected	
Invert of Vertical Orifice =	2.75	N/A	ft (relative to basin bottom at Stage = 0 ft)
Depth at top of Zone using Vertical Orifice =	3.65	N/A	ft (relative to basin bottom at Stage = 0 ft)
Vertical Orifice Height =	2.00	N/A	inches
Vertical Orifice Width =	6.67		inches

Calculated Parameters for Vertical Orifice

	Zone 2 Rectangular	Not Selected	
Vertical Orifice Area =	0.09	N/A	ft ²
Vertical Orifice Centroid =	0.08	N/A	feet

User Input: Overflow Weir (Dropbox) and Grate (Flat or Sloped)

	Zone 3 Weir	Not Selected	
Overflow Weir Front Edge Height, Ho =	3.54	N/A	ft (relative to basin bottom at Stage = 0 ft)
Overflow Weir Front Edge Length =	3.00	N/A	feet
Overflow Weir Slope =	0.00	N/A	H:V (enter zero for flat grate)
Horiz. Length of Weir Sides =	3.00	N/A	feet
Overflow Grate Open Area % =	70%	N/A	%, grate open area/total area
Debris Clogging % =	50%	N/A	%

Calculated Parameters for Overflow Weir

	Zone 3 Weir	Not Selected	
Height of Grate Upper Edge, H ₁ =	3.54	N/A	feet
Over Flow Weir Slope Length =	3.00	N/A	feet
Grate Open Area / 100-yr Orifice Area =	16.97	N/A	should be ≥ 4
Overflow Grate Open Area w/o Debris =	6.30	N/A	ft ²
Overflow Grate Open Area w/ Debris =	3.15	N/A	ft ²

User Input: Outlet Pipe w/ Flow Restriction Plate (Circular Orifice, Restrictor Plate, or Rectangular Orifice)

	Zone 3 Circular	Not Selected	
Depth to Invert of Outlet Pipe =	0.30	N/A	ft (distance below basin bottom at Stage = 0 ft)
Circular Orifice Diameter =	8.25	N/A	inches

Calculated Parameters for Outlet Pipe w/ Flow Restriction Plate

	Zone 3 Circular	Not Selected	
Outlet Orifice Area =	0.37	N/A	ft ²
Outlet Orifice Centroid =	0.34	N/A	feet
Half-Central Angle of Restrictor Plate on Pipe =	N/A	N/A	radians

User Input: Emergency Spillway (Rectangular or Trapezoidal)

Spillway Invert Stage =	5.00	ft (relative to basin bottom at Stage = 0 ft)
Spillway Crest Length =	11.00	feet
Spillway End Slopes =	4.00	H:V
Freeboard above Max Water Surface =	1.00	feet

Calculated Parameters for Spillway




Spillway Design Flow Depth =	0.84	feet
Stage at Top of Freeboard =	6.84	feet
Basin Area at Top of Freeboard =	1.53	acres

Routed Hydrograph Results

	WQCV	EURV	2 Year	5 Year	10 Year	25 Year	50 Year	100 Year	500 Year
Design Storm Return Period =									
One-Hour Rainfall Depth (in) =	0.53	1.07	0.95	1.23	1.49	1.88	2.21	2.57	3.52
Calculated Runoff Volume (acre-ft) =	0.399	1.420	0.782	1.055	1.348	1.842	2.350	2.959	4.557
OPTIONAL Override Runoff Volume (acre-ft) =									
Inflow Hydrograph Volume (acre-ft) =	0.399	1.421	0.783	1.056	1.349	1.843	2.352	2.961	4.560
Predevelopment Unit Peak Flow, q (cfs/acre) =	0.00	0.00	0.00	0.00	0.01	0.03	0.14	0.33	0.82
Predevelopment Peak Q (cfs) =	0.0	0.0	0.0	0.1	0.2	0.7	3.1	7.1	17.6
Peak Inflow Q (cfs) =	4.7	16.4	9.1	12.2	15.6	21.2	27.0	33.8	51.7
Peak Outflow Q (cfs) =	0.1	0.6	0.4	0.4	0.5	3.2	3.6	3.7	10.5
Ratio Peak Outflow to Predevelopment Q =	N/A	N/A	N/A	6.9	2.2	4.3	1.2	0.5	0.6
Structure Controlling Flow =	Plate	Overflow Grate 1	Vertical Orifice 1	Vertical Orifice 1	Vertical Orifice 1	Overflow Grate 1	Outlet Plate 1	Outlet Plate 1	Spillway
Max Velocity through Grate 1 (fps) =	N/A	0.01	N/A	N/A	N/A	0.4	0.5	0.5	0.5
Max Velocity through Grate 2 (fps) =	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Time to Drain 97% of Inflow Volume (hours) =	40	72	59	65	71	73	72	72	70
Time to Drain 99% of Inflow Volume (hours) =	42	76	61	68	75	77	78	78	80
Maximum Ponding Depth (ft) =	2.71	3.56	3.05	3.27	3.50	3.75	4.04	4.44	5.31
Area at Maximum Ponding Depth (acres) =	0.85	1.20	1.16	1.18	1.20	1.22	1.25	1.29	1.38
Maximum Volume Stored (acre-ft) =	0.367	1.305	0.715	0.971	1.245	1.548	1.907	2.415	3.574

Detention Basin Outlet Structure Design

UD-Detention, Version 3.07 (February 2017)



S-A-V-D Chart Axis Override	X-axis	Left Y-Axis	Right Y-Axis
minimum bound			
maximum bound			



Know what's below.
Call before you dig.

ASPEN MEADOWS

COLORADO SPRINGS, CO

PROPOSED CONDITIONS MAP

Design Point Summary Table									
Design Point	Upstream		Subbasins Included	Inlet		Outlet Pipe Size/Type	Downstream Design Point		
	Area (Acres)	Q5 (cfs)		Name	Type			Size (in)	
DP1	4.22	4.6	A2	A2	D 10 R	8	24" RCP/HP	D2	
DP2	8.17	10.0	A1,A2	A1	D 10 R	8	30" RCP/HP	D5	
DP3	0.93	1.5	A3	A3	D 10 R	6	18" RCP/HP	D4	
DP4	1.31	2.0	A3,A4	A4	D 10 R	6	18" RCP/HP	D5	
DP5	9.48	12.0	A1,A2,A3,A4	D5	MH	6	30" RCP/HP	D9	
DP6	3.92	3.3	A6	A6	D 10 R	8	24" RCP/HP	D7	
DP7	5.08	5.0	A6,A7	A5	D 10 R	6	24" RCP/HP	D9	
DP8	0.43	0.7	A8	A7	D 10 R	6	18" RCP/HP	D9	
DP9	16.10	19.3	A1,A2,A3,A4,A6,A7,A8,A9	A8	D 10 R	8	36" RCP/HP	D10	
DP10	2.00	2.8	A5	A5	D 10 R	0	0	0	
DP Pond	21.45	24.4	75.1	A1,A2,A3,A4,A5,A6,A7,A8,A9,A10	A9	Detention Outlet Structure	Orifice Plate: 1.02 Sq. In. (Stage 0, 9' & 1.06') Overflow Weir/Grate: L=2', W=2' w/ slope: 0 Structure Outlet Pipe: 18" RCP/HP (10.5" Orifice Plate)	Sand Creek	
DP11	1.88	5.4	12.1	A12	A12	D 10 R	16	18" RCP/HP	D12
DP12	3.82	10.7	24.0	A12,A13	A13	D 10 R	16	24" RCP/HP	D14
DP13	0.71	2.7	6.0	A14	A14	D 10 R	16	18" RCP/HP	D14
DP14	5.24	16.0	36.0	A12,A13,A14,A15	A15	D 10 R	16	30" RCP/HP	D16
DP15	1.90	4.8	11.6	A16	A16	D 10 R	20	18" RCP/HP	D16
DP16	8.09	24.3	55.4	A12,A13,A14,A15,A16,A17	A17	D 10 R	16	30" RCP/HP	Sand Creek

Basin Summary Table				
Aspen Meadows				
Area ID	Area (Acres)	Q5 (cfs)	Q100 (cfs)	
RP-7C	1.28	2.8	6.4	
RP-7D	1.21	2.9	6.5	
A1	4.22	5.4	15.5	
A2	3.95	4.6	13.2	
A3	0.93	1.5	4.2	
A4	0.38	0.5	1.5	
A5	2.00	2.8	8.0	
A6	3.92	3.3	11.0	
A7	1.17	1.7	4.8	
A8	0.43	0.7	1.9	
A9	1.11	1.6	4.6	
A10	3.34	2.3	10.3	
A11	0.88	0.3	2.8	
A12	0.67	2.5	5.6	
A13	0.66	2.5	5.6	
A14	0.71	2.7	6.0	
A15	0.71	2.6	5.9	
A16	1.90	4.8	11.6	
A17	0.94	3.5	7.9	

CONSULTANT:
CIVIL ENGINEER:
Matrix
DESIGN GROUP
2435 Research Parkway, Suite 300
Colorado Springs, CO 80920
Phone 719-575-0100
Fax 719-575-0208
LANDSCAPE ARCHITECT:
Thomas & Thomas Planning-Urban
614 N. Tejon Street
Colorado Springs, CO 80903
Phone (719)578-8777

PROJECT:
ASPEN MEADOWS
FILING NO. 1
DEVELOPMENT PLAN
CITY OF COLORADO SPRINGS
JANUARY 2019

OWNER:
COLA, LLC
555 MIDDLE PARKWAY
COLORADO SPRINGS, CO 80921
(719)459-0807

DEVELOPER:
COLA, LLC
555 MIDDLE PARKWAY
COLORADO SPRINGS, CO 80921
(719)459-0807


CITY PLANNING FILE NO.: AR DP XXXXXXXXX
ISSUE: JANUARY, 2019

DRAWING INFORMATION:
PROJECT NO.: 17.886.004.000
DRAWN BY: CRAIG DOLD
CHECKED BY: JEFF ODOR
APPROVED BY: JEFF ODOR
SHEET TITLE:

DRAINAGE REPORT MAP

DR02


SHEET 2 OF 3



NOTES:
1. Spot elevations subject to change with final grading design and construction.

LEGEND

- SUB-BASIN BOUNDARY
- EXISTING CONTOUR
- PROPOSED CONTOUR
- FLOW DIRECTION
- LOW POINT AND ELEVATION
- HIGH POINT AND ELEVATION
- SPOT ELEVATION
- SWALE
- DESIGN POINT
- SUB BASIN DESIGNATION
- SUB BASIN RUNOFF COEFFICIENT
- SUB BASIN AREA (AC.)
- 5-YEAR STORM EVENT PEAK FLOW (CFS)
- 100-YEAR STORM EVENT PEAK FLOW (CFS)
- PROPERTY LINE
- STORM PIPE





INNOVATIVE DESIGN. **CLASSIC RESULTS.**

**FINAL DRAINAGE REPORT
FOR
RETREAT AT TIMBERRIDGE
FILING NO. 1**

Prepared for:
TIMBERRIDGE DEVELOPMENT GROUP, LLC
2138 FLYING HORSE CLUB DRIVE
COLORADO SPRINGS CO 80921
(719) 592-9333

Prepared by:
CLASSIC CONSULTING
619 N. CASCADE AVE SUITE 200
COLORADO SPRINGS CO 80903
(719) 785-0790

Job No. 1185.00

PCD Project No. SF-19-009



Basin S ($Q_2 = 0.2$ cfs $Q_5 = 1$ cfs, $Q_{100} = 7$ cfs) represents a portion of Sand Creek that will be platted with this Filing. No residential development is proposed within this basin other than the proposed channel improvements as recommended in the DBPS and proposed with this specific Filing.

DETENTION / STORMWATER QUALITY FACILITIES

As required, storm water quality measures will be utilized in order to reduce the amount of sediment, debris and pollutants that are allowed to enter Sand Creek. These features include but are not limited to the multiple Full Spectrum Detention Basins, Rain Gardens and permanent sediment basins. Site Planning and design techniques for the large lot, rural areas should help limit impervious area, minimize directly impervious area, lengthen time of travel and increase infiltration in order to decrease the rate and volume of stormwater runoff. Urban areas that require detention will provide a Water Quality Capture Volume (WQCV) and Excess Urban Runoff Volume (EURV) in the lower portion of the facility storage volume that will release the more frequent storms at a slower rate to help minimize the effects of development of the property. The proposed detention/SWQ facilities are to be private facilities with ownership and maintenance by the TimberRidge Metropolitan District. After completion of construction and upon the Board of County Commissioners acceptance, the Sand Creek channel will be owned and maintained by the El Paso County along with all drainage facilities within the public Right of Way.

SAND CREEK CHANNEL IMPROVEMENTS

As stated in the Sand Creek DBPS, this Reach SC-9 is recommended as a floodplain preservation design concept. Given the fact of the current requirements for detention/SWQ facilities planned for the property with designed release at or below pre-development flows, the existing Sand Creek drainageway is expected to remain stable. Existing FEMA FIS channel velocities as found in the LOMR 08-080541P seem to exceed recommended allowable velocities. Although, based on the findings from the CORE Consultants, Inc. Impact Identification Report, no significant erosion or channel degradation through this property currently exists at this time. Specifically



located grade control structures (See Appendix) were specified in the DBPS through this reach in order to slow the channel velocity to the DBPS recommended 7 feet per second and to prevent localized and long-term stream degradation affecting channel linings and overbanks. The allowable velocity and shear stress will vary depending upon the existing riparian vegetation/wetlands found within the channel and overbank floodplain terrace areas. A HEC-RAS hydraulic analysis for this portion of Reach SC-9 has been provided in order to determine the necessary channel improvements for the proposed Filing No. 1 development and future Filings. A separate wetland impact report along with the Section 404 permitting, prepared by CORE Consultants, has been developed based on these proposed channel improvements and submitted directly to the U.S. Army Corps of Engineers with necessary consult with U.S. Fish and Wildlife for their review and approval. This report and documentation can be found in the Appendix for El Paso County staff review.

HEC-RAS MODELING

HEC-RAS ver. 5.0.6 was used to perform a one-dimensional, steady flow hydraulic model of a portion of Reach SC-9 from Arroya Lane to approximately 650 feet downstream of the TimberRidge south property line. HEC-RAS was used to define the stream centerline, overbanks, cross-sections and Manning's n values. The stream centerline follows the channel thalweg to define the reach network. Cross-section topography data was obtained by using the generated surface from the 2-ft. flown contours utilized for all site design. This data was then exported from AutoCAD containing three-dimensional coordinates for the stream centerline, cross-sections, reach stations, overbank stations, reach lengths and imported into HEC-RAS. Two separate models defining the existing condition and proposed condition were prepared using the same centerline stationing. The proposed model included the introduction of the ineffective flow area for the culvert added for the Poco Road crossing. Different Manning's n values were applied across the various channel cross-sections to reflect the changes in vegetative cover within the channel and overbanks. The selected Manning's n values for the channel and overbanks were determined using Tables 10-1 and 10-2 from the DCM and Table 3 from the USGS Guide for



selecting Manning’s Roughness Coefficients based on numerous site visits in an effort to photograph and document each cross-section. (See Appendix) The following table summarizes the selected Manning’s n values:

Table 1 Manning’s n Values

Feature	Manning’s n Value
Main Channel	0.03 – 0.10
Overbank Floodplain Terraces	0.12 – 0.16

Steady flow data was entered starting at Arroya Lane, channel station 55+32.95, with a flow change location at station 15+07.91 representing the Sand Creek DBPS segment change from 171 to 170. Steady flow data corresponding to recurrence intervals of 10 Yr. and 100 Yr. for the FEMA, DBPS and Sterling Ranch MDDP conditions was entered. The models were run in subcritical mode to evaluate hydraulic conditions. Boundary conditions for the entire reach were based on normal depth calculations for the upstream and downstream channel slopes. The following table summarizes the flows used in the models:

Table 2 Model Flow Values

Flood Event / Location	Flow Value (cfs)
Arroya Lane (Sta: 55+32.95)	
FEMA 100 Yr.	2600
DBPS 100 Yr.	2170
DBPS 10 Yr.	630
Sterling MDDP 100 Yr.	1487
Sterling MDDP 10 Yr.	430



DBPS Segment 170 (Sta: 15+07.91)	
FEMA 100 Yr.	2600
DBPS 100 Yr.	2260
DBPS 10 Yr.	670
Sterling MDDP 100 Yr.	1520
Sterling MDDP 10 Yr.	450

Per the approved DBPS, the anticipated developed flows just upstream of this project are $Q_{10} = 630$ cfs and $Q_{100} = 2170$ cfs as depicted within DBPS segment no. 171. The anticipated developed flows exiting this property are $Q_{10} = 670$ cfs and $Q_{100} = 2260$ cfs as depicted within DBPS segment no. 170. As discussed earlier, the FEMA FIS flows appear to be significantly higher than both those presented in the DBPS and the Sterling Ranch MDDP. We understand that Sterling Ranch may be processing a CLOMR/LOMR in the near future, however, we have continued to utilize the significantly larger flows as determined by the FEMA FIS (2600 cfs) in the channel improvement designs and the Poco Road culvert crossing calculations. The proposed culvert calculations meet the criteria found in the DCM Vol. 1 6.4.2. which provides the 2 feet freeboard within the structure based on the flow of 2600 cfs.

The proposed public roadway crossing of Sand Creek is planned for this site. (Extension of Poco Road) Upon development of Filing No. 1, the proposed crossing will consist of a two cell multi-plate steel single radius arch (24' x 10.33') with concrete headwalls to facilitate the conveyance of the 100 yr. flow. (See Appendix) This facility allows for 2.2' of freeboard within the structure utilizing the 2600 cfs FEMA flows. The proposed structure is made from heavy gage corrugated steel plates with 3 oz. per square foot galvanized coating (both sides) capable of providing a service life of 75 years or longer. Soils testing provide further design information related to wall thickness to account for corrosion and abrasion requirements per County standards.



Based on recent site visits during May and July of 2019, the entire Sand Creek drainage corridor through the Retreat at TimberRidge development was walked and photographed for documentation purposes and aid in the HEC-RAS modeling. (See Appendix) As discovered in the field and documented in the photos taken both up-stream and down-stream at each HES-RAS station, this reach of the Sand Creek channel appears very stable with no signs of erosion within the main channel or channel overbanks. This is mainly due to the significant vegetal cover throughout the reach. The classification of the vegetal cover seems to have a range from Retardance Class A-C as defined by HEC-15 chart (See Appendix) This type of vegetation retardance significantly increases the allowable shear stress within the channel while reducing the velocity. The following table defines the retardance level based on the vegetation class:

Table 3
Vegetal Retardance Curve Index by SCS Retardance Class

SCS Retardance Class	Retardance Curve Index
A	10.0
B	7.64
C	5.60
D	4.44
E	2.88

Based on this information, the maximum allowable shear stress is found by the following equation:

$$\tau = 0.75 \text{Curve Index}$$

Thus, the range of shear stress for this reach of Sand Creek equals 4.2 – 7.5 (lb/ft²).

Referencing the HES-RAS model calculations in the Appendix shows that only a few stations showed shear stress exceeding this limit. (Sta: 33+34.27, 20+83.66 and 18+79.67) All three of these stations are within the Filing 1 development area and with the proposed channel



improvements and selective embankment lining, the shear stress at those locations will be reduced to the allowable range.

The proposed channel improvements within this Filing consist of five check structures located approximately 600 feet apart. Two of them will be constructed north of the Poco Road crossing and three south of the road crossing. The DBPS only depicts one structure along this stretch of channel but additional ones are being planned to further limit degradation and help control the elevation of the channel invert. These check structures are designed to be sheet piling with a concrete cap per Urban Drainage Vol. 2 Figures 9-27 thru 9-28. The intent of these structures is to hold grade so if the stream wants to flatten its equilibrium slope, the incision is limited. Thus, the plan is for these structures to eventually become drop structures as dictated by future channel characteristics.

The DBPS also recommended to provide selective rip-rap channel stabilization located at culvert crossings, pipe outlets and outside bends of the channel. Based on the mean channel slope and maximum allowable velocity of 7.0 fps, Type L Rip-Rap stabilization will be provided at select locations within Filing No. 1. (See Appendix for tables describing slope, velocity, shear, Froude No., etc.) The existing channel slope throughout this reach ranges from 0.6% to 7.3%. These steeper slopes seem to represent numerous areas with isolated shallow pools within the main channel which help support the growth of the wetlands. These isolated areas will remain with only minimal disturbance taking place at the locations of the proposed improvements (i.e. check structures and culvert crossing). Per the HEC-RAS model, the proposed channel velocities range from 2.7 ft./sec. to 6.0 ft./sec. All stations are within the allowable velocity of 7.0 ft./sec. In conjunction with the installation of the rip-rap stabilization, the selected stretches of channel with the higher velocities have also been widened 15'-20' to create and extend the floodplain terraces, better stabilize the steeper natural slopes outside the floodplain area, as recommended in the soils report. These extended terraces assist in reducing flow velocities and provide adequate capacity for larger storm events. The proposed widening of the floodplain terraces



takes place outside of the wetland delineations. (Reference the wetland mitigation plan prepared by CORE Consultants found in the Appendix)

The HEC-RAS model calculations also shows only one station with Froude No. over 1.0. This location is Sta: 29+60.10, at the entrance to the proposed culvert crossing where the channel has been narrowed up to help facilitate efficiently routing the flow under the roadway. However, the supercritical flow at this location is handled with rip-rap bank stabilization and concrete headwall and wingwalls at the culvert crossing. The Froude No. at all other stations remains less than 1.0, with subcritical flow characteristics.


DRAINAGE CRITERIA

Hydrologic calculations were performed using the City of Colorado Springs/El Paso County Drainage Criteria Manual, as revised in November 1991 and October 1994 with County adopted Chapter 6 and Section 3.2.1 of Chapter 13 of the City of Colorado Springs/El Paso County Drainage Criteria Manual as revised in May 2014. The overall pre-development design model was calculated using PondPack V8i with time of concentrations estimated using NRCS Unit Hydrograph procedures described in the DCM based upon the hydrologic soil type and runoff ARC II curve numbers (CN) chart (Table 6-10) with a 24 hour NRCS Type II distribution. Individual on-site developed basin design used for detention/SWQ basin sizing, inlet sizing and storm system routing was calculated using the Rational Method. Runoff Coefficients are based on the imperviousness of the particular land use and the hydrologic soil type in accordance with Table 6-6. The average rainfall intensity, by recurrence interval found in the Intensity-Duration-Frequency (IDF) curves in Figure 6-5. (See Appendix)


The City of Colorado Springs/El Paso County DCM requires the Four Step Process for receiving water protection that focuses on reducing runoff volumes, treating the water quality capture volume (WQCV), stabilizing drainage ways, and implementing long-term source controls. The Four Step Process pertains to management of smaller, frequently occurring storm events, as




SEE RIGHT




SEE RIGHT



SEE LEFT



SEE LEFT




RETREAT AT TIMBERRIDGE FILING NO. 1
 CONSTRUCTION PLANS
 HEC-RAS ANALYSIS
 CHANNEL STATIONING EXHIBIT




DESIGNED BY	MAW	SCALE	DATE	7/22/19
DRAWN BY	MAW	(H) 1" = 100'	SHEET	1 OF 1
CHECKED BY		(V) 1" = N/A	JOB NO.	1185.00

619 N. Cascade Avenue, Suite 200 (719) 785-0790
 Colorado Springs, Colorado 80903 (719) 785-0799 (Fax)





N:\118500\DRAWINGS\SURFACES\VEGETATION\EXHIBIT.dwg, 6/7/2019 4:41:31 PM, 1:1








Sand Creek Impro CL-PR











Legend	
WS FEMA 100 Yr.	(Solid blue line)
Crit FEMA 100 Yr.	(Dashed red line)
Ground	(Black square)

















HEC-RAS Plan: SC PR River: Sand Creek Impro Reach: CL-PR

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Chl Dpth (ft)	Hydr Radius (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Total (ft/s)	Shear Total (lb/sq ft)	Flow Area (sq ft)	Top Width (ft)	Froude # XS
CL-PR	5532.95	FEMA 100 Yr.	2600	7230.84	7235.52	7234.26	4.68	3.61	7236.12	0.022532	4.65	5.08	559.31	154.07	0.57
CL-PR	5532.95	DBPS 100 Yr.	2170	7230.84	7235.07	7233.95	4.23	3.29	7235.61	0.022905	4.41	4.71	491.77	148.65	0.57
CL-PR	5532.95	DBPS 10 Yr.	630	7230.84	7233.06	7232.50	2.22	1.73	7233.31	0.023035	2.91	2.48	216.54	125.20	0.54
CL-PR	5532.95	Sterling MDDP 10	1487	7230.84	7234.29	7233.38	3.45	2.71	7234.72	0.023299	3.92	3.95	379.06	139.17	0.56
CL-PR	5532.95	Sterling MDDP 10	430	7230.84	7232.68	7232.24	1.84	1.40	7232.87	0.022857	2.53	2.00	169.66	120.97	0.53
CL-PR	5182.08	FEMA 100 Yr.	2600	7225.96	7231.65		5.70	4.27	7232.07	0.018615	4.79	4.96	542.74	125.32	0.44
CL-PR	5182.08	DBPS 100 Yr.	2170	7225.96	7231.06		5.11	3.92	7231.45	0.019462	4.61	4.76	470.87	118.58	0.44
CL-PR	5182.08	DBPS 10 Yr.	630	7225.96	7228.29		2.34	2.08	7228.49	0.026314	3.41	3.41	185.01	88.36	0.44
CL-PR	5182.08	Sterling MDDP 10	1487	7225.96	7229.99		4.04	3.26	7230.32	0.021471	4.24	4.37	351.05	106.45	0.44
CL-PR	5182.08	Sterling MDDP 10	430	7225.96	7227.79		1.84	1.68	7227.95	0.027798	3.02	2.92	142.22	84.05	0.43
CL-PR	4903.69	FEMA 100 Yr.	2600	7222.00	7229.08		7.08	5.44	7229.24	0.006504	3.12	2.21	834.06	150.85	0.24
CL-PR	4903.69	DBPS 100 Yr.	2170	7222.00	7228.49		6.48	5.01	7228.62	0.006323	2.91	1.98	745.50	146.47	0.23
CL-PR	4903.69	DBPS 10 Yr.	630	7222.00	7225.44		3.44	2.71	7225.50	0.005992	1.88	1.01	334.88	122.66	0.20
CL-PR	4903.69	Sterling MDDP 10	1487	7222.00	7227.37		5.37	4.19	7227.47	0.006083	2.53	1.59	586.67	138.19	0.22
CL-PR	4903.69	Sterling MDDP 10	430	7222.00	7224.81		2.81	2.20	7224.85	0.006187	1.66	0.85	258.54	116.93	0.20
CL-PR	4712.26	FEMA 100 Yr.	2600	7217.98	7224.67	7222.49	6.69	3.43	7225.00	0.022684	4.36	4.86	596.20	172.82	0.44
CL-PR	4712.26	DBPS 100 Yr.	2170	7217.98	7224.21	7222.08	6.23	3.29	7224.51	0.022022	4.17	4.52	520.04	157.47	0.43
CL-PR	4712.26	DBPS 10 Yr.	630	7217.98	7221.75	7220.15	3.76	2.32	7221.89	0.016998	2.91	2.46	216.66	92.87	0.35
CL-PR	4712.26	Sterling MDDP 10	1487	7217.98	7223.35	7221.41	5.37	2.98	7223.60	0.020224	3.75	3.77	396.37	132.21	0.40
CL-PR	4712.26	Sterling MDDP 10	430	7217.98	7221.22	7219.76	3.24	2.03	7221.33	0.015199	2.52	1.93	170.41	83.30	0.33
CL-PR	4444.93	FEMA 100 Yr.	2600	7213.93	7217.38		3.45	2.59	7217.78	0.041470	4.92	6.71	528.48	203.56	0.56
CL-PR	4444.93	DBPS 100 Yr.	2170	7213.93	7217.10		3.17	2.37	7217.45	0.040993	4.61	6.07	470.76	198.02	0.54
CL-PR	4444.93	DBPS 10 Yr.	630	7213.93	7215.68		1.75	1.26	7215.83	0.040995	3.03	3.23	207.63	164.62	0.49
CL-PR	4444.93	Sterling MDDP 10	1487	7213.93	7216.56		2.63	1.93	7216.83	0.041638	4.06	5.02	366.53	189.42	0.53
CL-PR	4444.93	Sterling MDDP 10	430	7213.93	7215.34		1.41	1.04	7215.47	0.044949	2.78	2.90	154.49	149.20	0.50
CL-PR	4231.86	FEMA 100 Yr.	2600	7206.00	7213.05		7.05	4.68	7213.18	0.005951	2.75	1.74	944.92	200.18	0.24
CL-PR	4231.86	DBPS 100 Yr.	2170	7206.00	7212.39		6.39	4.11	7212.52	0.006602	2.66	1.69	815.09	196.97	0.25
CL-PR	4231.86	DBPS 10 Yr.	630	7206.00	7209.91		3.91	1.87	7209.99	0.008531	1.84	0.99	341.65	182.71	0.29
CL-PR	4231.86	Sterling MDDP 10	1487	7206.00	7211.38		5.38	3.21	7211.49	0.007400	2.40	1.48	618.74	191.90	0.26
CL-PR	4231.86	Sterling MDDP 10	430	7206.00	7209.48		3.48	1.52	7209.55	0.008382	1.63	0.80	264.61	173.44	0.30
CL-PR	3915.99	FEMA 100 Yr.	2600	7203.99	7210.67		6.67	5.37	7210.84	0.006819	3.22	2.28	807.78	147.59	0.25
CL-PR	3915.99	DBPS 100 Yr.	2170	7203.99	7209.92		5.93	5.14	7210.08	0.006714	3.09	2.16	702.67	133.86	0.25
CL-PR	3915.99	DBPS 10 Yr.	630	7203.99	7206.76		2.77	2.41	7206.84	0.008606	2.12	1.29	297.60	122.40	0.25
CL-PR	3915.99	Sterling MDDP 10	1487	7203.99	7208.64		4.65	4.07	7208.77	0.007426	2.78	1.88	535.10	129.53	0.25
CL-PR	3915.99	Sterling MDDP 10	430	7203.99	7206.17		2.17	1.87	7206.23	0.009769	1.91	1.14	225.47	119.97	0.26
CL-PR	3708.56	FEMA 100 Yr.	2600	7200.00	7207.61		7.61	4.48	7208.47	0.022675	5.84	6.34	445.42	97.38	0.61
CL-PR	3708.56	DBPS 100 Yr.	2170	7200.00	7207.00		7.00	4.31	7207.76	0.022077	5.59	5.94	388.08	88.02	0.59
CL-PR	3708.56	DBPS 10 Yr.	630	7200.00	7203.76		3.76	2.53	7204.15	0.022567	3.98	3.57	158.43	61.66	0.55
CL-PR	3708.56	Sterling MDDP 10	1487	7200.00	7205.80		5.80	4.06	7206.39	0.020504	5.07	5.19	293.58	70.55	0.53
CL-PR	3708.56	Sterling MDDP 10	430	7200.00	7203.33		3.33	2.21	7203.60	0.017709	3.25	2.44	132.37	59.09	0.49
CL-PR	3540.56	FEMA 100 Yr.	2600	7193.66	7200.57		6.91	4.85	7201.18	0.020761	5.47	6.29	474.94	95.52	0.49
CL-PR	3540.56	DBPS 100 Yr.	2170	7193.66	7199.95		6.29	4.40	7200.51	0.021210	5.21	5.83	416.82	92.51	0.50
CL-PR	3540.56	DBPS 10 Yr.	630	7193.66	7197.31		3.65	2.46	7197.55	0.017340	3.28	2.66	191.88	76.96	0.43
CL-PR	3540.56	Sterling MDDP 10	1487	7193.66	7198.86		5.20	3.61	7199.31	0.021767	4.66	4.91	319.14	86.58	0.50


HEC-RAS Plan: SC PR River: Sand Creek Impro Reach: CL-PR (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Chl Dpth (ft)	Hydr Radius (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Total (ft/s)	Shear Total (lb/sq ft)	Flow Area (sq ft)	Top Width (ft)	Froude # XS
CL-PR	3540.56	Sterling MDDP 10	430	7193.66	7196.50		2.84	1.84	7196.75	0.024145	3.26	2.77	131.95	70.93	0.51
CL-PR	3443.11	FEMA 100 Yr.	2600	7187.94	7194.51	7194.51	6.56	3.73	7196.07	0.021671	5.27	5.04	492.98	129.56	0.91
CL-PR	3443.11	DBPS 100 Yr.	2170	7187.94	7194.15	7194.15	6.21	3.42	7195.54	0.020111	4.85	4.30	447.03	127.88	0.89
CL-PR	3443.11	DBPS 10 Yr.	630	7187.94	7191.36	7190.82	3.42	2.37	7192.50	0.025903	4.74	3.84	132.80	54.41	0.96
CL-PR	3443.11	Sterling MDDP 10	1487	7187.94	7193.45	7193.45	5.51	2.83	7194.60	0.017805	4.14	3.14	359.38	124.76	0.89
CL-PR	3443.11	Sterling MDDP 10	430	7187.94	7190.91	7190.56	2.97	2.24	7191.62	0.019329	3.94	2.70	109.12	47.34	0.79
CL-PR	3334.25	FEMA 100 Yr.	2600	7183.81	7189.32		5.52	4.23	7189.51	0.005907	2.65	1.56	981.23	230.65	0.30
CL-PR	3334.25	DBPS 100 Yr.	2170	7183.81	7188.66		4.86	3.64	7188.85	0.006937	2.61	1.58	830.90	227.52	0.32
CL-PR	3334.25	DBPS 10 Yr.	630	7183.81	7186.03		2.23	1.57	7186.19	0.015218	2.24	1.50	280.91	178.27	0.45
CL-PR	3334.25	Sterling MDDP 10	1487	7183.81	7187.56		3.76	2.68	7187.75	0.009702	2.55	1.62	582.77	217.08	0.38
CL-PR	3334.25	Sterling MDDP 10	430	7183.81	7185.57	7185.03	1.77	1.27	7185.72	0.017980	2.12	1.42	202.82	159.92	0.48
CL-PR	3179.68	FEMA 100 Yr.	2600	7178.00	7186.71	7185.49	8.71	5.63	7187.94	0.007518	4.06	2.64	639.85	110.97	0.65
CL-PR	3179.68	DBPS 100 Yr.	2170	7178.00	7185.75	7184.94	7.75	4.91	7187.04	0.008743	4.05	2.68	535.16	106.58	0.72
CL-PR	3179.68	DBPS 10 Yr.	630	7178.00	7182.53	7182.53	4.53	2.33	7183.49	0.009626	2.92	1.40	215.73	91.59	0.91
CL-PR	3179.68	Sterling MDDP 10	1487	7178.00	7184.63	7184.05	6.63	4.06	7185.70	0.008282	3.55	2.10	418.93	101.39	0.72
CL-PR	3179.68	Sterling MDDP 10	430	7178.00	7181.91	7181.80	3.91	1.84	7182.82	0.009671	2.68	1.11	160.58	86.43	0.99
CL-PR	2960.1	FEMA 100 Yr.	2600	7177.88	7183.81	7183.81	5.93	4.52	7186.24	0.015014	6.00	4.24	433.01	89.70	1.00
CL-PR	2960.1	DBPS 100 Yr.	2170	7177.88	7183.62	7183.62	5.74	4.49	7185.43	0.011742	5.22	3.29	415.72	86.85	0.87
CL-PR	2960.1	DBPS 10 Yr.	630	7177.88	7180.25	7180.25	2.37	2.07	7181.27	0.020692	4.06	2.68	155.15	73.90	0.99
CL-PR	2960.1	Sterling MDDP 10	1487	7177.88	7181.69	7181.69	3.81	3.37	7183.66	0.021780	5.67	4.58	262.04	74.31	1.06
CL-PR	2960.1	Sterling MDDP 10	430	7177.88	7179.69	7179.69	1.81	1.59	7180.56	0.024632	3.75	2.45	114.63	71.48	1.04
CL-PR	2652.02		Culvert												
CL-PR	2416.82	FEMA 100 Yr.	2600	7168.00	7178.03		10.03	7.75	7178.46	0.001610	3.06	0.78	850.03	104.94	0.32
CL-PR	2416.82	DBPS 100 Yr.	2170	7168.00	7177.34		9.34	7.31	7177.69	0.001441	2.79	0.66	778.14	102.14	0.30
CL-PR	2416.82	DBPS 10 Yr.	630	7168.00	7173.86		5.86	4.92	7173.94	0.000608	1.41	0.19	447.31	88.13	0.18
CL-PR	2416.82	Sterling MDDP 10	1487	7168.00	7176.06		8.06	6.46	7176.28	0.001131	2.29	0.46	650.59	96.97	0.26
CL-PR	2416.82	Sterling MDDP 10	430	7168.00	7173.14		5.14	4.39	7173.19	0.000445	1.12	0.12	384.42	85.21	0.15
CL-PR	2083.66	FEMA 100 Yr.	2600	7169.86	7176.67	7175.20	6.81	5.12	7177.75	0.018458	5.56	5.90	467.69	89.07	0.64
CL-PR	2083.66	DBPS 100 Yr.	2170	7169.86	7176.09	7174.72	6.23	4.72	7177.04	0.017970	5.20	5.29	417.06	86.40	0.63
CL-PR	2083.66	DBPS 10 Yr.	630	7169.86	7173.17	7172.49	3.31	2.49	7173.62	0.017534	3.42	2.72	183.97	73.27	0.59
CL-PR	2083.66	Sterling MDDP 10	1487	7169.86	7175.02	7173.85	5.16	3.93	7175.75	0.017320	4.55	4.25	327.03	81.60	0.60
CL-PR	2083.66	Sterling MDDP 10	430	7169.86	7172.54	7172.09	2.68	1.96	7172.93	0.019196	3.10	2.35	138.88	70.36	0.62
CL-PR	1879.67	FEMA 100 Yr.	2600	7165.99	7171.19	7171.19	5.21	3.81	7172.98	0.028576	5.75	6.80	451.84	117.40	0.96
CL-PR	1879.67	DBPS 100 Yr.	2170	7165.99	7170.77	7170.77	4.79	3.48	7172.37	0.028116	5.39	6.11	402.44	114.64	0.96
CL-PR	1879.67	DBPS 10 Yr.	630	7165.99	7168.82	7168.76	2.84	1.90	7169.55	0.021750	3.29	2.58	191.77	100.63	0.88
CL-PR	1879.67	Sterling MDDP 10	1487	7165.99	7170.01	7170.01	4.03	2.87	7171.29	0.026838	4.68	4.82	317.64	109.73	0.94
CL-PR	1879.67	Sterling MDDP 10	430	7165.99	7168.47	7168.38	2.49	1.60	7169.02	0.018443	2.74	1.84	156.86	97.71	0.83
CL-PR	1507.91	FEMA 100 Yr.	2600	7159.96	7164.39	7162.99	4.45	3.06	7164.73	0.016308	3.62	3.12	718.84	233.19	0.47
CL-PR	1507.91	DBPS 100 Yr.	2260	7159.96	7164.01	7162.75	4.07	2.77	7164.36	0.017902	3.57	3.09	633.11	227.58	0.50
CL-PR	1507.91	DBPS 10 Yr.	670	7159.96	7161.95	7161.23	2.01	1.78	7162.17	0.024174	2.99	2.68	224.05	125.58	0.50
CL-PR	1507.91	Sterling MDDP 10	1520	7159.96	7163.22	7162.20	3.28	2.22	7163.52	0.019435	3.30	2.69	460.79	206.84	0.51
CL-PR	1507.91	Sterling MDDP 10	450	7159.96	7161.46	7160.95	1.52	1.36	7161.65	0.029371	2.75	2.49	163.35	120.10	0.52

HEC-RAS Plan: SC PR River: Sand Creek Impro Reach: CL-PR (Continued)

Reach	River Sta	Profile	Q Total (cfs)	Min Ch El (ft)	W.S. Elev (ft)	Crit W.S. (ft)	Max Chl Dpth (ft)	Hydr Radius (ft)	E.G. Elev (ft)	E.G. Slope (ft/ft)	Vel Total (ft/s)	Shear Total (lb/sq ft)	Flow Area (sq ft)	Top Width (ft)	Froude # XS
CL-PR	1145.05	FEMA 100 Yr.	2600	7153.97	7160.24	7159.42	6.27	3.31	7161.05	0.017947	4.11	3.71	632.55	188.76	0.69
CL-PR	1145.05	DBPS 100 Yr.	2260	7153.97	7159.81	7159.12	5.84	3.25	7160.55	0.017500	4.07	3.55	555.47	169.09	0.67
CL-PR	1145.05	DBPS 10 Yr.	670	7153.97	7157.71	7157.23	3.74	1.89	7158.17	0.014848	2.76	1.75	242.44	127.39	0.69
CL-PR	1145.05	Sterling MDDP 10	1520	7153.97	7158.97	7158.47	5.00	2.72	7159.61	0.017020	3.61	2.89	420.96	153.05	0.68
CL-PR	1145.05	Sterling MDDP 10	450	7153.97	7157.22		3.25	1.64	7157.59	0.013306	2.45	1.36	183.48	111.09	0.67
CL-PR	902.8	FEMA 100 Yr.	2600	7149.99	7156.18	7154.92	6.20	3.63	7156.73	0.014153	3.77	3.20	689.09	188.94	0.55
CL-PR	902.8	DBPS 100 Yr.	2260	7149.99	7155.77	7154.69	5.79	3.47	7156.29	0.014206	3.68	3.08	614.39	175.99	0.54
CL-PR	902.8	DBPS 10 Yr.	670	7149.99	7153.42	7153.18	3.44	1.75	7153.84	0.017659	2.74	1.93	244.17	139.03	0.69
CL-PR	902.8	Sterling MDDP 10	1520	7149.99	7154.82	7154.13	4.84	2.83	7155.28	0.015070	3.35	2.66	454.21	159.68	0.57
CL-PR	902.8	Sterling MDDP 10	450	7149.99	7152.94	7152.85	2.96	1.36	7153.37	0.019105	2.51	1.62	179.34	131.19	0.79
CL-PR	520.2	FEMA 100 Yr.	2600	7147.98	7153.90		5.92	4.25	7154.31	0.011062	3.70	2.94	703.30	164.34	0.44
CL-PR	520.2	DBPS 100 Yr.	2260	7147.98	7153.53		5.55	4.04	7153.90	0.010733	3.51	2.71	643.97	158.44	0.42
CL-PR	520.2	DBPS 10 Yr.	670	7147.98	7151.16		3.18	2.22	7151.33	0.009612	2.25	1.33	297.97	134.05	0.39
CL-PR	520.2	Sterling MDDP 10	1520	7147.98	7152.61		4.63	3.37	7152.89	0.010142	3.03	2.13	502.24	148.41	0.41
CL-PR	520.2	Sterling MDDP 10	450	7147.98	7150.66		2.68	1.79	7150.80	0.009375	1.94	1.05	231.82	129.26	0.39
CL-PR	250.3	FEMA 100 Yr.	2600	7145.95	7150.37	7148.65	4.45	3.22	7150.71	0.015150	3.52	3.05	738.50	228.86	0.46
CL-PR	250.3	DBPS 100 Yr.	2260	7145.95	7150.08	7148.41	4.16	3.03	7150.39	0.014919	3.36	2.82	673.05	221.77	0.45
CL-PR	250.3	DBPS 10 Yr.	670	7145.95	7148.12		2.20	1.85	7148.24	0.012952	2.25	1.50	297.75	160.58	0.37
CL-PR	250.3	Sterling MDDP 10	1520	7145.95	7149.33	7147.88	3.41	2.59	7149.56	0.014206	2.95	2.30	514.46	198.14	0.42
CL-PR	250.3	Sterling MDDP 10	450	7145.95	7147.68		1.76	1.53	7147.78	0.012593	1.95	1.20	230.66	150.96	0.35
CL-PR	53.78	FEMA 100 Yr.	2600	7139.68	7144.84	7143.96	5.16	2.74	7145.25	0.016008	3.33	2.74	781.65	284.79	0.55
CL-PR	53.78	DBPS 100 Yr.	2260	7139.68	7144.58	7143.81	4.90	2.56	7144.97	0.016007	3.19	2.56	708.62	276.00	0.55
CL-PR	53.78	DBPS 10 Yr.	670	7139.68	7142.89	7142.65	3.21	1.43	7143.19	0.016011	2.24	1.42	298.70	209.26	0.64
CL-PR	53.78	Sterling MDDP 10	1520	7139.68	7143.92	7143.35	4.24	2.14	7144.27	0.016001	2.85	2.14	534.10	249.07	0.57
CL-PR	53.78	Sterling MDDP 10	450	7139.68	7142.52	7142.40	2.84	1.15	7142.81	0.016008	2.01	1.15	224.09	193.76	0.70

DESCRIPTION	SYMBOL
EXISTING GROUND CONTOUR	6910
PROPOSED FINISHED CONTOUR	6910
BASIN BOUNDARY	—
BASIN IDENTIFIER AREA IN ACRES	OS-1 15.0
DESIGN POINT	①
EXISTING DIRECTION OF FLOW	→
PROPOSED DIRECTION OF FLOW	→
DRAINAGE IMPROVEMENTS	—
PIPE RUN	⑩
WETLAND DELINEATION	—



SIDE ROAD DITCH NOT WELL DEFINED IN THIS AREA SO FLOWS FROM VOLLMER RD. ENTER PROPERTY

FUTURE SEDIMENT POND NOTES:
 PROP. OFF-SITE SEDIMENT POND TO BE CONSTRUCTED PRIOR TO EXIST. STOCK POND IS REMOVED.
 DRAINAGE ESMT. TO BE ACQUIRED PRIOR TO CONSTRUCTION OF OFF-SITE SEDIMENT POND.
 FORMAL OUTLET INSTALLED AND CONNECTED DIRECTLY TO 24" RCP OUTFALL TO ROUTE FLOWS DIRECTLY TO SAND CREEK.
 FUTURE OFF-SITE DEVELOPMENT WILL BE REQUIRED TO PROVIDE SWO TREATMENT FOR CONTINUED RELEASE TO SAND CREEK.

NOTE:
 FUTURE DEVELOPED FLOW QUANTITIES WITHIN BASINS OS-5, OS-6 & OS-9 EQUAL TO THE PRE-DEVELOPMENT FLOW QUANTITIES WILL BE TREATED AND DETAINED WITHIN POND 2.

PROPOSED POND 1


PRE-DEVELOPMENT	
Q2 YR. =	0.30 CFS
Q5 YR. =	0.48 CFS
Q100 YR. =	29.2 CFS
DEVELOPED RELEASE	
Q2 YR. =	0.10 CFS
Q5 YR. =	0.17 CFS
Q100 YR. =	24.0 CFS

PROPOSED POND 1

WOCV =	0.214 AC.-FT.
EURV =	0.177 AC.-FT.
100 YR =	0.877 AC.-FT.
TOTAL =	1.268 AC.-FT.

TWO CELL MULTI-PLATE STEEL ARCH CULVERTS (24'X10.3')

NOTE:
 SEE SHEET 3 FOR BASIN AND DEVELOPED FLOW CALCULATIONS



619 N. Cascade Avenue, Suite 200
 Colorado Springs, Colorado 80903
 (719)785-0790
 (719)785-0799 (Fax)


**THE RETREAT AT TIMBERIDGE FILING 1
 FINAL DRAINAGE REPORT**
 DEVELOPED DRAINAGE MAP
 (INCL. FUTURE TIMBERIDGE DEVELOPED BASINS)

DESIGNED BY	MAW	SCALE	DATE
DRAWN BY	MAW	(H) 1" = 100'	1-31-19
CHECKED BY	(V)	N/A	SHEET 2 OF 5
			JOB NO. 2520.00


SEE SHEET 3

SEE SHEET 3


FINAL DRAINAGE REPORT - SURFACE ROUTING SUMMARY										
Design Points	Contributing Basins	Equivalent CA(5)	Equivalent CA(100)	Maximum Tc	Intensity			Flow		Inlet Size
					I(5)	I(100)	Q(5)	Q(100)		
1	A(13.8 Ac), OS-1(11.2 Ac) and C(6.7 Ac)	3.58	9.08	31.8	2.39	4.02	9	36		DUAL 24" RCP CULVERTS
2	TOTAL INFLOW INTO POND 1 A, B, C and OS-1 (28.4 Ac)	4.66	12.16	33.8	2.30	3.86	11	47		POND 1
3	No longer used									
4	D1 (1.1 Ac)	0.74	0.87	15.2	3.50	5.88	3	5		8" TYPER SUMP INLET
5	OS-4 (3.1 Ac), I (3.7 Ac)	1.61	3.17	17.7	3.28	5.50	5	17		15" TYPER AT-GRADE INLET
6	OS-3 (2.5 Ac)	0.63	1.18	11.9	3.86	6.49	2	8		10" TYPER AT-GRADE INLET
7	Basin D2, Basin Hand 50% of 100 yr Flow from DP-6 (5.5 Ac)	1.51	2.47	27.3	2.62	4.40	4	11		10" TYPER SUMP INLET
8	K (1.5 Ac)	0.38	0.71	12.6	3.78	6.35	1	4		8" TYPER SUMP INLET
9	J and OS-7 (5.7 Ac)	1.43	2.88	16.0	3.43	5.75	5	15		10" TYPER SUMP INLET
10	Flow from DP-5 and Basin L (7.3 Ac)	1.83	4.29	21.2	3.00	5.04	5	22		15" TYPER AT-GRADE INLET
11	Basin N, O, P and 50% 100 Yr Flow from DP-6 and portion of 100 Yr Flow from DP-10 (13.6 Ac)	1.58	4.54	24.2	2.80	4.70	4	21		15" TYPER SUMP INLET
12	OS-5 (20.9 Ac)	2.93	6.27	19.9	3.08	5.19	9	33		15" TYPER SUMP INLET
13	OS-6 (1.2 Ac)	0.19	2.06	12.4	3.80	6.39	1	13		10" TYPER SUMP INLET
14	OS-8 (1.0 Ac)	0.25	0.47	11.0	3.99	6.70	1	3		8" TYPER SUMP INLET
15	OS-9 (5.3 Ac)	0.85	2.17	16.0	3.42	5.74	3	12		10" TYPER SUMP INLET
16	OS-10 (1.0 Ac)	0.25	0.47	11.0	3.99	6.69	1	3		8" TYPER SUMP INLET
17	OS-11 (7.9 Ac)	1.98	3.71	14.7	3.55	5.96	7	22		10" TYPER SUMP INLET
18	OS-12 (15.0 Ac)	2.10	6.00	22.0	2.94	4.94	6	30		30" RCP CULVERT
19	OS-13 (1.4 Ac)	0.28	0.62	12.2	3.83	6.42	1	4		8" TYPER SUMP INLET
20	OS-14 (9.1 Ac)	1.82	4.00	19.9	3.10	5.20	6	21		15" TYPER SUMP INLET
21	TOTAL INFLOW INTO EXIST. STOCK POND (23.4 Ac)	2.11	8.42	28.8	2.49	4.18	5	35		EXIST. STOCK POND WITH OUTLET
22	TOTAL INFLOW INTO POND 2 (104.8 Ac)	20.50	45.77	30.0	2.48	4.16	51	191		POND 2



FINAL DRAINAGE REPORT - BASIN RUNOFF SUMMARY																										
BASIN	WEIGHTED					OVERLAND			STREET / CHANNEL FLOW			INTENSITY			TOTAL FLOWS											
	CA(2)	CA(5)	CA(10)	CA(25)	CA(50)	CA(100)	C(5)	Length (ft)	Height (ft)	Tc (min)	Length (ft)	Slope (%)	Velocity (ft/s)	Tc (min)	I(2)	I(5)	I(10)	I(25)	I(50)	I(100)	Q(2)	Q(5)	Q(100)			
OS-1	0.88	0.71	0.76	0.82	0.85	0.88	0.08	10	0.2	4.6	1700	3.5%	1.9	15.1	19.8	2.48	3.11	3.62	4.44	4.66	5.21	2	2	5		
OS-2	0.02	0.07	0.14	0.23	0.27	0.32	0.08	300	10.5	21.1	21	2.41	3.01	3.51	4.01	4.51	5.05	5.05	5.05	5.05	0.2	2	1.6			
OS-3	0.45	0.63	0.80	0.98	1.08	1.18	0.25	55	1.1	9.1	800	3.0%	3.5	2.9	11.9	3.08	3.88	4.51	5.15	5.80	6.49	1	2	8		
OS-4	0.47	0.68	0.93	1.15	1.27	1.43	0.22	200	6	15.6	400	3.0%	3.5	1.9	11.6	2.62	3.28	3.83	4.38	4.93	5.51	1	2	8		
OS-5	1.25	2.93	4.81	6.48	7.52	8.36	0.14	300	8	15.5	750	2.0%	2.8	4.4	19.9	2.47	3.09	3.61	4.13	4.64	5.19	3	9	40		
OS-6	0.08	0.19	0.29	0.38	0.44	0.49	0.16	55	1.1	10.0	500	3.0%	3.5	2.4	12.4	3.04	3.80	4.44	5.07	5.71	6.36	0.3	1	3		
OS-7	0.38	0.53	0.67	0.82	0.90	0.99	0.25	100	10	7.2				7.2	3.89	4.63	5.40	6.17	6.94	7.77	1	2	8			
OS-8	0.18	0.25	0.32	0.39	0.43	0.47	0.25	55	1.1	9.1	400	3.0%	3.5	1.9	11.0	3.18	3.98	4.65	5.32	5.98	6.70	1	1	3		
OS-9	0.37	0.85	1.27	1.70	1.96	2.17	0.16	200	10	14.1	400	3.0%	3.5	1.9	11.0	2.73	3.42	3.99	4.56	5.13	5.74	1	3	12		
OS-10	0.18	0.25	0.32	0.39	0.43	0.47	0.25	55	1.1	9.1	450	3.8%	3.9	1.9	11.0	3.18	3.98	4.65	5.32	5.98	6.69	1	1	3		
OS-11	1.42	1.96	2.53	3.08	3.40	3.71	0.25	200	10	12.8	400	3.0%	3.9	1.9	14.7	2.84	3.55	4.14	4.74	5.33	5.96	4	7	22		
OS-12	0.90	2.10	3.45	4.65	5.40	6.00	0.14	300	13	15.5	600	2.0%	2.8	3.5	22.0	2.35	2.94	3.43	3.93	4.42	4.94	2	6	30		
OS-13	0.17	0.28	0.38	0.46	0.56	0.62	0.20	55	1.1	9.6	400	2.0%	2.8	2.7	12.2	3.05	3.83	4.46	5.10	5.74	6.42	0.5	1	4		
OS-14	1.09	1.82	2.46	3.19	3.64	4.00	0.20	300	12	17.8	300	2.0%	2.8	2.1	19.9	2.48	3.10	3.62	4.13	4.65	5.20	3	6	21		
OS-15	0.70	2.11	3.96	6.06	7.25	8.42	0.09	300	16	18.2	1300	3.5%	1.9	11.6	28.6	2.00	2.49	2.91	3.32	3.74	4.15	1	5	35		
OS-16	0.23	0.99	1.31	2.00	2.39	2.77	0.09	300	10	21.2	600	3.5%	1.9	5.3	26.6	2.13	2.66	3.11	3.55	4.00	4.47	0.5	2	12		
OS-17	0.61	1.84	3.47	5.30	6.32	7.34	0.09	300	9.5	21.6	650	3.5%	1.9	5.8	27.4	2.10	2.62	3.05	3.49	3.93	4.39	1.3	5	32		
OS-18	0.33	0.98	1.85	2.83	3.38	3.92	0.09	300	10	21.2	700	3.5%	1.9	6.2	27.5	2.09	2.61	3.05	3.49	3.92	4.39	0.7	3	17		
OS-19	0.22	0.65	1.22	1.87	2.23	2.59	0.09	300	10	21.2	400	3.5%	1.9	3.6	24.8	2.21	2.77	3.23	3.69	4.15	4.64	0.5	2	12		
OS-20	0.75	2.26	4.27	6.53	7.78	9.04	0.09	300	16	18.2	1300	3.5%	1.9	11.6	28.6	2.00	2.49	2.91	3.32	3.74	4.15	2	6	30		
A	0.83	1.93	3.17	4.28	4.97	5.52	0.14	300	10.5	19.9	1200	3.2%	1.8	11.9	31.8	1.92	2.39	2.79	3.19	3.59	4.02	2	5	22		
B	0.46	1.06	1.77	2.39	2.77	3.08	0.14	300	10.5	19.9	400	2.0%	1.4	4.7	24.6	2.23	2.78	3.24	3.71	4.17	4.67	1	3	14		
C	0.40	0.94	1.54	2.08	2.41	2.68	0.14	300	10.5	19.9	1100	1.5%	2.4	7.5	27.3	2.10	2.62	3.06	3.49	3.93	4.40	1	2	12		
D	0.72	0.74	0.78	0.83	0.85	0.87	0.08	15	0.3	5.7	1400	1.5%	2.4	9.5	15.2	2.60	3.00	3.40	3.80	4.20	4.67	5.25	5.88	2	3	5
E	0.96	1.07	1.18	1.30	1.36	1.43	0.25	55	1.1	9.1	500	2.5%	3.2	2.6	11.7	3.11	3.88	4.54	5.19	5.84	6.54	3	4	9		
F	0.19	0.45	0.74	0.99	1.15	1.28	0.14	300	10.5	19.9	300	2.0%	1.4	3.9	23.4	2.28	2.85	3.39	3.81	4.28	4.79	0.4	1	6		
G	0.05	0.13	0.21	0.28	0.32	0.36	0.14	300	10.5	19.9				19.9	2.48	3.10	3.62	4.13	4.65	5.20	0.1	0.4	1.9			
H	0.14	0.56	1.08	1.60	2.16	2.52	0.08	70	14	5.7	900	2.0%	1.4	10.6	16.3	2.71	3.39	3.96	4.50	5.09	5.70	0.4	2	14		
I	0.30	0.44	0.60	0.74	0.82	0.92	0.22	100	4	10.1	300	3.0%	3.5	1.4	11.5	3.13	3.92	4.57	5.23	5.88	6.58	1	2	6		
J	0.67	0.93	1.18	1.44	1.59	1.74	0.25	120	3	12.4	550	3.5%	3.7	2.4	14.9	2.82	3.53	4.12	4.71	5.30	5.93	2	3	10		
K	0.65	0.90	1.15	1.40	1.55	1.69	0.25	120	3	12.4	600	2.0%	2.8	3.5	15.0	2.74	3.43	4.00	4.57	5.14	5.75	2	3	10		
L	0.27	0.38	0.48	0.59	0.65	0.71	0.25	55	1.1	9.1	600	2.0%	2.8	3.9	12.8	3.02	3.78	4.41	5.05	5.68	6.30	0.9	1	4		
M	1.31	1.83	2.34	2.85	3.14	3.43	0.25	150	4.5	13.1	850	2.5%	3.2	4.5	17.6	2.62	3.28	3.83	4.38	4.93	5.51	3	6	19		
N	0.41	0.59	0.81	1.00	1.11	1.24	0.22	100	4	10.1	400	2.0%	2.8	2.4	12.4	3.04	3.80	4.44	5.07	5.71	6.39	1	2	8		
O	0.38	0.53	0.67	0.82	0.90	0.99	0.25	55	1.1	9.1	1050	2.0%	2.8	6.2	15.2	2.79	3.30	3.80	4.28	4.76	5.25	5.87	1	2	6	
P	0.27	0.38	0.48	0.59	0.65	0.71	0.25	80	5	7.5				7.5	3.64	4.56	5.32	6.08	6.84	7.66	1	2	5			
Q	0.46	0.68	0.86	1.05	1.16	1.27	0.25	120	3	12.4	450	1.5%	2.4	3.1	15.5	2.77	3.47	4.05	4.63	5.21	5.83	1	2	7		
R	0.13	0.31	0.51	0.68	0.79	0.88	0.14	90	32	5.7	300	1.5%	1.2	4.1	9.8	3.25	4.18	4.85	5.54	6.24	6.96	0.4	1	6		
S	0.16	0.23	0.29	0.35	0.39	0.42	0.25	90	6	7.8				7.8	3.59	4.50	5.26	6.01	6.78	7.56	1	1	3			
T	0.07	0.29	0.54	0.90	1.08	1.26	0.08	140	14	10.2	750	1.5%	2.4	5.1	15.3	2.79	3.49	4.07	4.66	5.24	5.86	0.2	1.0	7		



DESCRIPTION	LEGEND	SYMBOL
EXISTING GROUND CONTOUR	6910	
PROPOSED FINISHED CONTOUR	6910	
BASIN BOUNDARY		
BASIN IDENTIFIER		
AREA IN ACRES	10.0	
DESIGN POINT		
EXISTING DIRECTION OF FLOW		
PROPOSED DIRECTION OF FLOW		
DRAINAGE IMPROVEMENTS		
PIPE RUN		



PROPOSED POND 1


PRE-DEVELOPMENT	
Q2 YR. = 0.30 CFS	
Q5 YR. = 0.48 CFS	
Q100 YR. = 29.2 CFS	
DEVELOPED RELEASE	
Q2 YR. = 0.10 CFS	
Q5 YR. = 0.17 CFS	
Q100 YR. = 24.0 CFS	

PROPOSED POND 1

WOCV = 0.214 AC.-FT.	
EURV = 0.177 AC.-FT.	
100 YR. = 0.977 AC.-FT.	
TOTAL = 1.268 AC.-FT.	

TWO CELL MULTI-PLATE STEEL ARCH CULVERTS (24'X10.33')

NOTE:
SEE SHEET 3 FOR BASIN AND DEVELOPED FLOW CALCULATIONS



619 N. Cascade Avenue, Suite 200
Colorado Springs, Colorado 80903

THE RETREAT AT TIMBERRIDGE FILING 1
FINAL DRAINAGE REPORT
DEVELOPED DRAINAGE MAP
(FILING NO. 1 GRADING ONLY)

DESIGNED BY	MAW	SCALE	DATE
DRAWN BY	MAW	(H) 1" = 100'	1-31-19
CHECKED BY	(V) 1" = N/A		SHEET 4 OF 5
			JOB NO. 1185.00

SEE SHEET 5

SEE SHEET 5

**MASTER DEVELOPMENT DRAINAGE PLAN
AMENDMENT
FOR
STERLING RANCH**

**Prepared For:
SR Land, LLC
20 Boulder Crescent, 2nd Floor
Colorado Springs, CO 80903
(719) 491-3024**

**January 20th, 2023
Project No. 25188.04**

**Prepared By:
JR Engineering, LLC
5475 Tech Center Drive
Colorado Springs, CO 80919
(303)-267-6240
Contact: Mike Bramlett, PE**

Detention spreadsheet's stage-area and stage-discharge curves from the Retreat at Timber Ridge Filing 1 Final Drainage Report.

- Pond FSD21 now outfalls directly into DP-73 instead of going through Pond FSD27. Based on the Drainage Report for The Retreat at Timber Ridge, flows from Sub-Basin SC3-21 drain to a future full spectrum detention pond that outfalls directly into Sand Creek.

A table summarizing the changes in the Full Spectrum Detention Pond's sizing and release rates can be found in **Appendix C**.

The second stated purpose of this MDDP Amendment is to document the differences between the MDDP and this MDDP Amendment. Comparing the MDDP Amendment's proposed conditions model to the MDDP, the median difference in Sub-basin peak flow rates between the two is a 6% decrease in the basin runoff. With the basin parameters carried over as much as possible, some of the differences is due to how the hydrographs were generated in HEC-HMS and SWMM respectively. The MDDP used curve number while the MDDP Amendment used CUHP. The MDDP Amendment also took into account changes basin parameters based on the various accepted Final Drainage Reports. The differences in Sub-basin peak flow rates were not universally higher in CUHP-SWMM, with there being a range from 100% higher to 100% lower. A table comparing the peak flow rates of the Sub-basins can be found in **Appendix C**.

The comparison between the routed hydrographs at the design points of the MDDP Amendment proposed conditions model and MDDP proposed conditions model shows a more consistent change. Peak runoff rates along the main fork are mostly a few percent higher, with a handful further downstream the reach 14 to 16% higher. The East Fork saw a reduction of peak runoff rates around 60% from the previous model. The total volume of water is consistently 10 to 25% lower than the previous model with a exception of a few places. This is due in part to the changes in detention release rates as well as the previously mentioned differences in how the hydrographs were created. The differences between the two models of when peak runoff occurs were typically within 10 to 15 minutes in each basin and at each node. Tables comparing the MDDP Amendment proposed conditions model with the previous one from the MDDP can be found in **Appendix C**.

The last and most crucial comparison is between the updated existing conditions model and the updated proposed conditions model. As seen in Table 1, all of the online and offline detention shows a clear reduction in flows along Sand Creek. The total volume of runoff is very similar in the undeveloped upper portion of the reach at Design Points 74, 75, and 78. As runoff accumulates downstream at Design Points 73, 71, 69, and 63 the volume of runoff drastically increases due to the increased imperviousness of the adjacent developments, but the peak flow rates remain lower than existing due to all of the full spectrum detention ponds along the reach.

As seen in Table 1, Pond W-3 reduces peak flow rates downstream of it at Design Points 60A and 53A to below the pre-development rates seen in the updated existing conditions model. Flows have been reduced from 1969.2 and 2197.2 cfs, respectively, to 1882.2 and 1887.5 cfs. A table comparing the peak runoff rates and the total volume of runoff at the design points can be found in **Appendix C**.

DRAINAGE FACILITY DESIGN

General Concept

The third stated purpose of this MDDP Amendment is an evaluation of the required volume for on-line detention at Sterling Ranch Road (Pond W-3). Along with an on-line detention pond, new culverts are proposed at Sterling Ranch Road and Briargate Parkway being designed by others. The amendment also includes revisions to the existing stock pond north of Sterling Ranch Road, the stock ponds north of Briargate Parkway, and improvements to Sand Creek channel.

Specific Details

Compared to the previous preliminary design of Pond W-3 from the 2018 MDDP, the amount of storage volume has decreased from 78.2 ac-ft. to 50.5 ac-ft. In order to avoid classification as a jurisdictional dam, the maximum ponding depth is 10 feet. The peak release rate has been increased from 1350.6 cfs to 1585.2 cfs. Despite the increase in release rate, peak flow rates along Sand Creek downstream of the pond are lower than existing. The previous MDDP model outfalls at DP 53A, which is defined as the Full Spectrum Pond at Woodmen Drive, and so does the MDDP Amendment SWMM model. The MDDP model over-detains at Pond W-3 in order to reduce flows downstream well below those in the existing conditions. With the goal being to simply reduce flows to less than predevelopment rates, this amount of detention is unnecessary, hence the reduced storage volume and the increased release rate. A complete comparison between existing and proposed conditions of design flows along Sand Creek can be seen below.

Table 1.

Design Point Comparison Summary						
Location	Design Point ID	Existing (Updated)	Proposed (MDDP)	Proposed (Amendment)	% Difference Amend vs. MDDP	% Difference Amend vs. EX
		Q100 (cfs)				
	DP-74	352.3	262.8	293.8	12%	-17%
	DP-75	970.5	950.5	887.9	-7%	-9%
	DP-78	497.7	385.3	422.1	10%	-15%
	DP-73	1672	1506.7	1497.1	-1%	-10%
Sterling Ranch N BNDY	DP-71	1734.9	1612.2	1644.1	2%	-5%
Briargate Pkwy X'ing	DP-69	1988.4	1775.7	1763.9	-1%	-11%
Sterling Ranch S BNDY	DP-63	1980.7	1385.1	1585.2	14%	-20%
Marksheffel X'ing	DP-60A	1969.2	1661.8	1882.2	13%	-4%
Sand Creek and Pond 3	DP-53A	2197.7	1668.9	1887.5	13%	-14%
Near SE Prop Corner	DP-56	242.9	196.4	136.2	-31%	-44%

Conceptually, the current preliminary design for Pond W-3 is similar to what was previously shown in the MDDP. Ponding occurs adjacent to Sterling Ranch Road and pass through a 3 barrel box culvert before entering the roadway culvert and continuing downstream. The Sterling Ranch Road culvert is currently proposed to be a Bridgecor arch with a 38'-1" span x 11'x11" rise (by others).

The existing stock pond upstream of Sterling Ranch Road will remain in place, with flows passing through the pond and leaving through an outlet structure. The major change in how the pond functions is the new design does not have a diversion structure along Sand Creek that routes flows around the existing pond. Due the narrow space between the proposed development and the existing stock pond, this portion of channel would require extensive reinforcement due to high shears and velocities. In order to maintain the water right for the pond, an outlet orifice structure maintains a static water surface of 7038 ft and all flows above that elevation pass undetained through the orifice structure and outfall into Pond W-3. An Agridrain system adjacent to the outlet structure controls flows below the static water surface and allow flows to be impounded or released as needed. Adding the existing stock pond as online storage directly upstream of Pond W-3 made a drastic difference in peak flows. The time of peak concentration at Sterling Ranch Road was only about 20 minutes greater, but the additional storage volume attributed to the stock ponds reduced peak flows by 160 cfs and reduced the maximum volume of runoff flowing into Pond W-3 by 1.3 ac-ft.

The proposed channel improvements begin just north of the Sterling Ranch southern property boundary and run north roughly two miles to the northern property boundary. The horizontal

Existing Conditions Design Point Peak Flow Rate Summary


Design Point	MDDP						MDDP Amendment						% Difference					
	Q2 (cfs)	Q5 (cfs)	Q10 (cfs)	Q25 (cfs)	Q50 (cfs)	Q100 (cfs)	Q2 (cfs)	Q5 (cfs)	Q10 (cfs)	Q25 (cfs)	Q50 (cfs)	Q100 (cfs)	Q2	Q5	Q10	Q25	Q50	Q100
DP-73	225.9	380.7	618	957	1260.4	1582.3	171.2	503.09	791.79	1033.04	1414.41	1672.0	-32%	24%	22%	7%	11%	5%
DP-71	229.3	388.9	629.7	978.8	1277.3	1637.9	175	518.37	818.24	1068.91	1466.2	1734.9	-31%	25%	23%	8%	13%	6%
DP-69	253	434.8	707.7	1100	1453.3	1870.4	189.69	579.88	923.83	1213.68	1675.53	1988.4	-33%	25%	23%	9%	13%	6%
DP-63	251.4	430.7	713.1	1113.2	1496.2	1911.5	175.18	557.4	899.71	1192.36	1661.58	1980.7	-44%	23%	21%	7%	10%	3%
DP-10	36.5	56	106.4	162.9	220.6	287.2	32.32	93.36	146.19	189.33	255.2	300.1	-13%	40%	27%	14%	14%	4%
DP-9A	55.3	94.3	150.3	227.7	299.5	380.5	31.89	101.87	173.68	232.21	321.39	381.1	-73%	7%	13%	2%	7%	0%
DP-9	52.8	88.8	142.1	214.2	281	351.4	28.73	93.68	160.49	215.19	297.14	351.7	-84%	5%	11%	0%	5%	0%
DP-8A	7.7	15.2	27.1	44.2	60.5	78.4	0.56	17.3	31.43	42.65	59.34	70.5	-1275%	12%	14%	-4%	-2%	-11%
DP-8	24.2	45.1	77.8	124.4	169.5	220.9	1.97	50.28	115.07	167.23	245.12	297.4	-1128%	10%	32%	26%	31%	26%
DP-7	32.4	57.1	97.3	156.1	213.8	277.9	22.38	82.23	143.62	194.75	273.43	326.3	-45%	31%	32%	20%	22%	15%
DP-6	12.2	23.9	43.1	70.9	97	125.2	7.82	24.38	46.12	63.58	89.43	106.6	-56%	2%	7%	-12%	-8%	-17%
DP-5	0.5	1.7	4.5	9.4	14.5	20.5	1.18	9.36	20.8	29.82	42.58	50.9	58%	82%	78%	68%	66%	60%
DP-4	11.6	21.5	37.5	60.9	83.1	107.4	12.95	35.87	65.46	89.09	123.98	147.0	10%	40%	43%	32%	33%	27%
DP-3	1.1	1.8	2.8	4.3	5.6	7.1	0.0	0.69	1.71	2.52	3.71	4.5	-10900%	-161%	-64%	-71%	-51%	-57%
DP-2	4.8	7.9	12.4	18.7	24.5	30.9	0.0	4.41	10.85	15.93	23.17	27.9	-47900%	-79%	-14%	-17%	-6%	-11%
DP-1	5	8.2	13	19.6	25.7	32.2	0.0	4.88	11.82	17.63	25.97	31.5	-49900%	-68%	-10%	-11%	1%	-2%
DP-60A	247.7	430.2	707.1	1113	1496.6	1913.5	167.91	546.35	886.79	1179	1649.04	1969.2	-48%	21%	20%	6%	9%	3%
DP-56	23.2	42.5	71.9	115.6	157.4	202.9	0.35	40.19	96.37	141.51	207.98	242.9	-6529%	-6%	25%	18%	24%	16%
DP-53A	262.1	454	763.2	1196.5	1609.8	2061.5	182.68	602.01	983.58	1311.23	1837.86	2197.7	-43%	25%	22%	9%	12%	6%

Existing Conditions Design Point Total Runoff Volume Summary

Design Point	MDDP						MDDP Amendment						% Difference					
	V2 (ac-ft)	V5 (ac-ft)	V10 (ac-ft)	V25 (ac-ft)	V50 (ac-ft)	V100 (ac-ft)	V2 (ac-ft)	V5 (ac-ft)	V10 (ac-ft)	V25 (ac-ft)	V50 (ac-ft)	V100 (ac-ft)	V2	V5	V10	V25	V50	V100
DP-73	40.4	61.5	92.1	134.3	173.1	214.9	19.9	51.9	78.6	101.0	136.3	159.9	-103%	-19%	-17%	-33%	-27%	-34%
DP-71	42.5	64.9	97.1	141.6	182.5	226.6	20.7	54.6	82.6	106.2	143.6	168.5	-105%	-19%	-18%	-33%	-27%	-34%
DP-69	50.7	77.4	116.1	169.4	218.6	271.4	24.0	64.4	98.2	126.4	171.2	201.0	-111%	-20%	-18%	-34%	-28%	-35%
DP-63	54.1	82.5	123.8	180.8	233.3	289.9	25.9	69.7	105.9	136.3	184.4	216.4	-109%	-18%	-17%	-33%	-26%	-34%
DP-10	7.6	11.7	17.6	25.8	33.4	41.6	5.4	12.2	17.9	22.5	29.6	34.4	-41%	4%	1%	-15%	-13%	-21%
DP-9A	9.3	14.1	21.1	30.7	39.4	48.8	3.6	9.4	15.2	20.0	27.5	32.5	-159%	-50%	-39%	-53%	-43%	-50%
DP-9	8.4	12.7	19	27.6	35.5	44	3.0	8.1	13.4	17.7	24.4	28.9	-181%	-56%	-42%	-56%	-45%	-52%
DP-8A	1.3	2.1	3.4	5.2	7	8.9	0.1	1.7	3.2	4.3	6.0	7.1	-2153%	-21%	-8%	-22%	-17%	-25%
DP-8	4.4	7	11.1	16.8	22.3	28.4	0.2	4.9	10.3	14.5	21.0	25.3	-2483%	-43%	-8%	-15%	-6%	-12%
DP-7	6.1	10	15.9	24.3	32.4	41.3	3.1	10.3	17.6	23.6	32.8	39.0	-99%	3%	10%	-3%	1%	-6%
DP-6	2.4	4	6.3	9.6	12.7	16	1.0	2.7	4.8	6.5	9.2	10.9	-142%	-51%	-31%	-47%	-38%	-46%
DP-5	0.2	0.4	0.8	1.4	1.9	2.6	0.1	0.5	1.2	1.7	2.6	3.1	-160%	26%	34%	20%	26%	16%
DP-4	2.6	4.2	6.7	10.2	13.5	17.2	1.6	3.7	6.5	8.7	12.0	14.2	-64%	-12%	-3%	-17%	-12%	-21%
DP-3	0.1	0.2	0.3	0.5	0.6	0.8	0.0	0.1	0.2	0.2	0.3	0.4	-9900%	-231%	-98%	-123%	-79%	-97%
DP-2	0.6	0.9	1.4	2.1	2.7	3.4	0.0	0.3	0.7	1.0	1.5	1.8	-59900%	-236%	-108%	-111%	-82%	-88%
DP-1	0.6	0.9	1.3	1.9	2.5	3.1	0.0	0.2	0.6	0.9	1.4	1.7	-59900%	-263%	-110%	-106%	-83%	-86%
DP-60A	55.3	84.4	126.4	184.8	238.5	296.6	26.1	71.2	108.6	139.6	189.0	221.9	-112%	-19%	-16%	-32%	-26%	-34%
DP-56	4	6.3	9.9	14.9	19.8	25.1	0.1	4.0	8.7	12.6	18.2	22.0	-6352%	-58%	-13%	-19%	-9%	-14%
DP-53A	63	96.4	144.7	211.8	273.9	340.9	31.6	84.1	128.0	164.5	221.9	260.5	-99%	-15%	-13%	-29%	-23%	-31%

APPENDIX C

PROPOSED CONDITIONS HYDRAULIC CALCULATIONS



Existing vs. Proposed Peak Flow Rate Design Point Summary

Design Point	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%
	Q ₂ (cfs)	Q ₂ (cfs)		Difference	Q ₅ (cfs)		Q ₅ (cfs)	% Difference		Q ₁₀ (cfs)	Q ₁₀ (cfs)		Difference	Q ₂₅ (cfs)		Q ₂₅ (cfs)	Difference	
DP-73	171.20	147.28	-14%	503.09	442.59	-12%	791.79	703.56	-11%	1033.04	919.81	-11%	1414.41	1257.44	-11%	1672.0	1497.12	-10%
DP-71	175.00	149.28	-15%	518.37	472.6	-9%	818.24	771.35	-6%	1068.91	1012.75	-5%	1466.2	1386.32	-5%	1734.9	1644.06	-5%
DP-69	189.69	146.52	-23%	579.88	512.38	-12%	923.83	847.5	-8%	1213.68	1108.89	-9%	1675.53	1497.55	-11%	1988.4	1763.93	-11%
DP-63	175.18	128.57	-27%	557.4	480.38	-14%	899.71	763.81	-15%	1192.36	1005.42	-16%	1661.58	1368.28	-18%	1980.7	1585.19	-20%
DP-60A	167.91	135.75	-19%	546.35	544.14	0%	886.79	863.88	-3%	1179	1138.24	-3%	1649.04	1569.79	-5%	1969.2	1882.17	-4%
DP-53A	182.68	135.8	-26%	602.01	545.87	-9%	983.58	866.46	-12%	1311.23	1141.24	-13%	1837.86	1573.95	-14%	2197.7	1887.54	-14%
DP-56	0.35	24.04	6769%	40.19	43.91	9%	96.37	62.31	-35%	141.51	79.42	-44%	207.98	106.6	-49%	242.9	136.21	-44%
DP-8	1.97	26.31	1236%	50.28	47.57	-5%	115.07	67.39	-41%	167.23	84.03	-50%	245.12	107.24	-56%	297.4	137.04	-54%

Existing vs. Proposed Total Runoff Volume Design Point Summary

Design Point	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%	Existing	Proposed	%
	V ₂ (ac-ft)	V ₂ (ac-ft)		Difference	V ₅ (ac-ft)		V ₅ (ac-ft)	% Difference		V ₁₀ (ac-ft)	V ₁₀ (ac-ft)		Difference	V ₂₅ (ac-ft)		V ₂₅ (ac-ft)	Difference	
DP-73	19.9	20.62	4%	51.9	52.17	1%	78.6	78.56	0%	101.0	100.66	0%	136.3	135.64	0%	159.9	158.97	-1%
DP-71	20.7	26.36	27%	54.6	62.30	14%	82.6	92.07	12%	106.2	117.23	10%	143.6	156.82	9%	168.5	183.52	9%
DP-69	24.0	28.66	19%	64.4	70.58	10%	98.2	105.26	7%	126.4	133.19	5%	171.2	177.07	3%	201.0	205.92	2%
DP-63	25.9	70.28	172%	69.7	134.11	93%	105.9	187.20	77%	136.3	230.78	69%	184.4	297.99	62%	216.4	343.71	59%
DP-60A	26.1	98.20	276%	71.2	180.14	153%	108.6	249.19	129%	139.6	305.05	118%	189.0	392.82	108%	221.9	448.06	102%
DP-53A	31.6	98.82	213%	84.1	181.06	115%	128.0	250.42	96%	164.5	306.89	87%	221.9	392.82	77%	260.5	451.12	73%
DP-56	0.1	29.15	46929%	4.0	42.96	977%	8.7	55.85	539%	12.6	66.59	431%	18.2	83.17	357%	22.0	94.21	328%
DP-8	0.2	30.23	17648%	4.9	45.11	825%	10.3	58.62	472%	14.5	69.97	381%	21.0	87.46	317%	25.3	98.82	290%

MDDP Proposed vs. Amendment Proposed Peak Flow Rate Basin Summary

Basin	MDDP		% Difference	Amend		% Difference	MDDP		% Difference	Amend		% Difference	MDDP		% Difference	Amend		% Difference
	Q2 (cfs)	Q5 (cfs)		Q2 (cfs)	Q5 (cfs)		Q10 (cfs)	Q10 (cfs)		Q25 (cfs)	Q25 (cfs)		Q50 (cfs)	Q50 (cfs)		Q100 (cfs)	Q100 (cfs)	
SC3-1A	16.3	15.4	-6%	23.3	32.05	38%	33	44.63	35%	45.8	54.22	18%	57.1	68.02	19%	68.9	77.21	12%
SC3-5A	40.6	48.38	19%	53.7	75.2	40%	71	95.88	35%	92.4	112.35	22%	110.6	135.5	23%	129.1	150.82	17%
SC3-5B	53.8	60.26	12%	73	97.13	33%	98.5	126.36	28%	130.8	149	14%	158.6	181.48	14%	187	203.13	9%
SC3-6A	61.4	59.98	-2%	79.3	84.21	6%	102.2	106.32	4%	130.1	123.77	-5%	153.6	149.06	-3%	177.1	165.69	-6%
SC3-6B	32.9	30	-9%	43.4	47.16	9%	57	60.52	6%	73.9	70.92	-4%	88.2	85.96	-3%	102.7	95.97	-7%
SC3-6C	53.9	52.26	-3%	72.5	84.02	16%	97.1	115.61	19%	128	140.03	9%	154.5	174.32	13%	181.5	196.64	8%
SC3-7	54	60.94	13%	69.9	87.91	26%	90.3	109.28	21%	115.2	126.05	9%	136.2	150.45	10%	157.2	166.71	6%
SC3-8	25.4	12.18	-52%	42.1	56.41	34%	66.7	93.96	41%	100.7	122.75	22%	132.3	166.13	26%	166.2	195.44	18%
SC3-9	45.8	24.66	-46%	71.5	73.44	3%	108.6	114.01	5%	158.9	146.06	-8%	204.9	193.77	-5%	254	225.81	-11%
SC3-10	7.6	2.94	-61%	12.3	14.36	17%	19.4	23.62	22%	29.1	30.77	6%	38	41.33	9%	47.7	48.66	2%
SC3-11A	5.3	1.99	-62%	7.8	5.36	-31%	11.3	8.05	-29%	15.9	10.06	-37%	20	13.08	-35%	24.3	15.09	-38%
SC3-11B	59.4	68	14%	81.3	99.65	23%	110.8	126.13	14%	148.1	146.85	-1%	180.5	176.93	-2%	213.7	196.96	-8%
SC3-11C		1.37			5.83			9.3			11.93			15.66			18.16	
SC3-12	77.8	47.61	-39%	105.6	71.53	-32%	142.5	91.34	-36%	189.1	106.54	-44%	229.1	129.44	-44%	270	144.67	-46%
SC3-12A		15.01			24.03			31.22			36.66			44.86			50.3	
SC3-12B		2.17			6.35			9.82			12.6			16.83			19.66	
SC3-13	43.9	56.24	28%	57.8	80.96	40%	76.5	100.72	32%	98.5	115.86	18%	117.6	138.53	18%	136.9	153.6	12%
SC3-13A		2.61			7.62			11.81			15.18			20.28			23.7	
SC3-14A	127.6	110.65	-13%	175.4	160.22	-9%	239.8	203.13	-15%	321.9	237.5	-26%	393.2	287.18	-27%	466.3	320.18	-31%
SC3-14B	24.6	63.13	157%	34.3	90	162%	47.4	115.58	144%	64.2	136.1	112%	79	165.72	110%	94.1	185.1	97%
SC3-15A	21.6	13.21	-39%	35.5	38.41	8%	56.3	59.28	5%	85.3	76.32	-11%	112.1	102.43	-9%	141	119.86	-15%
SC3-15B	10.8	8.38	-22%	14	12.29	-12%	18.2	15.45	-15%	23.3	17.9	-23%	27.6	21.56	-22%	31.9	24	-25%
SC3-16		180.7			266.34			343.24			404.73			493.4			552.27	
SC3-16A	84.4		46%	120.4		53%	170		41%	234.8		21%	292.2		19%	351.8		11%
SC3-16B	39		46%	53.7		53%	73.6		41%	99		21%	121.1		19%	143.8		11%
SC3-17A	41.8	25.63	-39%	59.6	39.59	-34%	85.2	50.91	-40%	119	59.5	-50%	149.1	72.46	-51%	180.6	81.07	-55%
SC3-17B		20.59			32.3			41.97			49.43			60.7			68.19	
SC3-18	49.3	22.75	-54%	67.1	32.96	-51%	91	41.34	-55%	121.2	47.83	-61%	147.3	57.56	-61%	174	64.05	-63%
SC3-18B		1.53			4.45			6.89			8.86			11.91			13.95	
SC3-19	28.8	28	-3%	47.7	78.96	66%	75.7	120.84	60%	114.4	154.22	35%	150.2	205.45	37%	188.8	239.67	27%
SC3-20	9.9	9.29	-6%	15.5	21.02	36%	23.8	30.73	29%	35.1	38.5	10%	45.5	50.17	10%	56.6	57.99	2%
SC3-21	7	9.77	40%	10.8	20.68	91%	16.3	29.45	81%	23.7	36.03	52%	30.4	45.92	51%	37.5	52.53	40%
SC3-22	9.4	7.15	-24%	14.8	16.35	10%	22.5	24.05	7%	32.9	30.08	-9%	42.5	39.14	-8%	52.6	45.22	-14%
SC3-23	5.5	10.92	99%	8.3	22.1	166%	12.4	31.23	152%	18	38.2	112%	23	48.72	112%	28.4	55.73	96%
SC3-24A	13	6.43	-51%	20.4	15.26	-25%	31.1	22.51	-28%	45.7	28.3	-38%	59	37.09	-37%	73.2	42.98	-41%
SC3-24B	3.4	1.95	-43%	5.3	4.78	-10%	8.1	7.12	-12%	11.8	8.93	-24%	15.2	11.76	-23%	18.9	13.62	-28%
SC3-25	5.8	5.58	-4%	8.9	12.02	35%	13.4	17.2	28%	19.5	21.1	8%	25.1	26.97	7%	31	30.9	0%
SC3-26	2.5	1.66	-34%	4	4.37	9%	6.2	6.61	7%	9.2	8.4	-9%	12.1	11.13	-8%	15.1	12.95	-14%
SC3-27	35.1	14.49	-59%	51.2	27.87	-46%	73.8	39.1	-47%	103.7	48.09	-54%	130.3	61.8	-53%	158.3	70.95	-55%
SC3-61	13.7	5.61	-59%	22	22.4	2%	34.4	36.4	6%	51.6	47.4	-8%	67.6	63.67	-6%	84.8	74.61	-12%
SC3-72	12.8	9.55	-25%	20.2	23.84	18%	31.4	35.61	13%	46.7	44.98	-4%	60.9	59.19	-3%	76	68.7	-10%
SC3-73	16.4	12.16	-26%	26.4	33.03	25%	41.3	50.14	21%	62.1	63.84	3%	81.3	84.94	4%	102	99.04	-3%
SC3-74	22.3	22.51	1%	36.5	53.27	46%	57.3	79.1	38%	85.9	99.77	16%	112.3	131.03	17%	140.7	151.94	8%
SC3-75	13.1	11.12	-15%	21.5	26.37	23%	33.7	38.98	16%	50.5	49.21	-3%	66.1	64.91	-2%	82.8	75.41	-9%
SC3-76	14.2	10.85	-24%	23.1	27.09	17%	36.4	40.54	11%	54.6	51.45	-6%	71.4	68.18	-5%	89.6	79.38	-11%
SC3-77	16.6	8.93	-46%	27.6	27.11	-2%	43.8	42.16	-4%	66.2	54.46	-18%	87	73.59	-15%	109.4	86.36	-21%
SC3-78	28.1	32.29	15%	45.3	77.46	71%	70.6	114.83	63%	106.2	144.42	36%	139.1	189.21	36%	174.5	219.17	26%
SC3-79	34.9	32.26	-8%	57	82.54	45%	89.5	123.52	38%	134.3	156.01	16%	175.6	205.95	17%	220.1	239.34	9%
SC3-80	27.3	22.36	-18%	44.3	57.34	29%	69.6	86.09	24%	104.5	109.14	4%	136.8	144.5	6%	171.4	168.15	-2%
SC3-81	42.6	26.67	-37%	70.2	81	15%	111	125.85	13%	167.4	162.22	-3%	219.6	218.65	0%	275.7	256.32	-7%
SC3-82	20	17.01	-15%	33.2	50.83	53%	52.8	79.48	51%	80	102.02	28%	105.1	136.18	30%	132.3	158.98	20%
SC3-88	10.5	6.28	-40%	17.4	18.99	9%	27.6	29.44	7%	41.8	37.84	-9%	54.9	50.8	-7%	69	59.46	-14%
SC3-89	6.1	2.86	-53%	10	8.64	-14%	15.7	13.39	-15%	23.6	17.14	-27%	30.8	22.87	-26%	38.6	26.69	-31%
SCE-1	23.3	9.82	-58%	35.9	21.3	-41%	53.8	30.85	-43%	79.1	38.58	-51%	102.4	50.51	-51%	127.4	58.52	-54%
SCE-2	4.4	1.42	-68%	7	3.35	-52%	10.8	4.95	-54%	15.9	6.27	-61%	20.7	8.3	-60%	25.7	9.66	-62%
SCE-3	30.6	8.5	-72%	45.2	16.95	-63%	65.9	25.2	-62%	93.3	31.78	-66%	118	41.56	-65%	143.9	48.16	-67%
SCE-4	13.3	4.16	-69%	19.6	7.52	-62%	28.6	10.35	-64%	40.6	12.67	-69%	57.8	16.29	-94%	62.6	18.71	-70%
SCE-5	100.4	71.73	-29%	130.6	99.51	-24%	169.6	125.72	-26%	217.4	146.92	-32%	257.8	177.83	-31%	298.4	198.17	-34%
SCE-6	1.6	0.18	-89%	2.5	0.55	-78%	3.7	1.03	-72%	5.4	1.42	-74%	7	2	-71%	8.6	2.39	-72%
SCE-7	58.9	33.06	-44%	75.5	46.14	-39%	96.6	56.71	-41%	122.2	64.87	-47%	143.7	77.06	-46%	165.2	85.19	-48%
SCE-8	38.6	47.1	22%	48.4	61.37	27%	60.7	73.41	21%	75.4	82.94	10%	87.7	97.16	11%	99.9	106.61	7%
SCE-9	1.5	0.22	-85%	2.4	0.68	-72%	3.6	1.27	-65%	5.3	1.75	-67%	6.8	2.46	-64%	8.5	2.94	-65%
SCE-10	7.6	106.33	1299%	189.4	165.76	-12%	19.4	230.7	1089%	29.1	283.77	875%	398.9	358.46	-10%	467.5	407.13	-13%
SCE-11	2.3	0.77	-67%	3.6	2.52	-30%	5.5	4.75	-14%	8	6.5	-19%	10.3	8.93	-13%	12.8	10.51	-18%
SCE-13	19.6	10.9	-44%	31.3	25.85	-17%	48.7	38.21	-22%	73.1	48.24	-34%	95.7	63.64	-34%	120	73.94	-38%
SCE-14	13.2	8	-39%	21.2	19.04	-10%	33.3	28.21	-15%	49.9	35.59	-29%	65.2	46.77	-28%	81.7	54.26	-34%
SCE-15	2.2	13.6	518%	5.1	27.2	433%	10.1	38.53	281%	17.7	47.35	168%	25.1	60.67	142%	35.4	69.54	96%

MDDP Proposed vs. Amendment Proposed Peak Flow Rate Design Point Summary

Design Point	MDDP	Amend	%	MDDP	Amend	%	MDDP	Amend	%	MDDP	Amend	%	MDDP	Amend	%	MDDP	Amend	%
	Q2 (cfs)	Q2 (cfs)		Difference	Q5 (cfs)		Q5 (cfs)	% Difference		Q10 (cfs)	Q10 (cfs)		Difference	Q25 (cfs)		Q25 (cfs)	Difference	
DP-74	39.3	33.68	-14%	65.3	94.55	45%	104.8	145.74	39%	158.9	187.2	18%	209.1	251.03	20%	262.8	293.76	12%
DP-75	141.2	95.13	-33%	235.1	274.57	17%	376.6	427.98	14%	566.6	555.2	-2%	750.9	754.29	0%	950.5	887.87	-7%
DP-77	209.9	144.08	-31%	351.9	426.57	21%	580.6	672.84	16%	886.6	877.81	-1%	1168.4	1201.19	3%	1467.7	1423.89	-3%
DP-78	59.7	52.82	-12%	98.4	138.33	41%	154	210.37	37%	232.6	269.64	16%	306.2	360.98	18%	385.3	422.09	10%
DP-73	207.5	147.28	-29%	354.3	442.59	25%	588.5	703.56	20%	897.1	919.81	3%	1187.2	1257.44	6%	1506.7	1497.12	-1%
DP-72	206.2	148.02	-28%	352.5	450.59	28%	586.7	718.2	22%	897.2	939.53	5%	1195.3	1285.42	8%	1518.6	1527.18	1%
DP-71	205.9	149.28	-27%	349.3	472.6	35%	610.5	771.35	26%	932.4	1012.75	9%	1226.9	1386.32	13%	1612.2	1644.06	2%
DP-70	205.3	149.57	-27%	349.8	477.23	36%	614	780.47	27%	940.1	1025.79	9%	1260.6	1405.32	11%	1636.7	1666.98	2%
DP-69	212.7	146.52	-31%	366.6	512.38	40%	653.7	847.5	30%	1010.6	1108.89	10%	1364.1	1497.55	10%	1775.7	1763.93	-1%
DP-87	216.9	143.88	-34%	374.6	533.15	42%	681.9	890.76	31%	1072.1	1170.95	9%	1471.5	1589.82	8%	1905.9	1880.39	-1%
DP-68	214.6	126.27	-41%	374.5	579.69	55%	714.9	994.15	39%	1187.6	1327.63	12%	1674.9	1837.13	10%	2204.1	2160.43	-2%
DP-64	85.9	89.76	4%	112.1	133.15	19%	145.9	167.21	15%	187.5	194.25	4%	222.6	233.42	5%	258	259.48	1%
DP-63	154.4	128.57	-17%	201	480.38	139%	375.7	763.81	103%	815.9	1005.42	23%	1112.1	1368.28	23%	1385.1	1585.19	14%
DP-61	156.6	132.9	-15%	223.9	535.22	139%	428	851.44	99%	928.2	1123.05	21%	1287.3	1549.17	20%	1620.1	1859.67	15%
DP-60A	161.6	135.75	-16%	224.8	544.14	142%	439.1	863.88	97%	950.4	1138.24	20%	1320.5	1569.79	19%	1661.8	1882.17	13%
DP-53A	161.6	135.8	-16%	225.7	545.87	142%	441.8	866.46	96%	951.1	1141.24	20%	1326	1573.95	19%	1668.9	1887.54	13%
DP-1E	23.9	12.41	-48%	38.3	29.33	-23%	70.1	43.32	-38%	132.8	54.71	-59%	173	72.19	-58%	220.9	83.88	-62%
DP-2E	48.9	24.93	-49%	76.8	56.12	-27%	123	81.89	-33%	228.7	103.16	-55%	319.7	135.52	-58%	419.4	157.2	-63%
DP-3E	48.5	26.73	-45%	75.7	59.28	-22%	122.2	86.63	-29%	271.1	109.01	-60%	387.1	143.9	-63%	500.1	176.03	-65%
DP-4E	48.1	28.34	-41%	76.2	61.94	-19%	122.4	91.01	-26%	286.9	114.79	-60%	407.3	152.57	-63%	534.8	184.7	-65%
DP-56	23.1	24.04	4%	35.3	43.91	24%	71.5	62.31	-13%	108.3	79.42	-27%	152.1	106.6	-30%	196.4	136.21	-31%
DP-8	24.1	26.31	9%	37.2	47.57	28%	73.5	67.39	-8%	111.3	84.03	-25%	155.4	107.24	-31%	200.7	137.04	-32%
DP-21	0.6	8.07	1245%	8.8	45.76	420%	17.8	92.48	420%	57.1	128.9	126%	116.8	153.87	32%	174.9	200.93	15%
DP-22	0.6	8.07	1245%	8.8	45.78	420%	17.6	92.52	426%	56.8	128.94	127%	105.1	153.88	46%	156.4	191.38	22%
DP-25	5.9	5.58	-5%	9.1	12.02	32%	16.3	17.2	6%	35.1	21.1	-40%	46.4	26.97	-42%	58.2	30.9	-47%
DP-26	0.1	13.62	13520%	1.1	38.87	3434%	3.2	59.76	1768%	7.3	76.84	953%	9.5	102.99	984%	12	120.45	904%
EX_STOCK_POND_1		133.68			512.29			863.82			1143.6			1561.29			1848.83	
EX_STOCK_POND_2		149.57			477.23			780.47			1025.79			1405.32			1666.98	
FSD14B_Outfall		2.57			20.53			44.05			64.95			98.12			116.66	
PND7	46.5	31.92	-31%	75.4	68.33	-9%	121.2	100.59	-17%	285.2	126.9	-56%	402.4	176	-56%	548	222.77	-59%
PNDW3	214.6	126.27	-41%	374.5	579.69	55%	714.9	994.15	39%	1187.6	1327.63	12%	1674.9	1837.12	10%	2204.1	2160.43	-2%

MDDP Proposed vs. Amendment Total Runoff Volume Proposed Design Point Summary

Design Point	MDDP	Amend	% Difference	MDDP	Amend	% Difference	MDDP	Amend	% Difference	MDDP	Amend	% Difference	MDDP	Amend	% Difference	MDDP	Amend	% Difference
	V2 (ac-ft)	V2 (ac-ft)		V5 (ac-ft)	V5 (ac-ft)		V10 (ac-ft)	V10 (ac-ft)		V25 (ac-ft)	V25 (ac-ft)		V50 (ac-ft)	V50 (ac-ft)		V100 (ac-ft)	V100 (ac-ft)	
DP-74	5.9	3.03	-49%	9	7.67	-15%	13.6	11.57	-15%	19.8	14.82	-25%	25.5	20.04	-21%	31.6	23.51	-26%
DP-75	22.7	11.05	-51%	34.5	28.82	-16%	51.7	43.58	-16%	75.4	56.16	-26%	97.1	75.80	-22%	120.5	89.00	-26%
DP-77	37.7	18.84	-50%	57.4	48.49	-16%	85.9	73.04	-15%	125.1	93.91	-25%	161.1	126.74	-21%	199.9	148.53	-26%
DP-78	8.9	4.91	-45%	13.5	11.69	-13%	20.1	17.40	-13%	29.3	22.25	-24%	37.7	29.86	-21%	46.7	34.99	-25%
DP-73	40	20.62	-48%	60.8	52.17	-14%	91	78.56	-14%	132.5	100.66	-24%	170.7	135.64	-21%	211.7	158.97	-25%
DP-72	41.3	21.30	-48%	62.9	53.71	-15%	94	80.71	-14%	136.8	103.42	-24%	176.2	139.33	-21%	218.5	163.26	-25%
DP-71	46.3	26.36	-43%	70	62.30	-11%	104.3	92.07	-12%	151.3	117.23	-23%	194.5	156.82	-19%	240.8	183.52	-24%
DP-70	49.5	28.45	-43%	74.5	65.06	-13%	110.6	95.75	-13%	160.1	121.53	-24%	205.4	162.04	-21%	254	189.35	-25%
DP-69	57.5	28.66	-50%	86.1	70.58	-18%	127.4	105.26	-17%	183.8	133.19	-28%	235.3	177.07	-25%	290.6	205.92	-29%
DP-87	66.5	35.29	-47%	98.9	82.55	-17%	145.6	121.53	-17%	209.1	153.75	-26%	267.1	203.16	-24%	329.1	236.30	-28%
DP-68	81.8	65.37	-20%	123.7	126.74	2%	183.9	177.99	-3%	264.9	219.73	-17%	338	284.79	-16%	415.8	328.37	-21%
DP-64	7	7.46	7%	9.1	10.10	11%	11.8	12.34	5%	15.2	14.12	-7%	18.1	16.79	-7%	21.1	18.57	-12%
DP-63	85.6	70.28	-18%	129.5	134.11	4%	192.3	187.20	-3%	276.7	230.78	-17%	352.8	297.99	-16%	433.5	343.71	-21%
DP-61	103.7	89.61	-14%	157.8	166.95	6%	235.1	232.31	-1%	338.4	285.10	-16%	431.3	368.26	-15%	529.8	420.44	-21%
DP-60A	111	98.20	-12%	168.6	180.14	7%	250.4	249.19	0%	359.5	305.05	-15%	457.7	392.82	-14%	561.5	448.06	-20%
DP-53A	112	98.82	-12%	170	181.06	7%	252.6	250.42	-1%	362.6	306.89	-15%	461.7	392.82	-15%	566.5	451.12	-20%
DP-1E	3.1	2.48	-20%	5.2	5.19	0%	8.4	7.73	-8%	12.7	10.00	-21%	16.6	13.56	-18%	20.9	15.96	-24%
DP-2E	6.1	6.01	-1%	10.4	11.66	12%	16.9	16.85	0%	25.7	21.27	-17%	33.7	28.17	-16%	42.2	32.84	-22%
DP-3E	7	13.35	91%	13.7	21.45	57%	23.4	28.85	23%	36.1	34.99	-3%	47.4	44.81	-5%	59.3	51.25	-14%
DP-4E	7.6	19.27	154%	15.6	29.15	87%	27.2	38.05	40%	43	45.73	6%	57.2	57.39	0%	72	65.06	-10%
DP-56	7.7	29.15	279%	16.1	42.96	167%	28.6	55.85	95%	51.3	66.59	30%	71.7	83.17	16%	92.9	94.21	1%
DP-8	8	30.23	278%	16.7	45.11	170%	26.6	58.62	120%	53	69.97	32%	74	87.46	18%	95.9	98.82	3%
DP-21	6.3	20.50	225%	11.3	28.39	151%	18.3	35.29	93%	27.5	40.82	48%	35.6	49.10	38%	44	54.93	25%
DP-22	6.3	20.53	226%	10.7	28.42	166%	16.7	35.29	111%	24.6	40.82	66%	31.5	49.41	57%	38.7	54.93	42%
DP-25	1.3	0.31	-76%	1.9	0.61	-68%	2.8	0.87	-69%	4.1	1.08	-74%	5.2	1.42	-73%	6.4	1.65	-74%
DP-26	0.7	2.01	188%	0.9	4.73	425%	1.2	7.03	486%	1.5	8.93	495%	1.8	11.97	565%	2.1	13.99	566%

Summary of Peak Discharges						
Design Point 75						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	141	235	377	567	751	951
2021 Existing Cond. (cfs)						971
2018 Developed Cond. (cfs)	141	235	377	567	751	951
2022 Developed Cond. (cfs)	95	275	428	555	754	888
Design Point 77						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	n/a	n/a	n/a	n/a	n/a	n/a
2021 Existing Cond. (cfs)						
2018 Developed Cond. (cfs)	210	352	581	887	1168	1468
2022 Developed Cond. (cfs)	144	427	673	878	1201	1424
1996 DBPS Existing Cond. (cfs)						2193
1996 DBPS Developed Cond. (cfs)						2262
Design Point 73						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	226	381	618	957	1260	1582
2021 Existing Cond. (cfs)						1672
2018 Developed Cond. (cfs)	208	354	589	897	1187	1507
2022 Developed Cond. (cfs)	147	443	704	920	1257	1497
Design Point 71						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	229	389	630	979	1277	1638
2021 Existing Cond. (cfs)						1735
2018 Developed Cond. (cfs)	206	349	611	932	1227	1612
2022 Developed Cond. (cfs)	149	473	771	1013	1386	1644
Design Point 69						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	253	435	708	1100	1453	1870
2021 Existing Cond. (cfs)						1988
2018 Developed Cond. (cfs)	213	367	654	1011	1364	1776
2022 Developed Cond. (cfs)	147	512	848	1109	1498	1764
Design Point 68						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	n/a	n/a	n/a	n/a	n/a	n/a
2021 Existing Cond. (cfs)						
2018 Developed Cond. w/o Pnd (cfs)	215	375	715	1188	1675	2204
2018 Developed w/Pnd (cfs) Pnd W3	154	200	367	800	1086	1351
2022 Developed Cond. w/ Pnd(cfs)	126	580	994	1328	1837	2160
Design Point 63						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	251	431	713	1113	1496	1912
2021 Existing Cond. (cfs)						1981
2018 Developed Cond. w/o Pnd (cfs)	213	373	721	1198	1705	2237
2018 Developed w/Pnd (cfs)	154	201	376	816	1112	1385
2021 Developed Cond. w/ Pnd(cfs)	129	480	764	1005	1368	1585
2011 Wilson (cfs)			1066			1791
1996 DBPS Existing Cond. (cfs)						2508
1996 DBPS Developed Cond. (cfs)						2689
Design Point 61						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	n/a	n/a	n/a	n/a	n/a	n/a
2018 Developed Cond. w/o Pnd (cfs)	214	375	783	1370	1967	2607
2018 Developed w/Pnd (cfs)	157	224	428	928	1287	1620
2022 Developed Cond. w/ Pnd(cfs)	133	535	851	1123	1549	1860
2011 Wilson (cfs)			1232			2087
Design Point 60a						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	248	430	707	1113	1497	1914
2021 Existing Cond. (cfs)						1969
2018 Developed Cond. w/o Pnd (cfs)	216	378	795	1395	2004	2645
2018 Developed w/Pnd (cfs)	162	225	439	950	1321	1662
2022 Developed Cond. w/ Pnd(cfs)	136	544	864	1138	1570	1882
2011 Wilson (cfs)			1265			2133
1996 DBPS Existing Cond. (cfs)						2629
1996 DBPS Developed Cond. (cfs)						3295
Design Point 53a						
Storm Event (YR)	2	5	10	25	50	100
2016 Existing Cond. (cfs)	262	454	763	1197	1610	2062
2021 Existing Cond. (cfs)						2198
2018 Developed Cond. w/o Pnd (cfs)	215	378	792	1392	2009	2657
2018 Developed w/Pnd (cfs)	162	226	442	951	1326	1669
2022 Developed Cond. w/ Pnd(cfs)	136	546	866	1141	1574	1888

APPENDIX D

REFERENCE MATERIAL

**STERLING RANCH
RETENTION POND VOLUME**

(Pond Volume Calculation)

BIG POND

Elevation	SF	CF	Storage	
			AF	Sum
7028	0.00	-		0
7030	53,785.00	53,785.00	1.23	1.23
7032	70,507.00	124,292.00	2.85	4.09
7034	87,672.00	158,179.00	3.63	7.72
7036	109,612.00	197,284.00	4.53	12.25


Total = 533,540 CF
Total = 12.25 Ac-ft

At Elevation 7035, the Storage is 9.98 Ac-ft.
At Elevation 7034, the Storage is 7.72 Ac-ft.

Calculated by: VAS
Date: 4/21/2016
Checked by: VAS

STERLING RANCH

"BIG POND"



"BIG POND"
12.25 AC-FT
109,612 Sq. Ft.



20 BOULDER CRESCENT, STE. 110
COLORADO SPRINGS,
COLORADO 80903


EXHIBIT
STERLING RANCH
JOB NO. 09-001
DATE PREPARED: 4-25-16
DATE REVISED:

CIVIL CONSULTANTS, INC.

v 719.955.5485
f 719.444.8427


SHEET 1 OF 1

APPENDIX E
DRAINAGE MAPS



LEGEND

- BASIN ID - SC3-77
- DESIGN POINT - 87
- REACH IDENTIFIER - RT-17A
- BASIN BOUNDARY - - - - -
- EAST FORK SAND CREEK - - - - -
- BASIN BOUNDARY - - - - -
- FLOW DIRECTION - >>>



BASIN SUMMARY									
BASIN	CN	AREA (ACRES)	AREA (SQ MI)	Q ₂ (CFS)	Q ₅ (CFS)	Q ₁₀ (CFS)	Q ₂₅ (CFS)	Q ₅₀ (CFS)	Q ₁₀₀ (CFS)
EX-0	62	23.8	0.037	5.0	8.2	13.0	19.6	25.7	32.2
EX-1	62	25.7	0.040	4.8	7.9	12.4	18.7	24.5	30.9
EX-2	62	5.5	0.009	1.1	1.8	2.8	4.3	5.6	7.1
EX-3	62	136.8	0.214	22.0	36.4	57.6	86.9	114.0	143.1
EX-3A	61	188.1	0.294	28.3	47.4	75.7	115.1	152.2	192.6
EX-4	62	192.0	0.300	30.1	49.9	79.1	119.5	157.0	197.3
EX-4A	62	151.5	0.237	24.7	40.8	64.4	97.0	127.2	160.1
EX-5	62	153.9	0.240	24.2	40.0	63.4	95.9	125.9	158.2
EX-6	62	90.2	0.141	15.3	25.5	40.1	60.7	79.9	100.5
EX-7	56	165.0	0.258	11.6	21.5	37.5	60.9	83.1	107.4
EX-8	45	42.0	0.066	0.5	1.7	4.5	9.4	14.5	20.5
EX-9	54	131.9	0.206	12.2	23.9	43.1	70.9	97.0	125.2
EX-10	60	270.7	0.423	32.7	56.0	91.1	140.1	185.9	236.1
EX-10A	41	179.3	0.280	0.6	2.2	7.3	17.4	29.1	43.1
EX-11	43	209.3	0.327	18.0	29.8	47.7	73.4	98.3	126.1
EX-12	51	39.5	0.062	2.2	5.1	10.1	17.7	25.1	33.3
EX-13	55	89.3	0.139	7.7	15.2	27.1	44.2	60.5	78.4
EX-20	62	143.4	0.224	25.4	42.1	66.7	100.7	132.3	166.2
EX-20A	64	179.7	0.281	32.2	51.9	80.5	119.8	155.9	194.6
EX-21	65	33.3	0.052	8.6	13.5	20.7	30.5	39.4	49.0
EX-24	59	63.1	0.099	9.5	16.6	27.5	42.9	57.4	73.0
EX-25	43	54.4	0.085	0.3	1.5	4.8	10.7	17.2	25.1
EX-73	63	90.0	0.141	16.4	26.4	41.3	62.1	81.3	102.0
EX-74	63	119.7	0.187	22.3	36.5	57.3	85.9	112.3	140.7
EX-75	63	79.3	0.124	13.1	21.5	33.7	50.5	66.1	82.8
EX-76	63	86.4	0.135	14.2	23.1	36.4	54.6	71.4	89.6
EX-77	62	230.6	0.360	34.7	56.9	90.6	137.5	180.9	227.7
EX-78	63	155.6	0.243	28.1	45.3	70.6	106.2	139.1	174.5
EX-79	63	189.0	0.295	34.9	57.0	89.5	134.3	175.6	220.1
EX-80	63	147.7	0.231	27.3	44.3	69.6	104.5	136.8	171.4
EX-81	62	262.9	0.411	42.6	70.2	111.0	167.4	219.6	275.7
EX-82	62	117.8	0.184	20.0	33.2	52.8	80.0	105.1	132.3
EX-88	62	139.2	0.217	22.2	36.7	58.0	87.6	115.0	144.4

DESIGN POINT SUMMARY (PEAK FLOW)							
DESIGN POINT	AREA (SQ MI)	Q ₂ (CFS)	Q ₅ (CFS)	Q ₁₀ (CFS)	Q ₂₅ (CFS)	Q ₅₀ (CFS)	Q ₁₀₀ (CFS)
DP-74	0.371	39.3	65.3	104.8	158.9	209.1	262.8
DP-75	1.413	141.2	235.1	376.6	566.6	750.9	950.5
DP-78	0.538	59.7	98.4	154.0	232.6	306.2	385.3
DP-73	2.528	225.9	380.7	618.0	957.0	1260.4	1582.3
DP-71	2.669	229.3	388.9	629.7	978.8	1277.3	1637.9
DP-69	3.209	253.0	434.8	707.7	1100.0	1453.3	1870.4
DP-63	3.446	251.4	430.7	713.1	1113.2	1496.2	1911.5
DP-10	0.508	36.5	56.0	106.4	162.9	220.6	287.2
DP-9A	0.557	55.3	94.3	150.3	227.7	299.5	380.5
DP-9	0.505	52.8	88.8	142.1	214.2	281.0	351.4
DP-8A	0.139	7.7	15.2	27.1	44.2	60.5	78.4
DP-8	0.528	24.2	45.1	77.8	124.4	169.5	220.9
DP-7	0.703	32.4	57.1	97.3	156.1	213.8	277.9
DP-6	0.206	12.2	23.9	43.1	70.9	97.0	125.2
DP-5	0.066	0.5	1.7	4.5	9.4	14.5	20.5
DP-2	0.040	4.8	7.9	12.4	18.7	24.5	30.9
DP-1	0.037	5.0	8.2	13.0	19.6	25.7	32.2
DP-60A	3.545	247.7	430.2	707.1	1113.0	1496.6	1913.5
DP-56	0.466	23.2	42.5	71.9	115.6	157.4	202.9
DP-53A	4.138	262.1	454.0	763.2	1196.5	1609.8	2061.5

DESIGN POINT SUMMARY (VOLUME)							
DESIGN POINT	AREA (SQ MI)	V ₂ (AC-FT)	V ₅ (AC-FT)	V ₁₀ (AC-FT)	V ₂₅ (AC-FT)	V ₅₀ (AC-FT)	V ₁₀₀ (AC-FT)
DP-74	0.371	5.9	9.0	13.6	19.8	25.5	31.6
DP-75	1.413	22.7	34.5	51.7	75.4	97.1	120.5
DP-78	0.538	8.9	13.5	20.1	29.3	37.7	46.7
DP-73	2.528	40.4	61.5	92.1	134.3	173.1	214.9
DP-71	2.669	42.5	64.9	97.1	141.6	182.5	226.6
DP-69	3.209	50.7	77.4	116.1	169.4	216.6	271.4
DP-63	3.446	54.1	82.5	123.8	180.8	233.3	289.9
DP-10	0.508	7.6	11.7	17.6	25.8	33.4	41.6
DP-9A	0.557	9.3	14.1	21.1	30.7	39.4	48.8
DP-9	0.505	8.4	12.7	19.0	27.6	35.5	44.0
DP-8A	0.139	1.3	2.1	3.4	5.2	7.0	8.9
DP-8	0.528	4.4	7.0	11.1	16.8	22.3	28.4
DP-7	0.703	6.1	10.0	15.9	24.3	32.4	41.3
DP-6	0.206	2.4	4.0	6.3	9.6	12.7	16.0
DP-5	0.066	0.2	0.4	0.8	1.4	1.9	2.6
DP-2	0.040	2.6	4.2	6.7	10.2	13.5	17.2
DP-1	0.037	0.1	0.2	0.3	0.5	0.6	0.8
DP-2	0.040	0.6	0.9	1.4	2.1	2.7	3.4
DP-1	0.037	0.6	0.9	1.3	1.9	2.5	3.1
DP-60A	3.545	55.3	84.4	126.4	184.8	238.5	296.6
DP-56	0.466	4.0	6.3	9.9	14.9	19.8	25.1
DP-53A	4.138	63.0	96.4	144.7	211.8	273.9	340.9

EFCS DBPS DESIGN POINT SUMMARY (PEAK FLOW)			
DBPS DESIGN POINT	AREA (SQ MI)	Q ₂ (CFS)	Q ₁₀₀ (CFS)
DP-50	0.32	47.0	195.7
DP-51 (BASIN 86)	0.33	17.7	74.1
DP-52	1.67	80.5	456.5
DP-56	0.79	63.6	265.0

Values reported from SCDBPS
 (DP 50, 51, 52 Not analyzed as a part of this study)
 DBPS Reach 85(Basin#1)=Q10=28.8cfs Q100=115.2cfs

M&S
 CIVIL CONSULTANTS, INC.
 20 BOULDER CRESCENT, SUITE 110
 COLORADO SPRINGS, CO 80903
 PHONE: 719.955.5485

2018 STERLING RANCH MDDP
 EXISTING HYDROLOGIC CONDITIONS MAP

PROJECT NO. 09-002 FILE: \\dmg\Eng Exhibits\2018-MDDP-ExistCondWS\Map.dwg

DESIGNED BY: DLM SCALE: DATE: 08-22-18
 DRAWN BY: DLM HORIZ: NTS
 CHECKED BY: VAS VERT: NTS


DM1

File: C:\09002A\Sterling Ranch - District\Eng Exhibits\2018-MDDP-ExistCondWS\Map.dwg Plotstamp: 11/13/2018 1:52 PM

FOR LOCATING & MARKING GAS, ELECTRIC, WATER & TELEPHONE LINES
 FOR BURIED UTILITY INFORMATION 48 HRS BEFORE YOU DIG CALL 1-800-922-1987

Proposed Conditions Design Point Summary						
Design Point	Q _p (cfs)	Q _s (cfs)	Q ₁₀ (cfs)	Q ₅ (cfs)	Q ₂ (cfs)	Q ₁ (cfs)
DP-74	33.68	94.55	145.74	187.2	251.03	293.76
DP-75	95.13	274.57	427.98	555.2	754.29	887.87
DP-77	144.08	426.57	672.84	877.81	1201.19	1423.89
DP-78	52.82	138.33	210.37	269.64	360.98	422.09
DP-73	147.28	442.59	703.56	919.81	1257.44	1497.12
DP-72	148.02	450.59	718.2	939.53	1285.42	1527.18
DP-71	149.28	472.6	771.35	1012.75	1386.32	1644.05
DP-70	149.57	477.23	780.47	1025.79	1405.32	1666.98
DP-69	146.52	512.38	847.53	1108.89	1497.55	1763.93
DP-87	143.88	533.15	890.76	1170.95	1589.82	1890.33
DP-68	126.27	579.69	994.15	1327.63	1837.13	2160.43
DP-64	89.76	133.15	167.21	194.25	233.42	259.48
DP-63	128.57	480.38	763.81	1005.42	1368.28	1585.19
DP-61	132.9	535.22	851.44	1123.05	1549.17	1859.67
DP-60A	135.75	544.14	863.88	1138.24	1569.79	1882.17
DP-53A	135.8	545.87	866.46	1141.24	1573.95	1887.54
DP-1E	12.41	29.33	43.32	54.71	72.19	83.86
DP-2E	24.93	56.12	81.89	103.16	135.52	157.2
DP-3E	26.73	59.28	86.63	109.01	143.9	176.03
DP-4E	28.34	61.94	91.01	114.79	152.57	184.7
DP-56	24.04	43.91	62.31	79.42	106.6	136.21
DP-8	26.31	47.57	67.39	84.03	107.24	137.04
DP-21	8.07	45.76	92.48	128.9	153.87	200.93
DP-22	8.07	45.76	92.52	128.94	153.88	191.38
DP-25	5.58	12.02	17.2	21.1	26.97	30.8
DP-26	13.62	38.67	59.76	76.94	102.99	120.45
EX_STOCK_POND_1	133.68	512.29	863.82	1143.6	1561.29	1848.83
EX_STOCK_POND_2	149.57	477.23	780.47	1025.79	1405.32	1666.98
FSD14B_Outfall	2.57	20.53	44.05	64.95	98.12	116.66
PND-E7	31.92	68.33	100.59	126.9	176	222.77
PND-W3	126.27	579.69	994.15	1327.63	1837.12	2160.43

Proposed Conditions Basin Summary						
Basin	Q _p (cfs)	Q _s (cfs)	Q ₁₀ (cfs)	Q ₅ (cfs)	Q ₂ (cfs)	Q ₁ (cfs)
SC3-1A	15.4	32.05	44.63	54.22	68.02	77.21
SC3-5A	48.38	75.2	95.88	112.35	135.5	150.82
SC3-5B	60.94	87.91	109.28	126.05	150.45	166.71
SC3-6A	59.98	84.21	106.32	123.77	149.06	165.69
SC3-6B	30	47.16	60.52	70.92	85.96	95.97
SC3-6C	52.26	84.02	115.61	140.03	174.32	196.64
SC3-7	60.94	87.91	109.28	126.05	150.45	166.71
SC3-8	56.41	93.96	122.75	146.13	186.13	215.44
SC3-9	24.66	73.44	114.01	146.06	193.77	225.81
SC3-10	2.94	14.36	23.62	30.77	41.33	48.66
SC3-11A	1.99	5.36	8.05	10.06	13.08	15.09
SC3-11B	68	99.65	126.13	146.85	176.93	196.96
SC3-11C	1.37	5.83	9.3	11.93	15.66	18.16
SC3-12	47.61	71.53	91.34	106.54	129.44	144.67
SC3-12A	15.01	24.03	31.22	36.66	44.86	50.9
SC3-12B	2.17	6.35	9.82	12.6	16.83	19.66
SC3-13	56.24	80.96	100.72	115.86	138.53	153.6
SC3-13A	2.61	7.62	11.81	15.18	20.28	23.7
SC3-14A	110.65	160.22	203.13	237.5	287.18	320.18
SC3-14B	63.13	90	115.58	136.1	165.72	185.1
SC3-15A	13.21	38.41	59.28	76.32	102.43	119.86
SC3-15B	8.38	12.29	15.45	17.9	21.56	24
SC3-16	180.7	266.34	343.24	404.73	493.4	552.27
SC3-17A	25.63	39.59	50.91	59.5	72.46	81.07
SC3-17B	20.59	32.3	41.97	49.43	60.7	68.19
SC3-18	22.75	32.96	41.34	47.83	57.56	64.05
SC3-18B	1.53	4.45	6.89	8.86	11.91	13.95
SC3-19	28	78.96	120.84	154.22	205.45	239.67
SC3-20	9.29	21.02	30.73	38.5	50.17	57.99
SC3-21	9.77	20.68	29.45	36.03	45.92	52.53
SC3-22	7.15	16.35	24.05	30.08	39.14	45.22
SC3-23	10.92	22.1	31.23	38.2	48.72	55.73
SC3-24A	6.43	15.26	22.51	28.3	37.09	42.98
SC3-24B	1.95	4.78	7.12	8.98	11.76	13.62
SC3-25	5.58	12.02	17.2	21.1	26.97	30.9
SC3-26	1.66	4.37	6.61	8.4	11.13	12.95
SC3-27	14.49	27.87	39.1	48.09	61.8	70.95
SC3-61	5.61	22.4	36.4	47.4	63.67	74.61
SC3-72	9.35	23.84	35.61	44.98	59.19	68.7
SC3-73	12.16	33.03	50.14	63.84	84.94	99.04
SC3-74	22.51	53.27	79.1	99.77	131.03	151.94
SC3-75	11.12	26.37	38.98	49.21	64.91	75.41
SC3-76	10.85	27.09	40.54	51.45	68.18	79.38
SC3-77	8.93	27.11	42.16	54.46	73.59	86.36
SC3-78	32.29	77.46	114.83	144.42	189.21	219.17
SC3-79	32.26	82.54	123.52	156.01	205.95	239.34
SC3-80	22.36	57.34	86.09	109.14	144.5	168.15
SC3-81	26.67	81	125.95	162.22	218.65	256.32
SC3-82	17.01	50.83	79.48	102.02	136.18	158.98
SC3-88	6.28	18.99	29.44	37.84	50.8	59.46
SC3-89	2.86	8.64	13.39	17.14	22.87	26.69
SCE-1	9.82	21.3	30.85	38.58	50.51	58.52
SCE-2	1.42	3.35	4.95	6.27	8.3	9.66
SCE-3	8.5	16.95	25.2	31.78	41.56	48.16
SCE-4	4.16	7.52	10.35	12.67	16.29	18.71
SCE-5	71.73	99.51	125.72	146.92	177.83	198.17
SCE-6	0.18	0.55	1.03	1.42	2	2.39
SCE-7	33.06	46.14	56.71	64.87	77.06	85.19
SCE-8	47.1	61.37	73.41	82.94	97.16	106.61
SCE-9	0.22	0.68	1.27	1.75	2.46	2.94
SCE-10	106.33	165.76	230.7	283.77	358.46	407.13
SCE-11	0.77	2.52	4.75	6.5	8.93	10.51
SC3-13	10.9	25.85	38.21	48.24	63.64	73.94
SC3-14	8	19.04	28.21	35.59	46.77	54.26
SCE-15	13.6	27.2	38.53	47.35	60.67	69.54




- SWMM BASIN
- SWMM DETENTION POND
- SWMM DESIGN POINT
- 2018 EAST FORK BASIN TRANSFER AREA
- 2022 EAST FORK BASIN TRANSFER AREA
- HISTORIC EAST FORK BASIN BOUNDARY
- 2018 MDDP PROPOSED EAST FORK BASIN BOUNDARY
- 2022 EAST FORK BASIN BOUNDARY
- 2018 MDDP DRAINAGE BASIN BOUNDARY
- 2022 MODIFIED DRAINAGE BASIN BOUNDARY

PROPOSED DRAINAGE MAP
 SAND CREEK MDDP AMENDMENT
 JOB NO. 25188.04
 01/17/23
 SHEET 1 OF 1

J-R ENGINEERING
 A Westrian Company

Centennial 303-740-9393 • Colorado Springs 719-593-2593
 Fort Collins 970-491-9888 • www.jrengineering.com



Appendix G
HEC-RAS Work Map

Appendix H
Wetlands Mitigation Plan

SAND CREEK RESTORATION – WETLANDS EXHIBIT

LEGEND

- PERMANENT LOSSES FROM CHANNEL
- PERMANENT LOSSES FROM BRIDGE
- MITIGATION AREAS
- PRESERVED WETLANDS

Sand Creek Wetlands Disturbances

Category	Sq Ft	Acres
Total	708,000	16.20
Reach 1 Permanent Loss	31,000	0.71
Reach 2 Permanent Loss	203,000	4.66
Reach 3 Permanent Loss	388,000	8.83
Permanent Loss Total	622,000	14.20
Reach 1 Wetlands Preservation	100,000	2.28
Reach 2 Wetlands Preservation	100,000	2.28
Reach 3 Wetlands Preservation	100,000	2.28
Wetlands Preservation Total	300,000	6.84
Net Loss	322,000	7.36

FINAL GRADING TOTALS:
 REACH 1 – 30,764 CY CUT
 4,603 CY FILL
 26,162 NET
 REACH 2 – 646,436 CY CUT
 24,523 CY FILL
 621,913 CY NET
 REACH 3 – 129,591 CY CUT
 3,462 CY FILL
 126,229 CY NET
**TOTAL – 806,891 CY CUT
 32,587 CY FILL
 774,304 CY NET**

Wetlands Impacts Summary

Category	Total
Total No Establishment	1,527
Total Establishment	26,172
Total Enhancement	2,728
Total Preservation	2,312
Total Mitigation	49,799
Mitigation No Permanent Loss Ratio	1:17

Category	Total	Establishment
Permanently Impacted Area (Acres)	14.20	14.20
Enhancement Area (Acres)	2.73	2.73
Preservation Area (Acres)	6.84	6.84
Mitigation Area (Acres)	49.80	49.80
Total	73.57	73.57

