


ENG-CDR20004-R3-CDs.pdf Markup Summary

1 (8)




Subject: Engineer
Page Index: 1
Date: 12/6/2021 1:16:03 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 1

Replace with Statements for GEC Plan within Construction Drawing Set (GEC Checklist Item gg and ii)




Subject: Engineer
Page Index: 1
Date: 12/6/2021 1:16:55 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 1

Add PCD Project Number: CDR-20-004




Subject: Stormwater Comments Color
Page Index: 1
Date: 12/6/2021 1:17:04 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 1



Subject: Engineer
Page Index: 1
Date: 12/6/2021 1:19:34 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 1

Please include completed GEC checklist with next submittal. Checklists can be found at: <https://publicworks.elpasoco.com/stormwater/>



Subject: Engineer
Page Index: 1
Date: 12/13/2021 1:43:26 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 1

Incorporate GEC Plans into CDs or update GEC_v2 to match CD proposed design



Subject: EPC ENG Review
Page Index: 1
Date: 12/14/2021 2:32:26 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 1

Subject: PCD Comment Legend
Page Index: 1
Date: 12/14/2021 2:32:42 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 1



Subject: Text Box
Page Index: 1
Date: 12/14/2021 2:32:51 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 1


See comment letter also.



2 (1)

Subject: Engineer
Page Index: 2
Date: 12/6/2021 1:18:25 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 2


Update notes. See GEC Checklist Section 3.



4 (3)

Subject: Callout
Page Index: 4
Date: 12/2/2021 10:45:25 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 4

specify location




Subject: Callout
Page Index: 4
Date: 12/2/2021 10:55:21 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 4

Prior to (they won't issue a permit if work has already started)




ACTIVITIES.
-E ANYTIME
ACE WATER,
LED WATER

Subject:
Page Index: 4
Date: 12/2/2021 10:54:41 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 4




Subject: Callout
Page Index: 9
Date: 12/14/2021 9:08:01 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9

Add a note addressing what is proposed where this is not met




Subject: Callout
Page Index: 9
Date: 12/14/2021 9:08:46 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9

Add Froude No. standard (to be subcritical except at drops/riffles)




Subject: Callout
Page Index: 9
Date: 12/14/2021 9:10:56 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9

Add the capacity of 2, 10, and 100-year flows and criteria used (see drainage report redlines)




Subject:
Page Index: 9
Date: 12/14/2021 9:11:22 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9




Subject:
Page Index: 9
Date: 12/14/2021 9:11:24 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9




Subject:
Page Index: 9
Date: 12/14/2021 9:11:25 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9



Subject:
 Page Index: 9
 Date: 12/14/2021 9:11:31 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 9



Subject:
 Page Index: 9
 Date: 12/14/2021 9:11:39 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 9




Subject:
 Page Index: 9
 Date: 12/14/2021 9:11:48 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 9

10 (1)




Subject:
 Page Index: 10
 Date: 12/14/2021 9:21:53 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 10

11 (1)




Subject:
 Page Index: 11
 Date: 12/14/2021 9:22:16 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 11

12 (1)




Subject:
 Page Index: 12
 Date: 12/14/2021 9:23:12 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 12

13 (1)




Subject:
Page Index: 13
Date: 12/14/2021 9:27:24 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 13

14 (2)




Subject: Callout
Page Index: 14
Date: 12/2/2021 10:57:23 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 14

adjust font for legibility




Subject:
Page Index: 14
Date: 12/14/2021 9:30:19 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 14


15 (3)



Subject:
Page Index: 15
Date: 12/14/2021 9:31:44 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 15



Subject:
Page Index: 15
Date: 12/14/2021 9:36:17 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 15




Subject: Text Box
Page Index: 15
Date: 12/14/2021 9:34:49 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 15

(Areas of concern are highlighted)

NETLE 1




Subject: Engineer
Page Index: 16
Date: 12/6/2021 1:40:03 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 16




Subject: Engineer
Page Index: 16
Date: 12/6/2021 1:40:19 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 16

update reference



Subject: Callout
Page Index: 16
Date: 12/14/2021 11:16:57 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 16

label spillway elev., reference detail sheets



Subject: Callout
Page Index: 16
Date: 12/14/2021 11:26:45 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 16

are these labels needed?




Subject: Callout
Page Index: 17
Date: 12/14/2021 11:25:18 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 17


adjust contours




Subject:
Page Index: 17
Date: 12/14/2021 11:20:34 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 17



Subject:
 Page Index: 17
 Date: 12/14/2021 11:20:47 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 17




Subject:
 Page Index: 17
 Date: 12/14/2021 11:23:40 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 17




Subject: Callout
 Page Index: 17
 Date: 12/14/2021 11:26:16 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 17

are these labels needed?




Subject:
 Page Index: 17
 Date: 12/14/2021 11:28:08 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 17




Subject: Callout
 Page Index: 17
 Date: 12/14/2021 11:29:19 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 17

Adjust WSEL/HGL




Subject: Callout
 Page Index: 17
 Date: 12/14/2021 11:31:56 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 17

If there are any pond overflow spillways the conveyance to the channel needs to be addressed




Subject:
Page Index: 17
Date: 12/14/2021 11:32:25 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 17

18 (5)




Subject:
Page Index: 18
Date: 12/14/2021 11:33:16 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 18



Subject: Text Box
Page Index: 18
Date: 12/14/2021 11:33:55 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 18

Revise design to subcritical




Subject: Text Box
Page Index: 18
Date: 12/14/2021 11:34:33 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 18


Revise design to subcritical




Subject:
Page Index: 18
Date: 12/14/2021 11:35:31 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 18




Subject:
Page Index: 18
Date: 12/14/2021 11:35:48 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 18



Subject:
Page Index: 19
Date: 12/14/2021 11:38:20 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 19



Subject:
Page Index: 19
Date: 12/14/2021 11:38:29 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 19




Subject: Text Box
Page Index: 19
Date: 12/14/2021 11:38:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 19


Revise design to subcritical



Subject: Engineer
Page Index: 20
Date: 12/12/2021 2:31:57 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 20




Subject: Engineer
Page Index: 20
Date: 12/12/2021 2:31:49 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 20




Subject: Callout
Page Index: 20
Date: 12/14/2021 10:56:25 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 20


Address up to Poco also



Subject:
Page Index: 20
Date: 12/14/2021 11:40:47 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 20




Subject:
Page Index: 20
Date: 12/14/2021 11:40:54 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 20




Subject: Callout
Page Index: 20
Date: 12/14/2021 11:41:50 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 20

adjust HGL/WSEL as appropriate. Extend model to the north

21 (13)




Subject:
Page Index: 21
Date: 12/14/2021 9:38:07 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21




Subject: Callout
Page Index: 21
Date: 12/14/2021 9:41:04 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21


Shouldn't there be riprap in these areas also?





Subject: Callout
Page Index: 21
Date: 12/14/2021 10:10:07 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21


How is flow kept from overtopping here?




Subject:
Page Index: 21
Date: 12/14/2021 9:40:14 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 21





Subject:
Page Index: 21
Date: 12/14/2021 9:40:35 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 21




Subject: Callout
Page Index: 21
Date: 12/14/2021 9:41:39 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 21


What material will be used on the slopes?





Subject: Callout
Page Index: 21
Date: 12/14/2021 10:06:53 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 21


Provide cross-sections along the top and bottom



Subject:
Page Index: 21
Date: 12/14/2021 10:07:19 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 21




Subject:
Page Index: 21
Date: 12/14/2021 10:07:46 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 21



Subject: Callout
Page Index: 21
Date: 12/14/2021 10:09:08 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21

Provide maintenance access roads to bottom




Subject: Callout
Page Index: 21
Date: 12/14/2021 10:09:46 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21

Show existing lots



Subject: Callout
Page Index: 21
Date: 12/14/2021 10:10:03 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21


Show existing lots




Subject: Callout
Page Index: 21
Date: 12/14/2021 10:13:43 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 21

Show trail / maintenance road grading

22 (5)




Subject: Arrow
Page Index: 22
Date: 12/14/2021 10:04:14 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 22



Subject: Callout
Page Index: 22
Date: 12/14/2021 10:04:43 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 22

Adjust grading




Subject: Arrow
Page Index: 22
Date: 12/14/2021 10:10:46 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 22




Subject: Callout
Page Index: 22
Date: 12/14/2021 10:11:29 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 22

Show trail / maintenance road




Subject:
Page Index: 22
Date: 12/14/2021 10:11:45 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 22

23 (12)




Subject: Callout
Page Index: 23
Date: 12/14/2021 9:50:11 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23


These should be labeled as low-flow or bankfull cross-sections




Subject:
Page Index: 23
Date: 12/14/2021 9:50:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23



Subject: Arrow
Page Index: 23
Date: 12/14/2021 9:51:50 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23



Subject: Arrow
Page Index: 23
Date: 12/14/2021 9:52:21 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23




Subject: Arrow
Page Index: 23
Date: 12/14/2021 9:52:31 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23




Subject: Callout
Page Index: 23
Date: 12/14/2021 9:54:23 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23


Please also provide cross-sections where shown and to match the HEC-RAS cross-sections




Subject: Arrow
Page Index: 23
Date: 12/14/2021 9:58:14 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23



Subject: Arrow
Page Index: 23
Date: 12/14/2021 9:58:22 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23



Subject: Arrow
Page Index: 23
Date: 12/14/2021 9:58:44 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23



Subject: Callout
Page Index: 23
Date: 12/14/2021 10:03:20 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23

Shouldn't the riffle be oriented perpendicular to the channel flow?




Subject: Arrow
Page Index: 23
Date: 12/14/2021 10:03:15 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23



Subject: Callout
Page Index: 23
Date: 12/14/2021 10:03:10 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 23


What are all these lines?

28 (5)




Subject: Text Box
Page Index: 28
Date: 12/14/2021 10:15:22 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 28


Show both maintenance roads/trail and lot lines




Subject:
Page Index: 28
Date: 12/14/2021 10:15:27 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 28



Subject:
Page Index: 28
Date: 12/14/2021 10:15:29 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 28




Subject:
 Page Index: 28
 Date: 12/14/2021 10:15:38 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 28




Subject:
 Page Index: 28
 Date: 12/14/2021 10:15:40 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 28

30 (2)



Subject: Callout
 Page Index: 30
 Date: 12/14/2021 9:45:07 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 30


Is this correct?



Subject: Callout
 Page Index: 30
 Date: 12/14/2021 10:51:49 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 30

GSB?


31 (1)



Subject: Engineer
 Page Index: 31
 Date: 12/12/2021 4:00:21 PM
 Author: CFurchak
 Color: ■
 Layer:
 Space:
 Page Label: 31


show 100 yr WSEL

32 (10)




Subject: Engineer
 Page Index: 32
 Date: 12/13/2021 1:35:41 PM
 Author: CFurchak
 Color: ■
 Layer:
 Space:
 Page Label: 32

Trail details are on this sheet not Sheet 49.
 Stabilized access ramp shall be a minimum of 15ft wide and no greater than 12% slope, in accordance with DCMv1, Chap 11.2.2.
 Show maintenance access to bottom of pond



Subject: Engineer
Page Index: 32
Date: 12/13/2021 1:12:20 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 32

Pond bottom should have a minimum slope of 3% to the low flow channel (USDCM Vol 3, detail T-5). Please adjust to minimize future maintenance needs.




Subject: Engineer
Page Index: 32
Date: 12/13/2021 1:25:58 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 32

provide details




Subject: Engineer
Page Index: 32
Date: 12/13/2021 1:35:44 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 32




Subject: Arrow
Page Index: 32
Date: 12/14/2021 10:17:48 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 32



Subject: Arrow
Page Index: 32
Date: 12/14/2021 10:16:47 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 32




Subject: Arrow
Page Index: 32
Date: 12/14/2021 10:17:43 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 32




Subject: Callout
Page Index: 32
Date: 12/14/2021 10:18:19 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 32

Provide cross-section




Subject:
Page Index: 32
Date: 12/14/2021 10:23:17 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 32




Subject: Callout
Page Index: 32
Date: 12/14/2021 10:24:24 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 32

Clearly show the maintenance road/trail


33 (5)



Subject:
Page Index: 33
Date: 12/14/2021 10:19:50 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 33




Subject:
Page Index: 33
Date: 12/14/2021 10:20:33 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 33




Subject: Callout
Page Index: 33
Date: 12/14/2021 10:20:53 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 33

flat?




Subject:
Page Index: 33
Date: 12/14/2021 10:21:11 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 33



Subject: Callout
Page Index: 33
Date: 12/14/2021 10:25:00 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 33

label width of maintenance access, show riprap

34 (6)




Subject: Engineer
Page Index: 34
Date: 12/13/2021 1:30:43 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 34

37




Subject: Engineer
Page Index: 34
Date: 12/13/2021 1:30:38 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 34




Subject: Callout
Page Index: 34
Date: 12/14/2021 10:26:03 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 34


Adjust grading?



Subject:
Page Index: 34
Date: 12/14/2021 10:26:37 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 34




Subject:
 Page Index: 34
 Date: 12/14/2021 10:26:59 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 34




Subject:
 Page Index: 34
 Date: 12/14/2021 10:28:18 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 34

35 (5)




Subject: Engineer
 Page Index: 35
 Date: 12/13/2021 1:29:00 PM
 Author: CFurchak
 Color: ■
 Layer:
 Space:
 Page Label: 35




Subject: Engineer
 Page Index: 35
 Date: 12/13/2021 1:29:08 PM
 Author: CFurchak
 Color: ■
 Layer:
 Space:
 Page Label: 35

update reference




Subject:
 Page Index: 35
 Date: 12/14/2021 10:29:42 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 35



Subject: Callout
 Page Index: 35
 Date: 12/14/2021 10:31:56 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 35


Extend the profile to the west including the trail



Subject:
Page Index: 35
Date: 12/14/2021 10:31:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 35

36 (1)

STRUCTURE PLAN



Subject: Callout
Page Index: 36
Date: 12/14/2021 10:32:38 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 36


Provide complete structural design

37 (6)



Subject: Callout
Page Index: 37
Date: 12/14/2021 10:33:14 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 37

Don't show future lots, etc.




Subject: Callout
Page Index: 37
Date: 12/14/2021 10:34:04 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 37

Clearly show this with darker line or hatching or shading




Subject:
Page Index: 37
Date: 12/14/2021 10:34:46 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 37




Subject: Callout
Page Index: 37
Date: 12/14/2021 10:35:01 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 37

Protection at bottom?




Subject: Callout
Page Index: 37
Date: 12/14/2021 10:36:19 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 37

Extend riffle to main channel flow ?



Subject:
Page Index: 37
Date: 12/14/2021 10:36:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 37


38 (1)



Subject: Callout
Page Index: 38
Date: 12/14/2021 10:36:55 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 38


Provide complete structural design

39 (10)




Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:17:51 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 39

update reference





Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:18:01 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 39

update reference




Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:31:54 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 39





Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:31:57 PM
Author: CFurchak
Color: 
Layer:
Space:
Page Label: 39




Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:32:19 PM
Author: CFurchak
Color: 
Layer:
Space:
Page Label: 39





Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:32:22 PM
Author: CFurchak
Color: 
Layer:
Space:
Page Label: 39




Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:32:30 PM
Author: CFurchak
Color: 
Layer:
Space:
Page Label: 39


adjust text




Subject: Engineer
Page Index: 39
Date: 12/13/2021 1:32:35 PM
Author: CFurchak
Color: 
Layer:
Space:
Page Label: 39

adjust text



Subject: Callout
Page Index: 39
Date: 12/14/2021 10:38:53 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 39


Provide for top and bottom of spillways



Subject: Callout
Page Index: 39
Date: 12/14/2021 11:19:04 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 39

label slopes (ensure compliance with access road criteria)


40 (1)



Subject: Callout
Page Index: 40
Date: 12/14/2021 10:40:49 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 40

Provide profile of the sheet pile structure


41 (1)



Subject: Callout
Page Index: 41
Date: 12/14/2021 10:43:04 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 41

Show maintenance access


42 (1)



Subject: Callout
Page Index: 42
Date: 12/14/2021 10:43:53 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 42


Provide profile of the sheet pile structure

43 (3)




Subject: Callout
Page Index: 43
Date: 12/14/2021 10:45:21 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 43

Provide profile of the sheet pile structure




Subject:
Page Index: 43
Date: 12/14/2021 10:45:59 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 43



Subject: Callout
Page Index: 43
Date: 12/14/2021 10:46:26 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 43

erosion protection?


44 (1)



Subject: Callout
Page Index: 44
Date: 12/14/2021 10:47:07 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 44

adjust grading?

45 (5)




Subject:
Page Index: 45
Date: 12/14/2021 10:47:50 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 45




Subject: Callout
Page Index: 45
Date: 12/14/2021 10:48:19 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 45

grade control?




Subject:
Page Index: 45
Date: 12/14/2021 10:48:46 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 45



Subject: Callout
Page Index: 45
Date: 12/14/2021 10:49:01 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 45


extend to channel flow area?



Subject: Callout
Page Index: 45
Date: 12/14/2021 10:50:03 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 45

erosion protection?


46 (1)




Subject: Cloud+
Page Index: 46
Date: 12/2/2021 11:58:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 46

delete

47 (2)




Subject:
Page Index: 47
Date: 12/2/2021 12:00:01 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 47



Subject: Callout
Page Index: 47
Date: 12/14/2021 10:52:48 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 47


provide elevation

48 (5)




Subject: Callout
Page Index: 48
Date: 12/2/2021 12:00:58 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 48

Don't show future lots



Subject: Callout
Page Index: 48
Date: 12/2/2021 1:45:44 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 48

Upside down




Subject: Callout
Page Index: 48
Date: 12/2/2021 1:46:35 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 48

Show maint. access on this side as well



Subject: Callout
Page Index: 48
Date: 12/2/2021 1:47:31 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 48


detail access to bottom



Subject: Engineer
Page Index: 48
Date: 12/13/2021 1:36:33 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 48


-Consider using a base course that will minimize migration of fines when the pond is detaining water.

49 (3)




Subject: Callout
Page Index: 49
Date: 12/2/2021 12:03:22 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 49

Label grades and add a note about steepest allowable grades




Subject: Engineer
Page Index: 49
Date: 12/13/2021 1:36:52 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 49


rotate text



Subject: Engineer
Page Index: 49
Date: 12/13/2021 1:37:14 PM
Author: CFurchak
Color: ■
Layer:
Space:
Page Label: 49


50 (1)



Subject:
Page Index: 50
Date: 12/2/2021 12:04:02 PM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 50

51 (1)



Subject: Callout
Page Index: 51
Date: 12/2/2021 12:04:56 PM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 51

Don't show future lots or roads