



Prevent • Promote • Protect

Environmental Health Division  
1675 W. Garden of the Gods Road  
Suite 2044  
Colorado Springs, CO 80907  
(719) 578-3199 *phone*  
(719) 578-3188 *fax*  
[www.elpasocountyhealth.org](http://www.elpasocountyhealth.org)

### **Trails at Aspen Ridge, Filing No. 1, SF-19-002**

Please accept the following updated comments from El Paso County Public Health (EPCPH) regarding the project referenced above:

- **Water service will be provided by Widefield Water and Sanitation District PWSID # CO0121900 which is a Colorado Department of Public Health and Environment approved community water and wastewater treatment facility. There is a finding for sufficiency in terms of water quality for Widefield Water and Sanitation District.**
- **Widefield Water and Sanitation District (Permit CO-0021067) will provide wastewater service. The Widefield Water and Sanitation District does have sufficient treatment capacity for the proposed 55.82-acre, 180-residential lot development. See the 13June2019 Letters of Commitment from Widefield Water and Sanitation District for both water and wastewater services. Also, the Stantec “Engineering Study for The Trails at Aspen Ridge, Filing No. 1, Wastewater System Improvements” report dated June 2019, was used to support treatment adequacy by Widefield Water and Sanitation District.**
- **El Paso County Public Health encourages planned walk-ability of residential communities. Please consider appropriate connections to commercial areas through the use of sidewalks, and bike trails. Walk-ability features help reduce obesity and associated heart diseases.**
- **Earthmoving activities Earthmoving activities greater than 25 acres require a Construction Activity Permit from the Colorado Department of Public Health and Environment, Air Pollution Control Division. Go to the El Paso County Public Health site <http://www.elpasocountyhealth.org/service/air-quality> for the link to the Colorado Department of Public Health and Environment, Air Pollution Control Division, for the permit application.**
- **The water quality detention basin must have mosquito control responsibilities included as a part of the maintenance plan to help control mosquito breeding habitat and minimize the potential for West Nile Virus.**

**Mike McCarthy**  
**El Paso County Public Health**  
[mikemccarthy@elpasoco.com](mailto:mikemccarthy@elpasoco.com)  
**719-575-8602**  
**04Sept2019**