

MEADOW LAKE AIRPORT


# Property Boundary



**Note: Private Property Not Included in Airport Facility Requirements or Alternatives**

**AVIATION**






AIRPORT FACILITY LEGEND		
EXISTING ID	ITEM	TOP ELEVATIONS
①	PERMANENT BUILDING	6,271.14
②	PAVING	6,250.00
③	ASPH	6,250.00
④	GRAV	6,250.00
⑤	CEMENTED CURB AND APRON	6,250.00
⑥	AIRPORT ROAD	6,271.14

**NOTES:**

1. ALL HORIZONTAL COORDINATES - NAD83(03)  
ALL VERTICAL COORDINATES - MSL
2. COORDINATES REFERRED TO HEREIN INDICATED ON EXISTING PLANS BY LOCATION POINTS WITH ELEVATION DATA BY NATIONAL SURVEY AND PHOTOGRAMMETRIC SURVEY DATA TO 0.02 - 0.16 M (0.08 - 0.52 FT)
3. ALL POINTS, ALL STRAINS, AND LOCATIONS ARE PRIVATE PROPERTY AND NOT PUBLICLY NAMED
4. WESTING HOUSE 1983 SURVEY DATA COORDINATE POINTS TAKEN FROM THE NATIONAL SPATIAL DATASET (NSD) SURVEY DATA TO 0.16 M (0.52 FT)
5. POINT SPACING WITHIN THIS PLAN IS AS WELL AS FIELD AND OFFICE WORK SHALL BE IN THE INTEREST OF MAINTAINING AIRPORT FINAL ALIGNMENT AND CONSTRUCTION BUILT TO BE CONFORMANT
6. AERIAL PHOTO FROM GOOGLE EARTH, DATE: 4/20/15



CONDITIONALLY APPROVED

SUBJECT TO LETTER DATED: 5/31/19

*Jrg*

FEDERAL AVIATION ADMINISTRATION DENVER AIRPORTS DISTRICT OFFICE

DATE: May 31, 2019

CASE NUMBER: 2019-ANM-665-NRA

ISSUE RECORD	
DESCRIPTION	

AIRPORT LAYOUT PLAN


AIRPORT LAYOUT PLAN - EXISTING

CDAG GRANT NO. 2014-FLY-01      AVIATION PROJ. NO. 2014.FLY.01      DATE: MAY 2019

SHEET NO. 03 of 21



AIRPORT FACILITY LEGEND			
EXISTING ID	ITEM	FUTURE ID	TOP ELEVATION
1		1	6,654.35
2		2	6,550.00
3		3	6,550.00
4		4	6,550.00
5		5	6,724.52
6		6	6,755.15
7		7	6,755.12
8		8	6,755.12
9		9	6,755.12
10		10	6,755.12



**CONDITIONALLY APPROVED**


SUBJECT TO LETTER DATED: 5/31/19

*[Signature]*

FEDERAL AVIATION ADMINISTRATION DENVER  
AIRPORTS DISTRICT OFFICE

DATE: May 31, 2019

CASE NUMBER: 2019-AAM-CCS-NRA



**NOTES:**

1. ALL DIMENSIONS ARE IN FEET UNLESS OTHERWISE NOTED.
2. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
3. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
4. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
5. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
6. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
7. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
8. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
9. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.
10. ALL DIMENSIONS ARE TO THE CENTERLINE UNLESS OTHERWISE NOTED.

ISSUE RECORD		AIRPORT LAYOUT PLAN - FUTURE	SHEET NO. 04 of 21
DESCRIPTION			
		CDAG GRANT NO. 2014-FLY-01	DATE: MAY 2019
		AVIATION PROJ. NO. 2014.FLY.01	DATE: MAY 2019

DRAWING LEGEND		
ITEM	EXISTING	FUTURE
APPROACH VISIBILITY SURFACE		
THRESHOLD SITING SURFACE		
PROTECTION ZONE		
GA DEVELOPMENT AREA		
EXISTING FUEL FARM		
FUTURE FUEL FARM		
THRESHOLD SITING SURFACE 20:1		
THRESHOLD SITING SURFACE 1:1		
THRESHOLD SITING SURFACE 1:4		
THRESHOLD SITING SURFACE 1:8		
THRESHOLD SITING SURFACE 1:16		
THRESHOLD SITING SURFACE 1:32		
THRESHOLD SITING SURFACE 1:64		
THRESHOLD SITING SURFACE 1:128		
THRESHOLD SITING SURFACE 1:256		
THRESHOLD SITING SURFACE 1:512		
THRESHOLD SITING SURFACE 1:1024		
THRESHOLD SITING SURFACE 1:2048		
THRESHOLD SITING SURFACE 1:4096		
THRESHOLD SITING SURFACE 1:8192		
THRESHOLD SITING SURFACE 1:16384		
THRESHOLD SITING SURFACE 1:32768		
THRESHOLD SITING SURFACE 1:65536		
THRESHOLD SITING SURFACE 1:131072		
THRESHOLD SITING SURFACE 1:262144		
THRESHOLD SITING SURFACE 1:524288		
THRESHOLD SITING SURFACE 1:1048576		
THRESHOLD SITING SURFACE 1:2097152		
THRESHOLD SITING SURFACE 1:4194304		
THRESHOLD SITING SURFACE 1:8388608		
THRESHOLD SITING SURFACE 1:16777216		
THRESHOLD SITING SURFACE 1:33554432		
THRESHOLD SITING SURFACE 1:67108864		
THRESHOLD SITING SURFACE 1:134217728		
THRESHOLD SITING SURFACE 1:268435456		
THRESHOLD SITING SURFACE 1:536870912		
THRESHOLD SITING SURFACE 1:1073741824		
THRESHOLD SITING SURFACE 1:2147483648		
THRESHOLD SITING SURFACE 1:4294967296		
THRESHOLD SITING SURFACE 1:8589934592		
THRESHOLD SITING SURFACE 1:17179869184		
THRESHOLD SITING SURFACE 1:34359738368		
THRESHOLD SITING SURFACE 1:68719476736		
THRESHOLD SITING SURFACE 1:137438953472		
THRESHOLD SITING SURFACE 1:274877906944		
THRESHOLD SITING SURFACE 1:549755813888		
THRESHOLD SITING SURFACE 1:1099511627776		
THRESHOLD SITING SURFACE 1:2199023255552		
THRESHOLD SITING SURFACE 1:4398046511104		
THRESHOLD SITING SURFACE 1:8796093022208		
THRESHOLD SITING SURFACE 1:17592186444416		
THRESHOLD SITING SURFACE 1:35184372888832		
THRESHOLD SITING SURFACE 1:70368745777664		
THRESHOLD SITING SURFACE 1:140737491553280		
THRESHOLD SITING SURFACE 1:281474983106560		
THRESHOLD SITING SURFACE 1:562949966213120		
THRESHOLD SITING SURFACE 1:1125899932262400		
THRESHOLD SITING SURFACE 1:2251799864524800		
THRESHOLD SITING SURFACE 1:4503599729049600		
THRESHOLD SITING SURFACE 1:9007199458099200		
THRESHOLD SITING SURFACE 1:18014398916198400		
THRESHOLD SITING SURFACE 1:36028797832396800		
THRESHOLD SITING SURFACE 1:72057595664793600		
THRESHOLD SITING SURFACE 1:144115191329587200		
THRESHOLD SITING SURFACE 1:288230382659174400		
THRESHOLD SITING SURFACE 1:576460765318348800		
THRESHOLD SITING SURFACE 1:1152921530736796800		
THRESHOLD SITING SURFACE 1:2305843061473593600		
THRESHOLD SITING SURFACE 1:4611686122947187200		
THRESHOLD SITING SURFACE 1:9223372245894374400		
THRESHOLD SITING SURFACE 1:18446744491788748800		
THRESHOLD SITING SURFACE 1:36893488983577497600		
THRESHOLD SITING SURFACE 1:73786977967154995200		
THRESHOLD SITING SURFACE 1:14757395935430990400		
THRESHOLD SITING SURFACE 1:29514791870861980800		
THRESHOLD SITING SURFACE 1:59029583741723961600		
THRESHOLD SITING SURFACE 1:118059167483447923200		
THRESHOLD SITING SURFACE 1:236118334966895846400		
THRESHOLD SITING SURFACE 1:472236669933791692800		
THRESHOLD SITING SURFACE 1:944473339867583385600		
THRESHOLD SITING SURFACE 1:1888946697355166771200		
THRESHOLD SITING SURFACE 1:3777893394710333542400		
THRESHOLD SITING SURFACE 1:7555786789420667084800		
THRESHOLD SITING SURFACE 1:1511157357884133417600		
THRESHOLD SITING SURFACE 1:3022314715768266835200		
THRESHOLD SITING SURFACE 1:6044629431536533670400		
THRESHOLD SITING SURFACE 1:12089258863073067340800		
THRESHOLD SITING SURFACE 1:24178517726146134681600		
THRESHOLD SITING SURFACE 1:48357035452292269363200		
THRESHOLD SITING SURFACE 1:96714070904584538726400		
THRESHOLD SITING SURFACE 1:193428141809169075452800		
THRESHOLD SITING SURFACE 1:386856283618338150905600		
THRESHOLD SITING SURFACE 1:773712567236676301811200		
THRESHOLD SITING SURFACE 1:1547425134473452635622400		
THRESHOLD SITING SURFACE 1:3094850268946905271244800		
THRESHOLD SITING SURFACE 1:6189700537893810542489600		
THRESHOLD SITING SURFACE 1:12379401077787621084979200		
THRESHOLD SITING SURFACE 1:24758802155575242169958400		
THRESHOLD SITING SURFACE 1:49517604311150484339916800		
THRESHOLD SITING SURFACE 1:99035208622300968679833600		
THRESHOLD SITING SURFACE 1:198070417246011937597667200		
THRESHOLD SITING SURFACE 1:396140834492023875195334400		
THRESHOLD SITING SURFACE 1:792281668984047750390668800		
THRESHOLD SITING SURFACE 1:158456333776809550778137600		
THRESHOLD SITING SURFACE 1:316912667553619101556275200		
THRESHOLD SITING SURFACE 1:633825335107238203112550400		
THRESHOLD SITING SURFACE 1:126765067021447646225100800		
THRESHOLD SITING SURFACE 1:253530134042895292450201600		
THRESHOLD SITING SURFACE 1:507060268085790584900403200		
THRESHOLD SITING SURFACE 1:1014120536171581169800806400		
THRESHOLD SITING SURFACE 1:2028241072343162339601612800		
THRESHOLD SITING SURFACE 1:4056482144686324679203225600		
THRESHOLD SITING SURFACE 1:8112964289372649358406451200		
THRESHOLD SITING SURFACE 1:16225925777544898716812902400		
THRESHOLD SITING SURFACE 1:32451851555089797433625804800		
THRESHOLD SITING SURFACE 1:6490370311017959486725161600		
THRESHOLD SITING SURFACE 1:1298074062203511973445323200		
THRESHOLD SITING SURFACE 1:2596148124407023946890646400		
THRESHOLD SITING SURFACE 1:5192296248814047893781292800		
THRESHOLD SITING SURFACE 1:10384592497628917875562585600		
THRESHOLD SITING SURFACE 1:2076918499525783575112571200		
THRESHOLD SITING SURFACE 1:4153836999051567151422542400		
THRESHOLD SITING SURFACE 1:8307673998103134302845084800		
THRESHOLD SITING SURFACE 1:16615347962006268605691169600		
THRESHOLD SITING SURFACE 1:33230695924012537211382339200		
THRESHOLD SITING SURFACE 1:66461391848025074422764678400		
THRESHOLD SITING SURFACE 1:132922783696050148445529356800		
THRESHOLD SITING SURFACE 1:265845567392100296891058713600		
THRESHOLD SITING SURFACE 1:531691134784200593782117427200		
THRESHOLD SITING SURFACE 1:1063382269568401187564234854400		
THRESHOLD SITING SURFACE 1:2126764539136802375128469708800		
THRESHOLD SITING SURFACE 1:4253529078273604750256939417600		
THRESHOLD SITING SURFACE 1:8507058156547209500513878835200		
THRESHOLD SITING SURFACE 1:17014116313094419001027757670400		
THRESHOLD SITING SURFACE 1:340282326261888380020555153414400		
THRESHOLD SITING SURFACE 1:680564652523776760041110306828800		
THRESHOLD SITING SURFACE 1:136112930504753552008222061377600		
THRESHOLD SITING SURFACE 1:2722258610095071040016444227554400		
THRESHOLD SITING SURFACE 1:5444517220190142080032888455108800		
THRESHOLD SITING SURFACE 1:108890344403802841600657777111217600		
THRESHOLD SITING SURFACE 1:217780688807605683201315554222435200		
THRESHOLD SITING SURFACE 1:4355613776152113664026311088444790400		
THRESHOLD SITING SURFACE 1:8711227552304227328052622176889588800		
THRESHOLD SITING SURFACE 1:1742245504460845456010524353777977600		
THRESHOLD SITING SURFACE 1:3484491008921690912021048707555955200		
THRESHOLD SITING SURFACE 1:6968982017843381824042097415111910400		
THRESHOLD SITING SURFACE 1:13937964035687763648081954830223820800		
THRESHOLD SITING SURFACE 1:27875928071375527296163907660447641600		
THRESHOLD SITING SURFACE 1:55751856142751054592327815320895283200		
THRESHOLD SITING SURFACE 1:111503712285502101184655626641790566400		
THRESHOLD SITING SURFACE 1:223007424571004202369311332883581132800		
THRESHOLD SITING SURFACE 1:446014849142008404738622665767126566400		
THRESHOLD SITING SURFACE 1:892029698284016809477253151534253132800		
THRESHOLD SITING SURFACE 1:178405939656803361954545062306906265600		
THRESHOLD SITING SURFACE 1:356811879313606723909090124613812532800		
THRESHOLD SITING SURFACE 1:71362375862721344781818024922765065600		
THRESHOLD SITING SURFACE 1:14272475173544269563736369985552131200		
THRESHOLD SITING SURFACE 1:28544950347088539127472739971104262400		
THRESHOLD SITING SURFACE 1:57089900694177078254945479942208524800		
THRESHOLD SITING SURFACE 1:114179801383544165109890959884170549600		
THRESHOLD SITING SURFACE 1:228359602767088330219781919778341099200		
THRESHOLD SITING SURFACE 1:456719205534176660439563839556682198400		
THRESHOLD SITING SURFACE 1:913438411068353320879127679113364396800		
THRESHOLD SITING SURFACE 1:182687622213670644175825538222728793600		
THRESHOLD SITING SURFACE 1:365375244427341288351651076445457587200		
THRESHOLD SITING SURFACE 1:730750488854682576703302152890915754400		
THRESHOLD SITING SURFACE 1:1461500977091365153406604057818315108800		
THRESHOLD SITING SURFACE 1:292300195418273030681321211563670217600		
THRESHOLD SITING SURFACE 1:584600390836546061362642423127340435200		
THRESHOLD SITING SURFACE 1:116920078167309212272484846254680870400		
THRESHOLD SITING SURFACE 1:233840156334618424544969692509361740800		
THRESHOLD SITING SURFACE 1:467680312669236849089939385018723481600		
THRESHOLD SITING SURFACE 1:935360625338473698179878770037446963200		
THRESHOLD SITING SURFACE 1:1870721250676947396359757540074893926400		

### Meadow Lake Airport Influence Area





Figure 2-22 - Meadow Lake Airport Influence Area

# Meadow Lake Airport

Traffic Patterns

Enclosure 13g(3)



Judge Orr Rd

Hwy 24

24

Google Earth

© 2018 Google



1 mi

# Meadow Lake Airport

Traffic Patterns

Enclosure 13g(4)



Google Earth

© 2018 Google

24

Judge Orr Rd

1 mi

N

# Meadow Lake Airport

Traffic Patterns

Enclosure 13g(5)



Judge Orr Rd

Hwy 24

24

Google Earth

© 2018 Google



1 mi





**COLORADO**  
Department of Public  
Health & Environment

**CERTIFICATION TO DISCHARGE  
UNDER  
CDPS GENERAL PERMIT COR400000  
STORMWATER ASSOCIATED WITH CONSTRUCTION ACTIVITIES**

Certification Number: COR406129

**This Certification to Discharge specifically authorizes:**

**Owner Meadow Lake Airport Association  
Operator Martin Marietta Materials  
to discharge stormwater from the facility identified as**

**Meadow Lake Airport**

**To the waters of the State of Colorado, including, but not limited to:**

**Black Squirrel Creek, Arkansas River**

**Facility Activity :** Other- Existing airfield reconstruction

**Disturbed Acres:** 16 acres

**Facility Located at:** 13625 Judge Orr Road Peyton CO 80831  
El Paso County  
Latitude 38.952809 Longitude -104.574251

**Specific Information  
(if applicable):** Meadow Lake Airport KFLY 13550 Piper Lane Peyton, CO 80831

**Certification is issued and effective: 7/8/2019**  
Expiration date of general permit: 3/31/2024

This certification under the permit requires that specific actions be performed at designated times. The certification holder is legally obligated to comply with all terms and conditions of the permit.

This certification was approved by:  
Meg Parish, Section Manager  
Permits Section  
Water Quality Control Division



**COLORADO GROUND WATER COMMISSION  
FINDINGS AND ORDER**

IN THE MATTER OF AN APPLICATION FOR DETERMINATION OF WATER RIGHT TO  
ALLOW THE WITHDRAWAL OF GROUND WATER IN THE UPPER BLACK SQUIRREL CREEK  
DESIGNATED GROUND WATER BASIN

---

APPLICANT: MEADOW LAKE AIRPORT ASSOCIATION, A NON-PROFIT CORPORATION

AQUIFER: DENVER

DETERMINATION NO.: 1046-BD

---

In compliance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, 2 CCR 410-1, Meadow Lake Airport Association, a non-profit corporation, (hereinafter "applicant") submitted an application for determination of water right to allow the withdrawal of designated ground water from the Denver Aquifer.

**FINDINGS**

1. The application was received complete by the Colorado Ground Water Commission on September 1, 2006.
2. The applicant requests a determination of rights to designated ground water in the Denver Aquifer (hereinafter "aquifer") underlying 522 acres, generally described as the majority of the S $\frac{1}{2}$ , and a portion of the W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, the majority of the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th Principal Meridian, in El Paso County. According to a signed statement dated April 16, 2006, the applicant owns the 522 acres of land, as further described in said affidavit which is attached hereto as Exhibit A, and claims control of the ground water in the aquifer underlying this land area.
3. The proposed annual amount of ground water to be allocated and withdrawn from the aquifer for intended beneficial uses is the maximum allowable amount.
4. The above described land area overlying the ground water claimed by the applicant is located within the boundaries of the Upper Black Squirrel Creek Designated Ground Water Basin and within the Upper Black Squirrel Creek Ground Water Management District. The Colorado Ground Water Commission (hereinafter "Commission") has jurisdiction.
5. The applicant intends to apply the allocated ground water to the following beneficial uses: domestic, commercial, agricultural, irrigation, stock watering, fire protection, and augmentation. The applicant's proposed place of use of the allocated ground water is the above described 522 acre overlying land area and an additional 222.6 acres generally described as part of the N $\frac{1}{2}$  of the NE $\frac{1}{4}$ , the SW $\frac{1}{4}$ , and part of the W $\frac{1}{2}$  of the SE $\frac{1}{4}$  all in Section 9, Township 13 South, Range 64 West of the 6th P.M. The 222.6 acre additional place of use area is further described in Exhibit B of Determination No. 1044-BD.

6. The replacement water requirement for withdrawal of ground water from the aquifer underlying the 522 acres of overlying land claimed by the applicant consists of two different requirements, which effectively divides the claimed land into three areas. The amount of ground water in the aquifer and a maximum annual amount available for allocation will be determined specifically for the aquifer underlying each of the three areas. These areas are designated and described as follows:

Area A – 464 acres, generally described as the portion of the applicant's claimed overlying land area in the S $\frac{1}{2}$  of Section 4, the southeastern portion of the applicant's claimed overlying land area in the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th P.M.

Area B – 57.5 acres, generally described as the northern portion of the applicant's claimed overlying land area in W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, northwestern portion of the applicant's claimed overlying land area in the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, Township 13 South, Range 64 West of the 6th P.M.

Area C – 0.5 acres, generally described as the southern portion of the applicant's claimed overlying land area in the SW $\frac{1}{4}$  of the NW $\frac{1}{4}$  of Section 4, Township 13 South, Range 64 West of the 6th P.M.

These three areas are depicted in a map attached hereto as Exhibit B.

7. The quantity of water in the aquifer underlying the 1034 acres of land claimed by the applicant is as follows: Area A = 16,170 acre-feet; Area B = 2,199 acre-feet; Area C = 17 acre-feet. This determination was based on the following as specified in the Designated Basin Rules:
- a. The average specific yield of the saturated permeable material of the aquifer underlying the land under consideration that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 17 percent.
  - b. The average thickness of the saturated permeable material of the aquifer underlying the land under consideration that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is as follows: Area A = 205 feet; Area B = 225 feet; Area C = 200 feet.
8. At this time, there is no substantial artificial recharge that would affect the aquifer within a one hundred year period.
9. Pursuant to Section 37-90-107(7), C.R.S., and in accordance with the Designated Basin Rules, the Commission shall allocate ground water in the aquifer based on ownership of the overlying land and an aquifer life of one hundred years. Therefore, the maximum allowed average annual amount of ground water in the aquifer that may be allocated for withdrawal pursuant to the data in the paragraphs above for the 522 acres of overlying land claimed by the applicant is as follows: Area A = 162 acre-feet; Area B = 22.0 acre-feet; Area C = 0.17 acre-feet.

10. In accordance with Rule 5.3.2.4 of the Designated Basin Rules, the maximum average annual amount of ground water available for allocation from the aquifer underlying the 57.5 acre portion of land claimed by the applicant, designated Area B, is reduced to 21.0 acre-feet to allow for the annual withdrawal of a small capacity well which is completed in the aquifer, permit number 202235. Except for this well, review of the records in the Office of the State Engineer has disclosed that none of the water in the aquifer underlying the land claimed by the applicant has been previously allocated or permitted for withdrawal.
11. Pursuant to Section 37-90-107(7)(c)(III), C.R.S., an approved determination of water right shall be considered a final determination of the amount of ground water so determined; except that the Commission shall retain jurisdiction for subsequent adjustment of such amount to conform to the actual local aquifer characteristics from adequate information obtained from well drilling or test holes.
12. The ability of wells permitted to withdraw the authorized amount of water from this non-renewable aquifer may be less than the one hundred years upon which the amount of water in the aquifer is allocated, due to anticipated water level declines.
13. In accordance with Rule 5.3.6 of the Designated Basin Rules, it has been determined that the replacement water requirements for withdrawal of ground water from the aquifer underlying the subject land area are as follows:

Area A – Withdrawal of ground water from the aquifer underlying the 464 acre portion of land claimed by the applicant will, within one hundred years, deplete the flow of a natural stream or its alluvial aquifer at an annual rate greater than one-tenth of one percent of the annual rate of withdrawal and, therefore, the ground water is considered to be non-tributary ground water. Also, the location of the 464 acre portion of the land claimed by the applicant is closer than one mile from the aquifer contact with the alluvium. Withdrawal of water from the aquifer underlying the 464 acre portion of the claimed land area would impact the alluvial aquifer of Upper Black Squirrel Creek or its tributaries, which has been determined to be over-appropriated. Commission approval of a replacement plan - pursuant to Section 37-90-107.5, C.R.S., and Rule 5.6 of the Designated Basin Rules - providing for the actual depletion of the alluvial aquifer and adequate to prevent any material injury to existing water rights, would be required prior to approval of well permits for wells to be located on this portion of the land area to withdraw the allocated ground water from the aquifer.

Area B – Withdrawal of ground water from the aquifer underlying the 57.5 acre portion of the land claimed by the applicant will, within one hundred years, deplete the flow of a natural stream or its alluvial aquifer at an annual rate greater than one tenth of one percent of the annual rate of withdrawal and, therefore, the ground water is considered to be non-tributary ground water. Also, the location of the 57.5 acre portion of the land claimed by the applicant is farther than one mile from the aquifer contact with the alluvium. The Designated Basin Rules require that at least four percent (4%) of the amount of water withdrawn annually must be returned to the uppermost aquifer in the vicinity of the permitted point or points of withdrawal.

Area C – Withdrawal of ground water from the aquifer underlying the 0.5 acre portion of land claimed by the applicant will, within one hundred years, deplete the flow of a natural stream or its alluvial aquifer at an annual rate greater than one-tenth of one percent of the annual rate of withdrawal and, therefore, the ground water is considered to be nontributary ground water. Also, the location of the 0.5 acre portion of the land claimed by the applicant is closer than one mile from the aquifer contact with the alluvium. Withdrawal of water from the aquifer underlying the 0.5 acre portion of the claimed land area would impact the alluvial aquifer of Upper Black Squirrel Creek or its tributaries, which has been determined to be over-appropriated. Commission approval of a replacement plan - pursuant to Section 37-90-107.5, C.R.S., and Rule 5.6 of the Designated Basin Rules - providing for the actual depletion of the alluvial aquifer and adequate to prevent any material injury to existing water rights, would be required prior to approval of well permits for wells to be located on this portion of the land area to withdraw the allocated ground water from the aquifer.

14. In accordance with Section 37-90-107(7), C.R.S., upon Commission approval of a determination of water right, well permits for wells to withdraw the authorized amount of water from the aquifer shall be available upon application, subject to the conditions of this determination and the Designated Basin Rules and subject to approval by the Commission.
15. On September 20, 2006, in accordance with Rule 9.1 of the Designated Basin Rules, a letter was sent to the Upper Black Squirrel Ground Water Management District requesting written recommendations concerning this application. No written recommendations from the district were received.
16. The Commission Staff has evaluated the application relying on the claims to control of the ground water in the aquifer made by the applicant.
17. In accordance with Sections 37-90-107(7) and 37-90-112, C.R.S., the application was published in the Ranchland News newspaper on September 28 and October 5, 2006.
18. No objections to the determination of water right and proposed allocation of ground water were received within the time limit set by statute.
19. In order to prevent unreasonable impairment to the existing water rights of others within the Upper Black Squirrel Creek Designated Ground Water Basin it is necessary to impose conditions on the determination of water right and proposed allocation of ground water. Under conditions as stated in the following Order, no unreasonable impairment of existing water rights will occur from approval of this determination of water right or from the issuance of well permits for wells to withdraw the authorized amount of allocated ground water from the aquifer.

### ORDER

In accordance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, the Colorado Ground Water Commission orders that the application for determination of rights to designated ground water in the Denver Aquifer underlying 522 acres of land, generally described as the majority of the S $\frac{1}{2}$ , and a portion of the W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, the majority of the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th Principal Meridian, is approved subject to the following conditions:

20. The allowed average annual amount of withdrawal of ground water from the aquifer shall not exceed the following: Area A = 162 acre-feet; Area B = 21.0 acre-feet; Area C = 0.17 acre-feet. The allowed maximum annual amount of withdrawal may exceed the allowed average annual amount of withdrawal as long as the total volume of water withdrawn does not exceed the product of the number of years since the date of approval of this determination times the allowed average annual amount of withdrawal.
21. To conform to actual aquifer characteristics, the Commission may adjust the allowed average annual amount of ground water to be withdrawn from the aquifer based on analysis of geophysical logs or other site-specific data if such analysis indicates that the initial estimate of the volume of water in the aquifer was incorrect.
22. The applicant may pump the allowed average annual amount of withdrawal and the allowed maximum annual amount of withdrawal from one or more wells of a well field in any combination, so long as the total combined withdrawal of the wells does not exceed the amounts described in this Order.
23. Replacement water requirements shall be as follows:
  - a. For the aquifer underlying the above-described 464 acres of Area A, Commission approval of a replacement plan, providing for actual depletion of affected alluvial aquifers and adequate to prevent any material injury to existing water rights in such alluvial aquifers is required prior to approval of well permits for wells to be located on the overlying land area to withdraw ground water from the aquifer.
    - i. Upon withdrawal of the allowed maximum annual amount of withdrawal underlying Area A through wells located within Area A, the allowed maximum annual amount of withdrawal underlying the above-described Area B may be withdrawn through wells located on Area A, subject to the conditions of an approved replacement plan.
    - ii. Upon withdrawal of the allowed maximum annual amount of withdrawal underlying Area A through wells located within Area A, the allowed maximum annual amount of withdrawal underlying the above-described Area C may be withdrawn through wells located on Area A, subject to the conditions of an approved replacement plan.
  - b. For the aquifer underlying the above-described 57.5 acres of Area B, at least four percent (4%) of the amount of water withdrawn annually must be returned to the uppermost aquifer in the vicinity of the permitted point or points of withdrawal.

- i. Upon withdrawal of the allowed maximum annual amount of withdrawal underlying Area B through wells located within Area B, the allowed maximum annual amount of withdrawal underlying the above-described Area A may be withdrawn through wells located on Area B, subject to the conditions of an approved replacement plan.
  - ii. Upon withdrawal of the allowed maximum annual amount of withdrawal underlying Area B through wells located within Area B, the allowed maximum annual amount of withdrawal underlying the above-described Area C may be withdrawn through wells located on Area B, subject to the conditions of an approved replacement plan.
- c. For the aquifer underlying the above-described 0.5 acres of Area C, Commission approval of a replacement plan, providing for actual depletion of affected alluvial aquifers and adequate to prevent any material injury to existing water rights in such alluvial aquifers is required prior to approval of well permits for wells to be located on the overlying land area to withdraw ground water from the aquifer.
  - i. Upon withdrawal of the allowed maximum annual amount of withdrawal underlying Area C through wells located within Area C, the allowed maximum annual amount of withdrawal underlying the above-described Area A may be withdrawn through wells located on Area C, subject to the conditions of an approved replacement plan.
  - ii. Upon withdrawal of the allowed maximum annual amount of withdrawal underlying Area C through wells located within Area C, the allowed maximum annual amount of withdrawal underlying the above-described Area B may be withdrawn through wells located on Area C, subject to the conditions of an approved replacement plan.
24. The use of ground water from this allocation shall be limited to the following beneficial uses: domestic, commercial, agricultural, irrigation, stock watering, fire protection, and augmentation. The place of use shall be limited to the above described 522 acre overlying land area and the above described additional 222.6 acre land area.
25. The applicant, or subsequent persons controlling this water right, shall record in the public records of the county - in which the claimed overlying land is located - notice of transfer of any portion of this water right to another within sixty days after the transfer, so that a title examination of the above described 522 acre land area, or any part thereof, shall reveal the changes affecting this water right. Such notice shall consist of a signed and dated deed which indicates the determination number, the aquifer, a description of the above described land area, the annual amount of ground water (acre-feet) transferred, name of the recipient, and the date of transfer.
26. Subject to the above conditions, well permits for wells to withdraw the allocated annual amount of water from the aquifer shall be available upon application subject to approval by the Commission and the following conditions:
  - a. The wells shall be located on the above described 522 acre overlying land area.

- b. The wells must be constructed to withdraw water from only the Denver Aquifer. Upon application for a well permit to construct such a well, the estimated top and base of the aquifer at the proposed well location will be determined by the Commission and indicated on the approved well permit. Plain non-perforated casing must be installed, grouted and sealed to prevent diversion of ground water from other aquifers and the movement of ground water between aquifers.
- c. The entire depth of each well must be geophysically logged prior to installing the casing as set forth in Rule 9 of the Statewide Nontributary Ground Water Rules, 2 CCR 402-7.
- d. Each well shall be constructed within 200 feet of the location specified on the approved well permit and, except for wells permitted pursuant to this determination, must be more than 600 feet from any existing large-capacity well completed in the same aquifer.
- e. A totalizing flow meter or other Commission approved measuring device shall be installed on each well and maintained in good working order by the well owner. Annual diversion records shall be collected and maintained by the well owner and submitted to the Commission or the Upper Black Squirrel Creek Ground Water Management District upon their request.
- f. The well owner shall mark the well in a conspicuous place with the permit number and the name of the aquifer. The well owner shall take necessary means and precautions to preserve these markings.
27. A copy of this Findings and Order shall be recorded by the applicant in the public records of the county in which the claimed overlying land is located so that a title examination of the above described 522 acre overlying land area, or any part thereof, shall reveal the existence of this determination.

Dated this 21st day of November, 2006.



Hal D. Simpson  
Executive Director  
Colorado Ground Water Commission

By: Keith Vander Horst  
Keith Vander Horst, P.E.  
Supervisor, Designated Basins

# EXHIBIT B

1046-BD

Page 1 of 1

## DIVISION OF WATER RESOURCES STATE OF COLORADO

Receipt Number: 3604624 C  
Applicant: Meadow Lake Airport Association  
Basin: Upper Black Squirrel  
GWMD: Upper Black Squirrel  
Aquifer: Tkd

Sections: 4, 5, 9  
Township: 13 S  
Range: 64 W  
Meridian: S

Total area claimed: 522 acres

Area A - NNT AIR  
464 acres

Area B - NNT 4%  
57.5 acres



Area C - NNT AIR  
0.5 acres

### Legend

-  Parcel
-  Basin
-  Township
-  Section
-  Tkd Alluvium
-  Tkd AIR



Office of the State Engineer  
Division of Water Resources  
Department of Natural Resources



**COLORADO GROUND WATER COMMISSION  
FINDINGS AND ORDER**

IN THE MATTER OF AN APPLICATION FOR DETERMINATION OF WATER RIGHT TO ALLOW THE WITHDRAWAL OF GROUND WATER IN THE UPPER BLACK SQUIRREL CREEK DESIGNATED GROUND WATER BASIN

---

APPLICANT: MEADOW LAKE AIRPORT ASSOCIATION, A NON-PROFIT CORPORATION

AQUIFER: ARAPAHOE

DETERMINATION NO.: **1045-BD**

---

In compliance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, 2 CCR 410-1, Meadow Lake Airport Association, a non-profit corporation, (hereinafter "applicant") submitted an application for determination of water right to allow the withdrawal of designated ground water from the Arapahoe Aquifer.

**FINDINGS**

1. The application was received complete by the Colorado Ground Water Commission on September 1, 2006.
2. The applicant requests a determination of rights to designated ground water in the Arapahoe Aquifer (hereinafter "aquifer") underlying 522 acres, generally described as the majority of the S $\frac{1}{2}$ , and a portion of the W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, the majority of the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th Principal Meridian, in El Paso County. According to a signed statement dated April 16, 2006, the applicant owns the 522 acres of land, as further described in said affidavit which is attached hereto as Exhibit A, and claims control of the ground water in the aquifer underlying this land area.
3. The proposed annual amount of ground water to be allocated and withdrawn from the aquifer for intended beneficial uses is the maximum allowable amount.
4. The above described land area overlying the ground water claimed by the applicant is located within the boundaries of the Upper Black Squirrel Creek Designated Ground Water Basin and within the Upper Black Squirrel Creek Ground Water Management District. The Colorado Ground Water Commission (hereinafter "Commission") has jurisdiction.
5. The applicant intends to apply the allocated ground water to the following beneficial uses: domestic, commercial, agricultural, irrigation, stock watering, fire protection, and augmentation. The applicant's proposed place of use of the allocated ground water is the above described 522 acre overlying land area and an additional 222.6 acres generally described as part of the N $\frac{1}{2}$  of the NE $\frac{1}{4}$ , the SW $\frac{1}{4}$ , and part of the W $\frac{1}{2}$  of the SE $\frac{1}{4}$  all in Section 9, Township 13 South, Range 64 West of the 6th P.M. The 222.6 acre additional place of use area is further described in Exhibit B of Determination No. 1044-BD.
6. The quantity of water in the aquifer underlying the 522 acres of land claimed by the applicant is 17,304 acre-feet. This determination was based on the following as specified in the Designated Basin Rules:

- a. The average specific yield of the saturated permeable material of the aquifer underlying the land under consideration that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 17 percent.
- b. The average thickness of the saturated permeable material of the aquifer underlying the land under consideration that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 195 feet.
7. At this time, there is no substantial artificial recharge that would affect the aquifer within a one hundred year period.
8. Pursuant to Section 37-90-107(7), C.R.S., and in accordance with the Designated Basin Rules, the Commission shall allocate ground water in the aquifer based on ownership of the overlying land and an aquifer life of one hundred years. Therefore, the maximum allowed average annual amount of ground water in the aquifer that may be allocated for withdrawal pursuant to the data in the paragraphs above for the 522 acres of overlying land claimed by the applicant is 173 acre-feet.
9. A review of the records in the Office of the State Engineer has disclosed that none of the water in the aquifer underlying the land claimed by the applicant has been previously allocated or permitted for withdrawal.
10. Pursuant to Section 37-90-107(7)(c)(III), C.R.S., an approved determination of water right shall be considered a final determination of the amount of ground water so determined; except that the Commission shall retain jurisdiction for subsequent adjustment of such amount to conform to the actual local aquifer characteristics from adequate information obtained from well drilling or test holes.
11. The ability of wells permitted to withdraw the authorized amount of water from this non-renewable aquifer may be less than the one hundred years upon which the amount of water in the aquifer is allocated, due to anticipated water level declines.
12. In accordance with Rule 5.3.6 of the Designated Basin Rules, it has been determined that withdrawal of ground water from the aquifer underlying the land claimed by the applicant will not, within one hundred years, deplete the flow of a natural stream or its alluvial aquifer at an annual rate greater than one-tenth of one percent of the annual rate of withdrawal and, therefore, the ground water is nontributary ground water as defined in Rule 4.2.19 of the Designated Basin Rules. No more than 98% of the amount of ground water withdrawn annually shall be consumed, as required by the Designated Basin Rules.
13. In accordance with Section 37-90-107(7), C.R.S., upon Commission approval of a determination of water right, well permits for wells to withdraw the authorized amount of water from the aquifer shall be available upon application, subject to the conditions of this determination and the Designated Basin Rules and subject to approval by the Commission.

14. On September 20, 2006, in accordance with Rule 9.1 of the Designated Basin Rules, a letter was sent to the Upper Black Squirrel Ground Water Management District requesting written recommendations concerning this application. No written recommendations from the district were received.
15. The Commission Staff has evaluated the application relying on the claims to control of the ground water in the aquifer made by the applicant.
16. In accordance with Sections 37-90-107(7) and 37-90-112, C.R.S., the application was published in the Ranchland News newspaper on September 28 and October 5, 2006.
17. No objections to the determination of water right and proposed allocation of ground water were received within the time limit set by statute.
18. In order to prevent unreasonable impairment to the existing water rights of others within the Upper Black Squirrel Creek Designated Ground Water Basin it is necessary to impose conditions on the determination of water right and proposed allocation of ground water. Under conditions as stated in the following Order, no unreasonable impairment of existing water rights will occur from approval of this determination of water right or from the issuance of well permits for wells to withdraw the authorized amount of allocated ground water from the aquifer.

#### ORDER

In accordance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, the Colorado Ground Water Commission orders that the application for determination of rights to designated ground water in the Arapahoe Aquifer underlying 522 acres of land, generally described as the majority of the S $\frac{1}{2}$ , and a portion of the W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, the majority of the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th Principal Meridian, is approved subject to the following conditions:

19. The allowed average annual amount of withdrawal of ground water from the aquifer shall not exceed 173 acre-feet. The allowed maximum annual amount of withdrawal may exceed the allowed average annual amount of withdrawal as long as the total volume of water withdrawn does not exceed the product of the number of years since the date of approval of this determination times the allowed average annual amount of withdrawal.
20. To conform to actual aquifer characteristics, the Commission may adjust the allowed average annual amount of ground water to be withdrawn from the aquifer based on analysis of geophysical logs or other site-specific data if such analysis indicates that the initial estimate of the volume of water in the aquifer was incorrect.
21. The applicant may pump the allowed average annual amount of withdrawal and the allowed maximum annual amount of withdrawal from one or more wells of a well field in any combination, so long as the total combined withdrawal of the wells does not exceed the amounts described in this Order.

22. No more than 98% of the ground water withdrawn annually shall be consumed. The Commission may require well owners to demonstrate periodically that no more than 98% of the water withdrawn is being consumed.
23. The use of ground water from this allocation shall be limited to the following beneficial uses: domestic, commercial, agricultural, irrigation, stock watering, fire protection, and augmentation. The place of use shall be limited to the above described 522 acre overlying land area and the above described additional 222.6 acre land area.
24. The applicant, or subsequent persons controlling this water right, shall record in the public records of the county - in which the claimed overlying land is located - notice of transfer of any portion of this water right to another within sixty days after the transfer, so that a title examination of the above described 522 acre land area, or any part thereof, shall reveal the changes affecting this water right. Such notice shall consist of a signed and dated deed which indicates the determination number, the aquifer, a description of the above described land area, the annual amount of ground water (acre-feet) transferred, name of the recipient, and the date of transfer.
25. Subject to the above conditions, well permits for wells to withdraw the allocated annual amount of water from the aquifer shall be available upon application subject to approval by the Commission and the following conditions:
  - a. The wells shall be located on the above described 522 acre overlying land area.
  - b. The wells must be constructed to withdraw water from only the Arapahoe Aquifer. Upon application for a well permit to construct such a well, the estimated top and base of the aquifer at the proposed well location will be determined by the Commission and indicated on the approved well permit. Plain non-perforated casing must be installed, grouted and sealed to prevent diversion of ground water from other aquifers and the movement of ground water between aquifers.
  - c. The entire depth of each well must be geophysically logged prior to installing the casing as set forth in Rule 9 of the Statewide Nontributary Ground Water Rules, 2 CCR 402-7.
  - d. Each well shall be constructed within 200 feet of the location specified on the approved well permit and, except for wells permitted pursuant to this determination, must be more than 600 feet from any existing large-capacity well completed in the same aquifer.
  - e. A totalizing flow meter or other Commission approved measuring device shall be installed on each well and maintained in good working order by the well owner. Annual diversion records shall be collected and maintained by the well owner and submitted to the Commission or the Upper Black Squirrel Creek Ground Water Management District upon their request.
  - f. The well owner shall mark the well in a conspicuous place with the permit number and the name of the aquifer. The well owner shall take necessary means and precautions to preserve these markings.

Applicant: Meadow Lake Airport Association  
Aquifer: Arapahoe  
Determination No.: 1045-BD

26. A copy of this Findings and Order shall be recorded by the applicant in the public records of the county in which the claimed overlying land is located so that a title examination of the above described 522 acre overlying land area, or any part thereof, shall reveal the existence of this determination.

Dated this 21st day of November, 2006.



Hal D. Simpson  
Executive Director  
Colorado Ground Water Commission

By: Keith L. Vander Horst

Keith Vander Horst, P.E.  
Supervisor, Designated Basins

Prepared by: SKR

**COLORADO GROUND WATER COMMISSION  
FINDINGS AND ORDER**

IN THE MATTER OF AN APPLICATION FOR DETERMINATION OF WATER RIGHT TO  
ALLOW THE WITHDRAWAL OF GROUND WATER IN THE UPPER BLACK SQUIRREL CREEK  
DESIGNATED GROUND WATER BASIN

---

APPLICANT: MEADOW LAKE AIRPORT ASSOCIATION, A NON-PROFIT CORPORATION

AQUIFER: LARAMIE-FOX HILLS

DETERMINATION NO.: 1044-BD

---

In compliance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, 2 CCR 410-1, Meadow Lake Airport Association, a non-profit corporation, (hereinafter "applicant") submitted an application for determination of water right to allow the withdrawal of designated ground water from the Laramie-Fox Hills Aquifer.

**FINDINGS**

1. The application was received complete by the Colorado Ground Water Commission on September 1, 2006.
2. The applicant requests a determination of rights to designated ground water in the Laramie-Fox Hills Aquifer (hereinafter "aquifer") underlying 522 acres, generally described as the majority of the S $\frac{1}{2}$ , and a portion of the W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, the majority of the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th Principal Meridian, in El Paso County. According to a signed statement dated April 12, 2006, the applicant owns the 522 acres of land, as further described in said affidavit which is attached hereto as Exhibit A, and claims control of the ground water in the aquifer underlying this land area.
3. The proposed annual amount of ground water to be allocated and withdrawn from the aquifer for intended beneficial uses is the maximum allowable amount.
4. The above described land area overlying the ground water claimed by the applicant is located within the boundaries of the Upper Black Squirrel Creek Designated Ground Water Basin and within the Upper Black Squirrel Creek Ground Water Management District. The Colorado Ground Water Commission (hereinafter "Commission") has jurisdiction.
5. The applicant intends to apply the allocated ground water to the following beneficial uses: domestic, commercial, agricultural, irrigation, stock watering, fire protection, and augmentation. The applicant's proposed place of use of the allocated ground water is the above described 522 acre overlying land area and an additional 222.6 acres generally described as part of the N $\frac{1}{2}$  of the NE $\frac{1}{4}$ , the SW $\frac{1}{4}$ , and part of the W $\frac{1}{2}$  of the SE $\frac{1}{4}$  all in Section 9, Township 13 South, Range 64 West of the 6th P.M. The 222.6 acre additional place of use area is further described in the attached Exhibit B.
6. The quantity of water in the aquifer underlying the 522 acres of land claimed by the applicant is 16,052 acre-feet. This determination was based on the following as specified in the Designated Basin Rules:

- a. The average specific yield of the saturated permeable material of the aquifer underlying the land under consideration that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 15 percent.
- b. The average thickness of the saturated permeable material of the aquifer underlying the land under consideration that could yield a sufficient quantity of water that may be extracted and applied to beneficial use is 205 feet.
7. At this time, there is no substantial artificial recharge that would affect the aquifer within a one hundred year period.
8. Pursuant to Section 37-90-107(7), C.R.S., and in accordance with the Designated Basin Rules, the Commission shall allocate ground water in the aquifer based on ownership of the overlying land and an aquifer life of one hundred years. Therefore, the maximum allowed average annual amount of ground water in the aquifer that may be allocated for withdrawal pursuant to the data in the paragraphs above for the 522 acres of overlying land claimed by the applicant is 160 acre-feet.
9. A review of the records in the Office of the State Engineer has disclosed that none of the water in the aquifer underlying the land claimed by the applicant has been previously allocated or permitted for withdrawal.
10. Pursuant to Section 37-90-107(7)(c)(III), C.R.S., an approved determination of water right shall be considered a final determination of the amount of ground water so determined; except that the Commission shall retain jurisdiction for subsequent adjustment of such amount to conform to the actual local aquifer characteristics from adequate information obtained from well drilling or test holes.
11. The ability of wells permitted to withdraw the authorized amount of water from this non-renewable aquifer may be less than the one hundred years upon which the amount of water in the aquifer is allocated, due to anticipated water level declines.
12. In accordance with Rule 5.3.6 of the Designated Basin Rules, it has been determined that withdrawal of ground water from the aquifer underlying the land claimed by the applicant will not, within one hundred years, deplete the flow of a natural stream or its alluvial aquifer at an annual rate greater than one-tenth of one percent of the annual rate of withdrawal and, therefore, the ground water is nontributary ground water as defined in Rule 4.2.19 of the Designated Basin Rules. No more than 98% of the amount of ground water withdrawn annually shall be consumed, as required by the Designated Basin Rules.
13. In accordance with Section 37-90-107(7), C.R.S., upon Commission approval of a determination of water right, well permits for wells to withdraw the authorized amount of water from the aquifer shall be available upon application, subject to the conditions of this determination and the Designated Basin Rules and subject to approval by the Commission.

14. On September 20, 2006, in accordance with Rule 9.1 of the Designated Basin Rules, a letter was sent to the Upper Black Squirrel Ground Water Management District requesting written recommendations concerning this application. No written recommendations from the district were received.
15. The Commission Staff has evaluated the application relying on the claims to control of the ground water in the aquifer made by the applicant.
16. In accordance with Sections 37-90-107(7) and 37-90-112, C.R.S., the application was published in the Ranchland News newspaper on September 28 and October 5, 2006.
17. No objections to the determination of water right and proposed allocation of ground water were received within the time limit set by statute.
18. In order to prevent unreasonable impairment to the existing water rights of others within the Upper Black Squirrel Creek Designated Ground Water Basin it is necessary to impose conditions on the determination of water right and proposed allocation of ground water. Under conditions as stated in the following Order, no unreasonable impairment of existing water rights will occur from approval of this determination of water right or from the issuance of well permits for wells to withdraw the authorized amount of allocated ground water from the aquifer.

#### ORDER

In accordance with Section 37-90-107(7), C.R.S., and the Designated Basin Rules, the Colorado Ground Water Commission orders that the application for determination of rights to designated ground water in the Laramie-Fox Hills Aquifer underlying 522 acres of land, generally described as the majority of the S $\frac{1}{2}$ , and a portion of the W $\frac{1}{2}$  of the NW $\frac{1}{4}$  of Section 4, the majority of the E $\frac{1}{2}$  of the E $\frac{1}{2}$  of Section 5, and the NW $\frac{1}{4}$  of Section 9, all in Township 13 South, Range 64 West of the 6th Principal Meridian, is approved subject to the following conditions:

19. The allowed average annual amount of withdrawal of ground water from the aquifer shall not exceed 160 acre-feet. The allowed maximum annual amount of withdrawal may exceed the allowed average annual amount of withdrawal as long as the total volume of water withdrawn does not exceed the product of the number of years since the date of approval of this determination times the allowed average annual amount of withdrawal.
20. To conform to actual aquifer characteristics, the Commission may adjust the allowed average annual amount of ground water to be withdrawn from the aquifer based on analysis of geophysical logs or other site-specific data if such analysis indicates that the initial estimate of the volume of water in the aquifer was incorrect.
21. The applicant may pump the allowed average annual amount of withdrawal and the allowed maximum annual amount of withdrawal from one or more wells of a well field in any combination, so long as the total combined withdrawal of the wells does not exceed the amounts described in this Order.

22. No more than 98% of the ground water withdrawn annually shall be consumed. The Commission may require well owners to demonstrate periodically that no more than 98% of the water withdrawn is being consumed.
23. The use of ground water from this allocation shall be limited to the following beneficial uses: domestic, commercial, agricultural, irrigation, stock watering, fire protection, and augmentation. The place of use shall be limited to the above described 522 acre overlying land area and the above described additional 222.6 acre land area.
24. The applicant, or subsequent persons controlling this water right, shall record in the public records of the county - in which the claimed overlying land is located - notice of transfer of any portion of this water right to another within sixty days after the transfer, so that a title examination of the above described 522 acre land area, or any part thereof, shall reveal the changes affecting this water right. Such notice shall consist of a signed and dated deed which indicates the determination number, the aquifer, a description of the above described land area, the annual amount of ground water (acre-feet) transferred, name of the recipient, and the date of transfer.
25. Subject to the above conditions, well permits for wells to withdraw the allocated annual amount of water from the aquifer shall be available upon application subject to approval by the Commission and the following conditions:
  - a. The wells shall be located on the above described 522 acre overlying land area.
  - b. The wells must be constructed to withdraw water from only the Laramie-Fox Hills Aquifer. Upon application for a well permit to construct such a well, the estimated top and base of the aquifer at the proposed well location will be determined by the Commission and indicated on the approved well permit. Plain non-perforated casing must be installed, grouted and sealed to prevent diversion of ground water from other aquifers and the movement of ground water between aquifers.
  - c. The entire depth of each well must be geophysically logged prior to installing the casing as set forth in Rule 9 of the Statewide Nontributary Ground Water Rules, 2 CCR 402-7.
  - d. Each well shall be constructed within 200 feet of the location specified on the approved well permit and, except for wells permitted pursuant to this determination, must be more than 600 feet from any existing large-capacity well completed in the same aquifer.
  - e. A totalizing flow meter or other Commission approved measuring device shall be installed on each well and maintained in good working order by the well owner. Annual diversion records shall be collected and maintained by the well owner and submitted to the Commission or the Upper Black Squirrel Creek Ground Water Management District upon their request.
  - f. The well owner shall mark the well in a conspicuous place with the permit number and the name of the aquifer. The well owner shall take necessary means and precautions to preserve these markings.

Applicant: Meadow Lake Airport Association  
Aquifer: Laramie-Fox Hills  
Determination No.: 1044-BD

Page 5

26. A copy of this Findings and Order shall be recorded by the applicant in the public records of the county in which the claimed overlying land is located so that a title examination of the above described 522 acre overlying land area, or any part thereof, shall reveal the existence of this determination.

Dated this 21st day of November, 2006.



Hal D. Simpson  
Executive Director  
Colorado Ground Water Commission

By: Keith Vander Horst  
Keith Vander Horst, P.E.  
Supervisor, Designated Basins

Prepared by: SKR

Meadow Lake Airport  
Ground Support Vehicles

	year	make	model	remarks	acquired	from	via
plows	1970	Oshkosh	W-712	14' plow	2007	Denver Int'l	CDAG
	1993	International	2574	12' plow	2005	Denver Int'l	CDAG
	1998	Chevrolet	3500	9' plow sander	2005	Denver Int'l	CDAG
	2005	Chevrolet	2500	7'6" plow sprayer	2016	Denver Int'l	CDAG
brooms	1987	Oshkosh	H2318- SPCL	18' broom	2005	Denver Int'l	CDAG
mowers	1997	Case	8920		2016	Denver Int'l	CDAG
	2004	Rhino		triple-deck	2016	Denver Int'l	CDAG
		International Rhino	2544	triple-deck	2003	Rocky Mountain Metro	cash
utility	2001	Chevrolet	Suburban		2017	Denver Int'l	CDAG
	2005	Trackless	MT5	broom flailer	2015	Denver Int'l	CDAG
	1999	Trackless	MT5	broom mower	2015	Denver Int'l	CDAG
	1991	MB	GSV	mower broom	2005	Denver Int'l	CDAG
	1993	John Deere	F930	mower snow blower			cash
	1975	Ford	545	loader			cash
	2001	Marathon	TRA/REM	melting kettle	2012	Telluride	cash