

Make sure the...
1.28 Annotations

Subject: Text Box
Page Index: 9
Date: 7/12/2021 8:48:43 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 9

Any flows over the inlet capacity will sheet flow to Ennis Dr. (?)

10 (1)

waiting storm water at design point 11.
x and 0 percent impervious is completed of open space,
rains and can use an existing drainage pipe. Where it
is not possible to use an existing drainage pipe, it shall be
sized from the existing manhole No. 2. Project
IA [Provide discussion of design points, inlets and pipes.](#)
CE
For this project were taken from the "City of Colorado
Manual" Volume 1 and 2 (EPCDCM), dated October 12,

Subject: Text Box
Page Index: 10
Date: 7/12/2021 9:11:42 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 10

Provide discussion of design points, inlets and pipes.

12 (1)



Subject: Cloud+
Page Index: 12
Date: 7/12/2021 9:10:55 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 12

Address ECM Step 4: "Consider Need for Industrial and Commercial BMPs" - If there are not proposed commercial or industrial uses on this site, state that.

35 (1)

[Delete?](#)

Subject: Text Box
Page Index: 35
Date: 7/12/2021 9:18:54 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 35

Delete?

36 (1)

[Delete?](#)

Subject: Text Box
Page Index: 36
Date: 7/12/2021 9:19:13 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 36

Delete?

49 (2)

[If this is intentional provide the overflow conveyance design and show on the drainage plan. Add a short description on this sheet.](#)

Subject: Text Box
Page Index: 49
Date: 7/12/2021 10:26:28 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 49

If this is intentional provide the overflow conveyance design and show on the drainage plan. Add a short description on this sheet.

Input to user manual
Equation for Catch Overflow Water Equation
Contribution Inlet Performance Reduction Factor for Long Inlets
Catch Overflow Performance Reduction Factor for Long Inlets
Contribution Inlet Performance Reduction Factor for Long Inlets
Contribution Inlet Performance Reduction Factor for Long Inlets
Total Inlet Interception Capacity (assumes clogged condi
Interim condition?

Subject:
Page Index: 49
Date: 7/12/2021 10:25:56 AM
Author: dsdrice
Color:
Layer:
Space:
Page Label: 49

: Inlet Capacity less than Q Peak for Major Storm


72 (2)

Scenario: 100 Year

Interim condition?

Subject: Text Box
Page Index: 72
Date: 7/12/2021 10:23:25 AM
Author: dsdrice
Color:
Layer:
Space:
Page Label: 72

Interim condition?



Subject: Callout
Page Index: 72
Date: 7/12/2021 10:23:40 AM
Author: dsdrice
Color:
Layer:
Space:
Page Label: 72

Also provide final condition

74 (6)

30.00
10.65
22.47
5.77
11.16

Subject:
Page Index: 74
Date: 7/12/2021 9:48:58 AM
Author: dsdrice
Color:
Layer:
Space:
Page Label: 74

22.47

10.00
12.83
10.66
30.88
10.65

Subject:
Page Index: 74
Date: 7/12/2021 9:49:00 AM
Author: dsdrice
Color:
Layer:
Space:
Page Label: 74

10.66

3.11
11.16
22.73
22.46

Subject:
Page Index: 74
Date: 7/12/2021 9:49:11 AM
Author: dsdrice
Color:
Layer:
Space:
Page Label: 74

22.73

11.10
22.73
22.46

Subject:
Page Index: 74
Date: 7/12/2021 9:49:13 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 74

22.46

0.012	0.00	7.14	0.00000	0.00000
0.013	0.77	11.01	0.00000	0.00000
0.014	0.98	22.73	0.00000	0.00000
0.015	0.00	22.46	0.00000	0.00000

Capacities less than flows

Subject: Callout
Page Index: 74
Date: 7/12/2021 9:49:30 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 74

Capacities less than flows

Provide calculations for the "C" basins also - inlets 5 and 6 to MH 7.1 and DP4 to MH7.1.

Subject: Text Box
Page Index: 74
Date: 7/12/2021 10:33:24 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 74

Provide calculations for the "C" basins also - inlets 5 and 6 to MH 7.1 and DP4 to MH7.1.

81 (1)

Label this (Barbarick pond...?)

Worksheet for FSD Outlet Orifice Plate	
Description	Notes

Subject: Text Box
Page Index: 81
Date: 7/12/2021 9:52:33 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 81

Label this (Barbarick pond...?)

82 (1)

Label this (Barbarick pond...?)

Worksheet for FSD Overflow - Pass	
Description	Notes

Subject: Text Box
Page Index: 82
Date: 7/12/2021 9:52:50 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 82

Label this (Barbarick pond...?)

83 (1)

Duplicate?


Subject: Text Box
Page Index: 83
Date: 7/12/2021 9:53:25 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 83

Duplicate?




Subject: Cloud+
Page Index: 88
Date: 7/12/2021 8:21:42 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88


A detail of this area will be needed. Verify no conflicts with the existing utilities.




Subject:
Page Index: 88
Date: 7/12/2021 8:23:38 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88



Subject:
Page Index: 88
Date: 7/12/2021 8:24:05 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:24:16 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:24:21 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:24:41 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:24:48 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88



Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:25:01 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88



Subject:
Page Index: 88
Date: 7/12/2021 8:25:09 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:25:16 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:25:23 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88





Subject:
Page Index: 88
Date: 7/12/2021 8:25:32 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88





Subject:
Page Index: 88
Date: 7/12/2021 8:25:34 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:25:50 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:25:56 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:26:27 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:27:03 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:27:10 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:35:53 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:36:07 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:36:19 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:36:58 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:37:15 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:37:33 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:38:24 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject:
Page Index: 88
Date: 7/12/2021 8:38:30 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:38:49 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:39:13 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:39:31 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:40:15 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88





Subject:
Page Index: 88
Date: 7/12/2021 8:39:48 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88





Subject:
Page Index: 88
Date: 7/12/2021 8:39:50 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88





Subject:
Page Index: 88
Date: 7/12/2021 8:39:53 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88





Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:40:02 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:40:10 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88




Subject: Arrow
Page Index: 88
Date: 7/12/2021 8:40:26 AM
Author: dsdrice
Color: 
Layer:
Space:
Page Label: 88




Subject: Arrow
 Page Index: 88
 Date: 7/12/2021 8:40:46 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 88




Subject: Arrow
 Page Index: 88
 Date: 7/12/2021 8:40:59 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 88




Subject: Arrow
 Page Index: 88
 Date: 7/12/2021 8:41:19 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 88



Subject: Arrow
 Page Index: 88
 Date: 7/12/2021 8:42:00 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 88




Subject: Arrow
 Page Index: 88
 Date: 7/12/2021 8:43:36 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 88




Subject: Callout
 Page Index: 88
 Date: 7/12/2021 8:44:48 AM
 Author: dsdrice
 Color: ■
 Layer:
 Space:
 Page Label: 88

Adjust flow arrows to indicate flows toward street, not across multiple lots. (This needs to be shown on the FDR)




Subject: Callout
Page Index: 88
Date: 7/12/2021 10:08:35 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88

Label concrete



Subject: Callout
Page Index: 88
Date: 7/12/2021 2:24:56 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88


Is a wall needed?



Subject: Callout
Page Index: 88
Date: 7/12/2021 2:31:13 PM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 88

pProvide manholes as appropriate.

89 (1)



Subject: Callout
Page Index: 89
Date: 7/12/2021 10:07:14 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 89

provide DPs and table or add note referencing the Filing 2 drainage plan in Appendix D

90 (1)



Subject: Text Box
Page Index: 90
Date: 7/12/2021 10:04:52 AM
Author: dsdrice
Color: ■
Layer:
Space:
Page Label: 90

Add the plan that was previously included with the PBMP Applicability Form