



# **Grandview Reserve On Site Sanitary Sewer**

El Paso County No. PPR2421

**Prepared For (Applicant/Owner):** 

D.R. Horton

Prepared By:





# **Grandview Reserve Interceptor Sewer**

El Paso County No. PPR2421

**Prepared For (Applicant/Owner):** 

D.R. Horton

Prepared By:





## **Grandview Reserve**Lift Station

El Paso County No. PPR2421

Prepared For (Applicant/Owner):

D.R. Horton

Prepared By:

### 2024 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 10/2023 PROJECT INFORMATION 9/13/2024 Grandview Reserve Lift Station PPR2421 Project Name Date PCD File No.

				Unit				(with Pro	-Plat Con	struction)
escription	Quantity	Units		Cost			Total	% Complete	Re	emaining
SECTION 1 - GRADING AND EROSION CONTRO		and Perma	nent BMP	rs)						
Earthwork										
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min	4187	CY	\$	6.00	=	\$	25,122.00		\$	25,122.00
5,001-20,000; \$30,000 min	1107	CY	\$	5.00		\$	-		\$	25,122.00
20,001-50,000; \$100,000 min		CY	\$	3.50		\$			\$	
					=	-				
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$			\$	
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanket		SY	\$	9.00	=	\$	-		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching	2.4	AC	\$	2,018.00	=	\$	4,843.20		\$	4,843.20
Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		\$	-
Concrete Washout Basin	1	EA	\$	1,172.00	=	\$	1,172.00		\$	1,172.00
Inlet Protection		EA	\$	217.00	=	\$	-		\$	-
Rock Check Dam		EA	\$	651.00	=	\$	-		\$	-
Safety Fence		LF	\$	3.00	=	\$	-		\$	-
Sediment Basin	2	EA	\$	2,294.00	=	\$	4,588.00		\$	4,588.00
Sediment Trap	_	EA	\$	538.00	=	\$	-		\$	-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Silt Fence	1136	LF	\$	3.00	=	\$	3,408.00		\$	3,408.00
Slope Drain	1130	LF	\$	43.00		\$	J,700.00		\$	3,700.00
Straw Bale		EA	\$	33.00	=	\$	-		\$	
						-			· · · · · · · · · · · · · · · · · · ·	
Straw Wattle/Rock Sock		LF	\$	8.00	=	\$	-		\$	-
Surface Roughening		AC	\$	269.00		\$	-		\$	-
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		\$	-
Temporary Seeding and Mulching		AC	\$	1,793.00	=	\$	-		\$	-
Vehicle Tracking Control	1	EA	\$	3,085.00	=	\$	3,085.00		\$	3,085.00
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
	MAINTENANC	E (35% of	Construct	tion BMPs)	=	\$	3,878.35		\$	3,878.35
- Subject to defect warranty financial assurance. A minimum of 20% shall		-		-			,			
e retained until final acceptance (MAXIMUM OF 80% COMPLETE			Section	1 Subtotal	=	\$	46,096.55		\$	46,096.55
LLOWED)						Ι.	-			
SECTION 2 - PUBLIC IMPROVEMENTS *										
OADWAY IMPROVEMENTS										
Construction Traffic Control		LS			=	\$	-		\$	-
Aggregate Base Course (135 lbs/cf)										
A		Tons	\$	37.00	=	\$	-		\$	-
Aggregate Base Course (135 lbs/cf)		CY	\$	37.00 66.00	=	\$	-		\$	-
Aggregate Base Course (135 lbs/cf) Asphalt Pavement (3" thick)					=					
Asphalt Pavement (3" thick)		CY SY	\$	66.00 18.00	=	\$	-		\$	-
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick)		CY SY SY	\$ \$ \$	66.00 18.00 25.00	=	\$ \$ \$	-		\$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		CY SY SY SY	\$ \$ \$ \$	66.00 18.00 25.00 38.00		\$ \$ \$ \$			\$ \$ \$ \$	- - -
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		CY SY SY SY Tons	\$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	=	\$ \$ \$ \$			\$ \$ \$ \$	- - - -
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		CY SY SY SY Tons	\$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	= =	\$ \$ \$ \$ \$	- - - - -		\$ \$ \$ \$ \$	- - - - -
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign		CY SY SY SY Tons SF EA	\$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00	= = =	\$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$	-
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		CY SY SY SY Tons SF EA EA	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = =	\$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  —" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = =	\$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = =	\$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement (147 lbs/cf)  _" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		CY SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = = =	\$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		CY SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00	= = = =	\$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3		CY SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		CY SY SY SY Tons SF EA SA SF EA EA EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement Asphalt		CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp)		CY SY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Marking Begulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		CY SY SY SY Tons SF EA EA SF EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 38.00 62.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		CY SY SY Tons SF EA EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		CY SY SY SY Tons SF EA EA SF EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk		CY SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 94.00 125.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk Pedestrian Ramp		CY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 38.00 77.00 94.00 125.00 1,496.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		CY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00 125.00 1,496.00 79.00	= = = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Marking Baricade - Type 3 Delineator - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		CY SY SY Tons SF EA EA SF EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1496.00 79.00 119.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		CY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 38.00 38.00 38.00 62.00 77.00 125.00 1,496.00 79.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Marking Baricade - Type 3 Delineator - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		CY SY SY Tons SF EA EA SF EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1496.00 79.00 119.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase		CY SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY LF EA LF LF LF SY SY SY EA LF LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 77.00 94.00 125.00 1496.00 1,926.00 1,926.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete)		CY SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 94.00 1,496.00 79.00 1,926.00 65.00 94.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage		CY SY SY SY Tons SF EA EA SF SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 62.00 77.00 1496.00 79.00 119.00 1,926.00 94.00 2,731.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf) Asphalt Pavement Marking Baricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator		CY SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 62.00 77.00 94.00 125.00 1496.00 79.00 119.00 65.00 94.00 2,731.00 4,902.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (6" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 77.00 94.00 125.00 1496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)		CY SY SY SY Tons SF EA EA SF EA LF SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 38.00 125.00 17.00 94.00 125.00 1,496.00 65.00 94.00 2,731.00 4,902.00 102.00 104.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (3" thick) Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)  Asphalt Pavement Marking  Barricade - Type 3  Delineator - Type 1  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  8" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Cross Pan, collector (9" thick, 8' wide to include return)  Curb Opening with Drainage Chase  Guardrail Type 3 (W-Beam)  Guardrail Type 7 (Concrete)  Guardrail End Anchorage  Guardrail Impact Attenuator  Sound Barrier Fence (CMU block, 6' high)		CY SY SY SY Tons SF EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	66.00 18.00 25.00 38.00 114.00 11.00 392.00 17.00 30.00 259.00 31.00 38.00 77.00 94.00 125.00 1496.00 79.00 119.00 1,926.00 65.00 94.00 2,731.00 4,902.00 102.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION						
Grandview Reserve Lift Station	9/13/2024	PPR2421				
Project Name	Date	PCD File No.				

				Unit				re-Plat Construction)	
Description	Quantity	Units		Cost		Total	% Complete		Remaining
Freed Name and Patenthal and a free advantage from the					=	\$ -		\$	-
[insert items not listed but part of construction plans]					=	\$	-	\$	-
TORM DRAIN IMPROVEMENTS						T.A.			
Concrete Box Culvert (M Standard), Size (W x H)		LF		22.22	=	\$ -		\$	-
18" Reinforced Concrete Pipe		LF	\$	82.00	=	\$ .		\$	-
24" Reinforced Concrete Pipe		LF	\$	98.00	=	\$ -		\$	-
30" Reinforced Concrete Pipe		LF	\$	123.00	=	\$ -		\$	-
36" Reinforced Concrete Pipe		LF	\$	151.00	=	\$		\$	-
42" Reinforced Concrete Pipe		LF	\$	201.00	=	\$		\$	-
48" Reinforced Concrete Pipe		LF	\$	245.00	=	\$		\$	-
54" Reinforced Concrete Pipe		LF	\$	320.00	=	\$		\$	-
60" Reinforced Concrete Pipe		LF	\$	374.00	=	\$		\$	-
66" Reinforced Concrete Pipe		LF	\$	433.00	=	\$		\$	-
72" Reinforced Concrete Pipe		LF	\$	495.00	=	\$		\$	-
18" Corrugated Steel Pipe		LF	\$	105.00	=	\$		\$	-
24" Corrugated Steel Pipe		LF	\$	121.00	=	\$		\$	-
30" Corrugated Steel Pipe		LF	\$	154.00	=	\$		\$	-
36" Corrugated Steel Pipe		LF	\$	184.00	=	\$		\$	-
42" Corrugated Steel Pipe		LF	\$	212.00	=	\$	•	\$	-
48" Corrugated Steel Pipe		LF	\$	223.00	=	\$		\$	-
54" Corrugated Steel Pipe		LF	\$	327.00	=	\$	-	\$	-
60" Corrugated Steel Pipe		LF	\$	353.00	=	\$	-	\$	-
66" Corrugated Steel Pipe		LF	\$	427.00	=	\$	-	\$	-
72" Corrugated Steel Pipe		LF	\$	502.00	=	\$	-	\$	-
78" Corrugated Steel Pipe		LF	\$	578.00	=	\$	-	\$	-
84" Corrugated Steel Pipe		LF	\$	691.00	=	\$ -	-	\$	-
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA			=	\$ -	-	\$	-
Flared End Section (FES) CSP Size =					_	\$ -		\$	_
(unit cost = 6x pipe unit cost)		EA				· ·		· .	
End Treatment- Headwall		EA			=	\$		\$	-
End Treatment- Wingwall		EA			=	\$		\$	-
End Treatment - Cutoff Wall		EA			=	\$	-	\$	-
Curb Inlet (Type R) L=5', Depth < 5'		EA	\$	7,212.00	=	\$	-	\$	-
Curb Inlet (Type R) L=5', 5' ≤ Depth < 10'		EA	\$	9,377.00	=	\$ -	-	\$	-
Curb Inlet (Type R) L =5', 10' ≤ Depth < 15'		EA	\$	10,859.00	=	\$ -	-	\$	-
Curb Inlet (Type R) L =10', Depth < 5'		EA	\$	9,925.00	=	\$	-	\$	-
Curb Inlet (Type R) L =10', 5' ≤ Depth < 10'		EA	\$	10,230.00	=	\$	-	\$	-
Curb Inlet (Type R) L =10', 10' ≤ Depth < 15'		EA	\$	12,805.00	=	\$	-	\$	-
Curb Inlet (Type R) L =15', Depth < 5'		EA	\$	12,907.00	=	\$	-	\$	-
Curb Inlet (Type R) L =15', 5' ≤ Depth < 10'		EA	\$	13,835.00	=	\$ -		\$	-
Curb Inlet (Type R) L =15', 10' ≤ Depth < 15'		EA	\$	15,130.00	=	\$	-	\$	-
Curb Inlet (Type R) L =20', Depth < 5'		EA	\$	13,755.00	=	\$ -		\$	-
Curb Inlet (Type R) L =20', 5' ≤ Depth < 10'		EA	\$	15,181.00	=	\$ -		\$	-
Grated Inlet (Type C), Depth < 5'		EA	\$	6,037.00	=	\$ .		\$	-
Grated Inlet (Type D), Depth < 5'		EA	\$	7,458.00	=	\$ .		\$	-
Storm Sewer Manhole, Box Base		EA	\$	15,130.00	=	\$		\$	-
Storm Sewer Manhole, Slab Base		EA	\$	8,322.00	=	\$ .		\$	-
Geotextile (Erosion Control)		SY	\$	9.00	=	\$ .		\$	
Rip Rap, d50 size from 6" to 24"		Tons	\$	104.00		\$ .		\$	-
Rip Rap, Grouted		Tons	\$	124.00		\$		\$	-
Drainage Channel Construction, Size ( W x H )		LF	Ÿ	124.00		\$ .		\$	-
Drainage Channel Lining, Concrete		CY	\$	741.00		\$ .		\$	
Drainage Channel Lining, Rip Rap		CY	\$	145.00		\$		\$	
Drainage Channel Lining, Rip Rap  Drainage Channel Lining, Grass		AC	\$	1,911.00		\$		\$	
		AC	Ş	1,911.00	=	\$		\$	
Drainage Channel Lining, Other Stabilization									
Francisco de Patricia de La Carta de Ca					=	Ψ		\$	
[insert items not listed but part of construction plans] - Subject to defect warranty financial assurance. A minimum of 20% shal					=	\$		\$	-
<ul> <li>Subject to delect warranty infancial assurance. A minimum of 20% snall be retained until final acceptance (MAXIMUM OF 80% COMPLETE ALLOWED)</li> </ul>			Section	n 2 Subtotal	=	\$ -		\$	-

PROJECT INFORMATION							
Grandview Reserve Lift Station	9/13/2024	PPR2421					
Project Name	Date	PCD File No.					

	Unit							(with Pre-Plat Construction)		
Description	Quantity	Units		Cost			Total	% Complete		Remaining
SECTION 3 - COMMON DEVELOPMENT IMPR	ROVEMENTS (Priv	ate or Dis	trict	and NOT Ma	intained	by EP	C)**			
ROADWAY IMPROVEMENTS	•									
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
STORM DRAIN IMPROVEMENTS (Ex	ception: Permanent Por	id/BMP shall b	e iter	mized under Section	on 1)					
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
					=	\$	-		\$	-
WATER SYSTEM IMPROVEMENTS										
Water Main Pipe (PVC), Size 8"		LF	\$	84.00	=	\$	-		\$	-
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	98.00	=	\$	-		\$	-
Gate Valves, 8"		EA	\$	2,418.00	=	\$	-		\$	-
Fire Hydrant Assembly, w/ all valves		EA	\$	8,584.00	=	\$	-		\$	-
Water Service Line Installation, inc. tap and valves		EA	\$	1,723.00	=	\$	-		\$	-
Fire Cistern Installation, complete		EA			=	\$	-		\$	-
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
SANITARY SEWER IMPROVEMENTS										
Sewer Main Pipe (PVC), Size 8"	221	LF	\$	84.00	=	\$	18,555.60		\$	18,555.60
Sanitary Sewer Manhole, Depth < 15 feet	3	EA	\$	5,708.00	=	\$	17,124.00		\$	17,124.00
Sanitary Service Line Installation, complete		EA	\$	1,825.00	=	\$	-		\$	-
Sanitary Sewer Lift Station, complete	1	EA	\$	7,465,000.00	=	\$	7,465,000.00		\$	7,465,000.00
Sewer Main Pipe (PVC), Size 18"	289	LF	\$	150.00	=	\$	43,350.00		\$	43,350.00
Sewer Main Pipe (PVC), Size 14"	215	LF	\$	123.00	=	\$	26,445.00		\$	26,445.00
					=	\$	-		\$	-
[insert items not listed but part of construction plans]					=	\$	-		\$	-
LANDSCAPING IMPROVEMENTS	(For subdivision spe	ecific condition	of ap	pproval, or PUD)						
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
		EA			=	\$	-		\$	-
* - Section 3 is not subject to defect warranty requirements			Secti	ion 3 Subtotal	=	\$	7,570,474.60		\$	7,570,474.60

PROJECT INFORMATION							
Grandview Reserve Lift Station	9/13/2024	PPR2421					
Project Name	Date	PCD File No.					

			Unit				(with Pro	e-Plat	Construction)	
Description	Quantity	Units	Cost			Total	% Complete		Remaining	
AS-BUILT PLANS (Public Improvements inc. Permanent W	QCV BMPs)			=	\$	-		\$	_	
POND/BMP CERTIFICATION (inc. elevations and volume ca	lculations)	LS		=	\$	-		\$	-	
				Tot	al Construc	tion Financia	al Assurance	\$	7,616,571.15	
			(Sum of all	section sub	totals plus as-b	ouilts and pond/B	MP certification)			
	Total	Remaining	Construction Fin	ancial As	surance (w	ith Pre-Plat C	onstruction)	_\$	7,616,571.15	
	(	(Sum of all secti	on totals less credit fo	or items com	plete plus as-b	uilts and pond/B	MP certification)			
				Total I	Defect Warr	anty Financia	al Assurance	\$	5,993.04	
		(20% o	f all items identified a	s (*). To be	collateralized a	t time of prelimin	ary acceptance)		•	

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as $% \left\{ 1,2,,2,\right\}$	shown on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Engineer (1.2. Sear required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date
Approved by Li Faso County Engineer / ECM Administrator	Date





## **Grandview Reserve Dual Force Mains**

El Paso County No. PPR2421

**Prepared For (Applicant/Owner):** 

D.R. Horton

Prepared By: