3/17/2015

2015 Financial Assurance Estimate Form (with pre-plat construction)

| Project Information | |
|-----------------------------------|----------|
| Hudson Minor Subdivision (4 lots) | 3/7/2018 |
| Project Name | Date |

| Section 1 - Grading and Erosion Control BMPs | Quantity | Units | | | Price | | | % Complete | F | Remaining | |
|---|----------|-------|---|-------|--------------|---|-----------------|---------------|----|-----------|---|
| Earthwork* | 3,950.00 | CY | @ | \$ | \$5 | = | \$ 19,750.00 | | \$ | 19,750.00 | * |
| Permanent Seeding* | 0.50 | AC | @ | \$ | \$582 | = | \$ 291.00 | | \$ | 291.00 | * |
| Mulching* | 0.50 | AC | @ | \$ | \$507 | = | \$ 253.50 | | \$ | 253.50 | * |
| Permanent Erosion Control Blanket* | 1,160.00 | SY | @ | \$ | \$6 | = | \$ 6,960.00 | | \$ | 6,960.00 | * |
| Temporary Erosion Control Blanket | | SY | @ | \$ | \$3 | | \$ | | \$ | - | |
| Vehicle Tracking Control | 1.00 | EA | @ | \$ | \$1,625 | = | \$ 1,625.00 | | \$ | 1,625.00 | |
| Safety Fence | | LF | @ | \$ | \$3 | = | \$ | | \$ | - | |
| Silt Fence | | LF | @ | \$ | \$4 | = | \$ | | \$ | - | |
| Temporary Seeding | | AC | @ | \$ | \$485 | = | \$ | | \$ | - | |
| Temporary Mulch | | AC | @ | \$ | \$507 | = | \$ | | \$ | - | |
| Erosion Bales | | EA | @ | \$ | \$21 | = | \$ | | \$ | - | |
| Erosion Logs | | LF | @ | \$ | \$6 | = | \$ | | \$ | - | _ |
| Rock Ditch Checks | | EA | @ | \$ | | = | \$ | | \$ | - | _ |
| Inlet Protection | 1.00 | EA | @ | \$ | \$153 | = | \$ 153.00 | | \$ | 153.00 | _ |
| Sediment Basin | | EA | @ | \$ | \$1,625 | = | \$ | | \$ | - | _ |
| Concrete Washout Basin | | EA | @ | \$ | \$776 | = | \$ | | \$ | - | |
| | | | @ | \$ | | = | \$ | | \$ | - | _ |
| * specified items subject to defect warranty financial assurance. A minimum of 20% to be retained up to | | | | | • | | | | | | _ |
| preliminary acceptance process. | | | | Secti | on 1 Subtota | = | \$ 29,032.50 | | \$ | 29,032.50 | |

| Section 2 - Public Improvements** | Quantity | Units | | Price | | | % Complete | Remaining | |
|---------------------------------------|----------|-------|---|-----------------|---|-----------------|---------------|-----------------|---|
| - Roadway Improvements | | | | | | | | | |
| Construction Traffic Control | | LS | @ | \$ | = | \$ | | \$ - | * |
| Aggregate Base Course | 660.00 | Tons | @ | \$ \$18 | = | \$ 11,880.00 | | \$ 11,880.00 | * |
| Asphalt Pavement | | Tons | @ | \$ \$65 | = | \$ | | \$ - | * |
| Raised Median, Paved | | SF | @ | \$ \$7 | = | \$ | | \$ - | * |
| Electrical Conduit, Size = | | LF | @ | \$ \$14 | = | \$ | | \$ - | * |
| Traffic Signal, complete intersection | | EA | @ | \$ \$250,000 | = | \$ | | \$ - | * |
| Regulatory Sign | | EA | @ | \$ \$100 | = | \$ | | \$ - | * |
| Advisory Sign | | EA | @ | \$ \$100 | = | \$ | | \$ - | * |
| Guide/Street Name Sign | | EA | @ | \$ | | \$ | | \$ - | * |
| Epoxy Pavement Marking | | SF | @ | \$ \$12 | = | \$ | | \$ - | * |
| Thermoplastic Pavement Marking | | SF | @ | \$ \$22 | = | \$ | | \$ - | * |
| Barricade - Type 3 | | EA | @ | \$ \$115 | = | \$ | | \$ - | * |
| Delineator (Type I) | | EA | @ | \$ \$21 | = | \$ | | \$ - | * |
| Curb and Gutter, Type C (Ramp) | | LF | @ | \$ \$21 | = | \$ | | \$ - | * |
| Curb and Gutter, Type A (6" Vertical) | | LF | @ | \$ \$16 | = | \$ | | \$ - | * |
| Curb and Gutter, Type B (Median) | | LF | @ | \$ \$13 | = | \$ | | \$ - | * |
| Pedestrian Ramp | | SY | @ | \$ \$108 | = | \$ | | \$ - | * |

| Cross Pan | | | SY | @ | \$ | \$53 | = | \$ | \$ | _ * |
|---|--------------|----------------|--------|----------|-----------|---------|---|-------------|--------|------------|
| Curb Chase | | | EA | @ | \$ \$ | \$1,300 | = | \$ | \$ | * |
| | | | LF | @ | \$ | \$1,300 | = | \$ | \$ | _ * |
| Guardrail Type 3 (W-Beam) | | | LF | @ | \$ \$ | | = | \$ | \$ | |
| Guardrail Type 7 (Concrete) | | | EA | | <u>\$</u> | \$67 | = | \$ | \$ | |
| Guardrail End Anchorage | | | | @ | _ | \$1,978 | | _ | _ | |
| Guardrail Impact Attenuator | | | EA | @ | \$ | \$3,564 | = | \$ | \$ | |
| Sound Barrier Fence | | | LF | @ | \$ | \$100 | = | \$ | \$ | |
| - Storm Drain Improvements | | | | | | | | | | |
| Concrete Box Culvert (M Standard), Size (W > | (H) | | LF | @ | \$ | | = | \$ | \$ | - × |
| | Size | | LF | @ | \$ | | = | \$ | \$ | - × |
| 18" Reinforced Concrete Pipe | J.L.U | | LF | @ | \$ | \$69 | = | \$ | \$ | _ * |
| 24" Reinforced Concrete Pipe | | 62.00 | LF | @ | \$ | \$84 | = | \$ 5,208.00 | \$ | 5,208.00 * |
| 30" Reinforced Concrete Pipe | | | LF | @ | \$ | \$94 | = | \$ | \$ | _ * |
| 36" Reinforced Concrete Pipe | | | LF | @ | \$ | \$124 | = | \$ | \$ | _ * |
| 42" Reinforced Concrete Pipe | | | LF | @ | \$ | \$134 | = | \$ | \$ | |
| 48" Reinforced Concrete Pipe | | | LF | @ | \$ \$ | \$178 | = | \$ | \$ | _ * |
| 54" Reinforced Concrete Pipe | | | LF | @ | \$ \$ | | = | _ | \$ | _ * |
| <u> </u> | | | LF | | _ | \$182 | | \$ | \$ | |
| 60" Reinforced Concrete Pipe | | | | @ | \$ | \$216 | = | \$ | _ | |
| 66" Reinforced Concrete Pipe | | | LF | @ | \$ | \$263 | = | \$ | \$ | |
| 72" Reinforced Concrete Pipe | D: | 1 | LF | @ | \$ | \$283 | = | \$ | \$ | |
| | Size | | LF | @ | \$ | | = | \$ | \$ | |
| | Size | | LF | @ | \$ | | = | \$ | \$ | |
| 18" Corrugated Steel Pipe | | | LF | @ | \$ | \$66 | = | \$ | \$ | * |
| 24" Corrugated Steel Pipe | | | LF | @ | \$ | \$96 | = | \$ | \$ | * |
| 30" Corrugated Steel Pipe | | | LF | @ | \$ | \$101 | = | \$ | \$ | * |
| 36" Corrugated Steel Pipe | | | LF | @ | \$ | \$136 | = | \$ | \$ | - * |
| 42" Corrugated Steel Pipe | | | LF | @ | \$ | \$147 | = | \$ | \$ | * |
| 48" Corrugated Steel Pipe | | | LF | @ | \$ | \$169 | = | \$ | \$ | * |
| 54" Corrugated Steel Pipe | | | LF | @ | \$ | \$193 | = | \$ | \$ | * |
| 60" Corrugated Steel Pipe | | | LF | @ | \$ | \$227 | = | \$ | \$ | * |
| 66" Corrugated Steel Pipe | | | LF | @ | \$ | \$278 | = | \$ | \$ | * |
| 72" Corrugated Steel Pipe | | | LF | @ | \$ | \$330 | = | \$ | \$ | _ * |
| 78" Corrugated Steel Pipe | | ide quantity f | or the | 9 | \$ | \$381 | = | \$ | \$ | _ * |
| 84" Corrugated Steel Pipe | 24" | FES | | Ď | \$ | \$432 | = | \$ | \$ | _ * |
| Flared End Section (FESTECP - | + | ļ. <u></u> | EA | ් | \$ | | = | \$ | \$ | _ * |
| Flared End Section (FES) HDPE | <u> </u> | | EA | @ | \$ | | = | \$ | \$ | _ * |
| Flared End Section (FES) CSP | | | EA | @ | \$ | | = | \$ | \$ | _ * |
| End Treatment- Headwall | | | EA | @ | \$ | | = | \$ | \$ | * |
| End Treatment- Wingwall | | | EA | @ | \$ | | = | \$ | \$ | _ * |
| End Treatment - Cutoff Wall | | | EA | @ | \$ | | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L=5', Depth < 5 feet | | | EA | @ | \$ | \$3,791 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L=5', 5'-10' Depth | | | EA | @ | \$ | \$5,044 | | \$ | \$ | _ * |
| Curb Inlet (Type R) L =5' , 10'-15' Depth | | | EA | @ | \$ | \$6,027 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =10', Depth < 5 feet | | | EA | @ | \$ | \$5,528 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =10' , 5'-10' Depth | | | EA | @ | \$ | \$6,694 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =10' , 10'-15' Depth | | | EA | @ | \$ | \$7,500 | = | \$ | \$ | - * |
| Curb Inlet (Type R) L =15', Depth < 5 feet | | | EA | @ | \$ | \$7,923 | = | \$ | \$ | _ × |
| Curb Inlet (Type R) L =15' , 5'-10' Depth | | | EA | @ | \$ | \$8,000 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =15' , 10'-15' Depth | | | EA | @ | \$ | \$8,800 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =20', Depth < 5 feet | | | EA | @ | \$ | \$8,000 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =20' , 5'-10' Depth | | | EA | @ | \$ | \$8,830 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =','' Depth | | | EA | @ | \$ | ¥0,000 | = | \$ | \$ | _ * |
| Curb Inlet (Type R) L =','' Depth | | | EA | @ | \$ | | = | \$ | \$ | - k |
| Grated Inlet (Type C), < 5' deep | | | EA | @ | \$ \$ | \$3,270 | = | \$ | \$ | k |
| | | | | | _ | | | _ | \$ | _ * |
| Grated Inlet (Type D), < 5' deep | o t | | EA | @ | \$ | \$3,908 | = | \$ | | * |
| Storm Sewer Manhole, Box Base, Depth < 15 fe | | - | EA | @ | \$ | \$8,592 | = | \$ | \$ | |
| Storm Sewer Manhole, Slab Base, Depth < 15 f | eet | | EA | @ | \$ | \$4,575 | = | \$ | \$ | * |
| Geotextile (Erosion Control) | | 7.00 | SY | @ | \$ | \$5 | = | \$ | \$ | - * |
| Rip Rap, d50 Size from 6" to 24" | | 7.00 | CY | @ | \$ | \$98 | = | \$ 686.00 | \$ | 686.00 * |
| Rip Rap, Grouted | | | CY | @ | \$ | \$215 | = | \$ | \$ | * |

| Drainage Channel Construction, Size (W x H) | LF | @ | \$ | | = | \$ | | \$ | - | * |
|--|----|--------------------|----|---------|---|----|-----------|----|-----------|----|
| Channel Lining, Concrete | CY | @ | \$ | \$450 | = | \$ | | \$ | - | * |
| Channel Lining, Rip Rap | CY | @ | \$ | \$98 | = | \$ | | \$ | - | * |
| Channel Lining, Grass | AC | @ | \$ | \$1,287 | = | \$ | | \$ | - | * |
| Channel Lining, Other Stabilization | SY | @ | \$ | \$3 | = | \$ | | \$ | - | * |
| Detention Outlet Structure | EA | @ | \$ | | = | \$ | | \$ | - | * |
| Detention Emergency Spillway | EA | @ | \$ | | = | \$ | | \$ | - | * |
| Permanent Water Quality Facility (Describe) | EA | @ | \$ | | = | \$ | | \$ | - | * |
| * specified items subject to defect warranty financial | | | | | | | | | | |
| assurance. A minimum of 20% to be retained up to preliminary acceptance process. + For flared end sections, multiply pipe LF cost by 6 | | Section 2 Subtotal | | | | | 17,774.00 | | 17,774.00 | ** |

| Section 3 - Common Development Improvements (Private or District)*** | Quantity | Units | | | Price | | % Complete | Remaining | Ī |
|---|----------|-------|---|---------|-------------|-----|---------------|-----------|---|
| - Roadway Improvements | | | | | | | | | |
| (Include any applicable items from above Public | | | @ | \$ | | = | \$ | \$ | - |
| Improvements list, that are to be private and NOT | | | @ | \$ | | = | \$ | \$ | - |
| maintained by El Paso County) | | | @ | \$ | | = | \$ | \$ | - |
| Concrete Sidewalk | | SY | @ | \$ | \$38 | = | \$ | \$ | |
| | | | @ | \$ | | = | \$ | \$ | - |
| | | | @ | \$ | | = | \$ | \$ | |
| - Storm Drain Improvements | | | | | | | | | |
| (Include any applicable items from above Public | | _ | @ | \$ | | = | \$ | \$ | |
| Improvements list, that are to be private and NOT | | | @ | \$ | | = | \$ _ | \$ | - |
| maintained by El Paso County) | | | @ | \$ | | = | \$ | \$ | |
| - Water System Improvements | | | | | | | | | |
| Water Main Pipe (PVC), Size 8" | | LF | @ | \$ | \$94 | = | \$ | \$ | |
| Water Main Pipe (Ductile Iron), Size 8" | | LF | @ | \$ | \$137 | = | \$ | \$ | - |
| Gate Valves, 8" | | EA | @ | \$ | \$1,852 | = | \$ | \$ | - |
| Fire Hydrant Assembly w/ all valves | | EA | @ | \$ | \$6,430 | = | \$ | \$ | - |
| Water Service Line Installation, including tap and valves | | EA | @ | \$ | 1,253 | = | \$ | \$ | - |
| Fire Cistern Installation, complete | | EA | @ | \$ | | = | \$ | \$ | _ |
| - Sanitary Sewer Improvements | | | | | | | | | |
| Sewer Main Pipe (PVC), Size 8" | | _ LF | @ | \$ | \$94 | = | \$ | \$ | - |
| Sanitary Sewer Manhole, Depth < 15 feet | | EA | @ | \$ | \$4,575 | = | \$ | \$ | - |
| Sanitary Service Line Installation, complete | | EA | @ | \$ | 1,516 | = | \$ | \$ | - |
| Sanitary Sewer Lift Station, complete | | EA | @ | \$ | | = | \$ | \$ | |
| - Landscaping (If Applicable) (List raniuscaping nine items and cost - usuany only in | | | Н | | | | | | |
| case of subdivision specific condition of approval, or | | EA | @ | \$ | | = | \$ | \$ | - |
| PUD) | | EA | @ | \$ | - | = | \$ | | |
| | | EA | @ | \$ | | = | \$ | \$ | - |
| | | EA | @ | \$ | | = | \$ | \$ | - |
| | | EA | @ | \$ | | = | \$ | \$ | _ |
| ***items in this section are not subject to defect warranty | | | | | | | | | |
| financial assurance | | | | Section | n 3 Subtota | ı = | \$ | | |

| Financial Assurance Totals | | |
|---|--|------------|
| As-built drawings - (FILL IN IF THERE ARE ANY PUBLICLY-MAINTAINED IMPRO | OVEMENTS) \$ | |
| (Inc. survey to verify detention pond volumes.) | \$46,806.50 | |
| | (Sum of all section subtotals) | |
| | | |
| | Total Remaining Construction Financial Assurance | 46,806.50 |
| | (Sum of all section totals less credit for items complete) | |
| | | |
| | Total Defect Warranty Financial Assurance | \$9,005.70 |
| (20% of all items identified as public im | provements(*). To be collateralized at time of preliminary acceptance) | |
| | | |
| | | |
| Approvals | | |
| | | |
| I hereby certify that this is an accurate and complete estimate of costs for the work | as shown on the approved Construction Drawings associated with the $\mbox{\sc Pr}$ | oject. |
| | | |
| Engineer | Date | |
| (P.E. Seal) | Date | |
| (r.L. Seal) | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| Approved by Owner / Applicant | Date | |
| Approved by Owner / Applicant | Date | |
| | | |
| | | |
| Approved by El Paso Couny Engineer / ECM Administrator | Date | |
| Approved by Li Faso Courty Engineer / LCM Authinistrator | Date | |