


MODIFICATIONS TO THIS
DESIGN MAY BE REQUIRED,
TO BE DETERMINED AT THE
TIME OF SITE OBSERVATIONS.

SITE PLAN
SCALE: 1" = 115'



NOTE: ENGINEER TO REVIEW PROPOSED LAYOUT
PRIOR TO CONSTRUCTION W/ OWNER & INSTALLER.
NOTE: LOCATE VALVE BOX AT THE "HIGH POINT" IN
THE SYSTEM AND PROVIDE AIR RELEASE VALVE.


THE MAXIMUM SOIL COVER OVER THE TOP OF A SEPTIC
TANK IS 48" UNLESS OTHERWISE APPROVED BY
EL PASO COUNTY

ORIENTATION APPROXIMATE; COORDINATE EXACT
LOCATION & ORIENTATION WITH ENGINEER
ON-SITE, PRIOR TO CLEARING & CONSTRUCTION.

NOTE:
THE CONFIGURATION OF THE BED SOIL TREATMENT
AREA CAN BE ALTERED TO ACCOMMODATE SITE
SPECIFIC CONDITIONS AS APPROVED BY ENTECH

NOTE: BUILDERS/OWNERS SHOULD REVIEW THEIR
COVENANTS TO VERIFY IF THERE ARE SETBACK OR
LAND-CLEARING RESTRICTIONS THAT MIGHT AFFECT
SYSTEM INSTALLATION, PRIOR TO CONSTRUCTION.

Robert Paul Jaquet



STATE OF COLORADO P.E.

REVISIONS	BY:

ENTECH
ENGINEERING, INC.
505 ELKTON DRIVE
COLORADO SPRINGS, CO 80907
(719) 531-5599

ON-SITE WASTEWATER TREATMENT SYSTEM
305 PINE OAKS ROAD
PARCEL No. 7525000014
EL PASO COUNTY, COLORADO
FOR: T-BONE CONSTRUCTION

DRAWN BY: R. JAQUET
DESIGNED BY: R. JAQUET
CHECKED BY: R. JAQUET
DATE: 7/1/2025
SCALE: 1" = 115'
JOB NO.: 231440
SHEET NO.: 25
OF SHEETS