## 2023 Financial Assurance Estimate Form

(with pre-plat construction)

Updated: 12/8/2022 PROJECT INFORMATION PCD File No. Date Project Name

				Unit				(with Pro	-Plat Construction)	
Description	Quantity	Units		Cost			Total	% Complete	Remaining	
SECTION 1 - GRADING AND EROSION CONTR										
Earthwork	•									
less than 1,000; \$5,300 min		CY	\$	8.00	=	\$	-		\$	-
1,000-5,000; \$8,000 min		CY	\$	6.00	=	\$	-		\$	-
5,001-20,000; \$30,000 min		CY	\$	5.00	=	\$	-		\$	-
20,001-50,000; \$100,000 min		CY	\$	3.50	=	\$	-		\$	-
50,001-200,000; \$175,000 min		CY	\$	2.50	=	\$	-		\$	-
greater than 200,000; \$500,000 min		CY	\$	2.00	=	\$	-		\$	-
Permanent Erosion Control Blanket		SY	\$	8.00	=	\$	-		\$	-
Permanent Seeding (inc. noxious weed mgmnt.) & Mulching		AC	\$ 1	1,875.00	=	\$	-		\$	-
Permanent Pond/BMP (provide engineer's estimate)		EA			=	\$	-		Ψ	-
Concrete Washout Basin		EA	_	1,089.00	=	\$	-		Ψ	-
Inlet Protection		EA	\$	202.00	=	\$	-		Ψ	-
Rock Check Dam		EA	\$	605.00	=	\$	-		Ψ	-
Safety Fence		LF	\$	3.00	=	\$	-		Ψ	-
Sediment Basin		EA	_	2,132.00	=	\$	-		Ψ	-
Sediment Trap		EA	\$	500.00	=	\$	-		Ψ	-
Silt Fence		LF	\$	3.00	=	\$	-		Ψ	-
Slope Drain		LF	\$	40.00		\$	-		Ψ	-
Straw Bale		EA	\$	31.00	=	\$	-		4	-
Straw Wattle/Rock Sock		LF	\$	7.00	=	\$	-		Ψ	-
Surface Roughening		AC	\$	250.00		\$	-		Ψ	-
Temporary Erosion Control Blanket		SY	\$	3.00	=	\$	-		Ψ	-
Temporary Seeding and Mulching		AC	_	1,666.00	=	\$	-		Ψ	-
Vehicle Tracking Control		EA	\$ 2	2,867.00	=	\$	-		Ψ	-
					=	\$	-		Ψ	-
[insert items not listed but part of construction plans]			<u> </u>		=	\$	-		Ψ	-
	NTENANCE (35%	∕₀ of Constru	uction	BMPs)	=	\$	-		\$	-
* - Subject to defect warranty financial assurance. A minimum of 20% shall be retained until final acceptance (MAXIMUM OF 80% COMPLETE		Section	n 1 S	ubtotal	=	\$	_		\$	_
ALLOWED)		0001101		abtotai		۳			Ψ	
SECTION 2 - PUBLIC IMPROVEMENTS *										
ROADWAY IMPROVEMENTS						_				
Construction Traffic Control		LS			=	\$	-		Ψ	-
Aggregate Base Course (135 lbs/cf)		Tons	\$	34.00	=	\$	-		\$	-
Aggregate Base Course (135 lbs/cf)										
Asphalt Pavement (3" thick)		CY	\$	61.00		\$	-		Ψ	-
. , , ,		SY	\$	17.00		\$			\$	-
Asphalt Pavement (4" thick)		SY SY	\$	17.00 23.00		\$			\$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick)		SY SY SY	\$ \$ \$	17.00 23.00 35.00		\$ \$ \$	- - -		\$ \$ \$	- - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick		SY SY SY Tons	\$ \$ \$	17.00 23.00 35.00 106.00	=	\$ \$ \$ \$			\$ \$ \$ \$	-
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved		SY SY SY Tons	\$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00	=	\$ \$ \$ \$	- - - -		\$ \$ \$ \$	- - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign		SY SY SY Tons SF EA	\$ \$ \$	17.00 23.00 35.00 106.00		\$ \$ \$ \$ \$	- - -		\$ \$ \$ \$ \$	- - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign		SY SY SY Tons SF EA	\$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00	= = =	\$ \$ \$ \$ \$ \$	- - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking		SY SY SY Tons SF EA EA SF	\$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00	= = = =	\$ \$ \$ \$ \$ \$	- - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking		SY SY SY Tons SF EA EA SF SF	\$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00	= = = = =	\$ \$ \$ \$ \$ \$	- - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$	-
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3		SY SY SY Tons SF EA EA SF SF EA	\$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00	= = = = =	\$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I		SY SY SY Tons SF EA EA SF SF EA EA SF	\$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00	= = = = = =	\$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)		SY SY SY Tons SF EA EA EA SF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00 35.00	= = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median)		SY SY SY Tons SF EA EA SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 29.00 35.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - -
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)		SY SY SY Tons SF EA EA SF SF EA LF LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00	= = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only)		SY SY SY Tons SF EA EA SF EA LF LF LF SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 16.00 28.00 241.00 35.00 35.00 35.00 58.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk		SY SY SY Tons SF EA EA SF EA LF LF LF SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 58.00 72.00	= = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - -
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk		SY SY SY Tons SF EA EA EA LF LF SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00	= = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk		SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00	= = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp		SY SY SY Tons SF EA EA SF EA LF LF LF SY SY SY SY SY EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return)		SY SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 87.00 116.00 1,390.00 73.00	= = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return)		SY SY SY Tons SF EA EA SF SF EA EA LF LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 73.00 111.00	= = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase		SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 47.00 87.00 116.00 1,390.00 111.00 1,790.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam)		SY SY SY Tons SF EA EA LF LF SY SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00 111.00	= = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	- - - - - - - - - - - - - - - - - - -		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Curb Opening with Drainage Chase  Guardrail Type 3 (W-Beam)  Guardrail Type 7 (Concrete)		SY	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Curb Opening with Drainage Chase  Guardrail Type 3 (V-Beam)  Guardrail Type 7 (Concrete)  Guardrail End Anchorage		SY SY SY Tons SF EA EA SF SF EA LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 87.00 87.00 2,538.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick)  Asphalt Pavement (6" thick)  Asphalt Pavement (147 lbs/cf)" thick  Raised Median, Paved  Regulatory Sign/Advisory Sign  Guide/Street Name Sign  Epoxy Pavement Marking  Thermoplastic Pavement Marking  Barricade - Type 3  Delineator - Type I  Curb and Gutter, Type A (6" Vertical)  Curb and Gutter, Type B (Median)  Curb and Gutter, Type C (Ramp)  4" Sidewalk (common areas only)  5" Sidewalk  6" Sidewalk  8" Sidewalk  Pedestrian Ramp  Cross Pan, local (8" thick, 6' wide to include return)  Curb Opening with Drainage Chase  Guardrail Type 3 (W-Beam)  Guardrail Type 7 (Concrete)  Guardrail Impact Attenuator		SY SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF LF EA LF LF EA LF EA	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 35.00 116.00 116.00 11.390.00 73.00 111.00 1,790.00 60.00 87.00 2,538.00 4,556.00	= = = = = = = = = = = = = = = = = = =	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		SY SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF LF EA LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00 2538.00 95.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type I Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high) Sound Barrier Fence (panels, 6' high)		SY SY SY Tons SF EA EA LF LF LF SY SY SY LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 35.00 72.00 87.00 116.00 1,790.00 60.00 87.00 29.00 87.00 115.00 115.00 87.00 115.00 87.00 115.00 87.00 95.00 97.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
Asphalt Pavement (4" thick) Asphalt Pavement (6" thick) Asphalt Pavement (6" thick) Asphalt Pavement (147 lbs/cf)" thick Raised Median, Paved Regulatory Sign/Advisory Sign Guide/Street Name Sign Epoxy Pavement Marking Thermoplastic Pavement Marking Barricade - Type 3 Delineator - Type 1 Curb and Gutter, Type A (6" Vertical) Curb and Gutter, Type B (Median) Curb and Gutter, Type C (Ramp) 4" Sidewalk (common areas only) 5" Sidewalk 6" Sidewalk 8" Sidewalk 8" Sidewalk 8" Sidewalk Pedestrian Ramp Cross Pan, local (8" thick, 6' wide to include return) Cross Pan, collector (9" thick, 8' wide to include return) Curb Opening with Drainage Chase Guardrail Type 3 (W-Beam) Guardrail Type 7 (Concrete) Guardrail End Anchorage Guardrail Impact Attenuator Sound Barrier Fence (CMU block, 6' high)		SY SY SY Tons SF EA EA SF SF EA LF LF LF SY SY SY LF LF EA LF LF EA LF	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	17.00 23.00 35.00 106.00 10.00 364.00 28.00 241.00 29.00 35.00 35.00 58.00 72.00 87.00 116.00 1,390.00 73.00 111.00 1,790.00 60.00 87.00 2538.00 95.00		\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$			\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	

PROJECT INFORMATION							
Project Name	•	Date		PCD File No.			

Description	Quantity	Quantity Units Cost			Total	(with Pre-Plat Construction % Complete Remaining			
				=	\$ -		\$ -		
[insert items not listed but part of construction	n plans]			=	\$ -		\$ -		
TORM DRAIN IMPROVEMENTS									
Concrete Box Culvert (M Standard), Size (	W x H )	LF		=	\$ -		\$ -		
18" Reinforced Concrete Pipe		LF	\$ 76.00	=	\$ -		\$ -		
24" Reinforced Concrete Pipe		LF	\$ 91.00	=	\$ -		\$ -		
30" Reinforced Concrete Pipe		LF	\$ 114.00	=	\$ -		\$ -		
36" Reinforced Concrete Pipe		LF	\$ 140.00	=	\$ -		\$ -		
42" Reinforced Concrete Pipe		LF	\$ 187.00	=	\$ -		\$ -		
48" Reinforced Concrete Pipe		LF	\$ 228.00	=	\$ -		\$ -		
54" Reinforced Concrete Pipe		LF	\$ 297.00	=	\$ -		\$ -		
60" Reinforced Concrete Pipe		LF	\$ 348.00	=	\$ -		\$ -		
66" Reinforced Concrete Pipe		LF	\$ 402.00	=	\$ -		\$ -		
72" Reinforced Concrete Pipe		LF	\$ 460.00		\$ -		\$ -		
18" Corrugated Steel Pipe		LF	\$ 98.00		\$ -		\$ -		
24" Corrugated Steel Pipe		LF LF	\$ 112.00	=	Ψ		Ψ		
30" Corrugated Steel Pipe			\$ 143.00	=	\$ -		Ψ		
36" Corrugated Steel Pipe		LF	\$ 171.00	=	\$ -		\$ -		
42" Corrugated Steel Pipe		LF	\$ 197.00	=	\$ -		\$ -		
48" Corrugated Steel Pipe		LF	\$ 207.00	=	\$ -		\$ -		
54" Corrugated Steel Pipe		LF	\$ 304.00	=	\$ -		\$ -		
60" Corrugated Steel Pipe		LF	\$ 328.00	=	\$ -		\$ -		
66" Corrugated Steel Pipe		LF	\$ 397.00	=	\$ -		\$ -		
72" Corrugated Steel Pipe		LF	\$ 467.00	=	\$ -		\$ -		
78" Corrugated Steel Pipe		LF	\$ 537.00	=	\$ -		\$ -		
84" Corrugated Steel Pipe		LF	\$ 642.00	=	\$ -		\$ -		
Flared End Section (FES) RCP Size = (unit cost = 6x pipe unit cost)		EA		=	\$ -		\$ -		
Flared End Section (FES) CSP Size =				=	\$ -		\$ -		
(unit cost = 6x pipe unit cost)		EA			· ·				
End Treatment- Headwall		EA		=	\$ -		\$ -		
End Treatment- Wingwall		EA		=	\$ -		\$ -		
End Treatment - Cutoff Wall		EA		=	\$ -		\$ -		
Curb Inlet (Type R) L=5', Depth < 9		EA	\$ 6,703.00	=	\$ -		\$ -		
Curb Inlet (Type R) L=5', 5'≤ Depth <		EA	\$ 8,715.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =5', 10' ≤ Depth <		EA	\$ 10,092.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =10', Depth < 5	5'	EA	\$ 9,224.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =10', 5'≤ Depth <	10'	EA	\$ 9,507.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =10', 10'≤ Depth <	15'	EA	\$ 11,901.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =15', Depth < 5	5'	EA	\$ 11,995.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =15', 5'≤ Depth <	10'	EA	\$ 12,858.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =15', 10' ≤ Depth <	15'	EA	\$ 14,061.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =20', Depth < 5	5'	EA	\$ 12,783.00	=	\$ -		\$ -		
Curb Inlet (Type R) L =20', 5'≤ Depth <		EA	\$ 14,109.00	=	\$ -		\$ -		
Grated Inlet (Type C), Depth < 5		EA	\$ 5,611.00	=	\$ -		\$ -		
Grated Inlet (Type D), Depth < 5		EA	\$ 6,931.00	=	\$ -		\$ -		
Storm Sewer Manhole, Box Base		EA	\$ 14,061.00	=	\$ -		\$ -		
Storm Sewer Manhole, Slab Base		EA	\$ 7,734.00		\$ -		\$ -		
		SY	\$ 7,734.00						
Geotextile (Erosion Control)					Ψ		Ψ		
Rip Rap, d50 size from 6" to 24"		Tons	\$ 97.00	=	\$ -		\$ -		
Rip Rap, Grouted		Tons	\$ 115.00	=	\$ -		\$ -		
Drainage Channel Construction, Size ( W >	(н)	LF	\$ -	=	\$ -		\$ -		
Drainage Channel Lining, Concrete		CY	\$ 689.00	=	\$ -		\$ -		
Drainage Channel Lining, Rip Rap		CY	\$ 135.00	=	\$ -		\$ -		
Drainage Channel Lining, Grass		AC	\$ 1,776.00	=	\$ -		\$ -		
Drainage Channel Lining, Other Stabilization	n e			=	\$ -		\$ -		
				=	\$ -		\$ -		
[insert items not listed but part of construction	n plans]			=	\$ -		\$ -		
- Subject to defect warranty financial assurance. A min									
e retained until final acceptance (MAXIMUM OF 80% C LLOWED)	UMPLETE	Sectio	n 2 Subtotal	=	\$ -		\$ -		

PROJECT INFORMATION							
Project Name		Date		PCD File No.			

	Unit					(with Pre-Plat Construction)			
Description	Quantity	Units		Cost			Total	% Complete	Remaining
<b>SECTION 3 - COMMON DEVELOPMENT IMPR</b>	OVEMENTS (P	rivate or D	istr	rict and I	NOT Maii	ntained	by EPC)**		
ROADWAY IMPROVEMENTS									
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
STORM DRAIN IMPROVEMENTS (Excepti	on: Permanent Por	nd/BMP shall b	e ite	emized und	er Section	1)			
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
					=	\$	-		\$ -
WATER SYSTEM IMPROVEMENTS									
Water Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$	-		\$ -
Water Main Pipe (Ductile Iron), Size 8"		LF	\$	91.00	=	\$	-		\$ -
Gate Valves, 8"		EA	\$	2,247.00	=	\$	-		\$ -
Fire Hydrant Assembly, w/ all valves		EA	\$	7,978.00	=	\$	-		\$ -
Water Service Line Installation, inc. tap and valves		EA	\$	1,601.00	=	\$	-		\$ -
Fire Cistern Installation, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
SANITARY SEWER IMPROVEMENTS									
Sewer Main Pipe (PVC), Size 8"		LF	\$	78.00	=	\$	-		\$ -
Sanitary Sewer Manhole, Depth < 15 feet		EA	\$	5,305.00	=	\$	-		\$ -
Sanitary Service Line Installation, complete		EA	\$	1,696.00	=	\$	-		\$ -
Sanitary Sewer Lift Station, complete		EA			=	\$	-		\$ -
					=	\$	-		\$ -
[insert items not listed but part of construction plans]					=	\$	-		\$ -
LANDSCAPING IMPROVEMENTS	(For subdivision spe		of a	approval, or					
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
		EA			=	\$	-		\$ -
** - Section 3 is not subject to defect warranty requirements		Section	า 3	Subtotal	=	\$	-		\$ -

PROJECT INFORMATION							
Project Name	Date	PCD File No.					

			Unit				(with Pre	-Plat C	Construction)
Description	Quantity	Units	Cost		T	otal	% Complete		Remaining
AS-BUILT PLANS (Public Improvements inc. Permanent V	VQCV BMPs)	LS		=	\$	-		\$	-
POND/BMP CERTIFICATION (inc. elevations and volume of	calculations)	LS		=	\$	-		\$	-
				Total (	Construction	on Financia	I Assurance	\$	-
			(Sum of all sec	tion subtotal	ls plus as-built	s and pond/Bl	MP certification)		
	Total Remaini	ing Constr	uction Finan	cial Assui	rance (with	Pre-Plat Co	onstruction)	\$	-
(Sum of all section totals less credit for items complete plus as-builts and pond/BMP certification)									
				<b>Total Def</b>	ect Warran	ty Financia	I Assurance	\$	-
(20% of all items identified as (*). To be collateralized at time of preliminary acceptance									

Approvals	
I hereby certify that this is an accurate and complete estimate of costs for the work as shown	on the Grading and Erosion Control Plan and Construction Drawings associated with the Project.
Engineer (P.E. Seal Required)	
Approved by Owner / Applicant	Date
Approved by El Paso County Engineer / ECM Administrator	Date